

Qiang Fu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2391440/publications.pdf>

Version: 2024-02-01

121
papers

3,435
citations

159585

30
h-index

182427

51
g-index

125
all docs

125
docs citations

125
times ranked

3936
citing authors

#	ARTICLE	IF	CITATIONS
1	Greatly enhanced discharge energy density and efficiency of novel relaxation ferroelectric BNT-BKT-based ceramics. <i>Journal of Materials Chemistry C</i> , 2020, 8, 591-601.	5.5	224
2	Transition metal-catalyzed carboxylation of unsaturated substrates with CO ₂ . <i>Coordination Chemistry Reviews</i> , 2018, 374, 439-463.	18.8	171
3	Transition metal-free phosphonocarboxylation of alkenes with carbon dioxide via visible-light photoredox catalysis. <i>Nature Communications</i> , 2019, 10, 3592.	12.8	136
4	Selective and Catalytic Hydrocarboxylation of Enamides and Imines with CO ₂ to Generate α,β -Disubstituted α -Amino Acids. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 13897-13901.	13.8	129
5	Nanoparticle Albumin - Bound (NAB) Technology is a Promising Method for Anti-Cancer Drug Delivery. <i>Recent Patents on Anti-Cancer Drug Discovery</i> , 2009, 4, 262-272.	1.6	125
6	Dicarboxylation of alkenes, allenes and (hetero)arenes with CO ₂ via visible-light photoredox catalysis. <i>Nature Catalysis</i> , 2021, 4, 304-311.	34.4	104
7	Visible-Light Photoredox-Catalyzed Remote Difunctionalizing Carboxylation of Unactivated Alkenes with CO ₂ . <i>Angewandte Chemie - International Edition</i> , 2020, 59, 21121-21128.	13.8	102
8	Large amino acid transporter 1 mediated glutamate modified docetaxel-loaded liposomes for glioma targeting. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016, 141, 260-267.	5.0	82
9	Nimodipine nanocrystals for oral bioavailability improvement: Role of mesenteric lymph transport in the oral absorption. <i>International Journal of Pharmaceutics</i> , 2013, 448, 290-297.	5.2	73
10	Nimodipine nanocrystals for oral bioavailability improvement: Preparation, characterization and pharmacokinetic studies. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013, 109, 161-166.	5.0	65
11	Determination of clenbuterol from pork samples using surface molecularly imprinted polymers as the selective sorbents for microextraction in packed syringe. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014, 91, 160-168.	2.8	63
12	Targeting tumor highly-expressed LAT1 transporter with amino acid-modified nanoparticles: Toward a novel active targeting strategy in breast cancer therapy. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2017, 13, 987-998.	3.3	60
13	Photocatalytic Intramolecular [2 + 2] Cycloaddition of Indole Derivatives via Energy Transfer: A Method for Late-Stage Skeletal Transformation. <i>ACS Catalysis</i> , 2020, 10, 10149-10156.	11.2	59
14	A novel surface molecularly imprinted polymer as the solid-phase extraction adsorbent for the selective determination of ampicillin sodium in milk and blood samples. <i>Journal of Pharmaceutical Analysis</i> , 2016, 6, 157-164.	5.3	57
15	Rod shaped nanocrystals exhibit superior in vitro dissolution and in vivo bioavailability over spherical like nanocrystals: A case study of lovastatin. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015, 128, 410-418.	5.0	53
16	Cotransporting Ion is a Trigger for Cellular Endocytosis of Transporter-Targeting Nanoparticles: A Case Study of High-Efficiency SLC22A5 (OCTN2)-Mediated Carnitine-Conjugated Nanoparticles for Oral Delivery of Therapeutic Drugs. <i>Advanced Healthcare Materials</i> , 2017, 6, 1700165.	7.6	51
17	Establishment of an Aqueous PEG 200-Based Deep Eutectic Solvent Extraction and Enrichment Method for Pumpkin (<i>Cucurbita moschata</i>) Seed Protein. <i>Food Analytical Methods</i> , 2017, 10, 1669-1680.	2.6	50
18	Multifunctional Poly(methyl vinyl ether-co-maleic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td (anhydride)-graft-hydroxypr High-Performance Delivery Carrier of Tacrolimus. <i>Molecular Pharmaceutics</i> , 2015, 12, 2337-2351.	4.6	48

#	ARTICLE	IF	CITATIONS
19	Solvent-shift strategy to identify suitable polymers to inhibit humidity-induced solid-state crystallization of lacidipine amorphous solid dispersions. <i>International Journal of Pharmaceutics</i> , 2016, 503, 238-246.	5.2	48
20	Development of molecular imprinted column-on line-two dimensional liquid chromatography for selective determination of clenbuterol residues in biological samples. <i>Food Chemistry</i> , 2017, 217, 628-636.	8.2	48
21	Core-matched encapsulation of an oleate prodrug into nanostructured lipid carriers with high drug loading capability to facilitate the oral delivery of docetaxel. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016, 143, 47-55.	5.0	46
22	Coamorphous Loratadine-Citric Acid System with Enhanced Physical Stability and Bioavailability. <i>AAPS PharmSciTech</i> , 2017, 18, 2541-2550.	3.3	46
23	In vitro proliferation and osteogenic differentiation of human dental pulp stem cells in injectable thermo-sensitive chitosan/β-glycerophosphate/hydroxyapatite hydrogel. <i>Journal of Biomaterials Applications</i> , 2016, 31, 317-327.	2.4	44
24	hUMSCs regulate the differentiation of ovarian stromal cells via TGF-β1/Smad3 signaling pathway to inhibit ovarian fibrosis to repair ovarian function in POI rats. <i>Stem Cell Research and Therapy</i> , 2020, 11, 386.	5.5	43
25	Development of molecularly imprinted column-on line-two dimensional liquid chromatography for rapidly and selectively monitoring estradiol in cosmetics. <i>Talanta</i> , 2016, 161, 830-837.	5.5	37
26	Combined magnetic porous molecularly imprinted polymers and deep eutectic solvents for efficient and selective extraction of aristolochic acid I and II from rat urine. <i>Materials Science and Engineering C</i> , 2019, 97, 650-657.	7.3	35
27	Eco-friendly fabrication of sponge-like magnetically carbonaceous fiber aerogel for high-efficiency oil-water separation. <i>RSC Advances</i> , 2016, 6, 30301-30310.	3.6	33
28	Copper-catalyzed aerobic oxidative coupling of ketones with P(O)H compounds leading to β-ketophosphine oxides. <i>Organic Chemistry Frontiers</i> , 2017, 4, 1385-1389.	4.5	33
29	Hybrid-type carbon microcoil-chitosan composite for selective extraction of aristolochic acid I from Aristolochiaceae medicinal plants. <i>Journal of Chromatography A</i> , 2018, 1561, 13-19.	3.7	33
30	Evaluation of the chemical composition, antioxidant and anti-inflammatory activities of distillate and residue fractions of sweet basil essential oil. <i>Journal of Food Science and Technology</i> , 2017, 54, 1882-1890.	2.8	30
31	Copper-catalyzed Direct Oxyphosphorylation of Enamides with P(O)H Compounds and Dioxygen. <i>Chinese Journal of Chemistry</i> , 2017, 35, 1378-1382.	4.9	30
32	Fabrication of a novel magnetic mesoporous molecularly imprinted polymer based on pericarpium granati-derived carrier for selective absorption of bromelain. <i>Food Chemistry</i> , 2018, 256, 91-97.	8.2	30
33	The pharmacokinetic study on the mechanism of toxicity attenuation of rhubarb total free anthraquinone oral colon-specific drug delivery system. <i>Fā-toterā-Ā</i> , 2015, 104, 86-96.	2.2	28
34	Molecularly imprinted membrane extraction combined with high-performance liquid chromatography for selective analysis of cloxacillin from shrimp samples. <i>Food Chemistry</i> , 2018, 259, 73-80.	8.2	28
35	Preparation of surface molecularly imprinted polymers as the solid-phase extraction sorbents for the specific recognition of penicilloic acid in penicillin. <i>Analytical Methods</i> , 2014, 6, 7865-7874.	2.7	27
36	Comparative studies of the in vitro dissolution and in vivo pharmacokinetics for different formulation strategies (solid dispersion, micronization, and nanocrystals) for poorly water-soluble drugs: A case study for lacidipine. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015, 132, 171-176.	5.0	27

#	ARTICLE	IF	CITATIONS
37	Preparation and characterization of surface molecularly imprinted films coated on multiwall carbon nanotubes for recognition and separation of lysozyme with high binding capacity and selectivity. <i>RSC Advances</i> , 2017, 7, 18765-18774.	3.6	27
38	Facile preparation of magnetic molecularly imprinted polymers for the selective extraction and determination of dexamethasone in skincare cosmetics using HPLC. <i>Journal of Separation Science</i> , 2018, 41, 2441-2452.	2.5	27
39	Selective and Catalytic Hydrocarboxylation of Enamides and Imines with CO ₂ to Generate α,β -Disubstituted α -Amino Acids. <i>Angewandte Chemie</i> , 2018, 130, 14093-14097.	2.0	27
40	A high-throughput screen indicates gemcitabine and JAK inhibitors may be useful for treating pediatric AML. <i>Nature Communications</i> , 2019, 10, 2189.	12.8	26
41	Role of Oatp2b1 in Drug Absorption and Drug-Drug Interactions. <i>Drug Metabolism and Disposition</i> , 2020, 48, 420-426.	3.3	26
42	Photocatalytic Deoxygenative Carboimination towards Functionalized Pyrrolines by Using Unstrained α,β -Unsaturated Oximes. <i>Advanced Synthesis and Catalysis</i> , 2021, 363, 2110-2116.	4.3	26
43	Hypoxia enhances the production and antitumor effect of exosomes derived from natural killer cells. <i>Annals of Translational Medicine</i> , 2021, 9, 473-473.	1.7	26
44	Facile covalent preparation of carbon nanotubes / amine-functionalized Fe ₃ O ₄ nanocomposites for selective extraction of estradiol in pharmaceutical industry wastewater. <i>Journal of Chromatography A</i> , 2021, 1638, 461889.	3.7	25
45	Relationship between dissolution and bioavailability for nimodipine colloidal dispersions: The critical size in improving bioavailability. <i>International Journal of Pharmaceutics</i> , 2012, 427, 358-364.	5.2	24
46	FASN, ErbB2-mediated glycolysis is required for breast cancer cell migration. <i>Oncology Reports</i> , 2016, 35, 2715-2722.	2.6	24
47	Preparation and Evaluation of Diosgenin Nanocrystals to Improve Oral Bioavailability. <i>AAPS PharmSciTech</i> , 2017, 18, 2067-2076.	3.3	24
48	Molecularly imprinted polymer solid-phase microextraction coupled with ultra high performance liquid chromatography and tandem mass spectrometry for rapid analysis of pyrrolizidine alkaloids in herbal medicine. <i>Journal of Separation Science</i> , 2019, 42, 3352-3362.	2.5	24
49	Rapid Identification of Steroidal Saponins in <i>Trillium Tschonoskii</i> Maxim by Ultraperformance Liquid Chromatography Coupled to Electrospray Ionisation Quadrupole Time-of-Flight Tandem Mass Spectrometry. <i>Phytochemical Analysis</i> , 2015, 26, 269-278.	2.4	23
50	Application of hot melt extrusion to enhance the dissolution and oral bioavailability of oleanolic acid. <i>Asian Journal of Pharmaceutical Sciences</i> , 2017, 12, 66-72.	9.1	23
51	Anti-proliferation and anti-inflammation effects of corilagin in rheumatoid arthritis by downregulating NF- κ B and MAPK signaling pathways. <i>Journal of Ethnopharmacology</i> , 2022, 284, 114791.	4.1	23
52	Development of novel self-assembled ES-PLGA hybrid nanoparticles for improving oral absorption of doxorubicin hydrochloride by P-gp inhibition: In vitro and in vivo evaluation. <i>European Journal of Pharmaceutical Sciences</i> , 2017, 99, 185-192.	4.0	22
53	A mussel-inspired hybrid copolymer adhered to chitosan-coated micro-sized carbon fiber aerogels for highly efficient nanoparticle scavenging. <i>Environmental Science: Nano</i> , 2017, 4, 2164-2174.	4.3	21
54	Lacidipine Amorphous Solid Dispersion Based on Hot Melt Extrusion: Good Miscibility, Enhanced Dissolution, and Favorable Stability. <i>AAPS PharmSciTech</i> , 2018, 19, 3076-3084.	3.3	21

#	ARTICLE	IF	CITATIONS
55	Visible-Light Photoredox-Catalyzed Remote Difunctionalizing Carboxylation of Unactivated Alkenes with CO ₂ . <i>Angewandte Chemie</i> , 2020, 132, 21307-21314.	2.0	21
56	Catalytic Aerobic Dehydrogenation of <i>N</i> -Heterocycles by <i>N</i> -Hydroxyphthalimide. <i>Advanced Synthesis and Catalysis</i> , 2020, 362, 3905-3911.	4.3	20
57	Molecularly imprinted polymer cartridges coupled to liquid chromatography for simple and selective analysis of penicilloic acid and penilloic acid in milk by matrix solid-phase dispersion. <i>Food and Chemical Toxicology</i> , 2015, 83, 164-173.	3.6	19
58	β-Cyclodextrin anchoring onto pericarpium granati-derived magnetic mesoporous carbon for selective capture of lipid in human serum and pharmaceutical wastewater samples. <i>Materials Science and Engineering C</i> , 2016, 62, 605-613.	7.3	19
59	Copper-catalyzed direct hydroxyphosphorylation of electron-deficient alkenes with H-phosphine oxides and dioxygen. <i>Tetrahedron Letters</i> , 2017, 58, 2058-2061.	1.4	19
60	C/EBPβ protects from radiation-induced intestinal injury and sepsis by suppression of inflammatory and nitrosative stress. <i>Scientific Reports</i> , 2019, 9, 13953.	3.3	19
61	Monodisperse molecularly imprinted microsphere cartridges coupled with HPLC for selective analysis of dexamethasone and hydrocortisone in cosmetics by using matrix solid-phase dispersion. <i>Analytical Methods</i> , 2019, 11, 3687-3696.	2.7	19
62	Copper catalyzed one-pot synthesis of β-ketophosphine oxides from ketones and H-phosphine oxides. <i>Tetrahedron Letters</i> , 2017, 58, 2417-2420.	1.4	18
63	Transition-metal-free PhI(OAc) ₂ -promoted highly selective hydroboration of terminal alkynes under air. <i>RSC Advances</i> , 2017, 7, 26070-26073.	3.6	17
64	Preparation of magnetic metal organic framework and development of solid phase extraction method for simultaneous determination of fluconazole and voriconazole in rat plasma samples by HPLC. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020, 1152, 122201.	2.3	17
65	Aldehyde-Directed C(sp ²) ² H Functionalization under Transition-Metal Catalysis. <i>Advanced Synthesis and Catalysis</i> , 2021, 363, 3868-3878.	4.3	17
66	Enrichment of total steroidal saponins from the extracts of <i>Trillium tschonoskii</i> Maxim by macroporous resin and the simultaneous determination of eight steroidal saponins in the final product by HPLC. <i>Journal of Separation Science</i> , 2017, 40, 1115-1124.	2.5	16
67	Development and validation of an analytical method for regorafenib and its metabolites in mouse plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1090, 43-51.	2.3	16
68	Preparation of biocompatible molecularly imprinted film on biowaste-derived magnetic pomegranate rind carbon for protein recognition in biological sample. <i>Materials Science and Engineering C</i> , 2020, 115, 111063.	7.3	16
69	The traditional uses, secondary metabolites, and pharmacology of <i>Lycopodium</i> species. <i>Phytochemistry Reviews</i> , 0, , 1.	6.5	16
70	Polydopamine/polyethyleneimine complex adhered to micrometer-sized magnetic carbon fibers for high-efficiency hemoperfusion. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2017, 28, 1444-1468.	3.5	15
71	Hemin-porous g-C ₃ N ₄ hybrid nanosheets as an efficient peroxidase mimic for colorimetric and visual determination of glucose. <i>Mikrochimica Acta</i> , 2019, 186, 446.	5.0	15
72	Organo-photoredox catalyzed defluoroacetalation of β-trifluoromethyl alkenes for synthesis of masked β,β-difluoroallylic aldehydes. <i>Tetrahedron Letters</i> , 2020, 61, 152369.	1.4	15

#	ARTICLE	IF	CITATIONS
73	Indole and Pyrrole Derivatives as Pre-photocatalysts and Substrates in the Sulfonyl Radical-Triggered Relay Cyclization Leading to Sulfonylated Heterocycles. <i>Organic Letters</i> , 2022, 24, 2014-2019.	4.6	15
74	Facile preparation of polydopamine-coated imprinted polymers on the surface of SiO ₂ for estrone capture in milk samples. <i>Journal of Separation Science</i> , 2018, 41, 2585-2594.	2.5	14
75	Preparation and application of molecularly imprinted polymers for the selective extraction of naringin and genistein from herbal medicines. <i>Analytical Methods</i> , 2019, 11, 4890-4898.	2.7	14
76	Loudness perception affected by early age hearing loss. <i>Hearing Research</i> , 2014, 313, 18-25.	2.0	13
77	Spirolactone nanocrystals for oral administration: Different pharmacokinetic performances induced by stabilizers. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016, 147, 73-80.	5.0	13
78	Formulation of nimodipine nanocrystals for oral administration. <i>Archives of Pharmacal Research</i> , 2016, 39, 202-212.	6.3	13
79	Crystallization and relaxation dynamics of amorphous loratadine under different quench-cooling temperatures. <i>CrystEngComm</i> , 2017, 19, 335-345.	2.6	13
80	Adenine-coated magnetic multiwalled carbon nanotubes for the selective extraction of aristolochic acids based on multiple interactions. <i>Journal of Chromatography A</i> , 2020, 1627, 461382.	3.7	13
81	Copper-Catalyzed Aerobic Oxidative Cleavage of Unstrained Carbon-Carbon Bonds of 1,1-Disubstituted Alkenes with Sulfonyl Hydrazides. <i>Chinese Journal of Chemistry</i> , 2021, 39, 859-865.	4.9	13
82	Methacrylic functionalized hybrid carbon nanomaterial for the selective adsorption and detection of progesterone in wastewater. <i>Environmental Science and Pollution Research</i> , 2021, 28, 62306-62320.	5.3	13
83	On-Line two dimensional liquid chromatography based on skeleton type molecularly imprinted column for selective determination of sulfonylurea additive in Chinese patent medicines or functional foods. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017, 146, 292-301.	2.8	12
84	A porous hybrid imprinted membrane for selectively anchoring target proteins from a complex matrix. <i>RSC Advances</i> , 2015, 5, 72610-72620.	3.6	11
85	Preparation and evaluation of a molecularly imprinted sol-gel material as the solid-phase extraction adsorbents for the specific recognition of cloxacilic acid in cloxacillin. <i>Journal of Separation Science</i> , 2016, 39, 483-489.	2.5	11
86	A new polymorphic form and polymorphic transformation of loratadine. <i>RSC Advances</i> , 2016, 6, 85063-85073.	3.6	11
87	Molecularly Imprinted Solid Phase Extraction using Bismethacryloyl- β -cyclodextrin and Methacrylic Acid as Double Functional Monomers for Selective Analysis of Glycyrrhizic Acid in Aqueous Media. <i>Journal of Chromatographic Science</i> , 2017, 55, 166-173.	1.4	11
88	Development of UPLC-Q-TOF-MS Coupled with Cation-exchange Solid-phase Extraction Method for the Determination of Ten Pyrrolizidine Alkaloids in Herbal Medicines. <i>Analytical Sciences</i> , 2019, 35, 1317-1325.	1.6	11
89	Nitrogen-Radical-Triggered Trifunctionalizing <i>ipso</i> -Spirocyclization of Unactivated Alkenes with Vinyl Azides: A Modular Access to Spiroaminal Frameworks. <i>Advanced Synthesis and Catalysis</i> , 2021, 363, 3762-3768.	4.3	11
90	Novel nanostructured enoxaparin sodium-PLGA hybrid carriers overcome tumor multidrug resistance of doxorubicin hydrochloride. <i>International Journal of Pharmaceutics</i> , 2016, 513, 218-226.	5.2	10

#	ARTICLE	IF	CITATIONS
91	Hydrogen bond serving as a protecting group to enable the photocatalytic [2+2] cycloaddition of redox-active aliphatic-amine-containing indole derivatives. <i>Chemical Communications</i> , 2022, 58, 3194-3197.	4.1	10
92	Nanonization of andrographolide by a wet milling method: the effects of vitamin E TPGS and oral bioavailability enhancement. <i>RSC Advances</i> , 2016, 6, 101404-101414.	3.6	9
93	Interaction Between Sex and Organic Anion-Transporting Polypeptide 1b2 on the Pharmacokinetics of Regorafenib and Its Metabolites Regorafenib-N-Oxide and Regorafenib-Glucuronide in Mice. <i>Clinical and Translational Science</i> , 2019, 12, 400-407.	3.1	9
94	Development of Surface Molecularly Imprinted Polymers as Dispersive Solid Phase Extraction Coupled with HPLC Method for the Removal and Detection of Griseofulvin in Surface Water. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 134.	2.6	9
95	Simultaneous determination of lovastatin and its metabolite lovastatin acid in rat plasma using UPLC-MS/MS with positive/negative ion-switching electrospray ionization: Application to a pharmacokinetic study of lovastatin nanosuspension. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1023-1024, 55-61.	2.3	8
96	Novel murine tumour models depend on strain and route of inoculation. <i>International Journal of Experimental Pathology</i> , 2016, 97, 351-356.	1.3	8
97	Visible-Light-Driven Phosphonoalkylation of Alkenes. <i>Synlett</i> , 2021, 32, 378-382.	1.8	8
98	A chemiluminescence method to detect hydroquinone with water-soluble sulphonato(salen)manganese(III) complex as catalyst. <i>Luminescence</i> , 2016, 31, 195-201.	2.9	7
99	Deuteration of the farnesyl terminal methyl groups of Î-tocotrienol and its effects on the metabolic stability and ability of inducing G-CSF production. <i>Bioorganic and Medicinal Chemistry</i> , 2020, 28, 115498.	3.0	7
100	Relationship between changes in the course of COVID-19 and ratio of neutrophils-to-lymphocytes and related parameters in patients with severe COVID-19. <i>Epidemiology and Infection</i> , 2021, 149, e81.	2.1	7
101	Metabolomics combined with network pharmacology to study the mechanism of Shentong Zhuyu decoction in the treatment of rheumatoid arthritis. <i>Journal of Ethnopharmacology</i> , 2021, , 114846.	4.1	7
102	Study of the allergenic benzylpenicilloyl-HSA and its specific separation from human plasma by a pre-designed hybrid imprinted membrane. <i>RSC Advances</i> , 2016, 6, 15549-15557.	3.6	6
103	Fluorescent biosensor based on magnetic cross-linking enzyme aggregates/CdTe quantum dots for the detection of H ₂ O ₂ -bioprecursors. <i>New Journal of Chemistry</i> , 2020, 44, 17984-17992.	2.8	6
104	Metal-organic framework grafted with melamine for the selective recognition and miniaturized solid phase extraction of aristolochic acid from traditional Chinese medicine. <i>Journal of Chromatography A</i> , 2021, 1647, 462155.	3.7	6
105	Intentional Modulation of Ibrutinib Pharmacokinetics through CYP3A Inhibition. <i>Cancer Research Communications</i> , 2021, 1, 79-89.	1.7	6
106	Undescribed ecdysteroids and phenolic glycosides from the roots of <i>Cyathula officinalis</i> Kuan and their anti-inflammatory activity in LPS-induced RAW 264.7 macrophages in vitro. <i>Phytochemistry</i> , 2022, 196, 113101.	2.9	6
107	Photocatalytic redox-neutral arylation of cyclopropanols with cyanoarenes via radical-mediated C-C and C-CN bond cleavage. <i>Organic Chemistry Frontiers</i> , 2022, 9, 2129-2134.	4.5	6
108	Molecular-matched materials for anticancer drug delivery and imaging. <i>Nanomedicine</i> , 2015, 10, 3003-3013.	3.3	5

#	ARTICLE	IF	CITATIONS
109	Pharmacokinetic and Metabolic Characteristics of Herb-Derived Khellactone Derivatives, A Class of Anti-HIV and Anti-Hypertensive: A Review. <i>Molecules</i> , 2016, 21, 314.	3.8	5
110	The traditional uses, secondary metabolites, and pharmacology of <i>Eleutherococcus</i> species. <i>Phytochemistry Reviews</i> , 2022, 21, 1081-1184.	6.5	5
111	Selective Preconcentration of Mezlocillin from Eggs by Molecularly Imprinted Polymers on Silica. <i>Analytical Letters</i> , 2017, 50, 1276-1291.	1.8	3
112	In Vitro and In Vivo Evaluation of Olmesartan Medoxomil Microcrystals and Nanocrystals: Preparation, Characterization, and Pharmacokinetic Comparison in Beagle Dogs. <i>Current Drug Delivery</i> , 2019, 16, 500-510.	1.6	3
113	Construction of the Hexacyclic Core of Dispirocochlearoids A ⁶ C via a Diels-Alder Reaction. <i>Chinese Journal of Chemistry</i> , 2022, 40, 1566-1570.	4.9	3
114	Preparation of molecularly imprinted foam for selective extraction of toxic monocrotaline from herbs. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2022, 1200, 123273.	2.3	3
115	Efficacy and Pharmacological Mechanism of Pronase-Enhanced Low-Dose Antibiotics for <i>Helicobacter pylori</i> Eradication. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 3348-3353.	3.2	2
116	Disruption of human vigilin impairs chromosome condensation and segregation. <i>Cell Biology International</i> , 2015, 39, 1234-1241.	3.0	2
117	An HPLC method for the determination of a novel anti-hypertension agent 6,7-bis(4-(4-fluorobenzoyloxy)-3-methoxyphenylmethyl]quinazolin-4(3H)-one in rat plasma: 2 application to pharmacokinetic study. <i>Biomedical Chromatography</i> , 2016, 30, 1118-1123.		
118	Development and validation of a UPLC-MS/MS analytical method for dofetilide in mouse plasma and urine, and its application to pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019, 172, 183-188.	2.8	2
119	Hydrochloric Acid-Promoted Copper/Iron-Cocatalyzed Deesterificative Oxyphosphorylation of 2-Substituted Acrylates with H-Phosphine Oxides. <i>Chinese Journal of Organic Chemistry</i> , 2018, 38, 1977.	1.3	1
120	Enzyme Encapsulation by Facile Self-Assembly Silica-Modified Magnetic Nanoparticles for Glucose Monitoring in Urine. <i>Pharmaceutics</i> , 2022, 14, 1154.	4.5	1
121	Ti-catalyzed regioselective ring-opening alkynylation of epoxides with haloalkynes. <i>Tetrahedron Letters</i> , 2021, , 153461.	1.4	0