

Kristina Burström

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2392627/publications.pdf>

Version: 2024-02-01

49
papers

3,017
citations

279798

23
h-index

206112

48
g-index

50
all docs

50
docs citations

50
times ranked

3842
citing authors

#	ARTICLE	IF	CITATIONS
1	Development of the EQ-5D-Y: a child-friendly version of the EQ-5D. <i>Quality of Life Research</i> , 2010, 19, 875-886.	3.1	574
2	Swedish population health-related quality of life results using the EQ-5D. <i>Quality of Life Research</i> , 2001, 10, 621-635.	3.1	539
3	Feasibility, reliability, and validity of the EQ-5D-Y: results from a multinational study. <i>Quality of Life Research</i> , 2010, 19, 887-897.	3.1	325
4	Swedish experience-based value sets for EQ-5D health states. <i>Quality of Life Research</i> , 2014, 23, 431-442.	3.1	246
5	Population health status in China: EQ-5D results, by age, sex and socio-economic status, from the National Health Services Survey 2008. <i>Quality of Life Research</i> , 2011, 20, 309-320.	3.1	188
6	Subjective Well-Being and Its Association with Subjective Health Status, Age, Sex, Region, and Socio-economic Characteristics in a Chinese Population Study. <i>Journal of Happiness Studies</i> , 2016, 17, 833-873.	3.2	121
7	A comparison of individual and social time trade-off values for health states in the general population. <i>Health Policy</i> , 2006, 76, 359-370.	3.0	106
8	Equity aspects of the Primary Health Care Choice Reform in Sweden – a scoping review. <i>International Journal for Equity in Health</i> , 2017, 16, 29.	3.5	67
9	Deteriorating health status in Stockholm 1998–2002: results from repeated population surveys using the EQ-5D. <i>Quality of Life Research</i> , 2007, 16, 1547-1553.	3.1	63
10	Increasing socio-economic inequalities in life expectancy and QALYs in Sweden 1980-1997. <i>Health Economics (United Kingdom)</i> , 2005, 14, 831-850.	1.7	57
11	Time Trade-Off Value Set for EQ-5D-3L Based on a Nationally Representative Chinese Population Survey. <i>Value in Health</i> , 2018, 21, 1330-1337.	0.3	53
12	Experience-Based Swedish TTO and VAS Value Sets for EQ-5D-5L Health States. <i>Pharmacoeconomics</i> , 2020, 38, 839-856.	3.3	49
13	EQ-5D-Y-5L: developing a revised EQ-5D-Y with increased response categories. <i>Quality of Life Research</i> , 2019, 28, 1951-1961.	3.1	47
14	Experience-based VAS values for EQ-5D-3L health states in a national general population health survey in China. <i>Quality of Life Research</i> , 2015, 24, 693-703.	3.1	46
15	Genetic polymorphisms of IL-17A, IL-17F, TLR4 and miR-146a in association with the risk of pulmonary tuberculosis. <i>Scientific Reports</i> , 2016, 6, 28586.	3.3	43
16	Measuring health-related quality of life with the EQ-5D-Y instrument in children and adolescents with asthma. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015, 104, 167-173.	1.5	34
17	A Swedish child-friendly pilot version of the EQ-5D instrument – the development process. <i>European Journal of Public Health</i> , 2011, 21, 171-177.	0.3	33
18	The value of the change in health in Sweden 1980/81 to 1996/97. <i>Health Economics (United Kingdom)</i> , 2003, 12, 637-654.	1.7	31

#	ARTICLE	IF	CITATIONS
19	Testing a Swedish child-friendly pilot version of the EQ-5D instrument–initial results. <i>European Journal of Public Health</i> , 2011, 21, 178-183.	0.3	30
20	Practising proportionate universalism – a study protocol of an extended postnatal home visiting programme in a disadvantaged area in Stockholm, Sweden. <i>BMC Health Services Research</i> , 2017, 17, 91.	2.2	29
21	Whom should we ask? A systematic literature review of the arguments regarding the most accurate source of information for valuation of health states. <i>Quality of Life Research</i> , 2020, 29, 1465-1482.	3.1	29
22	Population health status based on the EQ-5D-Y-3L among adolescents in Sweden: Results by sociodemographic factors and self-reported comorbidity. <i>Quality of Life Research</i> , 2018, 27, 2859-2871.	3.1	28
23	What do patients care most about in China’s public hospitals? Interviews with patients in Jiangsu Province. <i>BMC Health Services Research</i> , 2018, 18, 97.	2.2	27
24	Association between social capital and health-related quality of life among left behind and not left behind older people in rural China. <i>BMC Geriatrics</i> , 2017, 17, 287.	2.7	26
25	Rural–Urban Inequalities in Poor Self-Rated Health, Self-Reported Functional Disabilities, and Depression among Chinese Older Adults: Evidence from the China Health and Retirement Longitudinal Study 2011 and 2015. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6557.	2.6	22
26	Experience-Based Values: A Framework for Classifying Different Types of Experience in Health Valuation Research. <i>Patient</i> , 2018, 11, 253-270.	2.7	21
27	Inequality and heterogeneity in health-related quality of life: findings based on a large sample of cross-sectional EQ-5D-5L data from the Swedish general population. <i>Quality of Life Research</i> , 2022, 31, 697-712.	3.1	20
28	Assessment of the Swedish EQ-5D experience-based value sets in a total hip replacement population. <i>Quality of Life Research</i> , 2015, 24, 2963-2970.	3.1	18
29	Exploring pathways to outpatients’ satisfaction with health care in Chinese public hospitals in urban and rural areas using patient-reported experiences. <i>International Journal for Equity in Health</i> , 2019, 18, 29.	3.5	18
30	Reporting and valuing one’s own health: a think aloud study using EQ-5D-5L, EQ VAS and a time trade-off question among patients with a chronic condition. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 388.	2.4	16
31	EQ-5D-Y-5L as a patient-reported outcome measure in psychiatric inpatient care for children and adolescents – a cross-sectional study. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 164.	2.4	14
32	Predictive ability of the American Society of Anaesthesiologists physical status classification system on health-related quality of life of patients after total hip replacement: comparisons across eight EQ-5D-3L value sets. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 441.	1.9	10
33	How do EQ-5D-3L and EQ-5D-5L compare in a Swedish total hip replacement population?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 272-278.	3.3	10
34	Effectiveness, costs and cost-effectiveness of chiropractic care and physiotherapy compared with information and advice in the treatment of non-specific chronic low back pain: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 613.	1.6	8
35	Differential Impact of an Education-Based Intervention for Patients with Type 2 Diabetes Mellitus in Rural China. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2676.	2.6	8
36	Acceptability of the health-related quality of life instrument EQ-5D-Y-5L among patients in child and adolescent psychiatric inpatient care. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, 110, 899-906.	1.5	8

#	ARTICLE	IF	CITATIONS
37	Longitudinal study of patients' health-related quality of life using EQ-5D-3L in 11 Swedish National Quality Registers. <i>BMJ Open</i> , 2022, 12, e048176.	1.9	8
38	Money matters – primary care providers' perceptions of payment incentives. <i>Journal of Health Organization and Management</i> , 2021, 35, 458-474.	1.3	7
39	“Like holding the axe on who should live or not”: adolescents and adults' perceptions of valuing children's health states using a standardised valuation protocol for the EQ-5D-Y-3L. <i>Quality of Life Research</i> , 2022, 31, 2133-2142.	3.1	7
40	Impact of an educational intervention in primary care on fasting blood glucose levels and diabetes knowledge among patients with type 2 diabetes mellitus in rural China. <i>Patient Education and Counseling</i> , 2020, 103, 1767-1773.	2.2	5
41	EQ-5D-3L Health Status Among Homeless People in Stockholm, Sweden, 2006 and 2018. <i>Frontiers in Public Health</i> , 2021, 9, 780753.	2.7	5
42	Is Preoperative Patient-Reported Health Status Associated with Mortality after Total Hip Replacement?. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 899.	2.6	4
43	Healthcare utilisation and measles, mumps and rubella vaccination rates among children with an extended postnatal home visiting programme in a disadvantaged area in Stockholm, Sweden – A 3-year follow-up. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 1847-1853.	1.5	4
44	Variations in Patients' Overall Assessment of Their Health Across and Within Disease Groups Using the EQ-5D Questionnaire: Protocol for a Longitudinal Study in the Swedish National Quality Registers. <i>JMIR Research Protocols</i> , 2021, 10, e27669.	1.0	4
45	The External Validity of Mapping MSIS-29 on EQ-5D Among Individuals With Multiple Sclerosis in Sweden. <i>MDM Policy and Practice</i> , 2017, 2, 238146831769280.	0.9	3
46	Exploring EQ-5D-Y-3L Experience-Based VAS Values Derived Among Adolescents. <i>Applied Health Economics and Health Policy</i> , 2022, 20, 383-393.	2.1	3
47	Influence of elicitation procedure and phrasing on health state valuations in experience-based time trade-off tasks among diabetes patients in China. <i>Quality of Life Research</i> , 2020, 29, 289-301.	3.1	2
48	Validation of the patient-reported experience measure for care in Chinese hospitals (PREM-CCH). <i>International Journal for Equity in Health</i> , 2021, 20, 25.	3.5	1
49	Concordance among Swedish, German, Danish, and UK EQ-5D-3L Value Sets: Analyses of Patient-Reported Outcomes in the Swedish Hip Arthroplasty Register. <i>Journal of Clinical Medicine</i> , 2021, 10, 4205.	2.4	0