
## Kristina Burström

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2392627/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Inequality and heterogeneity in health-related quality of life: findings based on a large sample of cross-sectional EQ-5D-5L data from the Swedish general population. Quality of Life Research, 2022, 31, 697-712.	3.1	20
2	Exploring EQ-5D-Y-3L Experience-Based VAS Values Derived Among Adolescents. Applied Health Economics and Health Policy, 2022, 20, 383-393.	2.1	3
3	Longitudinal study of patients' health-related quality of life using EQ-5D-3L in 11 Swedish National Quality Registers. BMJ Open, 2022, 12, e048176.	1.9	8
4	â€~Like holding the axe on who should live or not': adolescents' and adults' perceptions of valuing children's health states using a standardised valuation protocol for the EQ-5D-Y-3L. Quality of Life Research, 2022, 31, 2133-2142.	3.1	7
5	Acceptability of the healthâ€related quality of life instrument EQâ€5Dâ€Yâ€5L among patients in child and adolescent psychiatric inpatient care. Acta Paediatrica, International Journal of Paediatrics, 2021, 110, 899-906.	1.5	8
6	Validation of the patient-reported experience measure for care in Chinese hospitals (PREM-CCH). International Journal for Equity in Health, 2021, 20, 25.	3.5	1
7	Money matters – primary care providers' perceptions of payment incentives. Journal of Health Organization and Management, 2021, 35, 458-474.	1.3	7
8	Rural–Urban Inequalities in Poor Self-Rated Health, Self-Reported Functional Disabilities, and Depression among Chinese Older Adults: Evidence from the China Health and Retirement Longitudinal Study 2011 and 2015. International Journal of Environmental Research and Public Health, 2021, 18, 6557.	2.6	22
9	Variations in Patients' Overall Assessment of Their Health Across and Within Disease Groups Using the EQ-5D Questionnaire: Protocol for a Longitudinal Study in the Swedish National Quality Registers. JMIR Research Protocols, 2021, 10, e27669.	1.0	4
10	Concordance among Swedish, German, Danish, and UK EQ-5D-3L Value Sets: Analyses of Patient-Reported Outcomes in the Swedish Hip Arthroplasty Register. Journal of Clinical Medicine, 2021, 10, 4205.	2.4	0
11	EQ-5D-3L Health Status Among Homeless People in Stockholm, Sweden, 2006 and 2018. Frontiers in Public Health, 2021, 9, 780753.	2.7	5
12	Influence of elicitation procedure and phrasing on health state valuations in experience-based time trade-off tasks among diabetes patients in China. Quality of Life Research, 2020, 29, 289-301.	3.1	2
13	Impact of an educational intervention in primary care on fasting blood glucose levels and diabetes knowledge among patients with type 2 diabetes mellitus in rural China. Patient Education and Counseling, 2020, 103, 1767-1773.	2.2	5
14	EQ-5D-Y-5L as a patient-reported outcome measure in psychiatric inpatient care for children and adolescents – a cross-sectional study. Health and Quality of Life Outcomes, 2020, 18, 164.	2.4	14
15	Healthcare utilisation and measles, mumps and rubella vaccination rates among children with an extended postnatal home visiting programme in a disadvantaged area in Stockholm, Sweden—A 3â€year followâ€up. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 1847-1853.	1.5	4
16	Predictive ability of the American Society of Anaesthesiologists physical status classificationÂsystem on health-related quality of life of patients after total hip replacement: comparisons across eight EQ-5D-3L value sets. BMC Musculoskeletal Disorders, 2020, 21, 441.	1.9	10
17	Whom should we ask? A systematic literature review of the arguments regarding the most accurate source of information for valuation of health states. Quality of Life Research, 2020, 29, 1465-1482.	3.1	29
18	Experience-Based Swedish TTO and VAS Value Sets for EQ-5D-5L Health States. Pharmacoeconomics, 2020. 38, 839-856.	3.3	49

#	Article	IF	CITATIONS
19	How do EQ-5D-3L and EQ-5D-5L compare in a Swedish total hip replacement population?. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 272-278.	3.3	10
20	Reporting and valuing one's own health: a think aloud study using EQ-5D-5L, EQ VAS and a time trade-off question among patients with a chronic condition. Health and Quality of Life Outcomes, 2020, 18, 388.	2.4	16
21	Differential Impact of an Education-Based Intervention for Patients with Type 2 Diabetes Mellitus in Rural China. International Journal of Environmental Research and Public Health, 2019, 16, 2676.	2.6	8
22	Exploring pathways to outpatients' satisfaction with health care in Chinese public hospitals in urban and rural areas using patient-reported experiences. International Journal for Equity in Health, 2019, 18, 29.	3.5	18
23	EQ-5D-Y-5L: developing a revised EQ-5D-Y with increased response categories. Quality of Life Research, 2019, 28, 1951-1961.	3.1	47
24	Experience-Based Values: A Framework for Classifying Different Types of Experience in Health Valuation Research. Patient, 2018, 11, 253-270.	2.7	21
25	What do patients care most about in China's public hospitals? Interviews with patients in Jiangsu Province. BMC Health Services Research, 2018, 18, 97.	2.2	27
26	Population health status based on the EQ-5D-Y-3L among adolescents in Sweden: Results by sociodemographic factors and self-reported comorbidity. Quality of Life Research, 2018, 27, 2859-2871.	3.1	28
27	Time Trade-Off Value Set for EQ-5D-3L Based on a Nationally Representative Chinese Population Survey. Value in Health, 2018, 21, 1330-1337.	0.3	53
28	Practising proportionate universalism – a study protocol of an extended postnatal home visiting programme in a disadvantaged area in Stockholm, Sweden. BMC Health Services Research, 2017, 17, 91.	2.2	29
29	Equity aspects of the Primary Health Care Choice Reform in Sweden – a scoping review. International Journal for Equity in Health, 2017, 16, 29.	3.5	67
30	Is Preoperative Patient-Reported Health Status Associated with Mortality after Total Hip Replacement?. International Journal of Environmental Research and Public Health, 2017, 14, 899.	2.6	4
31	Association between social capital and health-related quality of life among left behind and not left behind older people in rural China. BMC Geriatrics, 2017, 17, 287.	2.7	26
32	Effectiveness, costs and cost-effectiveness of chiropractic care and physiotherapy compared with information and advice in the treatment of non-specific chronic low back pain: study protocol for a randomised controlled trial. Trials, 2017, 18, 613.	1.6	8
33	The External Validity of Mapping MSIS-29 on EQ-5D Among Individuals With Multiple Sclerosis in Sweden. MDM Policy and Practice, 2017, 2, 238146831769280.	0.9	3
34	Genetic polymorphisms of IL-17A, IL-17F, TLR4 and miR-146a in association with the risk of pulmonary tuberculosis. Scientific Reports, 2016, 6, 28586.	3.3	43
35	Subjective Well-Being and Its Association with Subjective Health Status, Age, Sex, Region, and Socio-economic Characteristics in a Chinese Population Study. Journal of Happiness Studies, 2016, 17, 833-873.	3.2	121
36	Measuring health-related quality of life with the EQ-5D-Y instrument in children and adolescents with asthma. Acta Paediatrica, International Journal of Paediatrics, 2015, 104, 167-173.	1.5	34

Kristina Burström

#	Article	IF	CITATIONS
37	Experience-based VAS values for EQ-5D-3L health states in a national general population health survey in China. Quality of Life Research, 2015, 24, 693-703.	3.1	46
38	Assessment of the Swedish EQ-5D experience-based value sets in a total hip replacement population. Quality of Life Research, 2015, 24, 2963-2970.	3.1	18
39	Swedish experience-based value sets for EQ-5D health states. Quality of Life Research, 2014, 23, 431-442.	3.1	246
40	Population health status in China: EQ-5D results, by age, sex and socio-economic status, from the National Health Services Survey 2008. Quality of Life Research, 2011, 20, 309-320.	3.1	188
41	Testing a Swedish child-friendly pilot version of the EQ-5D instrumentinitial results. European Journal of Public Health, 2011, 21, 178-183.	0.3	30
42	A Swedish child-friendly pilot version of the EQ-5D instrumentthe development process. European Journal of Public Health, 2011, 21, 171-177.	0.3	33
43	Development of the EQ-5D-Y: a child-friendly version of the EQ-5D. Quality of Life Research, 2010, 19, 875-886.	3.1	574
44	Feasibility, reliability, and validity of the EQ-5D-Y: results from a multinational study. Quality of Life Research, 2010, 19, 887-897.	3.1	325
45	Deteriorating health status in Stockholm 1998–2002: results from repeated population surveys using the EQ-5D. Quality of Life Research, 2007, 16, 1547-1553.	3.1	63
46	A comparison of individual and social time trade-off values for health states in the general population. Health Policy, 2006, 76, 359-370.	3.0	106
47	Increasing socio-economic inequalities in life expectancy and QALYs in Sweden 1980-1997. Health Economics (United Kingdom), 2005, 14, 831-850.	1.7	57
48	The value of the change in health in Sweden 1980/81 to 1996/97. Health Economics (United Kingdom), 2003, 12, 637-654.	1.7	31
49	Swedish population health-related quality of life results using the EQ-5D. Quality of Life Research, 2001, 10, 621-635.	3.1	539