Emrah Ã\sal\textru \textru \te

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/239329/publications.pdf

Version: 2024-02-01

		1478505	1474206
23	121	6	9
papers	citations	h-index	g-index
22	22	22	110
23	23	23	110
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Intraosseous calcific tendinitis of the rotator cuff yields similar outcomes to those of intratendinous lesions despite worse preoperative scores. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 2485-2491.	4.2	1
2	Single versus double plating for bicondylar tibia plateau fractures: Comparison of range of motion, muscle strength, clinical outcomes and accelerometer-measured physical activity levels. Knee, 2022, 34, 187-194.	1.6	2
3	Routine Histopathological Analysis of the Synovium in Patients with Primary Total Knee Arthroplasty. Journal of Knee Surgery, 2021, 34, 115-120.	1.6	O
4	Ultrasonography and erythrocyte distribution width in patients with plantar fasciitis. Foot and Ankle Surgery, 2021, 27, 457-462.	1.7	1
5	Is it necessary to perform hip arthrography before incision in developmental dysplasia of the hip? Response to: Arthrography of the hip should be performed before incision in developmental dysplasia of the hip. J Pediatr Orthop B 2019; 28:415. Journal of Pediatric Orthopaedics Part B, 2020, 29, 309-310.	0.6	0
6	Long-term Follow-up of Eosinophilic Granulomas of the Axial and Appendicular Skeleton Managed With Biopsy Alone. Journal of Pediatric Orthopaedics, 2020, 40, 615-622.	1.2	1
7	Frailty and Sarcopenia in Patients With Distal Radius Fracture: A Geriatric Perspective. Geriatric Orthopaedic Surgery and Rehabilitation, 2020, 11, 215145932090636.	1.4	7
8	Primary total knee replacement leads to an increase in physical activity but no changes in overall time of sedentary behaviour: a retrospective cohort study using an accelerometer. International Orthopaedics, 2020, 44, 2597-2602.	1.9	7
9	Evaluation of cartilage coverage with magnetic resonance imaging in residual dysplasia and its impact on surgical timing. Acta Orthopaedica Et Traumatologica Turcica, 2019, 53, 351-355.	0.8	7
10	Is male gender a prognostic factor for developmental dysplasia of the hip? Mid-long-term results of posteromedial limited surgery. Acta Orthopaedica Et Traumatologica Turcica, 2019, 53, 340-345.	0.8	5
11	PHILOS plate versus nonoperative treatment in 2-, 3-, and 4-part proximal humeral fractures: Comparison with healthy control subjects. Journal of Orthopaedic Surgery, 2019, 27, 230949901987516.	1.0	8
12	The long-term outcomes of posteromedial limited surgery for developmental dysplasia of the hip: a mean 17.3-year follow-up. Journal of Pediatric Orthopaedics Part B, 2019, 28, 115-121.	0.6	7
13	Synergistic effect of frailty and malnutrition on postoperative first-month mortality and delirium status among geriatric age group patients with hip fractures. Turk Geriatri Dergisi, 2019, 22, 140-149.	0.2	2
14	Analysis of Postural Stability and Daily Energy Expenditure to Manage Tumor Patients' Functional Expectation. Clinics in Orthopedic Surgery, 2018, 10, 491.	2.2	4
15	Minimal invasive intralesional excision of extremity-located osteoid osteomas in children. Journal of Pediatric Orthopaedics Part B, 2017, 26, 552-559.	0.6	9
16	A treatment strategy for proximal femoral benign bone lesions in children and recommended surgical procedures: retrospective analysis of 62 patients. Archives of Orthopaedic and Trauma Surgery, 2016, 136, 1051-1061.	2.4	17
17	Solitary cystic tuberculosis of the distal femur and proximal tibia in children. Journal of Pediatric Orthopaedics Part B, 2015, 24, 315-320.	0.6	4
18	Surgical treatment of active or aggressive aneurysmal bone cysts in children. Journal of Pediatric Orthopaedics Part B, 2015, 24, 461-468.	0.6	15

#	Article	IF	CITATIONS
19	Treatment of pathological fractures due to simple bone cysts by extended curettage-grafting and intramedullary decompression. Acta Orthopaedica Et Traumatologica Turcica, 2015, 49, 288-96.	0.8	10
20	Long term follow-up of long and flat bone eosınophilic granulomas managed only with biopsy. Acta Orthopaedica Et Traumatologica Turcica, 2015, 49, 144-50.	0.8	4
21	Oncological approach with antihelminthic chemotherapy and wide resection in the treatment of musculoskeletal hydatidosis. A review of 10 cases with mean follow-up of 64 months. Acta Orthopaedica Belgica, 2015, 81, 530-7.	0.4	10
22	Effect of growth hormone and somatomedin-C axis on fracture healing. Journal of Surgery and Medicine, 0 , , .	0.1	0
23	Total Diz Artroplastisinde Kalça ve Diz Eklem Hareket Açıklığı ile Kas Kuvveti Ölçümünün Subj Fonksiyonel Sonuçlar Üzerine Etkisi. Sakarya Medical Journal, 0, , .	ektif 0.1	O