Simon Aldridge

List of Publications by Citations

Source: https://exaly.com/author-pdf/2393838/simon-aldridge-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 246
 9,314
 51
 84

 papers
 citations
 h-index
 g-index

 276
 10,593
 8.8
 6.55

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
246	Fluoride ion complexation and sensing using organoboron compounds. <i>Chemical Reviews</i> , 2010 , 110, 3958-84	68.1	895
245	A stable two-coordinate acyclic silylene. Journal of the American Chemical Society, 2012, 134, 6500-3	16.4	329
244	Transition metal boryl and borylene complexes: substitution and abstraction chemistry. <i>Coordination Chemistry Reviews</i> , 2004 , 248, 535-559	23.2	311
243	Hydrides of the main-group metals: new variations on an old theme. <i>Chemical Reviews</i> , 2001 , 101, 3305	5 -66 8.1	304
242	Synthesis, structure and reaction chemistry of a nucleophilic aluminyl anion. <i>Nature</i> , 2018 , 557, 92-95	50.4	173
241	Cationic terminal borylenes by halide abstraction: synthesis and spectroscopic and structural characterization of an Fe=B double bond. <i>Journal of the American Chemical Society</i> , 2003 , 125, 6356-7	16.4	140
240	Dehydrogenation of saturated CC and BN bonds at cationic N-heterocyclic carbene stabilized M(III) centers (M = Rh, Ir). <i>Journal of the American Chemical Society</i> , 2010 , 132, 10578-91	16.4	132
239	Transition metal borylene complexes: boron analogues of classical organometallic systems. <i>Chemical Communications</i> , 2009 , 1157-71	5.8	131
238	Enabling and Probing Oxidative Addition and Reductive Elimination at a Group 14 Metal Center: Cleavage and Functionalization of E-H Bonds by a Bis(boryl)stannylene. <i>Journal of the American Chemical Society</i> , 2016 , 138, 4555-64	16.4	117
237	FeB Double Bonds: Synthetic, Structural, and Reaction Chemistry of Cationic Terminal Borylene Complexes. <i>Organometallics</i> , 2004 , 23, 2911-2926	3.8	117
236	Amidinato- and guanidinato-cobalt(I) complexes: characterization of exceptionally short Co-Co interactions. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 7406-10	16.4	116
235	Cooperative bond activation and catalytic reduction of carbon dioxide at a group 13 metal center. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 5098-102	16.4	113
234	E-H Bond Activation of Ammonia and Water by a Geometrically Constrained Phosphorus(III) Compound. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 13758-63	16.4	111
233	A generic one-pot route to acyclic two-coordinate silylenes from silicon(IV) precursors: synthesis and structural characterization of a silylsilylene. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 568-71	16.4	108
232	Rhodium and iridium aminoborane complexes: coordination chemistry of BN alkene analogues. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 921-5	16.4	108
231	Selective electrochemical detection of hydrogen fluoride by ambiphilic ferrocene derivatives. <i>Angewandte Chemie - International Edition</i> , 2005 , 44, 3606-9	16.4	103
230	Reversible, Room-Temperature C-C Bond Activation of Benzene by an Isolable Metal Complex. Journal of the American Chemical Society, 2019 , 141, 11000-11003	16.4	100

229	Group 3 and lanthanide boryl compounds: syntheses, structures, and bonding analyses of Sc-B, Y-B, and Lu-B Ecoordinated NHC analogues. <i>Journal of the American Chemical Society</i> , 2011 , 133, 3836-9	16.4	97
228	Stable GaX2, InX2 and TlX2 radicals. <i>Nature Chemistry</i> , 2014 , 6, 315-9	17.6	89
227	Colorimetric fluoride ion sensing by polyborylated ferrocenes: structural influences on thermodynamics and kinetics. <i>Inorganic Chemistry</i> , 2008 , 47, 793-804	5.1	89
226	Transition Metal Boryl Complexes 2008 , 29-122		87
225	A stable heavier group 14 analogue of vinylidene. <i>Nature Chemistry</i> , 2016 , 8, 1022-1026	17.6	85
224	Evaluation of electronics, electrostatics and hydrogen bond cooperativity in the binding of cyanide and fluoride by Lewis acidic ferrocenylboranes. <i>Inorganic Chemistry</i> , 2010 , 49, 157-73	5.1	85
223	A nucleophilic gold complex. <i>Nature Chemistry</i> , 2019 , 11, 237-241	17.6	82
222	AND/NOT sensing of fluoride and cyanide ions by ferrocene-derivatised Lewis acids. <i>Chemistry - A European Journal</i> , 2008 , 14, 7525-9	4.8	81
221	Cationic terminal borylene complexes: a synthetic and mechanistic investigation of M=B metathesis chemistry. <i>Angewandte Chemie - International Edition</i> , 2005 , 44, 7457-60	16.4	80
220	Stabilization of a two-coordinate, acyclic diaminosilylene (ADASi): completion of the series of isolable diaminotetrylenes, :E(NR(2))(2) (E = group 14 element). <i>Chemical Communications</i> , 2016 , 52, 17	1 7 -20	75
219	Sterically Encumbered Iridium Bis(N-heterocyclic carbene) Systems: Multiple CH Activation Processes and Isomeric Normal/Abnormal Carbene Complexes. <i>Organometallics</i> , 2009 , 28, 3059-3066	3.8	75
218	Cationic terminal borylene complexes: structure/bonding analysis and [4+1] cycloaddition reactivity of a BN vinylidene analogue. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 6118-22	16.4	75
217	Synthesis of Novel Molybdaboranes from (B -C5R5)MoCln Precursors ($R = H$, Me; $n = 1, 2, 4$). Journal of the American Chemical Society, 1998 , 120, 2586-2598	16.4	75
216	Coordination and activation of the BF molecule. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 3669-72	16.4	74
215	Structures and aggregation of the methylamine-borane molecules, Me(n)H(3-n)N.BH(3) (n = 1-3), studied by X-ray diffraction, gas-phase electron diffraction, and quantum chemical calculations. Journal of the American Chemical Society, 2009, 131, 2231-43	16.4	72
214	A Systematic Study of Structure and E-H Bond Activation Chemistry by Sterically Encumbered Germylene Complexes. <i>Chemistry - A European Journal</i> , 2016 , 22, 11685-98	4.8	68
213	Catalytic B-N Dehydrogenation Using Frustrated Lewis Pairs: Evidence for a Chain-Growth Coupling Mechanism. <i>Journal of the American Chemical Society</i> , 2016 , 138, 3306-9	16.4	68
212	Analysis of Bonding in Cyclopentadienyl Transition-Metal Boryl Complexes. <i>Organometallics</i> , 2002 , 21, 1146-1157	3.8	68

211	Fluoride anion binding by cyclic boronic esters: influence of backbone chelate on receptor integrity. <i>Dalton Transactions</i> , 2006 , 3660-7	4.3	65
210	Cluster Expansion Reactions of Group 6 Metallaboranes. Syntheses, Crystal Structures, and Spectroscopic Characterizations of (Cp*Cr)2B5H9, (Cp*Cr)2B4H8Fe(CO)3, (Cp*Cr)2B4H7Co(CO)3, and (Cp*Mo)2B5H9Fe(CO)3. <i>Inorganic Chemistry</i> , 1998 , 37, 928-940	5.1	63
209	Carbonyl analogues? Analysis of Fe-E (E=B, Al, Ga) bonding in cationic terminal diyl complexes by density functional theory. <i>Dalton Transactions</i> , 2004 , 2649-54	4.3	62
208	The Aluminyl Anion: A New Generation of Aluminium Nucleophile. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 1702-1713	16.4	60
207	The coordination chemistry of boryl and borate substituted cyclopentadienyl ligands. <i>Coordination Chemistry Reviews</i> , 2003 , 244, 71-92	23.2	59
206	Cationic terminal borylene complexes: Interconversion of amino and alkoxy borylenes by an unprecedented Meerwein-Ponndorf hydride transfer. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 3513-6	16.4	58
205	Complexes of a gallium heterocycle with transition metal dicyclopentadienyl and cyclopentadienylcarbonyl fragments, and with a dialkylmanganese compound. <i>Dalton Transactions</i> , 2006 , 3313-20	4.3	58
204	Facile reversibility by design: tuning small molecule capture and activation by single component frustrated Lewis pairs. <i>Journal of the American Chemical Society</i> , 2015 , 137, 12227-30	16.4	57
203	A group 13/group 17 analogue of CO and N2: coordinative trapping of the GaI molecule. <i>Journal of the American Chemical Society</i> , 2008 , 130, 5449-51	16.4	57
202	Utilisation of a lithium boryl as a reducing agent in low oxidation state group 15 chemistry: synthesis and characterisation of an amido-distibene and a boryl-dibismuthene. <i>Chemical Communications</i> , 2015 , 51, 7128-31	5.8	53
201	Heavy metal boryl chemistry: complexes of cadmium, mercury and lead. <i>Chemical Communications</i> , 2014 , 50, 3841-4	5.8	53
200	A Generic One-Pot Route to Acyclic Two-Coordinate Silylenes from Silicon(IV) Precursors: Synthesis and Structural Characterization of a Silylsilylene. <i>Angewandte Chemie</i> , 2013 , 125, 596-599	3.6	53
199	Dimethylamine borane dehydrogenation chemistry: syntheses, X-ray and neutron diffraction studies of 18-electron aminoborane and 14-electron aminoboryl complexes. <i>Chemical Communications</i> , 2012 , 48, 8096-8	5.8	52
198	Half-Sandwich Group 8 Borylene Complexes: Synthetic and Structural Studies and Oxygen Atom Abstraction Chemistry. <i>Organometallics</i> , 2009 , 28, 2947-2960	3.8	52
197	Exploiting Electrostatics To Generate Unsaturation: Oxidative Ge=E Bond Formation Using a Non EDonor Stabilized [R(L)Ge:](+) Cation. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 378-82	16.4	52
196	Probing the intrinisic structure and dynamics of aminoborane coordination at late transition metal centers: mono(BH) binding in [CpRu(PR3)2(H2BNCy2)]+. <i>Journal of the American Chemical Society</i> , 2011 , 133, 8494-7	16.4	51
195	Some tetrahydroborate derivatives of aluminium: crystal structures ofdimethylaluminium tetrahydroborate and the 由nd phases ofaluminium tris(tetrahydroborate) at low temperature. Journal of the Chemical Society Dalton Transactions, 1997, 1007-1012		50
194	Halide Abstraction as a Route to Cationic Transition-Metal Complexes Containing Two-Coordinate Gallium and Indium Ligand Systems. <i>Organometallics</i> , 2005 , 24, 5891-5900	3.8	50

193	Trapping and Reactivity of a Molecular Aluminium Oxide Ion. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 17265-17268	16.4	49	
192	Iridium-mediated borylation of benzylic C-H bonds by borohydride. <i>Angewandte Chemie -</i> International Edition, 2011 , 50, 1359-62	16.4	49	
191	Modelling fundamental arene-borane contacts: spontaneous formation of a dibromoborenium cation driven by interaction between a borane Lewis acid and an arene system. <i>Chemical Communications</i> , 2011 , 47, 12295-7	5.8	49	
190	Rhodium and Iridium Aminoborane Complexes: Coordination Chemistry of BN Alkene Analogues. <i>Angewandte Chemie</i> , 2010 , 122, 933-937	3.6	48	
189	Carbon Monoxide Activation by a Molecular Aluminium Imide: C-O Bond Cleavage and C-C Bond Formation. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 4897-4901	16.4	47	
188	Reactivity of Boryl- and Silyl-Substituted Carbenoids toward Alkynes: Insertion and Cycloaddition Chemistry. <i>Organometallics</i> , 2015 , 34, 2126-2129	3.8	46	
187	Synthesis and characterization of amidinate-iron(I) complexes: analogies with beta-diketiminate chemistry. <i>Chemistry - A European Journal</i> , 2008 , 14, 8477-80	4.8	46	
186	Synthetic and reaction chemistry of heteroatom stabilized boryl and cationic borylene complexes. <i>Dalton Transactions</i> , 2006 , 399-410	4.3	46	
185	Fe-Ga multiple bonding? Synthesis, spectroscopic and structural characterization of a transition metal complex containing a cationic two-coordinate gallium centre. <i>Chemical Communications</i> , 2004 , 1732-3	5.8	46	
184	Expanded-ring N-heterocyclic carbenes for the stabilization of highly electrophilic gold(I) cations. <i>Chemistry - A European Journal</i> , 2014 , 20, 16721-31	4.8	45	
183	Cationic terminal aminoborylene complexes: controlled stepwise insertion into M=B and B=N double bonds. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 2043-6	16.4	45	
182	Reduction of Carbon Oxides by an Acyclic Silylene: Reductive Coupling of CO. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 1808-1812	16.4	45	
181	[(eta 5-C5H5)Fe(CO)2]2B(2,4,6-Me3C6H2): synthesis, spectroscopic and structural characterization of a transition metal complex containing an unsupported bridging borylene ligand. <i>Chemical Communications</i> , 2002 , 856-7	5.8	44	
180	An Acid-Free Anionic Oxoborane Isoelectronic with Carbonyl: Facile Access and Transfer of a Terminal B?O Double Bond. <i>Journal of the American Chemical Society</i> , 2019 , 141, 8073-8077	16.4	43	
179	Catalytic Borylation using an Air-Stable Zinc Boryl Reagent: Systematic Access to Elusive Acylboranes. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 14159-63	16.4	43	
178	Cationic terminal gallylene complexes by halide abstraction: coordination chemistry of a valence isoelectronic analogue of CO and N2. <i>Journal of the American Chemical Society</i> , 2008 , 130, 16111-24	16.4	43	
177	Cationic Terminal Borylene Complexes: A Synthetic and Mechanistic Investigation of M?B Metathesis Chemistry. <i>Angewandte Chemie</i> , 2005 , 117, 7623-7626	3.6	42	
176	Coordination and activation of Al-H and Ga-H bonds. <i>Chemistry - A European Journal</i> , 2014 , 20, 17624-34	4.8	41	

175	EAlane complexes of chromium, tungsten, and manganese. <i>Journal of the American Chemical Society</i> , 2012 , 134, 2551-4	16.4	41
174	Reactivity of Cationic Terminal Borylene Complexes: Novel Mechanisms for Insertion and Metathesis Chemistry Involving Strongly Lewis Acidic Ligand Systems. <i>Organometallics</i> , 2009 , 28, 2961	-2 9 75	41
173	E⊞ Bond Activation of Ammonia and Water by a Geometrically Constrained Phosphorus(III) Compound. <i>Angewandte Chemie</i> , 2015 , 127, 13962-13967	3.6	40
172	Salt metathesis for the synthesis of M-Al and M-H-Al bonds. <i>Dalton Transactions</i> , 2013 , 42, 249-58	4.3	40
171	Directed Synthesis of Chromium and Molybdenum Metallaborane Clusters. Preparation and Characterization of (Cp*Cr)2B5H9, (Cp*Mo)2B5H9, and (Cp*MoCl)2B4H10. <i>Journal of the American Chemical Society</i> , 1997 , 119, 2339-2340	16.4	40
170	Borane to boryl hydride to borylene dihydride: explicit demonstration of boron-to-metal hydride migration in aminoborane activation. <i>Journal of the American Chemical Society</i> , 2011 , 133, 11500-3	16.4	39
169	Amidinatoland Guanidinatolobalt(I) Complexes: Characterization of Exceptionally Short Colobalt (I) Interactions. <i>Angewandte Chemie</i> , 2009 , 121, 7542-7546	3.6	39
168	Cobalt Boryl Complexes: Enabling and Exploiting Migratory Insertion in Base-Metal-Mediated Borylation. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 9586-90	16.4	38
167	Circumventing redox chemistry: synthesis of transition metal boryl complexes from a boryl nucleophile by decarbonylation. <i>Journal of the American Chemical Society</i> , 2014 , 136, 15730-41	16.4	37
166	Comparative structural and thermodynamic studies of fluoride and cyanide binding by PhBMes2 and related triarylborane Lewis acids. <i>New Journal of Chemistry</i> , 2010 , 34, 1652	3.6	37
165	Synthetic, structural and reaction chemistry of transition metal complexes containing the mesitylborylene ligand. <i>Dalton Transactions RSC</i> , 2002 , 3851		37
164	Synthesis of polymeric and macrocyclic Lewis acids: influence of backbone on degree of aggregation. <i>Dalton Transactions</i> , 2007 , 3486-8	4.3	36
163	Toward Cationic Gallane- and Indanediyl Complexes: Synthetic Approaches to Three-Coordinate Halogallyl and -indyl Precursors. <i>Organometallics</i> , 2005 , 24, 5879-5890	3.8	36
162	Formation of sub-valent carbenoid ligands by metal-mediated dehydrogenation chemistry: coordination and activation of H2Ga{(NDippCMe)2CH}. <i>Chemical Science</i> , 2013 , 4, 4245	9.4	35
161	Al-H Ebond coordination: expanded ring carbene adducts of AlH3 as neutral bi- and tri-functional donor ligands. <i>Chemical Communications</i> , 2013 , 49, 5547-9	5.8	34
160	Structural snapshots of concerted double E-H bond activation at a transition metal centre. <i>Nature Chemistry</i> , 2017 , 9, 1256-1262	17.6	33
159	Cooperative Bond Activation and Catalytic Reduction of Carbon Dioxide at a Group 13 Metal Center. <i>Angewandte Chemie</i> , 2015 , 127, 5187-5191	3.6	33
158	Oxidative bond formation and reductive bond cleavage at main group metal centers: reactivity of five-valence-electron MXIradicals. <i>Journal of the American Chemical Society</i> , 2014 , 136, 10902-5	16.4	32

157	Influence of Ligand Steric Bulk in the Synthesis of Transition-Metal Borylene Complexes. <i>Organometallics</i> , 2003 , 22, 4213-4217	3.8	32	
156	Highly Electron-Rich Diketiminato Systems: Synthesis and Coordination Chemistry of Amino-Functionalized "N-nacnac" Ligands. <i>Chemistry - A European Journal</i> , 2017 , 23, 5830-5841	4.8	30	
155	Insertion reactions of dicyclohexylcarbodiimide with aminoboranes, -boryls and -borylenes. <i>Dalton Transactions</i> , 2007 , 4405-12	4.3	30	
154	An N-Heterocyclic Boryloxy Ligand Isoelectronic with N-Heterocyclic Imines: Access to an Acyclic Dioxysilylene and its Heavier Congeners. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 4847-485	1 ^{16.4}	29	
153	On the Viability of Catalytic Turnover via Al-O/B-H Metathesis: The Reactivity of Diketiminate Aluminium Hydrides towards CO and Boranes. <i>Chemistry - A European Journal</i> , 2018 , 24, 13624-13635	4.8	29	
152	Bulky guanidinato and amidinato zinc complexes and their comparative stabilities. <i>Dalton Transactions</i> , 2010 , 39, 8788-95	4.3	29	
151	Facile syntheses of dissymmetric ferrocene-functionalized Lewis acids and acid-base pairs. <i>Chemical Communications</i> , 2009 , 7288-90	5.8	29	
150	Exploiting Electrostatics To Generate Unsaturation: Oxidative Ge?E Bond Formation Using a Non EDonor Stabilized [R(L)Ge:]+ Cation. <i>Angewandte Chemie</i> , 2016 , 128, 386-390	3.6	29	
149	Coordination chemistry of group 13 monohalides. <i>Chemical Science</i> , 2011 , 2, 601	9.4	28	
148	Contrasting reactivity of anionic boron- and gallium-containing NHC analogues: E-C vs. E-M bond formation (E = B, Ga). <i>Chemical Communications</i> , 2010 , 46, 8546-8	5.8	28	
147	Synthesis and characterisation of complexes of Group 13 metal amidinate heterocycles with the CpFe(CO)2 fragment. <i>Dalton Transactions</i> , 2006 , 5357-61	4.3	28	
146	A EDiketiminate-Stabilized Sila-Acyl Chloride: Systematic Access to Base-Stabilized Silicon Analogues of Classical Carbonyl Compounds. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 1390	7 ¹⁶ 3491	1 2 8	
145	Aminoborane © Complexes: Significance of Hydride Co-ligands in Dynamic Processes and Dehydrogenative Borylene Formation. <i>Organometallics</i> , 2013 , 32, 1583-1586	3.8	27	
144	Hydrogen shuttling: synthesis and reactivity of a 14-electron iridium complex featuring a bis(alkyl) tethered N-heterocyclic carbene ligand. <i>Chemical Communications</i> , 2012 , 48, 11999-2001	5.8	27	
143	Responses to unsaturation in iridium mono(N-heterocyclic carbene) complexes: synthesis and oligomerization of [LIr(H)2Cl] and [LIr(H)2]+. <i>Chemical Communications</i> , 2011 , 47, 2523-5	5.8	27	
142	Platinum complexes featuring terminally bound Ga(+) and In(+) ions. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 8097-9	16.4	27	
141	Catalytic Borylation using an Air-Stable Zinc Boryl Reagent: Systematic Access to Elusive Acylboranes. <i>Angewandte Chemie</i> , 2015 , 127, 14365-14369	3.6	26	
140	Electronic Delocalization in Two and Three Dimensions: Differential Aggregation in Indium "Metalloid" Clusters. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 15098-15102	16.4	25	

139	Sterically Encumbered Iridium Bis(N-heterocyclic carbene) Complexes: Air-Stable 14-Electron Cations and Facile Degenerate CH Activation. <i>Organometallics</i> , 2012 , 31, 8075-8078	3.8	25	
138	Syntheses of homochiral 1,2-ferrocene-functionalized Lewis acids and acid/base pairs. <i>Journal of Organometallic Chemistry</i> , 2011 , 696, 2528-2532	2.3	25	
137	Acid-Base Free Main Group Carbonyl Analogues. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 8626-8648	16.4	25	
136	The Chemistry of the Group 13 Metals in the +1 Oxidation State 2011 , 285-341		24	
135	Cp*TaCl2B4H8: synthesis, crystal structure and spectroscopic characterization of an air-stable, electronically unsaturated, chiral tantalaborane. <i>Chemical Communications</i> , 1998 , 207-208	5.8	24	
134	Cationic Terminal Borylene Complexes: Structure/Bonding Analysis and [4+1] Cycloaddition Reactivity of a BN Vinylidene Analogue. <i>Angewandte Chemie</i> , 2006 , 118, 6264-6268	3.6	24	
133	Frustrated Lewis pairs as molecular receptors: colorimetric and electrochemical detection of nitrous oxide. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 14094-7	16.4	23	
132	Chemistry of metal boron double bonds. <i>Main Group Chemistry</i> , 2007 , 5, 223-249	0.6	23	
131	A molecular 'traffic light': highly selective cyanide sensing in aqueous media by a CpFe(indenyl)-functionalized borane. <i>Dalton Transactions</i> , 2013 , 42, 12836-9	4.3	22	
130	Cationic Terminal Borylene Complexes: Interconversion of Amino and Alkoxy Borylenes by an Unprecedented Meerwein Ponndorf Hydride Transfer. <i>Angewandte Chemie</i> , 2006 , 118, 3593-3596	3.6	22	
129	Reactivity of the bis(pentafluorophenyl)boranes ClB(C6F5)2 and [HB(C6F5)2]n towards late transition metal reagents. <i>Dalton Transactions</i> , 2004 , 4030-7	4.3	22	
128	Linking of metal centres through boryl ligands: synthesis, spectroscopic and structural characterisation of symmetrically bridged boryl complexes. <i>Dalton Transactions RSC</i> , 2002 , 2020-2026		22	
127	Molecular Main Group Metal Hydrides. <i>Chemical Reviews</i> , 2021 , 121, 12784-12965	68.1	22	
126	On the Ambiphilic Reactivity of Geometrically Constrained Phosphorus(III) and Arsenic(III) Compounds: Insights into Their Interaction with Ionic Substrates. <i>Chemistry - A European Journal</i> , 2016 , 22, 15712-15724	4.8	21	
125	Probing the influence of steric bulk on anion binding by triarylboranes: comparative studies of FcB(o-Tol)2, FcB(o-Xyl)2 and FcBMes2. <i>Dalton Transactions</i> , 2011 , 40, 10345-50	4.3	21	
124	Coordination and Activation of the BF Molecule. <i>Angewandte Chemie</i> , 2009 , 121, 3723-3726	3.6	21	
123	Origins of Unsaturation in Group 6 Metallaboranes. Synthesis, Crystal Structure, and Molecular Orbital Calculations for (Cp*MoCl)2B3H7 (Cp* = Pentamethylcyclopentadienyl). <i>Journal of the American Chemical Society</i> , 1997 , 119, 11120-11121	16.4	21	
122	Trapping and Reactivity of a Molecular Aluminium Oxide Ion. <i>Angewandte Chemie</i> , 2019 , 131, 17425-17	4386	20	

121	Modulating reactivity in iridium bis(N-heterocyclic carbene) complexes: influence of ring size on E-H bond activation chemistry. <i>Dalton Transactions</i> , 2014 , 43, 12288-98	4.3	20
120	On the Redox Reactivity of a Geometrically Constrained Phosphorus(III) Compound. <i>Chemistry - A European Journal</i> , 2017 , 23, 15455-15465	4.8	20
119	Generation of cationic two-coordinate group-13 ligand systems by spontaneous halide ejection: remarkably nucleophile-resistant (dimethylamino)borylene complexes. <i>Journal of the American Chemical Society</i> , 2010 , 132, 4586-8	16.4	20
118	Selective Electrochemical Detection of Hydrogen Fluoride by Ambiphilic Ferrocene Derivatives. <i>Angewandte Chemie</i> , 2005 , 117, 3672-3675	3.6	20
117	Arene C-H Activation at Aluminium(I): meta Selectivity Driven by the Electronics of S Ar Chemistry. Angewandte Chemie - International Edition, 2020 , 59, 20376-20380	16.4	20
116	Reversible C-H Activation, Facile C-B/B-H Metathesis and Apparent Hydroboration Catalysis by a Dimethylxanthene-Based Frustrated Lewis Pair. <i>Chemistry - A European Journal</i> , 2018 , 24, 10531-10540	4.8	20
115	Acyclic 1,2-dimagnesioethanes/-ethene derived from magnesium(i) compounds: multipurpose reagents for organometallic synthesis. <i>Chemical Science</i> , 2019 , 10, 3208-3216	9.4	19
114	Carbon Monoxide Activation by a Molecular Aluminium Imide: CID Bond Cleavage and CID Bond Formation. <i>Angewandte Chemie</i> , 2020 , 132, 4927-4931	3.6	19
113	Tuning main group redox chemistry through steric loading: subvalent Group 13 metal complexes of carbazolyl ligands. <i>Chemistry - A European Journal</i> , 2011 , 17, 5381-6	4.8	19
112	Cationic Terminal Aminoborylene Complexes: Controlled Stepwise Insertion into M?B and B?N Double Bonds. <i>Angewandte Chemie</i> , 2007 , 119, 2089-2092	3.6	19
111	Activation of Protic, Hydridic and Apolar E-H Bonds by a Boryl-Substituted Ge Cation. <i>Chemistry - A European Journal</i> , 2020 , 26, 306-315	4.8	19
110	Lanthanide Complexes that Respond to Changes in Cyanide Concentration in Water. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 7783-7786	16.4	18
109	Experimental and quantum chemical studies of anionic analogues of N-heterocyclic carbenes. <i>Dalton Transactions</i> , 2018 , 47, 7445-7455	4.3	18
108	Nature of M-Ga bonds in dihalogallyl complexes (B-C5H5)(Me3P)2M(GaX2) (M = Fe, Ru, Os) and (B-C5H5)(OC)2Fe(GaX2) (X = Cl, Br, I): a DFT study. <i>Journal of Physical Chemistry A</i> , 2010 , 114, 12099-105	2.8	18
107	Bulky aryl functionalized carbazolyl ligands: amido alternatives to the 2,6-diarylphenyl ligand class?. <i>Dalton Transactions</i> , 2008 , 332-7	4.3	18
106	Syntheses and Anion Binding Capabilities of Bis(diarylboryl) Ferrocenes and Related Systems. <i>Organometallics</i> , 2013 , 32, 2674-2684	3.8	17
105	Anion Recognition by Highly Sterically Encumbered 1,2-Diborylferrocenes§. <i>Organometallics</i> , 2010 , 29, 4762-4765	3.8	17
104	Nature of M-Ga Bonds in cationic metal-gallylene complexes of iron, ruthenium, and osmium, [(B-C5H5)(L)2M(GaX)]+: a theoretical study. <i>Inorganic Chemistry</i> , 2011 , 50, 1798-807	5.1	17

103	The Aluminyl Anion: A New Generation of Aluminium Nucleophile. <i>Angewandte Chemie</i> , 2021 , 133, 1726	6- <u>3</u> . 6 37	17
102	N-H cleavage vs. Werner complex formation: reactivity of cationic group 14 tetrelenes towards amines. <i>Chemical Communications</i> , 2020 , 56, 4684-4687	5.8	16
101	Boryl substituted group 13 metallylenes: complexes with an iron carbonyl fragment. <i>Chemical Communications</i> , 2016 , 53, 149-152	5.8	16
100	Coordination and Activation of EH Bonds (E=B, Al, Ga) at Transition Metal Centers. <i>Advances in Organometallic Chemistry</i> , 2015 , 1-38	3.8	16
99	Substitution, abstraction and addition chemistry of low-coordinate gallium and indium ligand systems. <i>Inorganica Chimica Acta</i> , 2006 , 359, 3693-3698	2.7	16
98	Dimethylindium octahydrotriborate, Me2InB3H3: synthesis, crystal structure and spectroscopic properties of a volatile indium hydride. <i>Chemical Communications</i> , 1996 , 2055	5.8	16
97	Reactions of a phosphavinyl Grignard reagent with main group mono-halide compounds. <i>Journal of Organometallic Chemistry</i> , 2003 , 665, 127-134	2.3	15
96	Aluminium and Gallium Clusters: Metalloid Clusters and their Relationship to the Bulk Phases, to Naked Clusters and to Nanoscaled Materials402-487		15
95	Probing the limits of ligand steric bulk: backbone C-H activation in a saturated N-heterocyclic carbene. <i>Chemistry - A European Journal</i> , 2014 , 20, 3825-30	4.8	14
94	Coordinative trapping of the boron Ediketiminato system [B(NMesCMe)2CH] via metal-templated synthesis. <i>Chemical Communications</i> , 2013 , 49, 1509-11	5.8	14
93	Cobalt Boryl Complexes: Enabling and Exploiting Migratory Insertion in Base-Metal-Mediated Borylation. <i>Angewandte Chemie</i> , 2015 , 127, 9722-9726	3.6	14
92	The methylzinc hydroborate derivative [(MeZn)2B3H7]2: synthesis, crystal structure and vibrational spectra of an unprecedented cluster compound. <i>Journal of the Chemical Society Chemical Communications</i> , 1995 , 1363		14
91	Extending the chain: synthetic, structural, and reaction chemistry of a BN allenylidene analogue. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 8908-11	16.4	13
90	Substitution chemistry of sterically demanding boryl ligands. <i>Applied Organometallic Chemistry</i> , 2003 , 17, 356-360	3.1	13
89	Complementary anion binding by bidentate boron-containing Lewis acids. <i>Journal of Organometallic Chemistry</i> , 2005 , 690, 2725-2731	2.3	13
88	Intramolecular base-stabilised adducts of main group halides. New Journal of Chemistry, 2002, 26, 677-6	5 8 66	13
87	A EDiketiminate-Stabilized Sila-Acyl Chloride: Systematic Access to Base-Stabilized Silicon Analogues of Classical Carbonyl Compounds. <i>Angewandte Chemie</i> , 2018 , 130, 14103-14107	3.6	13
86	N-nacnac Stabilized Tetrelenes: Formation of an N,P-Heterocyclic Germylene via C f Bond Insertion. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2018 , 644, 1238-1242	1.3	12

(2001-2009)

85	Bridging the gap between coordination and cluster compounds: unusual bonding modes for zinc. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 4109-11	16.4	12
84	Hydrogen-bonding motifs in the solid-state structure of ferroceneboronic acid. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004 , 60, m441-m443		12
83	Methylzinc tetrahydroborate: physical and chemical properties and crystal structure at low temperature. <i>Journal of the Chemical Society Dalton Transactions</i> , 1996 , 853		12
82	Reduction of Carbon Oxides by an Acyclic Silylene: Reductive Coupling of CO. <i>Angewandte Chemie</i> , 2019 , 131, 1822-1826	3.6	12
81	Anionic N-heterocyclic carbenes (NHCs): a versatile route to saturated NHCs bearing pendant weakly coordinating anions. <i>Dalton Transactions</i> , 2014 , 43, 15279-82	4.3	11
80	Bulky N-heterocyclic carbene and pyridine donor adducts of Co(II) bromide: Influence on reactivity of stoichiometry, sterics and donor capability. <i>Journal of Organometallic Chemistry</i> , 2013 , 741-742, 33-3	9 ^{2.3}	11
79	Exploitation of a very strongly sigma-donating Sn(II) ligand: synthesis of a homoleptic, octahedral Ni(IV) complex. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 2348-50	16.4	11
78	Migratory insertion of [B(C6F5)2] into C-H bonds: CO promoted transfer of the boryl fragment. <i>Chemical Communications</i> , 2006 , 2578-80	5.8	11
77	Formal Oxidation State +2: Metal Metal Bonded Versus Mononuclear Derivatives 246-284		11
76	An N-Heterocyclic Boryloxy Ligand Isoelectronic with N-Heterocyclic Imines: Access to an Acyclic Dioxysilylene and its Heavier Congeners. <i>Angewandte Chemie</i> , 2019 , 131, 4901-4905	3.6	10
75	Synthetic, redox and coordination chemistry of bis(pentachlorophenyl)boryl ferrocene, FcB(C6Cl5)2. <i>Journal of Organometallic Chemistry</i> , 2014 , 769, 11-16	2.3	10
74	Probing the Extremes of Covalency in M-Al bonds: Lithium and Zinc Aluminyl Compounds. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 22301-22306	16.4	10
73	Synthetic, structural and reaction chemistry of N-heterocyclic germylene and stannylene compounds featuring N-boryl substituents. <i>Dalton Transactions</i> , 2019 , 48, 11951-11960	4.3	9
72	Electronic Delocalization in Two and Three Dimensions: Differential Aggregation in Indium Metalloid Clusters. <i>Angewandte Chemie</i> , 2017 , 129, 15294-15298	3.6	9
71	Interaction of In(I) and Tl(I) cations with 2,6-diaryl pyridine ligands: cation encapsulation within a very weakly interacting N/arene host environment. <i>Inorganic Chemistry</i> , 2012 , 51, 13017-22	5.1	9
70	Group 13 Metal-Mediated Organic Reactions 2011 , 654-700		9
69	Platin-Komplexe mit terminal gebundenen Ga+- und In+-Ionen. <i>Angewandte Chemie</i> , 2006 , 118, 8275-82	27376	9
68	Anion binding by multidentate Lewis acids: a DFT study. <i>Chemical Communications</i> , 2001 , 231-232	5.8	9

67	Early versus late transition metals. Electronic structure of nido-2-CpMLnB4H8, CpMLn=CpTaCl2, CpWH3 and CpCo. <i>Inorganica Chimica Acta</i> , 1999 , 289, 85-94	2.7	9
66	Approaching a "Naked" Boryl Anion: Amide Metathesis as a Route to Calcium, Strontium, and Potassium Boryl Complexes. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 2064-2068	16.4	9
65	A Gallium Hydride as an Oxidizing Agent: Direct Synthesis of Ir Complexes via Ga-H Bond Activation. <i>Chemistry - A European Journal</i> , 2017 , 23, 16906-16913	4.8	8
64	Extension of conjugation: probing anion binding strength and reporter mechanisms in (phenyl)cyclopentadienyl and indenyl receptors. <i>Dalton Transactions</i> , 2015 , 44, 13049-59	4.3	8
63	(Dimethylamino)borylene and Related Complexes of Electron-Rich Metal Fragments: Generation of Nucleophile-Resistant Cations by Spontaneous Halide Ejection. <i>Organometallics</i> , 2012 , 31, 1092-1102	3.8	8
62	Frustrated Lewis Pairs as Molecular Receptors: Colorimetric and Electrochemical Detection of Nitrous Oxide. <i>Angewandte Chemie</i> , 2013 , 125, 14344-14347	3.6	8
61	Iridium-Mediated Borylation of Benzylic C?H Bonds by Borohydride. <i>Angewandte Chemie</i> , 2011 , 123, 13	95:139	9 8 8
60	Synthesis and molecular structure of the organometallic zwitterion (B-C5H3MeBCl3)Fe(CO)3: evidence for alternative sites of nucleophilicity within the [(B-C5R5)Fe(CO)2 Ianion. <i>Journal of Chemical Crystallography</i> , 2003 , 33, 805-808	0.5	8
59	Structures of the Metallated Trihalogallate and Indate Ions [B-C5Me5)Fe(CO)2InI3]- and [(B-C5H5)Fe(CO)2GaI2Br] <i>Main Group Metal Chemistry</i> , 2005 , 28,	1.6	8
58	Arene Cℍ Activation at Aluminium(I): meta Selectivity Driven by the Electronics of SNAr Chemistry. <i>Angewandte Chemie</i> , 2020 , 132, 20556-20560	3.6	8
57	Coinage metal aluminyl complexes: probing regiochemistry and mechanism in the insertion and reduction of carbon dioxide. <i>Chemical Science</i> , 2021 , 12, 13458-13468	9.4	8
56	A Combined Experimental/Computational Study of the Mechanism of a Palladium-Catalyzed Bora-Negishi Reaction. <i>Chemistry - A European Journal</i> , 2017 , 23, 12655-12667	4.8	7
55	Bifunctional Indenyl-Derived Receptors for Fluoride Chelation and Detection. <i>Chemistry - A European Journal</i> , 2015 , 21, 11813-24	4.8	7
54	Ein homoleptischer oktaedrischer Nickel(IV)-Komplex mit sehr starken Zinn(II)-£Donorliganden. <i>Angewandte Chemie</i> , 2008 , 120, 2382-2384	3.6	7
53	Reactions of Caliwith organometallic transition metal halides. <i>Inorganica Chimica Acta</i> , 2008 , 361, 449-4	4 5 267	7
52	Partnering a Three-Coordinate Gallium Cation with a Hydroborate Counter-Ion for the Catalytic Hydrosilylation of CO. <i>Chemistry - A European Journal</i> , 2021 , 27, 2138-2148	4.8	7
51	AcidBase Free Main Group Carbonyl Analogues. <i>Angewandte Chemie</i> , 2021 , 133, 8708-8730	3.6	7
50	A zwitterionic hydrocarbon-soluble borenium ion based on a Ediketiminate backbone. <i>Chemical Communications</i> , 2017 , 53, 5981-5984	5.8	6

(2018-2013)

49	Substituent effects on iron boryl and borylene systems: Unusual reactivity and spectroscopic properties. <i>Journal of Organometallic Chemistry</i> , 2013 , 745-746, 487-493	2.3	6	
48	A theoretical study of the bonding and charge distribution in cationic group 8 metal borylene and alylene complexes: Consequences for complex stability and reactivity. <i>Polyhedron</i> , 2012 , 43, 131-139	2.7	6	
47	Synthesis and structural characterization of terminal (diisopropylamino)borylene complexes of group 8 metals. <i>Main Group Chemistry</i> , 2010 , 9, 57-65	0.6	6	
46	Crystallographic report: [(B-C5H5)Fe(CO)2]2Ga3Cl3(OSiMe2OSiMe2O)2: a diiron complex of a tetracyclic trigallasiloxane. <i>Applied Organometallic Chemistry</i> , 2004 , 18, 425-426	3.1	6	
45	Approaching a Naked Boryl Anion: Amide Metathesis as a Route to Calcium, Strontium, and Potassium Boryl Complexes. <i>Angewandte Chemie</i> , 2021 , 133, 2092-2096	3.6	6	
44	Successive Protonation of an N-Heterocyclic Imine Derived Carbonyl: Superelectrophilic Dication Versus Masked Acylium Ion. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 16559-16563	16.4	6	
43	Cooperative N-H bond activation by amido-Ge(ii) cations. <i>Dalton Transactions</i> , 2020 , 49, 9495-9504	4.3	5	
42	Eine Brūke zwischen Koordinations- und Clusterverbindungen: ungewfinliche Bindungsweisen des Zinks. <i>Angewandte Chemie</i> , 2009 , 121, 4172-4174	3.6	5	
41	Probing Conformational Strain in Multinuclear Lewis Acids: Synthesis, Spectroscopic and Structural Characterization of the Dinuclear Ferroceneboronic Ester (B-C5H5)Fe(B-C5H4)BO2C5H8O2B(B-C5H4)Fe(B-C5H5). <i>Journal of Chemical Crystallography</i> ,	0.5	5	
40	2010, 40, 156-159 Influence of ligand backbone flexibility in group 4 metal complexes of tetradentate mixed tertiary amine/alkoxide ligands. <i>New Journal of Chemistry</i> , 2007, 31, 135-143	3.6	5	
39	Formal Oxidation State +3: Organometallic Chemistry148-245		5	
38	Reversible O-H bond activation by an intramolecular frustrated Lewis pair. <i>Dalton Transactions</i> , 2019 , 48, 2896-2899	4.3	4	
37	Reversible borohydride formation from aluminium hydrides and {H(9-BBN)}: structural, thermodynamic and reactivity studies. <i>Dalton Transactions</i> , 2019 , 48, 10845-10852	4.3	4	
36	Group 13 MetalMetal Bonds 2015 , 455-484		4	
35	Frustrated Lewis pairs incorporating the bifunctional Lewis acid 1,1'-fc{B(CF)}: reactivity towards small molecules. <i>Dalton Transactions</i> , 2018 , 47, 1588-1598	4.3	4	
34	Rationalizing and Disrupting Fluxional Processes in Agostically Stabilized 14-Electron Alkyliridium Hydride Complexes. <i>European Journal of Inorganic Chemistry</i> , 2014 , 2014, 4877-4885	2.3	4	
33	trans-Bromohydridobis(triphenylphosphine)platinum toluene hemisolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003 , 59, m584-m585		4	
32	Successive Protonation of an N-Heterocyclic Imine Derived Carbonyl: Superelectrophilic Dication Versus Masked Acylium Ion. <i>Angewandte Chemie</i> , 2018 , 130, 16797-16801	3.6	4	

31	Lanthanide Complexes that Respond to Changes in Cyanide Concentration in Water. <i>Angewandte Chemie</i> , 2017 , 129, 7891-7894	3.6	3
30	The Chemistry of the Group 13 Metals in the +3 Oxidation State: Simple Inorganic Compounds 2011 , 75-147		3
29	Extending the Chain: Synthetic, Structural, and Reaction Chemistry of a BN Allenylidene Analogue. <i>Angewandte Chemie</i> , 2011 , 123, 9070-9073	3.6	3
28	Methylzinc tetrahydroborate: investigation of the vapour phase by spectroscopic and quantum chemical techniques. <i>Journal of Molecular Structure</i> , 1998 , 444, 29-46	3.4	3
27	Halide Abstraction by Na[B{C6H3(CF3)2-3,5}4]: Synthesis and Structural Characterization of the Rhodium(I) Cations [(B-arene)Rh(PPh3)2]+ (Arene = benzene, toluene). <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2006 , 632, 2187-2189	1.3	3
26	Synthesis, structure and reactivity of terphenyl-substituted germylium-ylidene cations. <i>Polyhedron</i> , 2021 , 196, 115006	2.7	3
25	Mixed or Intermediate Valence Group 13 Metal Compounds342-401		3
24	Probing the non-innocent nature of an amino-functionalised Ediketiminate ligand in silylene/iminosilane systems. <i>Dalton Transactions</i> , 2020 , 49, 8701-8709	4.3	2
23	Crystal Structure of 1,4-Bis(triiodogallium(III))-1,4-bis(2,4,6-tri-tert-butylphenyl)-1,4-diphosphabuta-1,3-diene. <i>Analytical Sciences: X-ray Structure Analysis Online</i> , 2008 , 24, X109-X110		2
22	A crystalline radical cation derived from Thiele's hydrocarbon with redox range beyond 1 V. <i>Nature Communications</i> , 2021 , 12, 7052	17.4	2
21	Colorimetric Metal-Free Detection of Carbon Monoxide: Reversible CO Uptake by a BNB Frustrated Lewis Pair. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 16416-16419	16.4	2
20	New Light on the Chemistry of the Group 13 Metals1-74		2
19	Coordination and Solution Chemistry of the Metals: Biological, Medical and Environmental Relevance51	9-611	2
18	Linking of Main Group Metals via Bridging Halide Ligands: Structures of the Bromo-indanediyl Dimer [{(B-C5H5)Fe(CO)2}2InBr]2 and the Related Lithium Bromide Adduct [(B-C5H5)Fe(CO)2]2In(EBr)2Li(OEt2)2. <i>Main Group Metal Chemistry</i> , 2007 , 30,	1.6	1
17	Crystallographic report: (B-C5Me5)Fe(CO)2(BOCH2CH2CH2O): an organoiron complex containing the (trimethyleneglycolato)boryl ligand. <i>Applied Organometallic Chemistry</i> , 2005 , 19, 181-182	3.1	1
16	Generation of a Bonded Isomer of [P] by Aluminyl Reduction of White Phosphorus and its Ammonolysis to PH. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 26550-26554	16.4	1
15	Controlling Catenation in Germanium(I) Chemistry through Hemilability. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 15606-15612	16.4	1
14	Borylated N-Heterocyclic Carbenes: Rearrangement and Chemical Trapping. <i>Chemistry - A European Journal</i> , 2019 , 25, 2556-2568	4.8	1

LIST OF PUBLICATIONS

13	Reactions of a diborylstannylene with CO and NO: diboration of carbon dioxide by a main group bis(boryl) complex. <i>Dalton Transactions</i> , 2021 , 50, 9059-9067	4.3	1
12	III☑ and Related Semiconductor Materials612-653		1
11	Simple and Mixed Metal Oxides and Hydroxides: Solids with Extended Structures of Different Dimensionalities and Porosities 2011 , 488-518		O
10	Crystal Structure of [{(.ETA.5-C5Me5)Fe(CO)2In(C6H2But3-2,4,6)}2(.MUF)]+(BF4)- 3CH2Cl2. <i>Analytical Sciences: X-ray Structure Analysis Online</i> , 2008 , 24, X167-X168		O
9	Crystal Structure of [{(.ETA.7-C7H7)Mo(CO)2Ga}2(.MUOGaI3){.MUOGaI(OH)2}]2 3benzene. <i>Analytical Sciences: X-ray Structure Analysis Online</i> , 2007 , 23, X57-X58		О
8	Crystal Structures of [XnE]+[(.ETA.7-C7H7)Mo(CO)2GaI3]- (XnE = (thf)4Li, Cy3PH). <i>Analytical Sciences: X-ray Structure Analysis Online</i> , 2007 , 23, X213-X214		O
7	Generation of a Bonded Isomer of [P4]4[by Aluminyl Reduction of White Phosphorus and its Ammonolysis to PH3. <i>Angewandte Chemie</i> , 2021 , 133, 26754	3.6	O
6	Controlling Catenation in Germanium(I) Chemistry through Hemilability. <i>Angewandte Chemie</i> , 2021 , 133, 15734-15740	3.6	О
5	Colorimetric Metal-Free Detection of Carbon Monoxide: Reversible CO Uptake by a BNB Frustrated Lewis Pair. <i>Angewandte Chemie</i> , 2021 , 133, 16552	3.6	O
4	N-nacnac stabilized tetrylenes: access to silicon hydride systems via migration processes. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2021 , 647, 1679-1684	1.3	О
3	A Xanthene-Based Mono-Anionic PON Ligand: Exploiting a Bulky, Electronically Unsymmetrical Donor in Main Group Chemistry. <i>Chemistry - A European Journal</i> , 2021 , 27, 3159-3165	4.8	O
2	Probing the Extremes of Covalency in MAl bonds: Lithium and Zinc Aluminyl Compounds. <i>Angewandte Chemie</i> , 2021 , 133, 22475-22480	3.6	О
1	Innenröktitelbild: An N-Heterocyclic Boryloxy Ligand Isoelectronic with N-Heterocyclic Imines: Access to an Acyclic Dioxysilylene and its Heavier Congeners (Angew. Chem. 15/2019). <i>Angewandte Chemie</i> , 2019 , 131, 5189-5189	3.6	