

Mar Tintore

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2394135/publications.pdf>

Version: 2024-02-01

165
papers

14,967
citations

34016

52
h-index

19690

117
g-index

170
all docs

170
docs citations

170
times ranked

10897
citing authors

#	ARTICLE	IF	CITATIONS
1	Diagnosis of multiple sclerosis: 2017 revisions of the McDonald criteria. <i>Lancet Neurology</i> , The, 2018, 17, 162-173.	4.9	4,605
2	MRI criteria for the diagnosis of multiple sclerosis: MAGNIMS consensus guidelines. <i>Lancet Neurology</i> , The, 2016, 15, 292-303.	4.9	679
3	MAGNIMS consensus guidelines on the use of MRI in multiple sclerosisâ€”establishing disease prognosis and monitoring patients. <i>Nature Reviews Neurology</i> , 2015, 11, 597-606.	4.9	422
4	Defining high, medium and low impact prognostic factors for developing multiple sclerosis. <i>Brain</i> , 2015, 138, 1863-1874.	3.7	403
5	Sex and gender issues in multiple sclerosis. <i>Therapeutic Advances in Neurological Disorders</i> , 2013, 6, 237-248.	1.5	368
6	MAGNIMS consensus guidelines on the use of MRI in multiple sclerosisâ€”clinical implementation in the diagnostic process. <i>Nature Reviews Neurology</i> , 2015, 11, 471-482.	4.9	354
7	2021 MAGNIMSâ€”CMSCâ€”NAIMS consensus recommendations on the use of MRI in patients with multiple sclerosis. <i>Lancet Neurology</i> , The, 2021, 20, 653-670.	4.9	302
8	Defining the response to interferonâ€”2 in relapsingâ€”remitting multiple sclerosis patients. <i>Annals of Neurology</i> , 2006, 59, 344-352.	2.8	295
9	MRI criteria for multiple sclerosis in patients presenting with clinically isolated syndromes: a multicentre retrospective study. <i>Lancet Neurology</i> , The, 2007, 6, 677-686.	4.9	292
10	Myelin-oligodendrocyte glycoprotein antibody-associated disease. <i>Lancet Neurology</i> , The, 2021, 20, 762-772.	4.9	261
11	Radiologically Isolated Syndrome: 5-Year Risk for an Initial Clinical Event. <i>PLoS ONE</i> , 2014, 9, e90509.	1.1	254
12	Cerebrospinal fluid chitinase 3-like 1 levels are associated with conversion to multiple sclerosis. <i>Brain</i> , 2010, 133, 1082-1093.	3.7	240
13	Treatment of multiple sclerosis â€” success from bench to bedside. <i>Nature Reviews Neurology</i> , 2019, 15, 53-58.	4.9	239
14	Multicentre comparison of a diagnostic assay: aquaporin-4 antibodies in neuromyelitis optica. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, 1005-1015.	0.9	228
15	Associations of paediatric demyelinating and encephalitic syndromes with myelin oligodendrocyte glycoprotein antibodies: a multicentre observational study. <i>Lancet Neurology</i> , The, 2020, 19, 234-246.	4.9	207
16	Factors related with treatment adherence to interferon b and glatiramer acetate therapy in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2005, 11, 306-309.	1.4	184
17	Elevated Epsteinâ€”Barr virusâ€”encoded nuclear antigenâ€”1 immune responses predict conversion to multiple sclerosis. <i>Annals of Neurology</i> , 2010, 67, 159-169.	2.8	181
18	Treatment decisions in multiple sclerosis â€” insights from real-world observational studies. <i>Nature Reviews Neurology</i> , 2017, 13, 105-118.	4.9	154

#	ARTICLE	IF	CITATIONS
19	MAGNIMS consensus recommendations on the use of brain and spinal cord atrophy measures in clinical practice. <i>Nature Reviews Neurology</i> , 2020, 16, 171-182.	4.9	150
20	Chitinase 3-like 1: prognostic biomarker in clinically isolated syndromes. <i>Brain</i> , 2015, 138, 918-931.	3.7	147
21	Primary Progressive Multiple Sclerosis Evolving from Radiologically Isolated Syndrome. <i>Annals of Neurology</i> , 2016, 79, 288-294.	2.8	130
22	Clinical Features and Risk of Relapse in Children and Adults with Myelin Oligodendrocyte Glycoprotein Antibody-Associated Disease. <i>Annals of Neurology</i> , 2021, 89, 30-41.	2.8	123
23	Neurofilament light chain and oligoclonal bands are prognostic biomarkers in radiologically isolated syndrome. <i>Brain</i> , 2018, 141, 1085-1093.	3.7	115
24	Assessment of different treatment failure criteria in a cohort of relapsing-remitting multiple sclerosis patients treated with interferon β : Implications for clinical trials. <i>Annals of Neurology</i> , 2002, 52, 400-406.	2.8	114
25	A Single, Early Magnetic Resonance Imaging Study in the Diagnosis of Multiple Sclerosis. <i>Archives of Neurology</i> , 2009, 66, 587-92.	4.9	114
26	Encephalopathy associated to autoimmune thyroid disease: a more appropriate term for an underestimated condition?. <i>Journal of the Neurological Sciences</i> , 2000, 176, 65-69.	0.3	113
27	MRI criteria for dissemination in space in patients with clinically isolated syndromes: a multicentre follow-up study. <i>Lancet Neurology</i> , The, 2006, 5, 221-227.	4.9	112
28	COVID-19 in multiple sclerosis patients: susceptibility, severity risk factors and serological response. <i>European Journal of Neurology</i> , 2021, 28, 3384-3395.	1.7	111
29	Spinal cord involvement in multiple sclerosis and neuromyelitis optica spectrum disorders. <i>Lancet Neurology</i> , The, 2019, 18, 185-197.	4.9	110
30	Is optic neuritis more benign than other first attacks in multiple sclerosis?. <i>Annals of Neurology</i> , 2005, 57, 210-215.	2.8	108
31	Assessing response to interferon- β in a multicenter dataset of patients with MS. <i>Neurology</i> , 2016, 87, 134-140.	1.5	98
32	The value of oligoclonal bands in the multiple sclerosis diagnostic criteria. <i>Brain</i> , 2018, 141, 1075-1084.	3.7	98
33	Prediction of a multiple sclerosis diagnosis in patients with clinically isolated syndrome using the 2016 MAGNIMS and 2010 McDonald criteria: a retrospective study. <i>Lancet Neurology</i> , The, 2018, 17, 133-142.	4.9	98
34	The potential of serum neurofilament as biomarker for multiple sclerosis. <i>Brain</i> , 2021, 144, 2954-2963.	3.7	98
35	Radiologically Isolated Syndrome: 10-Year Risk Estimate of a Clinical Event. <i>Annals of Neurology</i> , 2020, 88, 407-417.	2.8	95
36	Early brain pseudoatrophy while on natalizumab therapy is due to white matter volume changes. <i>Multiple Sclerosis Journal</i> , 2013, 19, 1175-1181.	1.4	93

#	ARTICLE	IF	CITATIONS
37	Unraveling treatment response in multiple sclerosis. <i>Neurology</i> , 2019, 92, 180-192.	1.5	88
38	Neurofilament light chain level is a weak risk factor for the development of MS. <i>Neurology</i> , 2016, 87, 1076-1084.	1.5	85
39	Will Rogers phenomenon in multiple sclerosis. <i>Annals of Neurology</i> , 2008, 64, 428-433.	2.8	80
40	Therapeutic Decisions in Multiple Sclerosis. <i>JAMA Neurology</i> , 2013, 70, 1315-24.	4.5	80
41	Rationale for early intervention with immunomodulatory treatments. <i>Journal of Neurology</i> , 2008, 255, 37-43.	1.8	79
42	Spinal cord lesions: A modest contributor to diagnosis in clinically isolated syndromes but a relevant prognostic factor. <i>Multiple Sclerosis Journal</i> , 2018, 24, 301-312.	1.4	79
43	The HLA locus and multiple sclerosis in Spain. Role in disease susceptibility, clinical course and response to interferon- β . <i>Journal of Neuroimmunology</i> , 2002, 130, 194-201.	1.1	78
44	Radiologically isolated syndrome or subclinical multiple sclerosis: MAGNIMS consensus recommendations. <i>Multiple Sclerosis Journal</i> , 2018, 24, 214-221.	1.4	77
45	Epidemiology of NMOSD in Catalonia: Influence of the new 2015 criteria in incidence and prevalence estimates. <i>Multiple Sclerosis Journal</i> , 2018, 24, 1843-1851.	1.4	77
46	Value of 3T Susceptibility-Weighted Imaging in the Diagnosis of Multiple Sclerosis. <i>American Journal of Neuroradiology</i> , 2020, 41, 1001-1008.	1.2	68
47	Fatigue in progressive multiple sclerosis is associated with low levels of dehydroepiandrosterone. <i>Multiple Sclerosis Journal</i> , 2006, 12, 487-494.	1.4	67
48	A three-year, multi-parametric MRI study in patients at presentation with CIS. <i>Journal of Neurology</i> , 2008, 255, 683-691.	1.8	65
49	The state of multiple sclerosis: current insight into the patient/health care provider relationship, treatment challenges, and satisfaction. <i>Patient Preference and Adherence</i> , 2017, Volume 11, 33-45.	0.8	65
50	Multiple sclerosis management during the COVID-19 pandemic. <i>Multiple Sclerosis Journal</i> , 2020, 26, 1163-1171.	1.4	63
51	Disability progression markers over 6 years in interferon- β -treated multiple sclerosis patients. <i>Multiple Sclerosis Journal</i> , 2018, 24, 322-330.	1.4	60
52	Interferon beta in relapsing-remitting multiple sclerosis. <i>Journal of Neurology</i> , 2005, 252, 795-800.	1.8	59
53	Sex effects across the lifespan in women with multiple sclerosis. <i>Therapeutic Advances in Neurological Disorders</i> , 2020, 13, 175628642093616.	1.5	58
54	The apparently milder course of multiple sclerosis: changes in the diagnostic criteria, therapy and natural history. <i>Brain</i> , 2020, 143, 2637-2652.	3.7	56

#	ARTICLE	IF	CITATIONS
55	Location of brain lesions predicts conversion of clinically isolated syndromes to multiple sclerosis. <i>Neurology</i> , 2013, 80, 234-241.	1.5	53
56	N-Acetylaspartate and neurofilaments as biomarkers of axonal damage in patients with progressive forms of multiple sclerosis. <i>Journal of Neurology</i> , 2014, 261, 2338-2343.	1.8	52
57	Harnessing Real-World Data to Inform Decision-Making: Multiple Sclerosis Partners Advancing Technology and Health Solutions (MS PATHS). <i>Frontiers in Neurology</i> , 2020, 11, 632.	1.1	52
58	Antimyelin Antibodies with No Progression to Multiple Sclerosis. <i>New England Journal of Medicine</i> , 2007, 356, 426-428.	13.9	50
59	Menarche, pregnancies, and breastfeeding do not modify long-term prognosis in multiple sclerosis. <i>Neurology</i> , 2019, 92, e1507-e1516.	1.5	49
60	Lipid-specific immunoglobulin G bands in cerebrospinal fluid are associated with a reduced risk of developing progressive multifocal leukoencephalopathy during treatment with natalizumab. <i>Annals of Neurology</i> , 2015, 77, 447-457.	2.8	48
61	The role of the cerebellum in multiple sclerosis 150 years after Charcot. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 89, 85-98.	2.9	48
62	Interferon Beta-1b for the Treatment of Primary Progressive Multiple Sclerosis. <i>Archives of Neurology</i> , 2011, 68, 1421.	4.9	44
63	Anticardiolipin antibodies are not a useful screening tool in a nonselected large group of patients with multiple sclerosis. <i>Annals of Neurology</i> , 2001, 49, 408-411.	2.8	42
64	Contribution of the symptomatic lesion in establishing MS diagnosis and prognosis. <i>Neurology</i> , 2016, 87, 1368-1374.	1.5	42
65	SVM recursive feature elimination analyses of structural brain MRI predicts near-term relapses in patients with clinically isolated syndromes suggestive of multiple sclerosis. <i>NeuroImage: Clinical</i> , 2019, 24, 102011.	1.4	42
66	Radiologically isolated syndrome in children. <i>Neurology: Neuroimmunology and Neuroinflammation</i> , 2017, 4, e395.	3.1	41
67	The long-term outcomes of CIS patients in the Barcelona inception cohort: Looking back to recognize aggressive MS. <i>Multiple Sclerosis Journal</i> , 2020, 26, 1658-1669.	1.4	41
68	Aggressive multiple sclerosis (1): Towards a definition of the phenotype. <i>Multiple Sclerosis Journal</i> , 2020, 26, 1031-1044.	1.4	39
69	Early and unrestricted access to high-efficacy disease-modifying therapies: a consensus to optimize benefits for people living with multiple sclerosis. <i>Journal of Neurology</i> , 2022, 269, 1670-1677.	1.8	39
70	Altered maturation of circulating dendritic cells in primary progressive MS patients. <i>Journal of Neuroimmunology</i> , 2006, 175, 183-191.	1.1	37
71	Evaluating the response to glatiramer acetate in relapsing-remitting multiple sclerosis (RRMS) patients. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1602-1608.	1.4	36
72	Effect of Changes in MS Diagnostic Criteria Over 25 Years on Time to Treatment and Prognosis in Patients With Clinically Isolated Syndrome. <i>Neurology</i> , 2021, 97, e1641-e1652.	1.5	35

#	ARTICLE	IF	CITATIONS
73	Early onset multiple sclerosis: The role of gender. <i>Journal of the Neurological Sciences</i> , 2009, 286, 31-34.	0.3	33
74	Specificity of Barkhof Criteria in Predicting Conversion to Multiple Sclerosis When Applied to Clinically Isolated Brainstem Syndromes. <i>Archives of Neurology</i> , 2004, 61, 222.	4.9	32
75	Optic Nerve Topography in Multiple Sclerosis Diagnosis. <i>Neurology</i> , 2021, 96, e482-e490.	1.5	32
76	Early predictors of multiple sclerosis after a typical clinically isolated syndrome. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1721-1726.	1.4	31
77	Impact of COVID-19 on multiple sclerosis care and management: Results from the European Committee for Treatment and Research in Multiple Sclerosis survey. <i>Multiple Sclerosis Journal</i> , 2022, 28, 132-138.	1.4	31
78	Performance of the 2017 and 2010 Revised McDonald Criteria in Predicting MS Diagnosis After a Clinically Isolated Syndrome. <i>Neurology</i> , 2022, 98, .	1.5	31
79	Clinical impact of intravenous methylprednisolone in attacks of multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2004, 10, 413-416.	1.4	30
80	Improved Automatic Detection of New T2 Lesions in Multiple Sclerosis Using Deformation Fields. <i>American Journal of Neuroradiology</i> , 2016, 37, 1816-1823.	1.2	30
81	<i>TNFRSF1A</i> polymorphisms rs1800693 and rs4149584 in patients with multiple sclerosis. <i>Neurology</i> , 2013, 80, 2010-2016.	1.5	28
82	Validation of semaphorin 7A and ala- β -his-dipeptidase as biomarkers associated with the conversion from clinically isolated syndrome to multiple sclerosis. <i>Journal of Neuroinflammation</i> , 2014, 11, 181.	3.1	28
83	Predictive value of early brain atrophy on response in patients treated with interferon β . <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2015, 2, e132.	3.1	28
84	Lesion topographies in multiple sclerosis diagnosis. <i>Neurology</i> , 2017, 89, 2351-2356.	1.5	27
85	Ratio of T1-Weighted to T2-Weighted Signal Intensity as a Measure of Tissue Integrity: Comparison with Magnetization Transfer Ratio in Patients with Multiple Sclerosis. <i>American Journal of Neuroradiology</i> , 2020, 41, 461-463.	1.2	27
86	Role of high mobility group box protein 1 (HMGB1) in peripheral blood from patients with multiple sclerosis. <i>Journal of Neuroinflammation</i> , 2015, 12, 48.	3.1	26
87	Diagnostic value of brain chronic black holes on T1-weighted MR images in clinically isolated syndromes. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1471-1477.	1.4	25
88	Keeping standards of multiple sclerosis care through the COVID-19 pandemic. <i>Multiple Sclerosis Journal</i> , 2020, 26, 1153-1156.	1.4	24
89	Risk Acceptance in Multiple Sclerosis Patients on Natalizumab Treatment. <i>PLoS ONE</i> , 2013, 8, e82796.	1.1	23
90	Oligoclonal bands increase the specificity of MRI criteria to predict multiple sclerosis in children with radiologically isolated syndrome. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2019, 5, 205521731983666.	0.5	23

#	ARTICLE	IF	CITATIONS
91	Brain Volume Loss During the First Year of Interferon-β Treatment in Multiple Sclerosis: Baseline Inflammation and Regional Brain Volume Dynamics. <i>Journal of Neuroimaging</i> , 2016, 26, 532-538.	1.0	21
92	Grey matter atrophy is associated with disability increase in natalizumab-treated patients. <i>Multiple Sclerosis Journal</i> , 2017, 23, 556-566.	1.4	21
93	Aggressive multiple sclerosis (2): Treatment. <i>Multiple Sclerosis Journal</i> , 2020, 26, 1045-1063.	1.4	21
94	Head-to-head drug comparisons in multiple sclerosis. <i>Neurology</i> , 2019, 93, 793-809.	1.5	20
95	The frequency and characteristics of MS misdiagnosis in patients referred to the multiple sclerosis centre of Catalonia. <i>Multiple Sclerosis Journal</i> , 2021, 27, 913-921.	1.4	20
96	Natalizumab discontinuation after PML risk stratification: outcome from a shared and informed decision. <i>Multiple Sclerosis Journal</i> , 2012, 18, 1193-1196.	1.4	19
97	Patients with neuromyelitis optica have a more severe disease than patients with relapsing-remitting multiple sclerosis, including higher risk of dying of a demyelinating disease. <i>Arquivos De Neuro-Psiquiatria</i> , 2013, 71, 275-279.	0.3	19
98	SUMMIT (Serially Unified Multicenter Multiple Sclerosis Investigation): creating a repository of deeply phenotyped contemporary multiple sclerosis cohorts. <i>Multiple Sclerosis Journal</i> , 2018, 24, 1485-1498.	1.4	19
99	Unconventional therapy in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2003, 9, 320-322.	1.4	18
100	Frequency and relevance of IgM, and IgA antibodies against MOG in MOG-IgG-associated disease. <i>Multiple Sclerosis and Related Disorders</i> , 2019, 28, 230-234.	0.9	18
101	FXTAS in Spanish Patients with Ataxia: Support for Female FMR1 Premutation Screening. <i>Molecular Neurobiology</i> , 2007, 35, 324-328.	1.9	17
102	Cervical Cord Atrophy and Long-Term Disease Progression in Patients with Primary-Progressive Multiple Sclerosis. <i>American Journal of Neuroradiology</i> , 2018, 39, 399-404.	1.2	17
103	Varicella-zoster meningovascularitis in a multiple sclerosis patient treated with natalizumab. <i>Multiple Sclerosis Journal</i> , 2018, 24, 358-360.	1.4	17
104	Humoral and Cellular Responses to SARS-CoV-2 in Convalescent COVID-19 Patients With Multiple Sclerosis. <i>Neurology: Neuroimmunology and Neuroinflammation</i> , 2022, 9, e1143.	3.1	17
105	Decreased cholecystinin levels in cerebrospinal fluid of patients with adult chronic hydrocephalus syndrome. <i>Biological Psychiatry</i> , 1997, 41, 804-809.	0.7	16
106	New options for early treatment of multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2009, 277, S9-S11.	0.3	16
107	Menopause does not modify disability trajectories in a longitudinal cohort of women with clinically isolated syndrome and multiple sclerosis followed from disease onset. <i>European Journal of Neurology</i> , 2022, 29, 1075-1081.	1.7	16
108	Scoring the 10-year risk of ambulatory disability in multiple sclerosis: the RoAD score. <i>European Journal of Neurology</i> , 2021, 28, 2533-2542.	1.7	16

#	ARTICLE	IF	CITATIONS
109	The risk of infections for multiple sclerosis and neuromyelitis optica spectrum disorder disease-modifying treatments: Eighth European Committee for Treatment and Research in Multiple Sclerosis Focused Workshop Review. April 2021. Multiple Sclerosis Journal, 2022, 28, 1424-1456.	1.4	16
110	Brain regional volume estimations with NeuroQuant and FIRST: a study in patients with a clinically isolated syndrome. Neuroradiology, 2019, 61, 667-674.	1.1	15
111	Simultaneous CMV and <i>Listeria</i> infection following alemtuzumab treatment for multiple sclerosis. Neurology, 2019, 92, 296-298.	1.5	15
112	Immunoglobulin G immune response to SARS-CoV-2 vaccination in people living with multiple sclerosis within Multiple Sclerosis Partners Advancing Technology and Health Solutions. Multiple Sclerosis Journal, 2022, 28, 1131-1137.	1.4	13
113	T1/T2-weighted ratio in multiple sclerosis: A longitudinal study with clinical associations. NeuroImage: Clinical, 2022, 34, 102967.	1.4	13
114	Peripheral blood non-MAIT CD8+CD161hi cells are decreased in relapsing-remitting multiple sclerosis patients treated with interferon beta. Journal of Neuroimmunology, 2015, 288, 98-101.	1.1	12
115	Cumulative Dose of Macrocyclic Gadolinium-Based Contrast Agent Improves Detection of Enhancing Lesions in Patients with Multiple Sclerosis. American Journal of Neuroradiology, 2017, 38, 1486-1493.	1.2	12
116	Serial proton spectroscopy, magnetization transfer ratio and T2 relaxation in pseudotumoral demyelinating lesions. NMR in Biomedicine, 2002, 15, 284-292.	1.6	11
117	Is humoral and cellular response to SARS-CoV-2 vaccine modified by DMT in patients with multiple sclerosis and other autoimmune diseases?. Multiple Sclerosis Journal, 2022, 28, 1138-1145.	1.4	11
118	Should we systematically test patients with clinically isolated syndrome for auto-antibodies?. Multiple Sclerosis Journal, 2015, 21, 1802-1810.	1.4	10
119	CSF examination still has value in the diagnosis of MS – Commentary. Multiple Sclerosis Journal, 2016, 22, 997-998.	1.4	10
120	A validation study of manual atrophy measures in patients with Multiple Sclerosis. Neuroradiology, 2020, 62, 955-964.	1.1	10
121	CSF chitinase 3-like 1 is associated with iron rims in patients with a first demyelinating event. Multiple Sclerosis Journal, 2022, 28, 71-81.	1.4	10
122	Treatment response scoring systems to assess long-term prognosis in self-injectable DMTs relapsing-remitting multiple sclerosis patients. Journal of Neurology, 2022, 269, 452-459.	1.8	10
123	Myasthenia gravis following alemtuzumab therapy for multiple sclerosis. Neurology, 2018, 91, 622-624.	1.5	9
124	Lesion location may predict disability in multiple sclerosis. Nature Reviews Neurology, 2010, 6, 648-649.	4.9	8
125	Severe hypertriglyceridemia associated with teriflunomide in a patient with multiple sclerosis: A case report. Multiple Sclerosis Journal, 2018, 24, 1383-1385.	1.4	8
126	Menopause and multiple sclerosis: Influence on prognosis and role of disease-modifying drugs and hormonal replacement therapy. Multiple Sclerosis Journal, 2022, 28, 173-182.	1.4	8

#	ARTICLE	IF	CITATIONS
127	Women's Health in Multiple Sclerosis: A Scoping Review. <i>Frontiers in Neurology</i> , 2021, 12, 812147.	1.1	8
128	Serum neurofilament light chain levels predict long-term disability progression in patients with progressive multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2022, 93, 732-740.	0.9	8
129	Dimethyl fumarate is coming of age. <i>Nature Reviews Neurology</i> , 2016, 12, 436-437.	4.9	7
130	Oligoclonal bands do not represent dissemination in time in the 2017 revisions to the McDonald criteria. <i>Multiple Sclerosis Journal</i> , 2019, 25, 1690-1691.	1.4	7
131	Prognostication and contemporary management of clinically isolated syndrome. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021, 92, 391-397.	0.9	7
132	Oral contraceptives do not modify the risk of a second attack and disability accrual in a prospective cohort of women with a clinically isolated syndrome and early multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2022, 28, 950-957.	1.4	7
133	New treatment measurements for treatment effects on relapses and progression. <i>Journal of the Neurological Sciences</i> , 2008, 274, 80-83.	0.3	6
134	Spinal cord MRI should always be performed in clinically isolated syndrome patients: No. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1686-1687.	1.4	6
135	Baseline clinical status as a predictor of methylprednisolone response in multiple sclerosis relapses. <i>Multiple Sclerosis Journal</i> , 2016, 22, 117-121.	1.4	6
136	The optic nerve should be included as one of the typical CNS regions for establishing dissemination in space when diagnosing MS "No. <i>Multiple Sclerosis Journal</i> , 2018, 24, 123-125.	1.4	6
137	Brain atrophy 15 years after CIS: Baseline and follow-up clinico-radiological correlations. <i>Multiple Sclerosis Journal</i> , 2018, 24, 721-727.	1.4	6
138	B cell expression of the inhibitory Fc γ 3 receptor is unchanged in early MS. <i>Journal of Neuroimmunology</i> , 2010, 223, 135-137.	1.1	5
139	MRI criteria distinguishing seropositive NMO spectrum disorder from MS. <i>Neurology</i> , 2013, 80, 1336-1336.	1.5	5
140	Serum Biomarker gMS-Classifer2: Predicting Conversion to Clinically Definite Multiple Sclerosis. <i>PLoS ONE</i> , 2013, 8, e59953.	1.1	5
141	Impact of COVID-19 pandemic on frequency of clinical visits, performance of MRI studies, and therapeutic choices in a multiple sclerosis referral centre. <i>Journal of Neurology</i> , 2022, 269, 1764-1772.	1.8	5
142	Serial gadolinium-enhanced MRI in acute attack of multiple sclerosis treated with plasma exchange. <i>Journal of Neurology</i> , 2003, 250, 243-244.	1.8	4
143	Interferon beta in secondary progressive multiple sclerosis. <i>Journal of Neurology</i> , 2007, 254, 849-853.	1.8	4
144	The only certain measure of the effectiveness of multiple sclerosis therapy is cerebrospinal neurofilament level"NO. <i>Multiple Sclerosis Journal</i> , 2015, 21, 1240-1242.	1.4	4

#	ARTICLE	IF	CITATIONS
145	Multiple sclerosis risk perception and acceptance for Brazilian patients. <i>Arquivos De Neuro-Psiquiatria</i> , 2018, 76, 6-12.	0.3	4
146	Alemtuzumab outcomes by age: Post hoc analysis from the randomized CARE-MS studies over 8 years. <i>Multiple Sclerosis and Related Disorders</i> , 2021, 49, 102717.	0.9	4
147	Multiple sclerosis is associated with higher comorbidity and health care resource use: A population-based, case-control study in a western Mediterranean region. <i>European Journal of Neurology</i> , 2021, 28, 4124-4134.	1.7	4
148	Assessment of automatic decision-support systems for detecting active T2 lesions in multiple sclerosis patients. <i>Multiple Sclerosis Journal</i> , 2022, 28, 1209-1218.	1.4	4
149	Novel triggers, treatment targets and brain atrophy measures. <i>Nature Reviews Neurology</i> , 2014, 10, 72-73.	4.9	3
150	Sustained reduction of MS disability. <i>Neurology</i> , 2016, 87, 1966-1967.	1.5	3
151	An asymptomatic new lesion on MRI is a relapse and should be treated accordingly – Commentary. <i>Multiple Sclerosis Journal</i> , 2019, 25, 1845-1847.	1.4	3
152	Diagnosis of multiple sclerosis: what is changing?. <i>Expert Review of Neurotherapeutics</i> , 2020, 20, 743-746.	1.4	3
153	The Multiple Sclerosis Data Alliance Catalogue. <i>International Journal of MS Care</i> , 2021, 23, 261-268.	0.4	3
154	Advances in the management of multiple sclerosis symptoms: pathophysiology and assessment of spasticity in multiple sclerosis. <i>Neurodegenerative Disease Management</i> , 2015, 5, 15-17.	1.2	2
155	Adding brain volume measures into response criteria in multiple sclerosis: the R ² -4 score. <i>Neuroradiology</i> , 2021, 63, 1031-1041.	1.1	2
156	Prognosis of a second clinical event from baseline MRI in patients with a CIS: a multicenter study using a machine learning approach. <i>Neuroradiology</i> , 2022, 64, 1383-1390.	1.1	2
157	Neurotoxicity-associated sinus bradycardia after chimeric antigen receptor T-cell therapy. <i>Hematological Oncology</i> , 2022, , .	0.8	2
158	DMTs should be trialed in individuals with PPMS and SPMS with or without recent disease activity – Commentary. <i>Multiple Sclerosis Journal</i> , 2022, 28, 187-188.	1.4	2
159	Understanding the role of gender and hormones in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2014, 20, 518-519.	1.4	1
160	Symptom tracking: from clinically isolated syndrome to advanced multiple sclerosis. <i>Neurodegenerative Disease Management</i> , 2016, 6, 27-29.	1.2	1
161	Multiple sclerosis in the Middle East and North Africa region. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2020, 6, 205521731989554.	0.5	1
162	Spinal cord grey matter atrophy in Multiple Sclerosis clinical practice. <i>Neuroscience Informatics</i> , 2022, 2, 100071.	2.8	1

#	ARTICLE	IF	CITATIONS
163	Comment on: "Prevalence of brain magnetic resonance imaging meeting Barkhof and McDonald criteria for dissemination in space among headache patients"™. Multiple Sclerosis Journal, 2014, 20, 897-898.	1.4	0
164	The first volume of MSJ-ETC. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2016, 2, 205521731562604.	0.5	0
165	Author response: Menarche, pregnancies, and breastfeeding do not modify long-term prognosis in multiple sclerosis. Neurology, 2020, 94, 456-457.	1.5	0