

Jean-Robert Delpero

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2394430/jean-robert-delpero-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

2,502
citations

32
h-index

48
g-index

99
ext. papers

3,090
ext. citations

3.8
avg, IF

4.86
L-index

| # | Paper | IF | Citations |
|----|---|------|-----------|
| 92 | A step toward NOTES total mesorectal excision for rectal cancer: endoscopic transanal proctectomy. <i>Annals of Surgery</i> , 2015 , 261, 228-33 | 7.8 | 149 |
| 91 | Distinct epigenetic landscapes underlie the pathobiology of pancreatic cancer subtypes. <i>Nature Communications</i> , 2018 , 9, 1978 | 17.4 | 119 |
| 90 | Pancreaticoduodenectomy for pancreatic ductal adenocarcinoma: a French multicentre prospective evaluation of resection margins in 150 evaluable specimens. <i>Hpb</i> , 2014 , 16, 20-33 | 3.8 | 114 |
| 89 | Pancreatic fistula after a pancreaticoduodenectomy for ductal adenocarcinoma and its association with morbidity: a multicentre study of the French Surgical Association. <i>Hpb</i> , 2014 , 16, 46-55 | 3.8 | 104 |
| 88 | The learning curve for the laparoscopic approach to conservative mesorectal excision for rectal cancer: lessons drawn from a single institution's experience. <i>Annals of Surgery</i> , 2010 , 251, 249-53 | 7.8 | 91 |
| 87 | Pancreatic Adenocarcinoma Therapeutic Targets Revealed by Tumor-Stroma Cross-Talk Analyses in Patient-Derived Xenografts. <i>Cell Reports</i> , 2017 , 21, 2458-2470 | 10.6 | 86 |
| 86 | Laparoscopic Distal Pancreatectomy for Pancreatic Ductal Adenocarcinoma: Time for a Randomized Controlled Trial? Results of an All-inclusive National Observational Study. <i>Annals of Surgery</i> , 2015 , 262, 868-73; discussion 873-4 | 7.8 | 83 |
| 85 | Assessment of pathologic response after preoperative chemoradiotherapy and surgery in pancreatic adenocarcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004 , 60, 437-43 ⁴ | | 83 |
| 84 | Pancreatic adenocarcinoma with venous involvement: is up-front synchronous portal-superior mesenteric vein resection still justified? A survey of the Association Française de Chirurgie. <i>Annals of Surgical Oncology</i> , 2015 , 22, 1874-83 | 3.1 | 77 |
| 83 | Severe Jaundice Increases Early Severe Morbidity and Decreases Long-Term Survival after Pancreaticoduodenectomy for Pancreatic Adenocarcinoma. <i>Journal of the American College of Surgeons</i> , 2015 , 221, 380-9 | 4.4 | 76 |
| 82 | Surgical management of advanced pancreatic neuroendocrine tumors: short-term and long-term results from an international multi-institutional study. <i>Annals of Surgical Oncology</i> , 2015 , 22, 1000-7 | 3.1 | 74 |
| 81 | Should the portal vein be routinely resected during pancreaticoduodenectomy for adenocarcinoma?. <i>Annals of Surgery</i> , 2013 , 257, 726-30 | 7.8 | 64 |
| 80 | A multicentre randomised controlled trial to evaluate the efficacy, morbidity and functional outcome of endoscopic transanal proctectomy versus laparoscopic proctectomy for low-lying rectal cancer (ETAP-GRECCAR 11 TRIAL): rationale and design. <i>BMC Cancer</i> , 2017 , 17, 253 | 4.8 | 62 |
| 79 | Sonic hedgehog and Gli1 expression predict outcome in resected pancreatic adenocarcinoma. <i>Clinical Cancer Research</i> , 2015 , 21, 1215-24 | 12.9 | 59 |
| 78 | The Theory and Practice of Pancreatic Surgery in France. <i>Annals of Surgery</i> , 2017 , 266, 797-804 | 7.8 | 59 |
| 77 | Prognostic value of PDL1 expression in pancreatic cancer. <i>Oncotarget</i> , 2016 , 7, 71198-71210 | 3.3 | 59 |
| 76 | Neoadjuvant 5 fluorouracil-cisplatin chemoradiation effect on survival in patients with resectable pancreatic head adenocarcinoma: a ten-year single institution experience. <i>Oncology</i> , 2009 , 76, 413-9 | 3.6 | 56 |

| | | | |
|----|---|------|----|
| 75 | Prognostic Value of Resection Margin Involvement After Pancreaticoduodenectomy for Ductal Adenocarcinoma: Updates From a French Prospective Multicenter Study. <i>Annals of Surgery</i> , 2017 , 266, 787-796 | 7.8 | 55 |
| 74 | Prevalence of Microsatellite Instability in Intraductal Papillary Mucinous Neoplasms of the Pancreas. <i>Gastroenterology</i> , 2018 , 154, 1061-1065 | 13.3 | 52 |
| 73 | Gene expression profiling of patient-derived pancreatic cancer xenografts predicts sensitivity to the BET bromodomain inhibitor JQ1: implications for individualized medicine efforts. <i>EMBO Molecular Medicine</i> , 2017 , 9, 482-497 | 12 | 50 |
| 72 | Failure-to-rescue in Patients Undergoing Pancreatectomy: Is Hospital Volume a Standard for Quality Improvement Programs? Nationwide Analysis of 12,333 Patients. <i>Annals of Surgery</i> , 2018 , 268, 799-807 | 7.8 | 50 |
| 71 | Short- and Mid-Term Outcomes after Endoscopic Transanal or Laparoscopic Transabdominal Total Mesorectal Excision for Low Rectal Cancer: A Single Institutional Case-Control Study. <i>Journal of the American College of Surgeons</i> , 2017 , 224, 917-925 | 4.4 | 46 |
| 70 | Guidelines for time-to-event end-point definitions in trials for pancreatic cancer. Results of the DATECAN initiative (Definition for the Assessment of Time-to-event End-points in CANcer trials). <i>European Journal of Cancer</i> , 2014 , 50, 2983-93 | 7.5 | 45 |
| 69 | Side-branch intraductal papillary mucinous neoplasms of the pancreatic head/uncinate: resection or enucleation?. <i>Hpb</i> , 2011 , 13, 126-31 | 3.8 | 45 |
| 68 | Preservation of replaced or accessory right hepatic artery during pancreaticoduodenectomy for adenocarcinoma: impact on margin status and survival. <i>Journal of Gastrointestinal Surgery</i> , 2010 , 14, 1813-9 | 3.9 | 44 |
| 67 | A 25-gene classifier predicts overall survival in resectable pancreatic cancer. <i>BMC Medicine</i> , 2017 , 15, 170 | 11.4 | 41 |
| 66 | Pancreatic head resectable adenocarcinoma: preoperative chemoradiation improves local control but does not affect survival. <i>Hpb</i> , 2011 , 13, 64-9 | 3.8 | 41 |
| 65 | Pasireotide and octreotide antiproliferative effects and sst2 trafficking in human pancreatic neuroendocrine tumor cultures. <i>Endocrine-Related Cancer</i> , 2014 , 21, 691-704 | 5.7 | 39 |
| 64 | Parenchymal-sparing hepatectomies (PSH) for bilobar colorectal liver metastases are associated with a lower morbidity and similar oncological results: a propensity score matching analysis. <i>Hpb</i> , 2016 , 18, 781-90 | 3.8 | 38 |
| 63 | 3rd St. Gallen EORTC Gastrointestinal Cancer Conference: Consensus recommendations on controversial issues in the primary treatment of pancreatic cancer. <i>European Journal of Cancer</i> , 2017 , 79, 41-49 | 7.5 | 36 |
| 62 | Vascular Resection for Pancreatic Cancer: 2019 French Recommendations Based on a Literature Review From 2008 to 6-2019. <i>Frontiers in Oncology</i> , 2020 , 10, 40 | 5.3 | 36 |
| 61 | How Does Chemoradiotherapy Following Induction FOLFIRINOX Improve the Results in Resected Borderline or Locally Advanced Pancreatic Adenocarcinoma? An AGEO-FRENCH Multicentric Cohort. <i>Annals of Surgical Oncology</i> , 2019 , 26, 109-117 | 3.1 | 36 |
| 60 | Postoperative sepsis in cancer patients undergoing major elective digestive surgery is associated with increased long-term mortality. <i>Journal of Critical Care</i> , 2016 , 31, 48-53 | 4 | 29 |
| 59 | Optimizing the management of locally advanced pancreatic cancer with a focus on induction chemotherapy: Expert opinion based on a review of current evidence. <i>Cancer Treatment Reviews</i> , 2019 , 77, 1-10 | 14.4 | 26 |
| 58 | The short- and long-term outcomes of pancreaticoduodenectomy for cancer in Child A patients are acceptable: a patient-control study from the Surgical French Association report for pancreatic surgery. <i>Journal of Surgical Oncology</i> , 2015 , 111, 776-83 | 2.8 | 21 |

| | | | |
|----|---|-----|----|
| 57 | A pancreatic ductal adenocarcinoma subpopulation is sensitive to FK866, an inhibitor of NAMPT. <i>Oncotarget</i> , 2016 , 7, 53783-53796 | 3.3 | 21 |
| 56 | Use of partially covered and uncovered metallic prosthesis for endoscopic ultrasound-guided hepaticogastrostomy: Results of a retrospective monocentric study. <i>Endoscopic Ultrasound</i> , 2017 , 6, 329-335 | 3.6 | 21 |
| 55 | European experience of 573 liver resections for hepatocellular adenoma: a cross-sectional study by the AFC-HCA-2013 study group. <i>Hpb</i> , 2016 , 18, 748-55 | 3.8 | 20 |
| 54 | Specificity of Procedure volume and its Association With Postoperative Mortality in Digestive Cancer Surgery: A Nationwide Study of 225,752 Patients. <i>Annals of Surgery</i> , 2019 , 270, 775-782 | 7.8 | 20 |
| 53 | Severe postoperative complications decrease overall and disease free survival in pancreatic ductal adenocarcinoma after pancreaticoduodenectomy. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 1078-1082 | 3.6 | 18 |
| 52 | Anti-proliferative and anti-secretory effects of everolimus on human pancreatic neuroendocrine tumors primary cultures: is there any benefit from combination with somatostatin analogs?. <i>Oncotarget</i> , 2017 , 8, 41044-41063 | 3.3 | 18 |
| 51 | Risk factors of exocrine and endocrine pancreatic insufficiency after pancreatic resection: A multi-center prospective study. <i>Journal of Visceral Surgery</i> , 2018 , 155, 173-181 | 1.9 | 12 |
| 50 | Pancreaticoduodenectomy: Secondary stenting of the celiac trunk after inefficient median arcuate ligament release and reoperation as an alternative to simultaneous hepatic artery reconstruction. <i>World Journal of Gastroenterology</i> , 2017 , 23, 919-925 | 5.6 | 12 |
| 49 | Predictors of Survival in Ampullary, Bile Duct and Duodenal Cancers Following Pancreaticoduodenectomy: a 10-Year Multicentre Analysis. <i>Journal of Gastrointestinal Surgery</i> , 2015 , 19, 1247-55 | 3.3 | 11 |
| 48 | Fluid collection after partial pancreatectomy: EUS drainage and long-term follow-up. <i>Endoscopic Ultrasound</i> , 2019 , 8, 91-98 | 3.6 | 11 |
| 47 | Impact of adjuvant chemotherapy after pancreaticoduodenectomy for distal cholangiocarcinoma: a propensity score analysis from a French multicentric cohort. <i>Langenbeck's Archives of Surgery</i> , 2018 , 403, 701-709 | 3.4 | 10 |
| 46 | International Study Group of Pancreatic Surgery type 3 and 4 venous resections in patients with pancreatic adenocarcinoma: the Paoli-Calmettes Institute experience. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1912-1918 | 3.6 | 9 |
| 45 | Multicentre study of the impact of factors that may affect long-term survival following pancreaticoduodenectomy for distal cholangiocarcinoma. <i>Hpb</i> , 2018 , 20, 405-410 | 3.8 | 9 |
| 44 | How to Reliably Assess Nodal Status in Distal Pancreatectomy for Adenocarcinoma. <i>Pancreas</i> , 2018 , 47, 308-313 | 2.6 | 7 |
| 43 | Adenocarcinoma of the oesophagogastric junction Siewert II: An oesophageal cancer better cured with total gastrectomy. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 2473-2481 | 3.6 | 7 |
| 42 | Prevention of biliary fistula after partial hepatectomy by transcystic biliary drainage: randomized clinical trial. <i>British Journal of Surgery</i> , 2020 , 107, 824-831 | 5.3 | 7 |
| 41 | Patient outcome according to the 2017 international consensus on the definition of borderline resectable pancreatic ductal adenocarcinoma. <i>Pancreatology</i> , 2020 , 20, 223-228 | 3.8 | 7 |
| 40 | Severe acute kidney injury following major liver resection without portal clamping: incidence, risk factors, and impact on short-term outcomes. <i>Hpb</i> , 2018 , 20, 865-871 | 3.8 | 7 |

| | | | |
|----|---|-----|---|
| 39 | Predictive factors of severe complications for ampullary, bile duct and duodenal cancers following pancreaticoduodenectomy: Multivariate analysis of a 10-year multicentre retrospective series. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2017 , 15, 251-258 | 2.5 | 6 |
| 38 | Disease-free survival following resection in non-ductal periampullary cancers: A retrospective multicenter analysis. <i>International Journal of Surgery</i> , 2017 , 42, 103-109 | 7.5 | 6 |
| 37 | Surgical treatment of acute abdominal complications in hematology patients: outcomes and prognostic factors. <i>Leukemia and Lymphoma</i> , 2017 , 58, 2395-2402 | 1.9 | 6 |
| 36 | Effect of clinical status on survival in patients with borderline or locally advanced pancreatic adenocarcinoma. <i>World Journal of Surgical Oncology</i> , 2019 , 17, 95 | 3.4 | 6 |
| 35 | Outcomes of patients with initially locally advanced pancreatic adenocarcinoma who did not benefit from resection: a prospective cohort study. <i>BMC Cancer</i> , 2020 , 20, 203 | 4.8 | 6 |
| 34 | Borderline or locally advanced pancreatic adenocarcinoma: A single center experience on the FOLFIRINOX induction regimen. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 1510-1515 | 3.6 | 6 |
| 33 | Venous Reconstruction During Pancreatectomy Using Polytetrafluoroethylene Grafts: A Single-Center Experience with Standardized Perioperative Management. <i>Annals of Surgical Oncology</i> , 2021 , 28, 5426-5433 | 3.1 | 6 |
| 32 | Psychological Outcomes and Quality of Life in Relation to Pancreatectomy: A Systematic Review. <i>Pancreas</i> , 2019 , 48, 471-479 | 2.6 | 6 |
| 31 | Laser Treatment of Pancreatic Cancer with Immunostimulating Interstitial Laser Thermotherapy Protocol: Safety and Feasibility Results From Two Phase 2a Studies. <i>Journal of Surgical Research</i> , 2021 , 259, 1-7 | 2.5 | 6 |
| 30 | How I do hanging manoeuvres to facilitate portal vein resection during pancreaticoduodenectomy for borderline tumours. <i>ANZ Journal of Surgery</i> , 2018 , 88, 106 | 1 | 6 |
| 29 | Giant Pedunculated Hepatic Hemangioma: A Case Report and Literature Review. <i>Case Reports in Oncology</i> , 2018 , 11, 476-484 | 1 | 6 |
| 28 | Long-term survivors after pancreatectomy for cancer: the TNM classification is outdated. <i>ANZ Journal of Surgery</i> , 2015 , 85, 860-4 | 1 | 5 |
| 27 | Pancreaticoduodenectomy with combined superior mesenteric vein resection without reconstruction is possible: A case report and review of the literature. <i>World Journal of Clinical Cases</i> , 2018 , 6, 214-218 | 1.6 | 5 |
| 26 | Total Pancreatectomy for Presumed Intraductal Papillary Mucinous Neoplasms: A Multicentric Study of the French Surgical Association (AFC). <i>Annals of Surgery</i> , 2018 , 268, 823-830 | 7.8 | 5 |
| 25 | Comparison of preoperative imaging and pathological findings for pancreatic head adenocarcinoma: A retrospective analysis by the Association Française de Chirurgie. <i>Medicine (United States)</i> , 2017 , 96, e7214 | 1.8 | 4 |
| 24 | Sensitizing Surgeons to Their Outcome Has No Measurable Short-term Benefit. <i>Annals of Surgery</i> , 2017 , 266, 884-889 | 7.8 | 4 |
| 23 | The technique and outcomes of central hepatectomy by the Glissonian suprahepatic approach. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 2369-2374 | 3.6 | 4 |
| 22 | Outcomes of pancreatic adenocarcinoma that was not resected because of isolated para-aortic lymph node involvement. <i>Journal of Visceral Surgery</i> , 2019 , 156, 97-101 | 1.9 | 4 |

| | | | |
|----|--|-----|---|
| 21 | Neoplastic Barrett's oesophagus and long-term follow-up after endoscopic therapy: complete histological eradication of Barrett associated with high-grade dysplasia significantly decreases neoplasia relapse. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016 , 30, 5410-5418 | 5.2 | 4 |
| 20 | Standardized salvage completion pancreatotomy for grade C postoperative pancreatic fistula after pancreatoduodenectomy (with video). <i>Hpb</i> , 2021 , 23, 1418-1426 | 3.8 | 4 |
| 19 | Solid Pseudopapillary Tumor of the Pancreas: One Case with a Metastatic Evolution in a Caucasian Woman. <i>Case Reports in Oncology</i> , 2015 , 8, 405-8 | 1 | 3 |
| 18 | Does pre-operative embolization of a replaced right hepatic artery before pancreaticoduodenectomy for pancreatic adenocarcinoma affect postoperative morbidity and R0 resection? A bi-centric French cohort study. <i>Hpb</i> , 2021 , 23, 1683-1691 | 3.8 | 3 |
| 17 | Pancreatotomy with Vascular Resection After Neoadjuvant FOLFIRINOX: Who Survives More Than a Year After Surgery?. <i>Annals of Surgical Oncology</i> , 2021 , 28, 4625-4634 | 3.1 | 3 |
| 16 | Expression of Genes with Copy Number Alterations and Survival of Patients with Pancreatic Adenocarcinoma. <i>Cancer Genomics and Proteomics</i> , 2016 , 13, 191-200 | 3.3 | 3 |
| 15 | Patients with resectable pancreatic adenocarcinoma: A 15-years single tertiary cancer center study of laparotomy findings, treatments and outcomes. <i>Surgical Oncology</i> , 2018 , 27, 619-624 | 2.5 | 2 |
| 14 | A Novel Pancreatic Fistula Risk Score Including Preoperative Radiation Therapy in Pancreatic Cancer Patients. <i>Journal of Gastrointestinal Surgery</i> , 2021 , 25, 991-1000 | 3.3 | 2 |
| 13 | Is progression in the future liver remnant a contraindication for second-stage hepatectomy?. <i>Hpb</i> , 2019 , 21, 1478-1484 | 3.8 | 1 |
| 12 | How to reconstruct a Michels type 9 hepatic artery using the inverted splenic artery technique. <i>ANZ Journal of Surgery</i> , 2020 , 90, 1474-1476 | 1 | 1 |
| 11 | Predict pancreatic fistula after pancreaticoduodenectomy: ratio body thickness/main duct. <i>ANZ Journal of Surgery</i> , 2018 , 88, E451-E455 | 1 | 1 |
| 10 | Venous Resection in Pancreatic Ductal Adenocarcinoma: Impact of Surgical Experience on Early Postoperative Courses. <i>Anticancer Research</i> , 2017 , 37, 4205-4213 | 2.3 | 1 |
| 9 | A single-center experience with pancreatic cystic neuroendocrine tumors. <i>World Journal of Surgical Oncology</i> , 2020 , 18, 208 | 3.4 | 1 |
| 8 | Acute Pancreatitis as the Initial Presentation of Pancreatic Adenocarcinoma does not Impact Short- and Long-term Outcomes of Curative Intent Surgery: A Study of the French Surgical Association. <i>World Journal of Surgery</i> , 2021 , 45, 3146-3156 | 3.3 | 1 |
| 7 | A pancreatic zone at higher risk of fistula after enucleation. <i>World Journal of Surgical Oncology</i> , 2018 , 16, 177 | 3.4 | 1 |
| 6 | Intraoperative frozen section analysis of para-aortic lymph nodes after neoadjuvant FOLFIRINOX: will it soon become useless?. <i>Langenbeck's Archives of Surgery</i> , 2021 , 1 | 3.4 | 0 |
| 5 | Supine Bottom-Up Extralevator Abdominoperineal Excision With Primary Perineal Approach. <i>Diseases of the Colon and Rectum</i> , 2018 , 61, 868 | 3.1 | 0 |
| 4 | Root-cause Analysis of Mortality After Pancreatic Resection (CARE Study): A Multicenter Cohort Study. <i>Annals of Surgery</i> , 2021 , 274, 789-796 | 7.8 | 0 |

- 3 External drainage of the main pancreatic duct is a variable technique. *Pancreatology*, **2020**, 20, 1791-1793.8
- 2 Double purse-string telescoped pancreaticogastrostomy is not superior in preventing pancreatic fistula development in high-risk anastomosis: a 6-year single-center case-control study. *Langenbeck's Archives of Surgery*, **2021**, 1 3-4
- 1 Is percutaneous destruction of a solitary liver colorectal metastasis as effective as a resection?. *Annals of Hepato-biliary-pancreatic Surgery*, **2021**, 25, 198-205 1.5