

Carla A Green

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2394572/carla-a-green-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90
papers

6,796
citations

31
h-index

82
g-index

92
ext. papers

8,249
ext. citations

3.5
avg, IF

5.88
L-index

| # | Paper | IF | Citations |
|----|---|------|-----------|
| 90 | Purposeful Sampling for Qualitative Data Collection and Analysis in Mixed Method Implementation Research. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2015 , 42, 533-44 | 2.1 | 2606 |
| 89 | Substance abuse treatment entry, retention, and outcome in women: a review of the literature. <i>Drug and Alcohol Dependence</i> , 2007 , 86, 1-21 | 4.9 | 685 |
| 88 | Behavioral counseling interventions in primary care to reduce risky/harmful alcohol use by adults: a summary of the evidence for the U.S. Preventive Services Task Force. <i>Annals of Internal Medicine</i> , 2004 , 140, 557-68 | 8 | 535 |
| 87 | Gender, psychosocial factors and the use of medical services: a longitudinal analysis. <i>Social Science and Medicine</i> , 1999 , 48, 1363-72 | 5.1 | 332 |
| 86 | Gender differences in predictors of initiation, retention, and completion in an HMO-based substance abuse treatment program. <i>Journal of Substance Abuse Treatment</i> , 2002 , 23, 285-95 | 4.2 | 151 |
| 85 | The STRIDE weight loss and lifestyle intervention for individuals taking antipsychotic medications: a randomized trial. <i>American Journal of Psychiatry</i> , 2015 , 172, 71-81 | 11.9 | 140 |
| 84 | Methodological reporting in qualitative, quantitative, and mixed methods health services research articles. <i>Health Services Research</i> , 2012 , 47, 721-45 | 3.4 | 115 |
| 83 | Development of the Patient Activation Measure for mental health. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2010 , 37, 327-33 | 3.1 | 89 |
| 82 | What teens want: barriers to seeking care for depression. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2006 , 33, 133-45 | 3.1 | 88 |
| 81 | Understanding how clinician-patient relationships and relational continuity of care affect recovery from serious mental illness: STARS study results. <i>Psychiatric Rehabilitation Journal</i> , 2008 , 32, 9-22 | 2.4 | 86 |
| 80 | Social support, activities, and recovery from serious mental illness: STARS study findings. <i>Journal of Behavioral Health Services and Research</i> , 2009 , 36, 320-9 | 1.7 | 85 |
| 79 | Methadone, buprenorphine and preferences for opioid agonist treatment: A qualitative analysis. <i>Drug and Alcohol Dependence</i> , 2016 , 160, 112-8 | 4.9 | 81 |
| 78 | The health and health behaviors of people who do not drink alcohol. <i>American Journal of Preventive Medicine</i> , 2001 , 21, 298-305 | 6.1 | 81 |
| 77 | Assessing the accuracy of opioid overdose and poisoning codes in diagnostic information from electronic health records, claims data, and death records. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 509-517 | 2.6 | 75 |
| 76 | Impact of attention-deficit/hyperactivity disorder (ADHD) treatment on smoking cessation intervention in ADHD smokers: a randomized, double-blind, placebo-controlled trial. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1680-8 | 4.6 | 73 |
| 75 | Approaches to Mixed Methods Dissemination and Implementation Research: Methods, Strengths, Caveats, and Opportunities. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2015 , 42, 508-23 | 3.1 | 72 |
| 74 | Gender and use of substance abuse treatment services. <i>Alcohol Research</i> , 2006 , 29, 55-62 | | 69 |

| | | | |
|----|--|-----|----|
| 73 | Patient-reported pathways to opioid use disorders and pain-related barriers to treatment engagement. <i>Journal of Substance Abuse Treatment</i> , 2017 , 73, 47-54 | 4.2 | 67 |
| 72 | Stealing me from myself: identity and recovery in personal accounts of mental illness. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008 , 42, 489-95 | 2.6 | 60 |
| 71 | Another breed of "service" animals: STARS study findings about pet ownership and recovery from serious mental illness. <i>American Journal of Orthopsychiatry</i> , 2009 , 79, 430-6 | 2.8 | 53 |
| 70 | Process improvement needs in substance abuse treatment: admissions walk-through results. <i>Journal of Substance Abuse Treatment</i> , 2007 , 33, 379-89 | 4.2 | 48 |
| 69 | "Being in a funk": teens' efforts to understand their depressive experiences. <i>Qualitative Health Research</i> , 2004 , 14, 1227-38 | 3.9 | 44 |
| 68 | Higher Prescription Opioid Dose is Associated With Worse Patient-Reported Pain Outcomes and More Health Care Utilization. <i>Journal of Pain</i> , 2017 , 18, 437-445 | 5.2 | 43 |
| 67 | Recovery from serious mental illness: trajectories, characteristics, and the role of mental health care. <i>Psychiatric Services</i> , 2013 , 64, 1203-10 | 3.3 | 43 |
| 66 | A primary care-based interdisciplinary team approach to the treatment of chronic pain utilizing a pragmatic clinical trials framework. <i>Translational Behavioral Medicine</i> , 2012 , 2, 523-530 | 3.2 | 40 |
| 65 | Depressive symptoms, health promotion, and health risk behaviors. <i>American Journal of Health Promotion</i> , 2000 , 15, 29-34 | 2.5 | 38 |
| 64 | Training rural practitioners to use buprenorphine; using The Change Book to facilitate technology transfer. <i>Journal of Substance Abuse Treatment</i> , 2004 , 26, 203-8 | 4.2 | 36 |
| 63 | Understanding opioid overdose characteristics involving prescription and illicit opioids: A mixed methods analysis. <i>Drug and Alcohol Dependence</i> , 2016 , 167, 49-56 | 4.9 | 34 |
| 62 | Gender research in the National Institute on Drug Abuse National Treatment Clinical Trials Network: a summary of findings. <i>American Journal of Drug and Alcohol Abuse</i> , 2011 , 37, 301-12 | 3.7 | 34 |
| 61 | Gender differences in the relationships between multiple measures of alcohol consumption and physical and mental health. <i>Alcoholism: Clinical and Experimental Research</i> , 2004 , 28, 754-64 | 3.7 | 33 |
| 60 | Gender differences in outcomes in an HMO-based substance abuse treatment program. <i>Journal of Addictive Diseases</i> , 2004 , 23, 47-70 | 1.7 | 32 |
| 59 | Improving lifestyle interventions for people with serious mental illnesses: Qualitative results from the STRIDE study. <i>Psychiatric Rehabilitation Journal</i> , 2016 , 39, 33-41 | 2.4 | 31 |
| 58 | Identifying and classifying opioid-related overdoses: A validation study. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1127-1137 | 2.6 | 29 |
| 57 | Dual recovery among people with serious mental illnesses and substance problems: a qualitative analysis. <i>Journal of Dual Diagnosis</i> , 2015 , 11, 33-41 | 2.4 | 29 |
| 56 | A qualitative study of the adoption of buprenorphine for opioid addiction treatment. <i>Journal of Substance Abuse Treatment</i> , 2014 , 46, 390-401 | 4.2 | 29 |

| | | | |
|----|--|-----|----|
| 55 | Methadone maintenance and the cost and utilization of health care among individuals dependent on opioids in a commercial health plan. <i>Drug and Alcohol Dependence</i> , 2010 , 111, 235-40 | 4.9 | 28 |
| 54 | Drinking patterns, health care utilization, and costs among HMO primary care patients. <i>Journal of Behavioral Health Services and Research</i> , 2001 , 28, 378-99 | 1.7 | 28 |
| 53 | New Endeavors, Risk Taking, and Personal Growth in the Recovery Process: Findings From the STARS Study. <i>Psychiatric Services</i> , 2008 , 59, 1430-1436 | 3.3 | 27 |
| 52 | Costs of care for persons with opioid dependence in commercial integrated health systems. <i>Addiction Science & Clinical Practice</i> , 2014 , 9, 16 | 4.1 | 25 |
| 51 | The impact of adverse child and adult experiences on recovery from serious mental illness. <i>Psychiatric Rehabilitation Journal</i> , 2015 , 38, 320-7 | 2.4 | 25 |
| 50 | Community-based care and risk of nursing home placement. <i>Medical Care</i> , 2003 , 41, 1407-16 | 3.1 | 24 |
| 49 | STRIDE: a randomized trial of a lifestyle intervention to promote weight loss among individuals taking antipsychotic medications. <i>BMC Psychiatry</i> , 2013 , 13, 238 | 4.2 | 23 |
| 48 | Improving quality of care in substance abuse treatment using five key process improvement principles. <i>Journal of Behavioral Health Services and Research</i> , 2012 , 39, 234-44 | 1.7 | 23 |
| 47 | The recovery group project: development of an intervention led jointly by peer and professional counselors. <i>Psychiatric Services</i> , 2013 , 64, 1211-7 | 3.3 | 23 |
| 46 | Gender and alcohol use: the roles of social support, chronic illness, and psychological well-being. <i>Journal of Behavioral Medicine</i> , 2001 , 24, 383-99 | 3.6 | 23 |
| 45 | "Not getting tanked": definitions of moderate drinking and their health implications. <i>Drug and Alcohol Dependence</i> , 2007 , 86, 265-73 | 4.9 | 22 |
| 44 | Engaging youths with serious mental illnesses in treatment: STARS study consumer recommendations. <i>Psychiatric Rehabilitation Journal</i> , 2012 , 35, 360-368 | 2.4 | 20 |
| 43 | Fostering Recovery from Life-Transforming Mental Health Disorders: A Synthesis and Model. <i>Social Theory and Health</i> , 2004 , 2, 293-314 | 1.7 | 20 |
| 42 | Quality of life in treated and never-treated schizophrenic patients. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 103, 131-42 | 6.5 | 20 |
| 41 | Directions for future patient-centered and comparative effectiveness research for people with serious mental illness in a learning mental health care system. <i>Schizophrenia Bulletin</i> , 2014 , 40 Suppl 1, S1-S94 | 1.3 | 19 |
| 40 | Patterns and correlates of medical cannabis use for pain among patients prescribed long-term opioid therapy. <i>General Hospital Psychiatry</i> , 2018 , 50, 104-110 | 5.6 | 18 |
| 39 | An Observational Study of Service Dogs for Veterans With Posttraumatic Stress Disorder. <i>Psychiatric Services</i> , 2017 , 68, 730-734 | 3.3 | 17 |
| 38 | Weight maintenance following the STRIDE lifestyle intervention for individuals taking antipsychotic medications. <i>Obesity</i> , 2015 , 23, 1995-2001 | 8 | 17 |

| | | | |
|----|---|-----|----|
| 37 | Delivering a lifestyle and weight loss intervention to individuals in real-world mental health settings: Lessons and opportunities. <i>Translational Behavioral Medicine</i> , 2011 , 1, 406-415 | 3.2 | 17 |
| 36 | Structural models of gender, alcohol consumption, and health. <i>Substance Use and Misuse</i> , 2003 , 38, 97-125 | | 17 |
| 35 | Depression, functional status, treatment for psychiatric problems, and the health-related practices of elderly HMO members. <i>American Journal of Health Promotion</i> , 2003 , 17, 269-75 | 2.5 | 17 |
| 34 | Effects of hearing impairment on use of health services among the elderly. <i>Journal of Aging and Health</i> , 2001 , 13, 315-28 | 2.6 | 17 |
| 33 | New endeavors, risk taking, and personal growth in the recovery process: findings from the STARS study. <i>Psychiatric Services</i> , 2008 , 59, 1430-6 | 3.3 | 17 |
| 32 | Getting by, getting back, and getting on: Matching mental health services to consumers' recovery goals. <i>Psychiatric Rehabilitation Journal</i> , 2016 , 39, 97-104 | 2.4 | 16 |
| 31 | A 12-week weight reduction intervention for overweight individuals taking antipsychotic medications. <i>Community Mental Health Journal</i> , 2014 , 50, 974-80 | 2.1 | 15 |
| 30 | Seeking, delaying, and avoiding routine health care services: patient perspectives. <i>American Journal of Health Promotion</i> , 2014 , 28, 286-93 | 2.5 | 15 |
| 29 | Drinking Patterns, Gender and Health I: Attitudes and Health Practices. <i>Addiction Research and Theory</i> , 2010 , 18, 122-142 | 2.6 | 15 |
| 28 | Using natural language processing of clinical text to enhance identification of opioid-related overdoses in electronic health records data. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1143-1151 | 2.6 | 12 |
| 27 | Adapting to psychiatric disability and needs for home- and community-based care. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2002 , 4, 29-41 | | 11 |
| 26 | Patient and System Characteristics Associated with Performance on the HEDIS Measures of Alcohol and Other Drug Treatment Initiation and Engagement. <i>Journal of Addiction Medicine</i> , 2018 , 12, 278-286 | 3.8 | 10 |
| 25 | Perspectives on Providing And Receiving Preventive Health Care From Primary Care Providers and Their Patients With Mental Illnesses. <i>American Journal of Health Promotion</i> , 2018 , 32, 1730-1739 | 2.5 | 9 |
| 24 | Preventive Service Use Among People With and Without Serious Mental Illnesses. <i>American Journal of Preventive Medicine</i> , 2018 , 54, 1-9 | 6.1 | 9 |
| 23 | An exploration of site effects in a multisite trial of OROS-methylphenidate for smokers with attention deficit/hyperactivity disorder. <i>American Journal of Drug and Alcohol Abuse</i> , 2011 , 37, 392-9 | 3.7 | 9 |
| 22 | Caregiving, alcohol use, and mental health symptoms among HMO members. <i>Journal of Community Health</i> , 2001 , 26, 285-301 | 4 | 9 |
| 21 | Factors influencing the long-term sustainment of quality improvements made in addiction treatment facilities: a qualitative study. <i>Addiction Science & Clinical Practice</i> , 2017 , 12, 26 | 4.1 | 8 |
| 20 | Drinking Patterns, Gender and Health III: Avoiding vs. Seeking Healthcare. <i>Addiction Research and Theory</i> , 2010 , 18, 160-180 | 2.6 | 8 |

| | | | |
|----|--|------|---|
| 19 | Measuring problem prescription opioid use among patients receiving long-term opioid analgesic treatment: development and evaluation of an algorithm for use in EHR and claims data. <i>Journal of Drug Assessment</i> , 2020 , 9, 97-105 | 1.5 | 7 |
| 18 | Costs of implementing a behavioral weight-loss and lifestyle-change program for individuals with serious mental illnesses in community settings. <i>Translational Behavioral Medicine</i> , 2015 , 5, 269-76 | 3.2 | 7 |
| 17 | A limited entitlement for community care: how members use services. <i>Journal of Aging and Social Policy</i> , 2001 , 12, 43-64 | 7.4 | 7 |
| 16 | Development of an algorithm to identify inpatient opioid-related overdoses and oversedation using electronic data. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1138-1142 | 2.6 | 6 |
| 15 | Drinking Patterns, Gender and Health II: Predictors of Preventive Service Use. <i>Addiction Research and Theory</i> , 2010 , 18, 143-159 | 2.6 | 6 |
| 14 | Substance abuse treatment duration for Medicaid versus commercial clients in a health maintenance organization. <i>Medical Care</i> , 2006 , 44, 601-6 | 3.1 | 6 |
| 13 | Improvement in Body Image, Perceived Health, and Health-Related Self-Efficacy Among People With Serious Mental Illness: The STRIDE Study. <i>Psychiatric Services</i> , 2016 , 67, 296-301 | 3.3 | 6 |
| 12 | An Economic Evaluation of a Weight Loss Intervention Program for People with Serious Mental Illnesses Taking Antipsychotic Medications. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2016 , 43, 604-15 | 3.1 | 5 |
| 11 | Colorectal Cancer Screening Completion Among Individuals With and Without Mental Illnesses: A Comparison of 2 Screening Methods. <i>American Journal of Health Promotion</i> , 2018 , 32, 925-931 | 2.5 | 4 |
| 10 | Talk about costs: health care professionals' views about expenses related to substance abuse treatment. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2004 , 31, 483-94 | 3.1 | 4 |
| 9 | Protocol: changes in rates of opioid overdose and poisoning events in an integrated health system following the introduction of a formulation of OxyContin [®] with abuse-deterrent properties. <i>BMC Pharmacology & Toxicology</i> , 2016 , 17, 21 | 2.6 | 3 |
| 8 | Substance abuse treatment programs' data management capacity: an exploratory study. <i>Journal of Behavioral Health Services and Research</i> , 2011 , 38, 249-64 | 1.7 | 3 |
| 7 | Expanded Care and Quality of Life Among Elderly Social HMO Members. <i>Journal of Applied Gerontology</i> , 2002 , 21, 333-351 | 3.3 | 3 |
| 6 | Patient perspectives on how living with a mental illness affects making and maintaining healthy lifestyle changes. <i>Patient Education and Counseling</i> , 2019 , 102, 346-351 | 3.1 | 3 |
| 5 | Gender-based structural models of health care costs: alcohol use, physical health, mental health, and functioning. <i>Journal of Mental Health Policy and Economics</i> , 2004 , 7, 107-25 | 1.3 | 3 |
| 4 | Increasing age, minority ethnic origin, and lack of sufficient medical insurance decrease likelihood of treatment for depression in the elderly. <i>Evidence-Based Mental Health</i> , 2004 , 7, 58 | 11.1 | 2 |
| 3 | Purposeful Sampling for Qualitative Data Collection and Analysis in Mixed Method Implementation Research | | 1 |
| 2 | | | |

- 1 Canadian study finds that antidepressant use has increased in people with major depression over the past decade. *Evidence-Based Mental Health*, **2005**, 8, 26 11.1