

Carla A Green

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2394572/carla-a-green-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90
papers

6,796
citations

31
h-index

82
g-index

92
ext. papers

8,249
ext. citations

3.5
avg, IF

5.88
L-index

#	Paper	IF	Citations
90	Measuring problem prescription opioid use among patients receiving long-term opioid analgesic treatment: development and evaluation of an algorithm for use in EHR and claims data. <i>Journal of Drug Assessment</i> , 2020 , 9, 97-105	1.5	7
89	Using natural language processing of clinical text to enhance identification of opioid-related overdoses in electronic health records data. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1143-1151	2.6	12
88	Identifying and classifying opioid-related overdoses: A validation study. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1127-1137	2.6	29
87	Development of an algorithm to identify inpatient opioid-related overdoses and oversedation using electronic data. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1138-1142	2.6	6
86	Patient perspectives on how living with a mental illness affects making and maintaining healthy lifestyle changes. <i>Patient Education and Counseling</i> , 2019 , 102, 346-351	3.1	3
85	Perspectives on Providing And Receiving Preventive Health Care From Primary Care Providers and Their Patients With Mental Illnesses. <i>American Journal of Health Promotion</i> , 2018 , 32, 1730-1739	2.5	9
84	Colorectal Cancer Screening Completion Among Individuals With and Without Mental Illnesses: A Comparison of 2 Screening Methods. <i>American Journal of Health Promotion</i> , 2018 , 32, 925-931	2.5	4
83	Preventive Service Use Among People With and Without Serious Mental Illnesses. <i>American Journal of Preventive Medicine</i> , 2018 , 54, 1-9	6.1	9
82	Patient and System Characteristics Associated with Performance on the HEDIS Measures of Alcohol and Other Drug Treatment Initiation and Engagement. <i>Journal of Addiction Medicine</i> , 2018 , 12, 278-286	3.8	10
81	Patterns and correlates of medical cannabis use for pain among patients prescribed long-term opioid therapy. <i>General Hospital Psychiatry</i> , 2018 , 50, 104-110	5.6	18
80	Assessing the accuracy of opioid overdose and poisoning codes in diagnostic information from electronic health records, claims data, and death records. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 509-517	2.6	75
79	An Observational Study of Service Dogs for Veterans With Posttraumatic Stress Disorder. <i>Psychiatric Services</i> , 2017 , 68, 730-734	3.3	17
78	Higher Prescription Opioid Dose is Associated With Worse Patient-Reported Pain Outcomes and More Health Care Utilization. <i>Journal of Pain</i> , 2017 , 18, 437-445	5.2	43
77	Patient-reported pathways to opioid use disorders and pain-related barriers to treatment engagement. <i>Journal of Substance Abuse Treatment</i> , 2017 , 73, 47-54	4.2	67
76	Factors influencing the long-term sustainment of quality improvements made in addiction treatment facilities: a qualitative study. <i>Addiction Science & Clinical Practice</i> , 2017 , 12, 26	4.1	8
75	An Economic Evaluation of a Weight Loss Intervention Program for People with Serious Mental Illnesses Taking Antipsychotic Medications. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2016 , 43, 604-15	3.1	5
74	Understanding opioid overdose characteristics involving prescription and illicit opioids: A mixed methods analysis. <i>Drug and Alcohol Dependence</i> , 2016 , 167, 49-56	4.9	34

73	Protocol: changes in rates of opioid overdose and poisoning events in an integrated health system following the introduction of a formulation of OxyContin [®] with abuse-deterrent properties. <i>BMC Pharmacology & Toxicology</i> , 2016 , 17, 21	2.6	3
72	Methadone, buprenorphine and preferences for opioid agonist treatment: A qualitative analysis. <i>Drug and Alcohol Dependence</i> , 2016 , 160, 112-8	4.9	81
71	Getting by, getting back, and getting on: Matching mental health services to consumersT recovery goals. <i>Psychiatric Rehabilitation Journal</i> , 2016 , 39, 97-104	2.4	16
70	Improvement in Body Image, Perceived Health, and Health-Related Self-Efficacy Among People With Serious Mental Illness: The STRIDE Study. <i>Psychiatric Services</i> , 2016 , 67, 296-301	3.3	6
69	Improving lifestyle interventions for people with serious mental illnesses: Qualitative results from the STRIDE study. <i>Psychiatric Rehabilitation Journal</i> , 2016 , 39, 33-41	2.4	31
68	The STRIDE weight loss and lifestyle intervention for individuals taking antipsychotic medications: a randomized trial. <i>American Journal of Psychiatry</i> , 2015 , 172, 71-81	11.9	140
67	Purposeful Sampling for Qualitative Data Collection and Analysis in Mixed Method Implementation Research. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2015 , 42, 533-44	2.1	2606
66	Approaches to Mixed Methods Dissemination and Implementation Research: Methods, Strengths, Caveats, and Opportunities. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2015 , 42, 508-23	3.1	72
65	The impact of adverse child and adult experiences on recovery from serious mental illness. <i>Psychiatric Rehabilitation Journal</i> , 2015 , 38, 320-7	2.4	25
64	Costs of implementing a behavioral weight-loss and lifestyle-change program for individuals with serious mental illnesses in community settings. <i>Translational Behavioral Medicine</i> , 2015 , 5, 269-76	3.2	7
63	Weight maintenance following the STRIDE lifestyle intervention for individuals taking antipsychotic medications. <i>Obesity</i> , 2015 , 23, 1995-2001	8	17
62	Dual recovery among people with serious mental illnesses and substance problems: a qualitative analysis. <i>Journal of Dual Diagnosis</i> , 2015 , 11, 33-41	2.4	29
61			
60	A 12-week weight reduction intervention for overweight individuals taking antipsychotic medications. <i>Community Mental Health Journal</i> , 2014 , 50, 974-80	2.1	15
59	Costs of care for persons with opioid dependence in commercial integrated health systems. <i>Addiction Science & Clinical Practice</i> , 2014 , 9, 16	4.1	25
58	Directions for future patient-centered and comparative effectiveness research for people with serious mental illness in a learning mental health care system. <i>Schizophrenia Bulletin</i> , 2014 , 40 Suppl 1, S1-S94	1.3	19
57	Seeking, delaying, and avoiding routine health care services: patient perspectives. <i>American Journal of Health Promotion</i> , 2014 , 28, 286-93	2.5	15
56	A qualitative study of the adoption of buprenorphine for opioid addiction treatment. <i>Journal of Substance Abuse Treatment</i> , 2014 , 46, 390-401	4.2	29

55	STRIDE: a randomized trial of a lifestyle intervention to promote weight loss among individuals taking antipsychotic medications. <i>BMC Psychiatry</i> , 2013 , 13, 238	4.2	23
54	Recovery from serious mental illness: trajectories, characteristics, and the role of mental health care. <i>Psychiatric Services</i> , 2013 , 64, 1203-10	3.3	43
53	The recovery group project: development of an intervention led jointly by peer and professional counselors. <i>Psychiatric Services</i> , 2013 , 64, 1211-7	3.3	23
52	Engaging youths with serious mental illnesses in treatment: STARS study consumer recommendations. <i>Psychiatric Rehabilitation Journal</i> , 2012 , 35, 360-368	2.4	20
51	A primary care-based interdisciplinary team approach to the treatment of chronic pain utilizing a pragmatic clinical trials framework. <i>Translational Behavioral Medicine</i> , 2012 , 2, 523-530	3.2	40
50	Methodological reporting in qualitative, quantitative, and mixed methods health services research articles. <i>Health Services Research</i> , 2012 , 47, 721-45	3.4	115
49	Improving quality of care in substance abuse treatment using five key process improvement principles. <i>Journal of Behavioral Health Services and Research</i> , 2012 , 39, 234-44	1.7	23
48	Delivering a lifestyle and weight loss intervention to individuals in real-world mental health settings: Lessons and opportunities. <i>Translational Behavioral Medicine</i> , 2011 , 1, 406-415	3.2	17
47	Substance abuse treatment programsTdata management capacity: an exploratory study. <i>Journal of Behavioral Health Services and Research</i> , 2011 , 38, 249-64	1.7	3
46	An exploration of site effects in a multisite trial of OROS-methylphenidate for smokers with attention deficit/hyperactivity disorder. <i>American Journal of Drug and Alcohol Abuse</i> , 2011 , 37, 392-9	3.7	9
45	Gender research in the National Institute on Drug Abuse National Treatment Clinical Trials Network: a summary of findings. <i>American Journal of Drug and Alcohol Abuse</i> , 2011 , 37, 301-12	3.7	34
44	Drinking Patterns, Gender and Health III: Avoiding vs. Seeking Healthcare. <i>Addiction Research and Theory</i> , 2010 , 18, 160-180	2.6	8
43	Drinking Patterns, Gender and Health II: Predictors of Preventive Service Use. <i>Addiction Research and Theory</i> , 2010 , 18, 143-159	2.6	6
42	Methadone maintenance and the cost and utilization of health care among individuals dependent on opioids in a commercial health plan. <i>Drug and Alcohol Dependence</i> , 2010 , 111, 235-40	4.9	28
41	Drinking Patterns, Gender and Health I: Attitudes and Health Practices. <i>Addiction Research and Theory</i> , 2010 , 18, 122-142	2.6	15
40	Development of the Patient Activation Measure for mental health. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2010 , 37, 327-33	3.1	89
39	Impact of attention-deficit/hyperactivity disorder (ADHD) treatment on smoking cessation intervention in ADHD smokers: a randomized, double-blind, placebo-controlled trial. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1680-8	4.6	73
38	Social support, activities, and recovery from serious mental illness: STARS study findings. <i>Journal of Behavioral Health Services and Research</i> , 2009 , 36, 320-9	1.7	85

37	Another breed of "service" animals: STARS study findings about pet ownership and recovery from serious mental illness. <i>American Journal of Orthopsychiatry</i> , 2009 , 79, 430-6	2.8	53
36	Stealing me from myself: identity and recovery in personal accounts of mental illness. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008 , 42, 489-95	2.6	60
35	Understanding how clinician-patient relationships and relational continuity of care affect recovery from serious mental illness: STARS study results. <i>Psychiatric Rehabilitation Journal</i> , 2008 , 32, 9-22	2.4	86
34	New Endeavors, Risk Taking, and Personal Growth in the Recovery Process: Findings From the STARS Study. <i>Psychiatric Services</i> , 2008 , 59, 1430-1436	3.3	27
33	New endeavors, risk taking, and personal growth in the recovery process: findings from the STARS study. <i>Psychiatric Services</i> , 2008 , 59, 1430-6	3.3	17
32	Substance abuse treatment entry, retention, and outcome in women: a review of the literature. <i>Drug and Alcohol Dependence</i> , 2007 , 86, 1-21	4.9	685
31	"Not getting tanked": definitions of moderate drinking and their health implications. <i>Drug and Alcohol Dependence</i> , 2007 , 86, 265-73	4.9	22
30	Process improvement needs in substance abuse treatment: admissions walk-through results. <i>Journal of Substance Abuse Treatment</i> , 2007 , 33, 379-89	4.2	48
29	Substance abuse treatment duration for Medicaid versus commercial clients in a health maintenance organization. <i>Medical Care</i> , 2006 , 44, 601-6	3.1	6
28	What teens want: barriers to seeking care for depression. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2006 , 33, 133-45	3.1	88
27	Gender and use of substance abuse treatment services. <i>Alcohol Research</i> , 2006 , 29, 55-62		69
26	Canadian study finds that antidepressant use has increased in people with major depression over the past decade. <i>Evidence-Based Mental Health</i> , 2005 , 8, 26	11.1	
25	Increasing age, minority ethnic origin, and lack of sufficient medical insurance decrease likelihood of treatment for depression in the elderly. <i>Evidence-Based Mental Health</i> , 2004 , 7, 58	11.1	2
24	"Being in a funk": teens' efforts to understand their depressive experiences. <i>Qualitative Health Research</i> , 2004 , 14, 1227-38	3.9	44
23	Gender differences in the relationships between multiple measures of alcohol consumption and physical and mental health. <i>Alcoholism: Clinical and Experimental Research</i> , 2004 , 28, 754-64	3.7	33
22	Gender differences in outcomes in an HMO-based substance abuse treatment program. <i>Journal of Addictive Diseases</i> , 2004 , 23, 47-70	1.7	32
21	Talk about costs: health care professionals' views about expenses related to substance abuse treatment. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2004 , 31, 483-94	3.1	4
20	Training rural practitioners to use buprenorphine; using The Change Book to facilitate technology transfer. <i>Journal of Substance Abuse Treatment</i> , 2004 , 26, 203-8	4.2	36

19	Behavioral counseling interventions in primary care to reduce risky/harmful alcohol use by adults: a summary of the evidence for the U.S. Preventive Services Task Force. <i>Annals of Internal Medicine</i> , 2004 , 140, 557-68	8	535
18	Fostering Recovery from Life-Transforming Mental Health Disorders: A Synthesis and Model. <i>Social Theory and Health</i> , 2004 , 2, 293-314	1.7	20
17	Gender-based structural models of health care costs: alcohol use, physical health, mental health, and functioning. <i>Journal of Mental Health Policy and Economics</i> , 2004 , 7, 107-25	1.3	3
16	Structural models of gender, alcohol consumption, and health. <i>Substance Use and Misuse</i> , 2003 , 38, 97-125	2.2	17
15	Depression, functional status, treatment for psychiatric problems, and the health-related practices of elderly HMO members. <i>American Journal of Health Promotion</i> , 2003 , 17, 269-75	2.5	17
14	Community-based care and risk of nursing home placement. <i>Medical Care</i> , 2003 , 41, 1407-16	3.1	24
13	Adapting to psychiatric disability and needs for home- and community-based care. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2002 , 4, 29-41		11
12	Expanded Care and Quality of Life Among Elderly Social HMO Members. <i>Journal of Applied Gerontology</i> , 2002 , 21, 333-351	3.3	3
11	Gender differences in predictors of initiation, retention, and completion in an HMO-based substance abuse treatment program. <i>Journal of Substance Abuse Treatment</i> , 2002 , 23, 285-95	4.2	151
10	Drinking patterns, health care utilization, and costs among HMO primary care patients. <i>Journal of Behavioral Health Services and Research</i> , 2001 , 28, 378-99	1.7	28
9	Quality of life in treated and never-treated schizophrenic patients. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 103, 131-42	6.5	20
8	Caregiving, alcohol use, and mental health symptoms among HMO members. <i>Journal of Community Health</i> , 2001 , 26, 285-301	4	9
7	Gender and alcohol use: the roles of social support, chronic illness, and psychological well-being. <i>Journal of Behavioral Medicine</i> , 2001 , 24, 383-99	3.6	23
6	A limited entitlement for community care: how members use services. <i>Journal of Aging and Social Policy</i> , 2001 , 12, 43-64	7.4	7
5	The health and health behaviors of people who do not drink alcohol. <i>American Journal of Preventive Medicine</i> , 2001 , 21, 298-305	6.1	81
4	Effects of hearing impairment on use of health services among the elderly. <i>Journal of Aging and Health</i> , 2001 , 13, 315-28	2.6	17
3	Depressive symptoms, health promotion, and health risk behaviors. <i>American Journal of Health Promotion</i> , 2000 , 15, 29-34	2.5	38
2	Gender, psychosocial factors and the use of medical services: a longitudinal analysis. <i>Social Science and Medicine</i> , 1999 , 48, 1363-72	5.1	332

1 Purposeful Sampling for Qualitative Data Collection and Analysis in Mixed Method Implementation Research 1