

Corine J M Verhoeven

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2394900/publications.pdf>

Version: 2024-02-01

84
papers

1,266
citations

393982

19
h-index

395343

33
g-index

86
all docs

86
docs citations

86
times ranked

1461
citing authors

#	ARTICLE	IF	CITATIONS
1	Maternal and neonatal consequences of treated and untreated asymptomatic bacteriuria in pregnancy: a prospective cohort study with an embedded randomised controlled trial. <i>Lancet Infectious Diseases</i> , 2015, 15, 1324-1333.	4.6	140
2	Outcomes after Internal versus External Tocodynamometry for Monitoring Labor. <i>New England Journal of Medicine</i> , 2010, 362, 306-313.	13.9	119
3	The Bishop Score as a Predictor of Labor Induction Success: A Systematic Review. <i>American Journal of Perinatology</i> , 2013, 30, 625-630.	0.6	103
4	How do midwives facilitate women to give birth during physiological second stage of labour? A protocol for a systematic review. <i>Systematic Reviews</i> , 2019, 8, 1.	2.5	93
5	Transvaginal sonographic assessment of cervical length and wedging for predicting outcome of labor induction at term: a systematic review and meta-analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 500-508.	0.9	63
6	The capacity of mid-pregnancy cervical length to predict preterm birth in low-risk women: a national cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 1223-1234.	1.3	42
7	Validation of models that predict Cesarean section after induction of labor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 316-321.	0.9	40
8	Opinions of maternity care professionals and other stakeholders about integration of maternity care: a qualitative study in the Netherlands. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 188.	0.9	38
9	Development of the Pregnancy and Childbirth Questionnaire (PCQ): evaluating quality of care as perceived by women who recently gave birth. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 174, 35-40.	0.5	35
10	Labour pain with remifentanyl patient-controlled analgesia versus epidural analgesia: a randomised equivalence trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 652-660.	1.1	34
11	Left powerless: A qualitative social media content analysis of the Dutch #breakthesilence campaign on negative and traumatic experiences of labour and birth. <i>PLoS ONE</i> , 2020, 15, e0233114.	1.1	34
12	Continuity of care is an important and distinct aspect of childbirth experience: findings of a survey evaluating experienced continuity of care, experienced quality of care and women's perception of labor. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 13.	0.9	33
13	Ultrasonographic fetal head position to predict mode of delivery: a systematic review and bivariate meta-analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 9-13.	0.9	32
14	Preventing Preterm Birth with Progesterone in Women with a Short Cervical Length from a Low-Risk Population: A Multicenter Double-Blind Placebo-Controlled Randomized Trial. <i>American Journal of Perinatology</i> , 2015, 32, 993-1000.	0.6	28
15	Are midwives in the Netherlands satisfied with their jobs? A systematic examination of satisfaction levels among hospital and primary-care midwives in the Netherlands. <i>BMC Health Services Research</i> , 2019, 19, 832.	0.9	26
16	Influence of Gestational Age at Initiation of Antihypertensive Therapy. <i>Hypertension</i> , 2018, 71, 1170-1177.	1.3	25
17	Predictors for failure of vacuum-assisted vaginal delivery: a case-control study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 200, 29-34.	0.5	23
18	Client-care provider interaction during labour and birth as experienced by women: Respect, communication, confidentiality and autonomy. <i>PLoS ONE</i> , 2021, 16, e0246697.	1.1	23

#	ARTICLE	IF	CITATIONS
19	Regional variations in childbirth interventions in the Netherlands: a nationwide explorative study. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 192.	0.9	22
20	Comparison of Induction of Labour and Expectant Management in Postterm Pregnancy: A Matched Cohort Study. <i>Journal of Midwifery and Women's Health</i> , 2009, 54, 351-356.	0.7	19
21	Costs and effects of screening and treating low risk women with a singleton pregnancy for asymptomatic bacteriuria, the ASB study. <i>BMC Pregnancy and Childbirth</i> , 2012, 12, 52.	0.9	19
22	Pharmacological pain relief and fear of childbirth in low risk women; secondary analysis of the RAVEL study. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 347.	0.9	18
23	Experienced job autonomy among maternity care professionals in The Netherlands. <i>Midwifery</i> , 2017, 54, 67-72.	1.0	17
24	How good is collaboration between maternity service providers in the Netherlands?. <i>Journal of Multidisciplinary Healthcare</i> , 2019, Volume 12, 21-30.	1.1	16
25	Knowledge of hypertensive disorders in pregnancy of Moroccan women in Morocco and in the Netherlands: a qualitative interview study. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 344.	0.9	16
26	The Long-Term Impact of Maternal Anxiety and Depression Postpartum and in Early Childhood on Child and Paternal Mental Health at 11â€“12 Years Follow-Up. <i>Frontiers in Psychiatry</i> , 2020, 11, 562237.	1.3	16
27	Opinions of professionals about integrating midwife- and obstetrician-led care in The Netherlands. <i>Midwifery</i> , 2016, 37, 9-18.	1.0	15
28	Experiences of Dutch maternity care professionals during the first wave of COVID-19 in a community based maternity care system. <i>PLoS ONE</i> , 2021, 16, e0252735.	1.1	14
29	Does ultrasonographic foetal head position prior to induction of labour predict the outcome of delivery?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 164, 133-137.	0.5	13
30	Risk Factors for Cesarean Delivery following Labor Induction in Multiparous Women. <i>Journal of Pregnancy</i> , 2013, 2013, 1-6.	1.1	13
31	Regional variations in childbirth interventions and their correlations with adverse outcomes, birthplace and care provider: A nationwide explorative study. <i>PLoS ONE</i> , 2020, 15, e0229488.	1.1	13
32	Psychosocial and peripartum determinants of postpartum depression: Findings from a prospective population-based cohort. The ABCD study. <i>Comprehensive Psychiatry</i> , 2021, 108, 152239.	1.5	13
33	Intrapartum Referral from Primary to Secondary Care in The Netherlands: A Retrospective Cohort Study on Management of Labor and Outcomes. <i>Birth</i> , 2015, 42, 156-164.	1.1	10
34	Serious adverse events attributed to remifentanil patient-controlled analgesia during labour in The Netherlands. <i>International Journal of Obstetric Anesthesia</i> , 2019, 39, 22-28.	0.2	10
35	How do midwives facilitate women to give birth during physiological second stage of labour? A systematic review. <i>PLoS ONE</i> , 2020, 15, e0226502.	1.1	9
36	Factors influencing autonomy supportive consultation: A realist review. <i>Patient Education and Counseling</i> , 2020, 103, 2069-2077.	1.0	9

#	ARTICLE	IF	CITATIONS
37	More home births during the <scp>COVID</scp>-19 pandemic in the Netherlands. <i>Birth</i> , 2022, 49, 792-804.	1.1	9
38	Resilience-enhancing interventions for antepartum depressive symptoms: systematic review. <i>BJPsych Open</i> , 2022, 8, e89.	0.3	9
39	Does use of an intrauterine catheter during labor increase risk of infection?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 415-418.	0.7	8
40	Atosiban versus fenoterol as a uterine relaxant for external cephalic version: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2017, 356, i6773.	2.4	8
41	Midpregnancy Cervical Length in Nulliparous Women and its Association with Postterm Delivery and Intrapartum Cesarean Delivery. <i>American Journal of Perinatology</i> , 2016, 33, 040-046.	0.6	6
42	Impact of maternal height on birthweight classification in singleton births at term: a cohort study in The Netherlands. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, , 1-8.	0.7	6
43	Effectiveness of a guided ACT-based self-help resilience training for depressive symptoms during pregnancy: Study protocol of a randomized controlled trial embedded in a prospective cohort. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 705.	0.9	4
44	Mediating role of C-reactive protein in associations between pre-pregnancy BMI and adverse maternal and neonatal outcomes: the ABCD-study cohort. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 2867-2875.	0.7	3
45	Outcomes After Internal Versus External Tocodynamometry for Monitoring Labor. <i>Obstetrical and Gynecological Survey</i> , 2010, 65, 355-356.	0.2	2
46	Outcomes After Internal Versus External Tocodynamometry for Monitoring Labor. <i>Obstetric Anesthesia Digest</i> , 2011, 31, 23-24.	0.0	2
47	Potential Improvement of Pregnancy Outcome through Prenatal Small for Gestational Age Detection. <i>American Journal of Perinatology</i> , 2014, 31, 1093-1104.	0.6	2
48	498: Prevalence and risk factors for asymptomatic bacteriuria in low risk pregnant women, the ASB screening study. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 210, S247-S248.	0.7	2
49	Does measurement of intrauterine pressure have predictive value during oxytocin-augmented labor?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 1-4.	0.7	2
50	Re: Perinatal mortality and morbidity up to 28 days after birth among 743 070 low-risk planned home and hospital births: a cohort study based on three merged national perinatal databases. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 1235-1236.	1.1	2
51	Repeated cervical length measurements for the verification of short cervical length. <i>International Journal of Gynecology and Obstetrics</i> , 2017, 139, 318-323.	1.0	2
52	Experiences and views of midwives performing antenatal cardiotocography in Dutch primary care: A qualitative study. <i>Midwifery</i> , 2019, 72, 60-66.	1.0	2
53	Centralisation of acute obstetric care in the Netherlands: a qualitative study to explore the experiences of stakeholders with adaptations in organisation of care. <i>BMC Health Services Research</i> , 2021, 21, 1233.	0.9	2
54	Job satisfaction of maternity care providers in the Netherlands: Does working in or with a birth centre influence job satisfaction?. <i>European Journal of Midwifery</i> , 2018, 2, 11.	0.5	1

#	ARTICLE	IF	CITATIONS
55	Pregnant women's willingness to participate in a randomized trial comparing induction of labor at 39 weeks versus expectant management: A survey in the Netherlands. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2022, 273, 7-11.	0.5	1
56	Metaanalysis of diagnostic and prognostic studies: the challenge continues. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 199, e16.	0.7	0
57	303: Can failure of induction of labor in multiparous women be predicted? A case-control study. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 201, S122.	0.7	0
58	679: Can failure of vacuum extraction be predicted? A case-control study. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 201, S245.	0.7	0
59	105: Small for gestational age: the value of antenatal diagnosis. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 206, S61.	0.7	0
60	153: Repeated measurement of short cervical length does not influence the risk of preterm delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 212, S93.	0.7	0
61	Authors' response: Re. Predictors for failure of vacuum-assisted vaginal delivery: a case-control study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 203, 332-333.	0.5	0
62	Pain relief during labour. <i>Lancet</i> , The, 2019, 394, e13.	6.3	0
63	Changes in local protocols on inpatient cervical priming and introduction of outpatient priming: A nationwide survey in the Netherlands. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 263, 148-152.	0.5	0
64	Atosiban Versus Fenoterol as a Uterine Relaxant for External Cephalic Version: Randomized Controlled Trial. <i>Obstetric Anesthesia Digest</i> , 2017, 37, 148-149.	0.0	0
65	Delivery and puerperium. , 2019, , 415-468.		0
66	Serious Adverse Events Attributed to Remifentanyl Patient-controlled Analgesia During Labour in The Netherlands. <i>Obstetric Anesthesia Digest</i> , 2020, 40, 99-100.	0.0	0
67	Models of Risk Selection in Maternal and Newborn Care: Exploring the Organization of Tasks and Responsibilities of Primary Care Midwives and Obstetricians in Risk Selection across The Netherlands. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1046.	1.2	0
68	Title is missing!. , 2020, 15, e0229488.		0
69	Title is missing!. , 2020, 15, e0229488.		0
70	Title is missing!. , 2020, 15, e0229488.		0
71	Title is missing!. , 2020, 15, e0229488.		0
72	Title is missing!. , 2020, 15, e0229488.		0

#	ARTICLE	IF	CITATIONS
73	Title is missing!. , 2020, 15, e0229488.		0
74	Title is missing!. , 2020, 15, e0229488.		0
75	Title is missing!. , 2020, 15, e0226502.		0
76	Title is missing!. , 2020, 15, e0226502.		0
77	Title is missing!. , 2020, 15, e0226502.		0
78	Title is missing!. , 2020, 15, e0226502.		0
79	Title is missing!. , 2020, 15, e0233114.		0
80	Title is missing!. , 2020, 15, e0233114.		0
81	Title is missing!. , 2020, 15, e0233114.		0
82	Title is missing!. , 2020, 15, e0233114.		0
83	Title is missing!. , 2020, 15, e0233114.		0
84	Title is missing!. , 2020, 15, e0233114.		0