

RocÃ- o C RodrÃ- guez-Arcos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2396030/publications.pdf>

Version: 2024-02-01

64
papers

2,915
citations

159525

30
h-index

168321

53
g-index

64
all docs

64
docs citations

64
times ranked

3050
citing authors

#	ARTICLE	IF	CITATIONS
1	Asparagus Roots: From an Agricultural By-Product to a Valuable Source of Fructans. <i>Foods</i> , 2022, 11, 652.	1.9	7
2	Optimization of date seed oil extraction using the assistance of hydrothermal and ultrasound technologies. <i>Grasas Y Aceites</i> , 2022, 73, e457.	0.3	5
3	Phytochemical Characterization and Bioactivity of <i>Asparagus acutifolius</i> : A Focus on Antioxidant, Cytotoxic, Lipase Inhibitory and Antimicrobial Activities. <i>Molecules</i> , 2021, 26, 3328.	1.7	11
4	Characterization of phenolic compounds isolated from the <i>Fraxinus angustifolia</i> plant and several associated bioactivities. <i>Journal of Herbal Medicine</i> , 2021, 29, 100485.	1.0	8
5	Asparagus. , 2020, , 121-140.		1
6	Date Seeds: A Promising Source of Oil with Functional Properties. <i>Foods</i> , 2020, 9, 787.	1.9	66
7	Asparagus Cultivation Co-Products: From Waste To Chance. <i>Food Science & Nutrition</i> , 2020, 6, 1-4.	0.3	4
8	Inhibitory effect of the glucosinolate-myrosinase system on <i>Phytophthora cinnamomi</i> and <i>Pythium spiculum</i> . <i>Plant Protection Science</i> , 2019, 55, 93-101.	0.7	9
9	Hydrothermal treatments enhance the solubility and antioxidant characteristics of dietary fiber from asparagus by-products. <i>Food and Bioproducts Processing</i> , 2019, 114, 175-184.	1.8	16
10	Nutritional composition and antioxidant activity of different walnut varieties (Juglans) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 70, 310.	0.3	4
11	Comparative Analysis of Chemical Compounds Related to Quality of Canned Asparagus. <i>Journal of Food and Nutrition Research (Newark, Del)</i> , 2019, 7, 171-182.	0.1	5
12	Inhibitory effect of <i>Lycium europaeum</i> extracts on phytopathogenic soil-borne fungi and the reduction of late wilt in maize. <i>European Journal of Plant Pathology</i> , 2018, 152, 249-265.	0.8	32
13	In Vitro Toxicity of Asparagus Saponins in Distinct Multidrug-Resistant Colon Cancer Cells. <i>Chemistry and Biodiversity</i> , 2018, 15, e1800282.	1.0	12
14	Saponin Profile of Wild Asparagus Species. <i>Journal of Food Science</i> , 2017, 82, 638-646.	1.5	23
15	The phytochemical and bioactivity profiles of wild <i>Asparagus albus</i> L. plant. <i>Food Research International</i> , 2017, 99, 720-729.	2.9	25
16	<i>Asparagus macrorrhizus</i> Pedrol, Regalado et LÃ³pez-Encina, an endemic species from Spain in extreme extinction risk, is a valuable genetic resource for asparagus breeding. <i>Genetic Resources and Crop Evolution</i> , 2017, 64, 1581-1594.	0.8	9
17	Enzymatic conversion of date fruit fiber concentrates into a new product enriched in antioxidant soluble fiber. <i>LWT - Food Science and Technology</i> , 2017, 75, 727-734.	2.5	29
18	Saponins from edible spears of wild asparagus inhibit AKT, p70S6K, and ERK signalling, and induce apoptosis through G0/G1 cell cycle arrest in human colon cancer HCT-116 cells. <i>Journal of Functional Foods</i> , 2016, 26, 1-10.	1.6	47

#	ARTICLE	IF	CITATIONS
19	Quality Characteristics and Antioxidant Properties of Muffins Enriched with Date Fruit (<i>Phoenix) Tj ETQq1 1 0.784314 rgBJ ₂₁ /Overlock	1.4	21
20	Valorization of Tunisian secondary date varieties (<i>Phoenix dactylifera</i> L.) by hydrothermal treatments: New fiber concentrates with antioxidant properties. <i>LWT - Food Science and Technology</i> , 2015, 60, 518-524.	2.5	32
21	Cell Wall Bound Anionic Peroxidases from Asparagus Byproducts. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 9644-9650.	2.4	1
22	Antifungal activity of asparagus extracts against phytopathogenic <i>Fusarium oxysporum</i> . <i>Scientia Horticulturae</i> , 2014, 171, 51-57.	1.7	32
23	Asparagus Byproducts as a New Source of Peroxidases. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 6167-6174.	2.4	10
24	Saponin Profile of Green Asparagus Genotypes. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 11098-11108.	2.4	21
25	Preparation of bioactive extracts from asparagus by-product. <i>Food and Bioproducts Processing</i> , 2013, 91, 74-82.	1.8	62
26	Optimization of a Method for the Profiling and Quantification of Saponins in Different Green Asparagus Genotypes. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 6250-6258.	2.4	30
27	Dietary Fiber from Tunisian Common Date Cultivars (<i>Phoenix dactylifera</i> L.): Chemical Composition, Functional Properties, and Antioxidant Capacity. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 3658-3664.	2.4	52
28	Cell Wall Polysaccharides of Near-Isogenic Lines of Melon (<i>Cucumis melo</i> L.) and Their Inbred Parentals Which Show Differential Flesh Firmness or Physiological Behavior. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 7773-7784.	2.4	35
29	The Flavonol Isorhamnetin Exhibits Cytotoxic Effects on Human Colon Cancer Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 10869-10875.	2.4	88
30	Effect of extraction method on chemical composition and functional characteristics of high dietary fibre powders obtained from asparagus by-products. <i>Food Chemistry</i> , 2009, 113, 665-671.	4.2	126
31	Effect of the extraction method on phytochemical composition and antioxidant activity of high dietary fibre powders obtained from asparagus by-products. <i>Food Chemistry</i> , 2009, 116, 484-490.	4.2	70
32	3,4-Dihydroxyphenylglycol (DHPG): An Important Phenolic Compound Present in Natural Table Olives. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 6298-6304.	2.4	29
33	Olive stone an attractive source of bioactive and valuable compounds. <i>Bioresource Technology</i> , 2008, 99, 5261-5269.	4.8	274
34	Characterization of Asparagus Lignin by HPLC. <i>Journal of Food Science</i> , 2008, 73, C526-32.	1.5	7
35	Flavonoid Profile of Green Asparagus Genotypes. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 6977-6984.	2.4	56
36	An investigation on dihydroxy-isochromans in extra virgin olive oil. <i>Natural Product Research</i> , 2008, 22, 1403-1409.	1.0	9

#	ARTICLE	IF	CITATIONS
37	ANTIOXIDANTS FROM ASPARAGUS SPEARS: PHENOLICS. <i>Acta Horticulturae</i> , 2008, , 247-254.	0.1	26
38	Effect of Steam Treatment of Alperujo on the Composition, Enzymatic Saccharification, and in Vitro Digestibility of Alperujo. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 136-142.	2.4	31
39	Identification of Flavonoid Diglycosides in Several Genotypes of Asparagus from the Huátor-Tájar Population Variety. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 10028-10035.	2.4	38
40	Effects of storage conditions on the accumulation of ferulic acid derivatives in white asparagus cell walls. <i>Journal of the Science of Food and Agriculture</i> , 2007, 87, 286-296.	1.7	39
41	Antioxidant activity of effluents during the purification of hydroxytyrosol and 3,4-dihydroxyphenyl glycol from olive oil waste. <i>European Food Research and Technology</i> , 2007, 224, 733-741.	1.6	54
42	Dietary fibre from vegetable products as source of functional ingredients. <i>Trends in Food Science and Technology</i> , 2006, 17, 3-15.	7.8	393
43	Extraction of interesting organic compounds from olive oil waste. <i>Grasas Y Aceites</i> , 2006, 57, .	0.3	88
44	Cell wall phenolics of white and green asparagus. <i>Journal of the Science of Food and Agriculture</i> , 2005, 85, 971-978.	1.7	28
45	Antioxidant Activity of Ethanolic Extracts from Several Asparagus Cultivars. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 5212-5217.	2.4	98
46	Mechanical properties of white and green asparagus: changes related to modifications of cell wall components. <i>Journal of the Science of Food and Agriculture</i> , 2004, 84, 1478-1486.	1.7	36
47	Ferulic Acid Crosslinks in Asparagus Cell Walls in Relation to Texture. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 4740-4750.	2.4	34
48	Total Recovery of the Waste of Two-Phase Olive Oil Processing: Isolation of Added-Value Compounds. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 5849-5855.	2.4	71
49	Production in Large Quantities of Highly Purified Hydroxytyrosol from Liquid Solid Waste of Two-Phase Olive Oil Processing or Alperujo. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 6804-6811.	2.4	170
50	Effect of Storage on Wall-Bound Phenolics in Green Asparagus. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 3197-3203.	2.4	50
51	Mechanical properties of green asparagus. <i>Journal of the Science of Food and Agriculture</i> , 2002, 82, 293-300.	1.7	25
52	Factors affecting the changes in texture of dressed ("aliñadas") olives. <i>European Food Research and Technology</i> , 2002, 214, 237-241.	1.6	14
53	Olive Fruit Cell Wall: Degradation of Pectic Polysaccharides during Ripening. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 409-415.	2.4	51
54	Olive Fruit Cell Wall: Degradation of Cellulosic and Hemicellulosic Polysaccharides during Ripening. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 2008-2013.	2.4	22

#	ARTICLE	IF	CITATIONS
55	Effect of dressings "(aliÃ±os)" on olive texture: cellulase, polygalacturonase and glycosidase activities of garlic and lemon present in brines. <i>European Food Research and Technology</i> , 2001, 212, 465-468.	1.6	7
56	Steam-explosion of olive stones: hemicellulose solubilization and enhancement of enzymatic hydrolysis of cellulose. <i>Bioresource Technology</i> , 2001, 79, 53-61.	4.8	130
57	Dietary fibre content of table olives processed under different European styles: study of physico-chemical characteristics. <i>Journal of the Science of Food and Agriculture</i> , 2000, 80, 1903-1908.	1.7	41
58	Cell wall polysaccharides implied in green olive behaviour during the pitting process. <i>European Food Research and Technology</i> , 2000, 211, 181-184.	1.6	3
59	Characterization of the lignin obtained by alkaline delignification and of the cellulose residue from steam-exploded olive stones. <i>Bioresource Technology</i> , 1999, 68, 121-132.	4.8	117
60	Postharvest Changes in White Asparagus Cell Wall during Refrigerated Storage. <i>Journal of Agricultural and Food Chemistry</i> , 1999, 47, 3551-3557.	2.4	33
61	Turnover of White Asparagus Cell Wall Polysaccharides during Postharvest Storage. <i>Journal of Agricultural and Food Chemistry</i> , 1999, 47, 4525-4531.	2.4	13
62	POSTHARVEST CHANGES ON CELL WALL AND PEROXIDASES OF WHITE ASPARAGUS (ASPARAGUS OFFICINALIS) Tj ETQq0 0 0 rgBT /Ov	0.1	3
63	Activity of cell wall-associated enzymes in ripening olive fruit. <i>Physiologia Plantarum</i> , 1995, 93, 651-658.	2.6	32
64	Asparagus Fibres as Reinforcing Materials for Developing 100% Biodegradable Packaging. , 0, , 224-228.		0