

# Wilson Nadruz Jr

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2396065/wilson-nadruz-jr-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

157  
papers

2,364  
citations

27  
h-index

41  
g-index

177  
ext. papers

3,018  
ext. citations

4.6  
avg, IF

5.04  
L-index

#	Paper	IF	Citations
157	Focal adhesion kinase is activated and mediates the early hypertrophic response to stretch in cardiac myocytes. <i>Circulation Research</i> , <b>2003</b> , 93, 140-7	15.7	158
156	Myocardial remodeling in hypertension. <i>Journal of Human Hypertension</i> , <b>2015</b> , 29, 1-6	2.6	126
155	Role of transcytolemmal water-exchange in magnetic resonance measurements of diffuse myocardial fibrosis in hypertensive heart disease. <i>Circulation: Cardiovascular Imaging</i> , <b>2013</b> , 6, 134-41	3.9	75
154	FAK mediates the activation of cardiac fibroblasts induced by mechanical stress through regulation of the mTOR complex. <i>Cardiovascular Research</i> , <b>2010</b> , 86, 421-31	9.9	65
153	Heart Failure and Midrange Ejection Fraction: Implications of Recovered Ejection Fraction for Exercise Tolerance and Outcomes. <i>Circulation: Heart Failure</i> , <b>2016</b> , 9, e002826	7.6	62
152	Load-induced focal adhesion kinase activation in the myocardium: role of stretch and contractile activity. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2002</b> , 282, H556-64	5.2	60
151	Anthracycline Therapy Is Associated With Cardiomyocyte Atrophy and Preclinical Manifestations of Heart Disease. <i>JACC: Cardiovascular Imaging</i> , <b>2018</b> , 11, 1045-1055	8.4	55
150	Prognostic Value of Cardiopulmonary Exercise Testing in Heart Failure With Reduced, Midrange, and Preserved Ejection Fraction. <i>Journal of the American Heart Association</i> , <b>2017</b> , 6,	6	55
149	Focal adhesion kinase mediates MEF2 and c-Jun activation by stretch: role in the activation of the cardiac hypertrophic genetic program. <i>Cardiovascular Research</i> , <b>2005</b> , 68, 87-97	9.9	54
148	Brazilian Guidelines of Hypertension - 2020. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2021</b> , 116, 516-658	1.2	53
147	Tumor necrosis factor-alpha activates signal transduction in hypothalamus and modulates the expression of pro-inflammatory proteins and orexigenic/anorexigenic neurotransmitters. <i>Journal of Neurochemistry</i> , <b>2006</b> , 98, 203-12	6	51
146	Characterization of CD4+CD28null T cells in patients with coronary artery disease and individuals with risk factors for atherosclerosis. <i>Cellular Immunology</i> , <b>2013</b> , 281, 11-9	4.4	47
145	The cross-talk between angiotensin and insulin differentially affects phosphatidylinositol 3-kinase- and mitogen-activated protein kinase-mediated signaling in rat heart: implications for insulin resistance. <i>Endocrinology</i> , <b>2003</b> , 144, 5604-14	4.8	47
144	Cardiovascular Dysfunction and Frailty Among Older Adults in the Community: The ARIC Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2017</b> , 72, 958-964	6.4	43
143	Diastolic Dysfunction and Hypertension. <i>Medical Clinics of North America</i> , <b>2017</b> , 101, 7-17	7	43
142	Smoking and Cardiac Structure and Function in the Elderly: The ARIC Study (Atherosclerosis Risk in Communities). <i>Circulation: Cardiovascular Imaging</i> , <b>2016</b> , 9, e004950	3.9	38
141	Sex-specific hemodynamic and non-hemodynamic determinants of aortic root size in hypertensive subjects with left ventricular hypertrophy. <i>Hypertension Research</i> , <b>2009</b> , 32, 956-61	4.7	36

140	Load-induced transcriptional activation of c-jun in rat myocardium: regulation by myocyte enhancer factor 2. <i>Circulation Research</i> , <b>2003</b> , 92, 243-51	15.7	35
139	Carotid intima-media thickness is increased in patients with spinal cord injury independent of traditional cardiovascular risk factors. <i>Atherosclerosis</i> , <b>2009</b> , 202, 29-31	3.1	34
138	Relationship between serum uric acid and internal carotid resistive index in hypertensive women: a cross-sectional study. <i>BMC Cardiovascular Disorders</i> , <b>2012</b> , 12, 52	2.3	33
137	Reliability and validity of a semi-quantitative FFQ for sodium intake in low-income and low-literacy Brazilian hypertensive subjects. <i>Public Health Nutrition</i> , <b>2009</b> , 12, 2168-73	3.3	31
136	Declining Lung Function and Cardiovascular Risk: The ARIC Study. <i>Journal of the American College of Cardiology</i> , <b>2018</b> , 72, 1109-1122	15.1	30
135	c-Jun is regulated by combination of enhanced expression and phosphorylation in acute-overloaded rat heart. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2004</b> , 286, H760-7	5.2	30
134	Common matrix metalloproteinase 2 gene haplotypes may modulate left ventricular remodeling in hypertensive patients. <i>Journal of Human Hypertension</i> , <b>2012</b> , 26, 171-7	2.6	29
133	Matrix metalloproteinase 9 gene haplotypes affect left ventricular hypertrophy in hypertensive patients. <i>Clinica Chimica Acta</i> , <b>2010</b> , 411, 1940-4	6.2	29
132	Impact of Body Mass Index on the Accuracy of N-Terminal Pro-Brain Natriuretic Peptide and Brain Natriuretic Peptide for Predicting Outcomes in Patients With Chronic Heart Failure and Reduced Ejection Fraction: Insights From the PARADIGM-HF Study (Prospective Comparison of ARNI With ACEI to Determine Impact on Global Mortality and Morbidity in Heart Failure Trial). <i>Circulation</i> , <b>2017</b> , 135, 1077-1086	16.7	28
131	Physical activity and improved diastolic function in spinal cord-injured subjects. <i>Medicine and Science in Sports and Exercise</i> , <b>2014</b> , 46, 887-92	1.2	28
130	Altered left ventricular diastolic function in subjects with spinal cord injury. <i>Spinal Cord</i> , <b>2011</b> , 49, 65-9	2.7	25
129	Sodium intake is associated with carotid artery structure alterations and plasma matrix metalloproteinase-9 upregulation in hypertensive adults. <i>Journal of Nutrition</i> , <b>2011</b> , 141, 877-82	4.1	25
128	Race-Related Differences in Left Ventricular Structural and Functional Remodeling in Response to Increased Afterload: The ARIC Study. <i>JACC: Heart Failure</i> , <b>2017</b> , 5, 157-165	7.9	24
127	Ferritin levels and risk of heart failure-the Atherosclerosis Risk in Communities Study. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 340-347	12.3	24
126	Simvastatin prevents load-induced protein tyrosine nitration in overloaded hearts. <i>Hypertension</i> , <b>2004</b> , 43, 1060-6	8.5	24
125	Influence of cigarette smoking on cardiac biomarkers: the Atherosclerosis Risk in Communities (ARIC) Study. <i>European Journal of Heart Failure</i> , <b>2016</b> , 18, 629-37	12.3	24
124	HDL levels and oxidizability during myocardial infarction are associated with reduced endothelial-mediated vasodilation and nitric oxide bioavailability. <i>Atherosclerosis</i> , <b>2014</b> , 237, 840-6	3.1	23
123	Non-effect of p22-phox -930A/G polymorphism on end-organ damage in Brazilian hypertensive patients. <i>Journal of Human Hypertension</i> , <b>2007</b> , 21, 504-6	2.6	23

122	Adiposity, body composition and ventricular-arterial stiffness in the elderly: the Atherosclerosis Risk in Communities Study. <i>European Journal of Heart Failure</i> , <b>2018</b> , 20, 1191-1201	12.3	22
121	Toll-like receptor 6 Ser249Pro polymorphism is associated with lower left ventricular wall thickness and inflammatory response in hypertensive women. <i>American Journal of Hypertension</i> , <b>2010</b> , 23, 649-54	2.3	22
120	Low zinc levels is associated with increased inflammatory activity but not with atherosclerosis, arteriosclerosis or endothelial dysfunction among the very elderly. <i>BBA Clinical</i> , <b>2014</b> , 2, 1-6		21
119	Endothelial nitric oxide synthase haplotypes associated with hypertension do not predispose to cardiac hypertrophy. <i>DNA and Cell Biology</i> , <b>2010</b> , 29, 171-6	3.6	20
118	Development and reliability of an instrument to measure psychosocial determinants of salt consumption among hypertensive patients. <i>Revista Latino-Americana De Enfermagem</i> , <b>2009</b> , 17, 701-7	1.5	20
117	Impact of Wheelchair Rugby on Body Composition of Subjects With Tetraplegia: A Pilot Study. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2016</b> , 97, 92-6	2.8	19
116	Cardiovascular phenotype and prognosis of patients with heart failure induced by cancer therapy. <i>Heart</i> , <b>2019</b> , 105, 34-41	5.1	19
115	Arterial tissue and plasma concentration of enzymatic-driven oxysterols are associated with severe peripheral atherosclerotic disease and systemic inflammatory activity. <i>Free Radical Research</i> , <b>2015</b> , 49, 199-203	4	19
114	Elevated CETP activity during acute phase of myocardial infarction is independently associated with endothelial dysfunction and adverse clinical outcome. <i>Atherosclerosis</i> , <b>2014</b> , 237, 777-83	3.1	17
113	Subclinical atherosclerosis is related to injury level but not to inflammatory parameters in spinal cord injury subjects. <i>Spinal Cord</i> , <b>2010</b> , 48, 740-4	2.7	16
112	Dapagliflozin effect on endothelial dysfunction in diabetic patients with atherosclerotic disease: a randomized active-controlled trial. <i>Cardiovascular Diabetology</i> , <b>2021</b> , 20, 74	8.7	16
111	The C242T polymorphism of the p22-phox gene (CYBA) is associated with higher left ventricular mass in Brazilian hypertensive patients. <i>BMC Medical Genetics</i> , <b>2011</b> , 12, 114	2.1	15
110	Glycosylated hemoglobin is associated with decreased endothelial function, high inflammatory response, and adverse clinical outcome in non-diabetic STEMI patients. <i>Atherosclerosis</i> , <b>2015</b> , 243, 124-30	3.1	14
109	A modified blood pressure to height ratio improves accuracy for hypertension in childhood. <i>American Journal of Hypertension</i> , <b>2015</b> , 28, 409-13	2.3	14
108	Obesity and hypertension in Latin America: Current perspectives. <i>Hipertension Y Riesgo Vascular</i> , <b>2018</b> , 35, 70-76	0.5	14
107	Circulating microRNAs, Vascular Risk, and Physical Activity in Spinal Cord-Injured Subjects. <i>Journal of Neurotrauma</i> , <b>2019</b> , 36, 845-852	5.4	14
106	Effect of genetic polymorphisms of vascular endothelial growth factor on left ventricular hypertrophy in patients with systemic hypertension. <i>American Journal of Cardiology</i> , <b>2014</b> , 113, 491-6	3	14
105	Behavioural determinants of salt consumption among hypertensive individuals. <i>Journal of Human Nutrition and Dietetics</i> , <b>2012</b> , 25, 334-44	3.1	14

104	Oxidized low-density lipoprotein, matrix-metalloproteinase-8 and carotid atherosclerosis in spinal cord injured subjects. <i>Atherosclerosis</i> , <b>2013</b> , 231, 341-5	3.1	14
103	Impact of 2017 ACC/AHA hypertension guidelines on the prevalence of white-coat and masked hypertension: A home blood pressure monitoring study. <i>Journal of Clinical Hypertension</i> , <b>2018</b> , 20, 1745-1747	2.7	14
102	Temporal trends in the contribution of Chagas cardiomyopathy to mortality among patients with heart failure. <i>Heart</i> , <b>2018</b> , 104, 1522-1528	5.1	13
101	Monocytes of patients with unstable angina express high levels of chemokine and pattern-recognition receptors. <i>Cytokine</i> , <b>2019</b> , 113, 61-67	4	13
100	Physical activity is associated with improved subclinical atherosclerosis in spinal cord injury subjects independent of variation in traditional risk factors. <i>International Journal of Cardiology</i> , <b>2013</b> , 167, 592-3	3.2	13
99	Carotid flow velocity/diameter ratio is a predictor of cardiovascular events in hypertensive patients. <i>Journal of Hypertension</i> , <b>2015</b> , 33, 2054-60	1.9	13
98	Racial Disparities in Risks of Stroke. <i>New England Journal of Medicine</i> , <b>2017</b> , 376, 2089-2090	59.2	12
97	Enhanced parathyroid hormone levels are associated with left ventricle hypertrophy in very elderly men and women. <i>Journal of the American Society of Hypertension</i> , <b>2015</b> , 9, 697-704		11
96	Widening Racial Differences in Risks for Coronary Heart Disease. <i>Circulation</i> , <b>2018</b> , 137, 1195-1197	16.7	11
95	Low-density lipoprotein cholesterol and radiotherapy-induced carotid atherosclerosis in subjects with head and neck cancer. <i>Radiation Oncology</i> , <b>2014</b> , 9, 134	4.2	11
94	Postural changes may influence popliteal atherosclerosis by modifying local circumferential wall tension. <i>Hypertension Research</i> , <b>2008</b> , 31, 2059-64	4.7	11
93	C-reactive protein is independently associated with coronary atherosclerosis burden among octogenarians. <i>Ageing Clinical and Experimental Research</i> , <b>2014</b> , 26, 19-23	4.8	10
92	Upper arm circumference is an independent predictor of left ventricular concentric hypertrophy in hypertensive women. <i>Hypertension Research</i> , <b>2008</b> , 31, 1177-83	4.7	10
91	Reciprocal Multifaceted Interaction Between HDL (High-Density Lipoprotein) and Myocardial Infarction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2019</b> , 39, 1550-1564	9.4	9
90	Blood pressure cutoffs for white-coat and masked effects in a large population undergoing home blood pressure monitoring. <i>Hypertension Research</i> , <b>2019</b> , 42, 1816-1823	4.7	9
89	CYBA C242T polymorphism is associated with obesity and diabetes mellitus in Brazilian hypertensive patients. <i>Diabetic Medicine</i> , <b>2012</b> , 29, e55-61	3.5	9
88	Association between the C242T polymorphism in the p22phox gene with arterial stiffness in the Brazilian population. <i>Physiological Genomics</i> , <b>2012</b> , 44, 587-92	3.6	9
87	Leg blood pressure measured in orthostatic posture is associated with left ventricular mass in normotensive subjects. <i>American Journal of Hypertension</i> , <b>2012</b> , 25, 1083-7	2.3	9

86	Change of BNP between admission and discharge after ST-elevation myocardial infarction (Killip I) improves risk prediction of heart failure, death, and recurrent myocardial infarction compared to single isolated measurement in addition to the GRACE score. <i>European Heart Journal: Acute Cardiovascular Care</i> , <b>2019</b> , 8, 643-651	4.3	9
85	Low HDL cholesterol but not high LDL cholesterol is independently associated with subclinical coronary atherosclerosis in healthy octogenarians. <i>Aging Clinical and Experimental Research</i> , <b>2015</b> , 27, 61-7	4.8	8
84	Impact of Adapted Sports Activities on the Progression of Carotid Atherosclerosis in Subjects With Spinal Cord Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2016</b> , 97, 1034-7	2.8	8
83	Response to cold pressor test predicts long-term changes in pulse wave velocity in men. <i>American Journal of Hypertension</i> , <b>2014</b> , 27, 157-61	2.3	8
82	The functional Toll-like receptor 4 Asp299Gly polymorphism is associated with lower left ventricular mass in hypertensive women. <i>Clinica Chimica Acta</i> , <b>2010</b> , 411, 744-8	6.2	8
81	Previous Dengue Infection and Mortality in Coronavirus Disease 2019 (COVID-19). <i>Clinical Infectious Diseases</i> , <b>2021</b> , 73, e1219-e1221	11.6	8
80	Association of pulmonary hypertension and right ventricular function with exercise capacity in heart failure. <i>ESC Heart Failure</i> , <b>2020</b> , 7, 1635-1644	3.7	7
79	Assessment of dapagliflozin effect on diabetic endothelial dysfunction of brachial artery (ADDENDA-BHS2 trial): rationale, design, and baseline characteristics of a randomized controlled trial. <i>Diabetology and Metabolic Syndrome</i> , <b>2019</b> , 11, 62	5.6	7
78	Increased popliteal circumferential wall tension induced by orthostatic body posture is associated with local atherosclerotic plaques. <i>Atherosclerosis</i> , <b>2012</b> , 224, 118-22	3.1	7
77	Incidence of preoperative high blood pressure in cataract surgery among hypertensive and normotensive patients. <i>Indian Journal of Ophthalmology</i> , <b>2010</b> , 58, 493-5	1.6	7
76	Isolated mitral valve prolapse is an independent predictor of aortic root size in a general population. <i>European Journal of Echocardiography</i> , <b>2010</b> , 11, 302-5		7
75	Relationship between office isolated systolic or diastolic hypertension and white-coat hypertension across the age spectrum: a home blood pressure study. <i>Journal of Hypertension</i> , <b>2020</b> , 38, 663-670	1.9	7
74	Resting Heart Rate and Chronotropic Response to Exercise: Prognostic Implications in Heart Failure Across the Left Ventricular Ejection Fraction Spectrum. <i>Journal of Cardiac Failure</i> , <b>2018</b> , 24, 753-762	3.3	7
73	Correlation between office and 24-hour ambulatory measures of pulse wave velocity, central augmentation index and central blood pressure. <i>Journal of Clinical Hypertension</i> , <b>2019</b> , 21, 335-337	2.3	6
72	Omega-3 intake is associated with attenuated inflammatory response and cardiac remodeling after myocardial infarction. <i>Nutrition Journal</i> , <b>2019</b> , 18, 29	4.3	6
71	Matrix metalloproteinases and left ventricular function and structure in spinal cord injured subjects. <i>Clinica Chimica Acta</i> , <b>2014</b> , 437, 136-40	6.2	6
70	Coronary artery calcification score is an independent predictor of the no-reflow phenomenon after reperfusion therapy in acute myocardial infarction. <i>Coronary Artery Disease</i> , <b>2015</b> , 26, 562-6	1.4	6
69	HDL size is more accurate than HDL cholesterol to predict carotid subclinical atherosclerosis in individuals classified as low cardiovascular risk. <i>PLoS ONE</i> , <b>2014</b> , 9, e114212	3.7	6

68	Ambulatory blood pressure is associated with subclinical atherosclerosis in spinal cord injury subjects. <i>International Journal of Cardiology</i> , <b>2012</b> , 154, 89-90	3.2	6
67	Correlation between office and home blood pressure in clinical practice: a comparison with 2017 American College of Cardiology/American Heart Association Hypertension Guidelines recommendations. <i>Journal of Hypertension</i> , <b>2020</b> , 38, 179-181	1.9	6
66	Do baseline blood pressure and type of exercise influence level of reduction induced by training in hypertensive older adults? A meta-analysis of controlled trials. <i>Experimental Gerontology</i> , <b>2020</b> , 140, 111052	4.5	6
65	How should treated hypertensive patients with systolic blood pressure below 120 mmHg be managed?. <i>European Heart Journal</i> , <b>2019</b> , 40, 2089-2090	9.5	5
64	Reference values of office central blood pressure, pulse wave velocity, and augmentation index recorded by means of the Mobil-O-Graph PWA monitor. <i>Hypertension Research</i> , <b>2020</b> , 43, 1239-1248	4.7	5
63	Mid- to Late-Life Time-Averaged Cumulative Blood Pressure and Late-Life Cardiac Structure, Function, and Heart Failure. <i>Hypertension</i> , <b>2020</b> , 76, 808-818	8.5	5
62	Quality of Life on Arterial Hypertension: Validity of Known Groups of MINICHAL. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2015</b> , 104, 299-307	1.2	5
61	Gender influences the relationship between lung function and cardiac remodeling in hypertensive subjects. <i>Hypertension Research</i> , <b>2015</b> , 38, 264-8	4.7	5
60	Diabetes mellitus unawareness is a strong determinant of mortality in patients manifesting myocardial infarction. <i>Current Medical Research and Opinion</i> , <b>2013</b> , 29, 1423-7	2.5	5
59	Excess weight mediates changes in HDL pool that reduce cholesterol efflux capacity and increase antioxidant activity. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2020</b> , 30, 254-264	4.5	5
58	New modifications of the blood pressure-to-height ratio for the diagnosis of high blood pressure in children. <i>Journal of Clinical Hypertension</i> , <b>2018</b> , 20, 413-415	2.3	4
57	Impact of Regular Physical Activity on Adipocytokines and Cardiovascular Characteristics in Spinal Cord-Injured Subjects. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2018</b> , 99, 1561-1567.e1	2.8	4
56	Influence of the C242T polymorphism of the p22-phox gene (CYBA) on the interaction between urinary sodium excretion and blood pressure in an urban Brazilian population. <i>PLoS ONE</i> , <b>2013</b> , 8, e81054	2.7	4
55	Quality of life, dyspnea and ventricular function in patients with hypertension. <i>Journal of Advanced Nursing</i> , <b>2010</b> , 66, 2287-96	3.1	4
54	Impact of the COVID-19 pandemic on blood pressure control: a nationwide home blood pressure monitoring study. <i>Hypertension Research</i> , <b>2021</b> ,	4.7	4
53	Lower bone mass is associated with subclinical atherosclerosis, endothelial dysfunction and carotid thickness in the very elderly. <i>Atherosclerosis</i> , <b>2020</b> , 292, 70-74	3.1	4
52	Machine Learning Improves the Identification of Individuals With Higher Morbidity and Avoidable Health Costs After Acute Coronary Syndromes. <i>Value in Health</i> , <b>2020</b> , 23, 1570-1579	3.3	4
51	Rationale and design of the expanded combination of evolocumab plus empagliflozin in diabetes: EXCEED-BHS3 trial. <i>Therapeutic Advances in Chronic Disease</i> , <b>2020</b> , 11, 2040622320959248	4.9	4

50	Adverse interaction between HDL and the mass of myocardial infarction. <i>Atherosclerosis</i> , <b>2019</b> , 281, 9-16.	3.1	4
49	Reduced Sympathetic Stimulus and Angiotensin 1-7 Are Related to Diastolic Dysfunction in Spinal Cord-Injured Subjects. <i>Journal of Neurotrauma</i> , <b>2017</b> , 34, 2323-2328	5.4	3
48	Carotid intima-media thickness is associated with media rather than intima thickness. <i>Atherosclerosis</i> , <b>2017</b> , 261, 169-171	3.1	3
47	Impact of hypertension phenotypes on the office and 24-h pulse wave velocity and augmentation index in individuals with or without antihypertensive medication use. <i>Hypertension Research</i> , <b>2019</b> , 42, 1989-1995	4.7	3
46	Height-Based Equations Can Improve the Diagnosis of Elevated Blood Pressure in Children. <i>American Journal of Hypertension</i> , <b>2018</b> , 31, 1059-1065	2.3	3
45	Association between glutathione S-transferase M1 polymorphism and urinary sodium excretion in a Brazilian population. <i>American Journal of Hypertension</i> , <b>2013</b> , 26, 1024-9	2.3	3
44	Psychometric performance of the brazilian version of the Mini-cuestionario de calidad de vida en la hipertensi3n arterial (MINICHAL). <i>Revista Latino-Americana De Enfermagem</i> , <b>2011</b> , 19, 855-64	1.5	3
43	Relationship Between Circulating MicroRNAs and Left Ventricular Hypertrophy in Hypertensive Patients.. <i>Frontiers in Cardiovascular Medicine</i> , <b>2022</b> , 9, 798954	5.4	3
42	A new modified blood pressure-to-height ratio also simplifies the identification of high blood pressure in American children. <i>Hypertension Research</i> , <b>2017</b> , 40, 792-793	4.7	2
41	P-wave duration is a predictor for long-term mortality in post-CABG patients. <i>PLoS ONE</i> , <b>2018</b> , 13, e0199378	3.7	2
40	Statin Short-term Inhibition of Insulin Sensitivity and Secretion During Acute Phase of ST-Elevation Myocardial Infarction. <i>Scientific Reports</i> , <b>2019</b> , 9, 16401	4.9	2
39	Extensive skin necrosis induced by low-molecular-weight heparin in a patient with systemic lupus erythematosus and antiphospholipid syndrome. <i>Journal of Clinical Rheumatology</i> , <b>2012</b> , 18, 196-8	1.1	2
38	The Reciprocal Relationship between LDL Metabolism and Type 2 Diabetes Mellitus.. <i>Metabolites</i> , <b>2021</b> , 11,	5.6	2
37	Brazilian Position Statement on Resistant Hypertension - 2020. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2020</b> , 114, 576-596	1.2	2
36	Bioinformatics analysis of circulating miRNAs related to cancer following spinal cord injury. <i>Bioscience Reports</i> , <b>2019</b> , 39,	4.1	2
35	Serum potassium levels provide prognostic information in symptomatic heart failure beyond traditional clinical variables. <i>ESC Heart Failure</i> , <b>2021</b> , 8, 2133-2143	3.7	2
34	Left Ventricular Concentric Geometric Patterns Are Associated With Worse Prognosis Among Patients With Type-A Aortic Dissection. <i>Journal of the American Heart Association</i> , <b>2021</b> , 10, e018273	6	2
33	The impact of changing home blood pressure monitoring cutoff from 135/85 to 130/80 mmHg on hypertension phenotypes. <i>Journal of Clinical Hypertension</i> , <b>2021</b> , 23, 1447-1451	2.3	2



32	ST-elevation myocardial infarction risk in the very elderly. <i>BBA Clinical</i> , <b>2016</b> , 6, 108-12		2
31	Noninvasive imaging assessment of rehabilitation therapy in heart failure with preserved and reduced left ventricular ejection fraction (IMAGING-REHAB-HF): design and rationale. <i>Therapeutic Advances in Chronic Disease</i> , <b>2019</b> , 10, 2040622319868376	4.9	1
30	Intensive treatment of hyperglycemia in the acute phase of myocardial infarction: the tenuous balance between effectiveness and safety - a systematic review and meta-analysis of randomized clinical trials. <i>Revista Da Associação Médica Brasileira</i> , <b>2019</b> , 65, 24-32	1.4	1
29	Prevalence, treatment, and control of dyslipidemia in diabetic participants of two brazilian cohorts: a place far from heaven. <i>Revista Da Associação Médica Brasileira</i> , <b>2019</b> , 65, 3-8	1.4	1
28	Response to "the correlation between modified blood pressure to height ratio and age in Han children". <i>American Journal of Hypertension</i> , <b>2015</b> , 28, 286	2.3	1
27	Association of left ventricular strain and E/eQratio with carotid wall layers. <i>Atherosclerosis</i> , <b>2020</b> , 310, 109-110	3.1	1
26	Adverse outcome has a U-shaped relation with acute phase change in insulin sensitivity after ST-Elevation Myocardial Infarction. <i>International Journal of Cardiology</i> , <b>2018</b> , 254, 16-22	3.2	1
25	Mannose-binding lectin (MBL2) polymorphisms and inflammation in hypertensive patients. <i>International Journal of Immunogenetics</i> , <b>2011</b> , 38, 525-7	2.3	1
24	Successful accomplishment of educational goals with clinical experience at public primary care facilities. <i>Medical Teacher</i> , <b>2007</b> , 29, 600-5	3	1
23	Phospholipid transfer protein activity in two cholestatic patients. <i>Sao Paulo Medical Journal</i> , <b>2004</b> , 122, 175-7	1.6	1
22	Zinc deficiency leading to intractable vomiting. <i>Archives of Internal Medicine</i> , <b>2002</b> , 162, 2376-7		1
21	A man with chronic facial swelling. <i>Lancet, The</i> , <b>2000</b> , 355, 1516	40	1
20	What are the Optimal Reference Values for Home Blood Pressure Monitoring?. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2021</b> , 116, 501-503	1.2	1
19	Ambulatory blood pressure phenotypes and isolated elevation of office central or brachial blood pressure. <i>Journal of Clinical Hypertension</i> , <b>2020</b> , 22, 1936-1940	2.3	1
18	Dapagliflozin increases the lean-to total mass ratio in type 2 diabetes mellitus. <i>Nutrition and Diabetes</i> , <b>2021</b> , 11, 17	4.7	1
17	Glucose-lowering Drugs and Hospitalization for Heart Failure: A Systematic Review and Additive-effects Network Meta-analysis With More Than 500 000 Patient-years. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, 3060-3067	5.6	1
16	Distinct factors are related to lower limb atherosclerosis in smokers and nonsmokers. <i>Journal of Hypertension</i> , <b>2018</b> , 36, 2390-2397	1.9	1
15	Cardiac magnetic resonance assessment of right ventricular remodeling after anthracycline therapy. <i>Scientific Reports</i> , <b>2021</b> , 11, 17132	4.9	1

14	Dapagliflozin increases retinal thickness in type 2 diabetic patients as compared with glibenclamide: A randomized controlled trial. <i>Diabetes and Metabolism</i> , <b>2021</b> , 47, 101280	5.4	1
13	Rationale and design of the Brazilian Diabetes Study: a prospective cohort of type 2 diabetes.. <i>Current Medical Research and Opinion</i> , <b>2022</b> , 1-13	2.5	1
12	Discrepancies in the diagnosis of hypertension in adolescents according to available office and home high blood pressure criteria. <i>Journal of Clinical Hypertension</i> , <b>2021</b> ,	2.3	1
11	Hip circumference is associated with high density lipoprotein cholesterol response following statin therapy in hypertensive subjects. <i>Journal of Endocrinological Investigation</i> , <b>2011</b> , 34, 680-4	5.2	1
10	Statin Use in the Early Phase of ST-Segment Elevation Myocardial Infarction Is Associated With Decreased QTc Dispersion. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , <b>2020</b> , 25, 226-231	2.6	0
9	Impact of Hypertension History and Blood Pressure at Presentation on Cardiac Remodeling and Mortality in Aortic Dissection.. <i>Frontiers in Cardiovascular Medicine</i> , <b>2021</b> , 8, 803283	5.4	0
8	Dapagliflozin reduces adiposity and increases adiponectin in patients with type 2 diabetes and atherosclerotic disease at short-term: An active-controlled randomised trial. <i>Diabetes and Metabolism</i> , <b>2021</b> , 48, 101304	5.4	0
7	Pharmacological Treatment of Hypertension: From the Golden Trio to the Octet. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2020</b> , 115, 270-272	1.2	0
6	Cardiovascular safety of naltrexone and bupropion therapy: Systematic review and meta-analyses. <i>Obesity Reviews</i> , <b>2021</b> , 22, e13224	10.6	0
5	Impact of emergency short-stay unit opening on in-hospital global and cardiology indicators. <i>Journal of Evaluation in Clinical Practice</i> , <b>2021</b> , 27, 1262-1270	2.5	0
4	Onset of hypertension during pregnancy is associated with long-term worse blood pressure control and adverse cardiac remodeling. <i>Journal of the American Society of Hypertension</i> , <b>2014</b> , 8, 827-31		
3	Lung age is related to carotid structural alterations in hypertensive subjects. <i>Journal of the American Society of Hypertension</i> , <b>2014</b> , 8, 381-7		
2	Impact of leg blood pressure and body posture changes on aortic root diameter. <i>International Journal of Cardiology</i> , <b>2012</b> , 158, 131-2	3.2	
1	Prevalence of masked hypertension evaluated by home blood pressure monitoring in a large sample of patients with office blood pressure . <i>Blood Pressure Monitoring</i> , <b>2021</b> , 26, 224-229	1.3	