

Pan Chi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2396332/publications.pdf>

Version: 2024-02-01

34
papers

434
citations

759233

12
h-index

794594

19
g-index

34
all docs

34
docs citations

34
times ranked

636
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-term outcomes of laparoscopic surgery versus open resection for middle and lower rectal cancer: an NTCLES study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011, 25, 3175-3182.	2.4	41
2	Hypermethylated and downregulated MEIS2 are involved in stemness properties and oxaliplatin-based chemotherapy resistance of colorectal cancer. <i>Journal of Cellular Physiology</i> , 2019, 234, 18180-18191.	4.1	31
3	The impact of circumferential tumour location on the clinical outcome of rectal cancer patients managed with neoadjuvant chemoradiotherapy followed by total mesorectal excision. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1118-1123.	1.0	29
4	Laparoscopic Transabdominal Approach Partial Intersphincteric Resection for Low Rectal Cancer: Surgical Feasibility and Intermediate-Term Outcome. <i>Annals of Surgical Oncology</i> , 2015, 22, 944-951.	1.5	28
5	A nomogram to predict distant metastasis after neoadjuvant chemoradiotherapy and radical surgery in patients with locally advanced rectal cancer. <i>Journal of Surgical Oncology</i> , 2017, 115, 462-469.	1.7	26
6	Prognostic significance of neoadjuvant rectal score in locally advanced rectal cancer after neoadjuvant chemoradiotherapy and construction of a prediction model. <i>Journal of Surgical Oncology</i> , 2018, 117, 737-744.	1.7	26
7	Identification of <i>HOXB8</i> and <i>KLK11</i> expression levels as potential biomarkers to predict the effects of FOLFOX4 chemotherapy. <i>Future Oncology</i> , 2013, 9, 727-736.	2.4	24
8	Establishment of a Predictive Genetic Model for Estimating Chemotherapy Sensitivity of Colorectal Cancer with Synchronous Liver Metastasis. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2013, 28, 552-558.	1.0	21
9	Subtotal colectomy, extended right hemicolectomy, left hemicolectomy, or splenic flexure colectomy for splenic flexure tumors: a network meta-analysis. <i>International Journal of Colorectal Disease</i> , 2021, 36, 311-322.	2.2	21
10	Coexpression network analysis linked H2AFJ to chemoradiation resistance in colorectal cancer. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 10351-10362.	2.6	20
11	A scoring system to predict inferior mesenteric artery lymph node metastasis and prognostic value of its involvement in rectal cancer. <i>International Journal of Colorectal Disease</i> , 2014, 29, 293-300.	2.2	17
12	Effect of Interval between Neoadjuvant Chemoradiotherapy and Surgery on Oncological Outcome for Rectal Cancer: A Systematic Review and Meta-Analysis. <i>Gastroenterology Research and Practice</i> , 2016, 2016, 1-13.	1.5	16
13	Defining and predicting early recurrence in patients with locally advanced rectal cancer treated with neoadjuvant chemoradiotherapy. <i>European Journal of Surgical Oncology</i> , 2020, 46, 2057-2063.	1.0	14
14	Survival outcome of adjuvant radiotherapy after local excision for T2 early rectal cancer: An analysis based on the surveillance, epidemiology, and end result registry database. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1865-1872.	1.0	13
15	Timing to achieve the best recurrence-free survival after neoadjuvant chemoradiotherapy in locally advanced rectal cancer: experience in a large-volume center in China. <i>International Journal of Colorectal Disease</i> , 2021, 36, 1007-1016.	2.2	12
16	Risk Factors for Early Postoperative Small Bowel Obstruction after Elective Colon Cancer Surgery: An Observational Study of 1,244 Consecutive Patients. <i>Digestive Surgery</i> , 2018, 35, 49-54.	1.2	11
17	Overexpressed CES2 has prognostic value in CRC and knockdown CES2 reverses L-OHP-resistance in CRC cells by inhibition of the PI3K signaling pathway. <i>Experimental Cell Research</i> , 2020, 389, 111856.	2.6	10
18	Incidence of and Risk Factors for Gastroepiploic Lymph Node Involvement in Patients with Cancer of the Transverse Colon Including the Hepatic Flexure. <i>World Journal of Surgery</i> , 2021, 45, 1514-1525.	1.6	10

#	ARTICLE	IF	CITATIONS
19	Prognostic significance of carcinoembryonic antigen combined with carbohydrate antigen 19â€9 following neoadjuvant chemoradiotherapy in patients with locally advanced rectal cancer. <i>Colorectal Disease</i> , 2021, 23, 2320-2330.	1.4	9
20	FBXW4 Acts as a Protector of FOLFOX-Based Chemotherapy in Metastatic Colorectal Cancer Identified by Co-Expression Network Analysis. <i>Frontiers in Genetics</i> , 2020, 11, 113.	2.3	8
21	Pretreatment Tumor Thickness as a Predictor of Pathologic Complete Response to Neoadjuvant Chemoradiation Therapy for Stage II/III Rectal Adenocarcinoma. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2018, 41, 601-606.	1.3	7
22	<p>A Four Gene-Based Risk Score System Associated with Chemoradiotherapy Response and Tumor Recurrence in Rectal Cancer by Co-Expression Network Analysis</p>. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 6721-6733.	2.0	7
23	Pelvimetric and Nutritional Factors Predicting Surgical Difficulty in Laparoscopic Resection for Rectal Cancer Following Preoperative Chemoradiotherapy. <i>World Journal of Surgery</i> , 2021, 45, 2261-2269.	1.6	7
24	Completely Abdominal Approach Laparoscopic Partial Intersphincteric Resection After Neoadjuvant Chemoradiation for Initial cT3 Juxta-Anal Rectal Cancer. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2019, 29, 809-816.	1.0	6
25	Development and validation of artificial intelligence models for preoperative prediction of inferior mesenteric artery lymph nodes metastasis in left colon and rectal cancer. <i>European Journal of Surgical Oncology</i> , 2022, 48, 2475-2486.	1.0	6
26	A scoring system basing pathological parameters to predict regional lymph node metastasis after preoperative chemoradiotherapy for locally advanced rectal cancer: implication for local excision. <i>Oncotarget</i> , 2016, 7, 78487-78498.	1.8	5
27	Surgical Treatment of SplenicFlexure Colon Cancer: Analysisof Short-Term and Long-Term Outcomes of Three DifferentSurgical Procedures. <i>Frontiers in Oncology</i> , 0, 12, .	2.8	4
28	Individualized conditional survival nomograms for patients with locally advanced rectal cancer treated with neoadjuvant chemoradiotherapy and radical surgery. <i>European Journal of Surgical Oncology</i> , 2021, 47, 3175-3181.	1.0	3
29	Chylous ascites after complete mesocolic excision for rightâ€sided colon cancer with D3 lymphadenectomy: Aâ€retrospective cohortâ€study. <i>Colorectal Disease</i> , 2022, 24, 461-469.	1.4	1
30	Effect of partial preservation versus complete preservation of Denonvilliersâ€™ fascia on postoperative urogenital function in male patients with low rectal cancer (PREDICTION): protocol of a multicentre, prospective, randomised controlled clinical trial. <i>BMJ Open</i> , 2022, 12, e055355.	1.9	1
31	Reply to: The impact of circumferential tumor location on the clinical outcomes of rectal cancers receiving neoadjuvant chemoradiation and surgery-does is really matter?. <i>European Journal of Surgical Oncology</i> , 2020, 46, 2341-2342.	1.0	0
32	Data on patterns of initial recurrence after curative surgery for rectal cancer with neoadjuvant therapy. <i>Data in Brief</i> , 2020, 32, 106212.	1.0	0
33	Reactivation of oncogenes involved in G1/S transcription and apoptosis pathways by low dose decitabine promotes HT29 human colon cancer cell growth in vitro. <i>American Journal of Translational Research (discontinued)</i> , 2020, 12, 7938-7952.	0.0	0
34	Chylous ascites has a higher incidence after robotic surgery and is associated with poor recurrence-free survival after rectal cancer surgery. <i>Chinese Medical Journal</i> , 2022, 135, 164-171.	2.3	0