Robert Desnick

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/239646/publications.pdf

Version: 2024-02-01

280 papers

22,659 citations

82 h-index 141 g-index

299 all docs

299 docs citations

times ranked

299

16005 citing authors

#	Article	IF	CITATIONS
1	Acute Hepatic Porphyrias: "Purple Flagsâ€â€"Clinical Features That Should Prompt Specific Diagnostic Testing. American Journal of the Medical Sciences, 2022, 363, 1-10.	0.4	7
2	Hepatocellular Carcinoma in Acute Hepatic Porphyrias: Results from the Longitudinal Study of the U.S. Porphyrias Consortium. Hepatology, 2021, 73, 1736-1746.	3.6	32
3	Agalsidase beta treatment slows estimated glomerular filtration rate loss in classic Fabry disease patients: results from an individual patient data meta-analysis. CKJ: Clinical Kidney Journal, 2021, 14, 1136-1146.	1.4	9
4	Inherited Porphyrias. , 2021, , 373-411.		1
5	Expression Profiling Identifies TWIST2 Target Genes in Setleis Syndrome Patient Fibroblast and Lymphoblast Cells. International Journal of Environmental Research and Public Health, 2021, 18, 1997.	1.2	3
6	Heme Biosynthesis and the Porphyrias in Children. , 2021, , 530-547.		0
7	ZFN-mediated inÂvivo gene editing in hepatocytes leads to supraphysiologic α-Gal A activity and effective substrate reduction in Fabry mice. Molecular Therapy, 2021, 29, 3230-3242.	3.7	9
8	Erythropoietic protoporphyria: time to prodrome, the warning signal to exit sun exposure without painâ€"a patient-reported outcome efficacy measure. Genetics in Medicine, 2021, 23, 1616-1623.	1.1	10
9	ABCB6 Polymorphisms are not Overly Represented in Patients with Porphyria. Blood Advances, 2021, , .	2.5	2
10	Evaluating the Patient-Reported Outcomes Measurement Information System scales in acute intermittent porphyria. Genetics in Medicine, 2020, 22, 590-597.	1.1	8
11	EXPLORE: A Prospective, Multinational, Natural History Study of Patients with Acute Hepatic Porphyria with Recurrent Attacks. Hepatology, 2020, 71, 1546-1558.	3.6	103
12	Porphyric Neuropathy: Pathophysiology, Diagnosis, and Updated Management. Current Neurology and Neuroscience Reports, 2020, 20, 56.	2.0	17
13	5-Aminolevulinate dehydratase porphyria: Update on hepatic 5-aminolevulinic acid synthase induction and long-term response to hemin. Molecular Genetics and Metabolism, 2020, 131, 418-423.	0.5	11
14	Phased Haplotype Resolution of the SLC6A4 Promoter Using Long-Read Single Molecule Real-Time (SMRT) Sequencing. Genes, 2020, 11, 1333.	1.0	5
15	AAV2/6 Gene Therapy in a Murine Model of Fabry Disease Results in Supraphysiological Enzyme Activity and Effective Substrate Reduction. Molecular Therapy - Methods and Clinical Development, 2020, 18, 607-619.	1.8	29
16	Diagnostic yield and clinical utility of whole exome sequencing using an automated variant prioritization system, <scp>EVIDENCE</scp> . Clinical Genetics, 2020, 98, 562-570.	1.0	76
17	Human aminolevulinate synthase structure reveals a eukaryotic-specific autoinhibitory loop regulating substrate binding and product release. Nature Communications, 2020, 11, 2813.	5.8	25
18	Severe hydroxymethylbilane synthase deficiency causes depression-like behavior and mitochondrial dysfunction in a mouse model of homozygous dominant acute intermittent porphyria. Acta Neuropathologica Communications, 2020, 8, 38.	2.4	5

#	Article	IF	CITATIONS
19	A novel approach to conducting clinical trials in the community setting: utilizing patient-driven platforms and social media to drive web-based patient recruitment. BMC Medical Research Methodology, 2020, 20, 58.	1.4	20
20	Fabry disease: α-galactosidase A deficiency. , 2020, , 575-587.		2
21	Erythropoietic Protoporphyria: Phase 2 Clinical Trial Results Evaluating the Safety and Effectiveness of Dersimelagon (MT-7117), an Oral MC1R Agonist. Blood, 2020, 136, 51-51.	0.6	8
22	Fabry disease., 2019,, 287-292.		0
23	The New York pilot newborn screening program for lysosomal storage diseases: Report of the First 65,000 Infants. Genetics in Medicine, 2019, 21, 631-640.	1.1	113
24	Congenital erythropoietic porphyria: Recent advances. Molecular Genetics and Metabolism, 2019, 128, 288-297.	0.5	45
25	Murine models of the human porphyrias: Contributions toward understanding disease pathogenesis and the development of new therapies. Molecular Genetics and Metabolism, 2019, 128, 332-341.	0.5	12
26	International Porphyria Molecular Diagnostic Collaborative: an evidence-based database of verified pathogenic and benign variants for the porphyrias. Genetics in Medicine, 2019, 21, 2605-2613.	1.1	16
27	Harderoporphyria: Case of lifelong photosensitivity associated with compound heterozygous coproporphyrinogen oxidase (CPOX) mutations. Molecular Genetics and Metabolism Reports, 2019, 19, 100457.	0.4	2
28	Phase 1 Trial of an RNA Interference Therapy for Acute Intermittent Porphyria. New England Journal of Medicine, 2019, 380, 549-558.	13.9	194
29	Identification and characterization of 40 novel hydroxymethylbilane synthase mutations that cause acute intermittent porphyria. Journal of Inherited Metabolic Disease, 2019, 42, 186-194.	1.7	17
30	Congenital erythropoietic porphyria and erythropoietic protoporphyria: Identification of 7 uroporphyrinogen III synthase and 20 ferrochelatase novel mutations. Molecular Genetics and Metabolism, 2019, 128, 358-362.	0.5	9
31	Strong correlation of ferrochelatase enzymatic activity with Mitoferrin-1 mRNA in lymphoblasts of patients with protoporphyria. Molecular Genetics and Metabolism, 2019, 128, 391-395.	0.5	7
32	Sex differences in vascular reactivity in mesenteric arteries from a mouse model of acute intermittent porphyria. Molecular Genetics and Metabolism, 2019, 128, 376-381.	0.5	16
33	Characterization of the hepatic transcriptome following phenobarbital induction in mice with AIP. Molecular Genetics and Metabolism, 2019, 128, 382-390.	0.5	7
34	Homozygous hydroxymethylbilane synthase knock-in mice provide pathogenic insights into the severe neurological impairments present in human homozygous dominant acute intermittent porphyria. Human Molecular Genetics, 2019, 28, 1755-1767.	1.4	17
35	Integrated CYP2D6 interrogation for multiethnic copy number and tandem allele detection. Pharmacogenomics, 2019, 20, 9-20.	0.6	9
36	Acute hepatic porphyrias: Identification of 46 hydroxymethylbilane synthase, 11 coproporphyrinogen oxidase, and 20 protoporphyrinogen oxidase novel mutations. Molecular Genetics and Metabolism, 2019, 128, 352-357.	0.5	2

#	Article	IF	CITATIONS
37	Therapies for Lysosomal Storage Diseases. , 2019, , 205-227.		1
38	Porphyria cutanea tarda and hepatoerythropoietic porphyria: Identification of 19 novel uroporphyrinogen III decarboxylase mutations. Molecular Genetics and Metabolism, 2019, 128, 363-366.	0.5	9
39	Recent advances on porphyria genetics: Inheritance, penetrance & mp; molecular heterogeneity, including new modifying/causative genes. Molecular Genetics and Metabolism, 2019, 128, 320-331.	0.5	59
40	Fabry disease revisited: Management and treatment recommendations for adult patients. Molecular Genetics and Metabolism, 2018, 123, 416-427.	0.5	391
41	Long-term Outcomes of Kidney Transplantation in Fabry Disease. Transplantation, 2018, 102, 1924-1933.	0.5	18
42	Human hydroxymethylbilane synthase: Molecular dynamics of the pyrrole chain elongation identifies step-specific residues that cause AIP. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E4071-E4080.	3.3	32
43	Fabry Disease: prevalence of affected males and heterozygotes with pathogenic <i>GLA</i> mutations identified by screening renal, cardiac and stroke clinics, 1995–2017. Journal of Medical Genetics, 2018, 55, 261-268.	1.5	91
44	Focal facial dermal dysplasia type 4: identification of novel CYP26C1 mutations in unrelated patients. Journal of Human Genetics, 2018, 63, 257-261.	1.1	3
45	Functional variants in the <i>LRRK2</i> gene confer shared effects on risk for Crohn's disease and Parkinson's disease. Science Translational Medicine, 2018, 10, .	5.8	273
46	Identification and characterization of 40 novel hydroxymethylbilane synthase mutations that cause acute intermittent porphyria. Journal of Inherited Metabolic Disease, 2018, 42, 186.	1.7	9
47	Identification of Fabry Disease in a Tertiary Referral Cohort of Patients with Hypertrophic Cardiomyopathy. American Journal of Medicine, 2018, 131, 200.e1-200.e8.	0.6	31
48	Reply. Hepatology, 2018, 67, 803-804.	3.6	0
49	Newborn screening for lysosomal storage disorders by tandem mass spectrometry in North East Italy. Journal of Inherited Metabolic Disease, 2018, 41, 209-219.	1.7	114
50	Parkinson's disease prevalence in Fabry disease: A survey study. Molecular Genetics and Metabolism Reports, 2018, 14, 27-30.	0.4	34
51	Design and validation of an open-source modular Microplate Photoirradiation System for high-throughput photobiology experiments. PLoS ONE, 2018, 13, e0203597.	1.1	5
52	Many pitfalls in diagnosis of acute intermittent porphyria: a case report. BMC Research Notes, 2018, 11, 552.	0.6	10
53	Multi-ethnicSULT1A1copy number profiling with multiplex ligation-dependent probe amplification. Pharmacogenomics, 2018, 19, 761-770.	0.6	9
54	Roscoe Owen Brady, MD: Remembrances of co-investigators and colleagues. Molecular Genetics and Metabolism, 2017, 120, 1-7.	0.5	3

#	Article	lF	CITATIONS
55	Types A and B Niemann-Pick disease. Molecular Genetics and Metabolism, 2017, 120, 27-33.	0.5	196
56	Acute hepatic porphyrias: Recommendations for evaluation and longâ€ŧerm management. Hepatology, 2017, 66, 1314-1322.	3.6	122
57	Clinical, Biochemical, and Genetic Characterization of North American Patients With Erythropoietic Protoporphyria and X-linked Protoporphyria. JAMA Dermatology, 2017, 153, 789.	2.0	70
58	Institutional profile: translational pharmacogenomics at the Icahn School of Medicine at Mount Sinai. Pharmacogenomics, 2017, 18, 1381-1386.	0.6	20
59	Fabry disease: characterisation of the plasma proteome pre- and post-enzyme replacement therapy. Journal of Medical Genetics, 2017, 54, 771-780.	1.5	20
60	Evolution of cardiac pathology in classic Fabry disease: Progressive cardiomyocyte enlargement leads to increased cell death and fibrosis, and correlates with severity of ventricular hypertrophy‬‬‬‬‬‬‬‬‬‬‬‬‬â	â € η 8 €¬.	13
61	Fabry Disease in Families With Hypertrophic Cardiomyopathy. Circulation: Cardiovascular Genetics, 2017, 10, .	5.1	17
62	Correlation of Lyso-Gb3 levels in dried blood spots and sera from patients with classic and Later-Onset Fabry disease. Molecular Genetics and Metabolism, 2017, 121, 320-324.	0.5	50
63	The focal facial dermal dysplasias: phenotypic spectrum and molecular genetic heterogeneity. Journal of Medical Genetics, 2017, 54, 585-590.	1.5	10
64	Early manifestations of type 1 Gaucher disease in presymptomatic children diagnosed after parental carrier screening. Genetics in Medicine, 2017, 19, 652-658.	1.1	19
65	Plasma LysoGb3: A useful biomarker for the diagnosis and treatment of Fabry disease heterozygotes. Molecular Genetics and Metabolism, 2017, 120, 57-61.	0.5	99
66	The validation of pharmacogenetics for the identification of Fabry patients to be treated with migalastat. Genetics in Medicine, 2017, 19, 430-438.	1.1	157
67	A Frameshift in CSF2RB Predominant Among Ashkenazi Jews Increases Risk for Crohn's Disease and Reduces Monocyte Signaling via GM-CSF. Gastroenterology, 2016, 151, 710-723.e2.	0.6	51
68	Exome sequencing of extreme clopidogrel response phenotypes identifies <i>B4GALT2</i> as a determinant of onâ€treatment platelet reactivity. Clinical Pharmacology and Therapeutics, 2016, 100, 287-294.	2.3	22
69	Long-Read Single Molecule Real-Time Full Gene Sequencing of Cytochrome P450-2D6. Human Mutation, 2016, 37, 315-323.	1.1	86
70	Later Onset Fabry Disease, Cardiac Damage Progress in Silence. Journal of the American College of Cardiology, 2016, 68, 2554-2563.	1.2	81
71	Response to "Letter to the Editor by Drs Block and Razani― Journal of Clinical Lipidology, 2016, 10, 1281-1282.	0.6	2
72	Experiences and concerns of patients with recurrent attacks of acute hepatic porphyria: A qualitative study. Molecular Genetics and Metabolism, 2016, 119, 278-283.	0.5	60

#	Article	IF	Citations
73	Xâ€chromosomal inactivation directly influences the phenotypic manifestation of Xâ€linked protoporphyria. Clinical Genetics, 2016, 89, 20-26.	1.0	25
74	Acute Intermittent Porphyria: Predicted Pathogenicity of <i>HMBS </i> Variants Indicates Extremely Low Penetrance of the Autosomal Dominant Disease. Human Mutation, 2016, 37, 1215-1222.	1.1	129
75	Acute Intermittent Porphyria in children: A case report and review of the literature. Molecular Genetics and Metabolism, 2016, 119, 295-299.	0.5	31
76	Genetics of GNE myopathy in the non-Jewish Persian population. European Journal of Human Genetics, 2016, 24, 243-251.	1.4	18
77	Focal Facial Dermal Dysplasias. , 2016, , 501-505.		1
78	Interim Data from a Randomized, Placebo Controlled, Phase 1 Study of Aln-AS1, an Investigational RNAi Therapeutic for the Treatment of Acute Hepatic Porphyria. Blood, 2016, 128, 2318-2318.	0.6	3
79	The D519G Polymorphism of Glyceronephosphate O-Acyltransferase Is a Risk Factor for Familial Porphyria Cutanea Tarda. PLoS ONE, 2016, 11, e0163322.	1.1	7
80	Efficacy of Enzyme and Substrate Reduction Therapy with a Novel Antagonist of Glucosylceramide Synthase for Fabry Disease. Molecular Medicine, 2015, 21, 389-399.	1.9	72
81	Liver Transplantation for Acute Intermittent Porphyria: Biochemical and Pathologic Studies of the Explanted Liver. Molecular Medicine, 2015, 21, 487-495.	1.9	51
82	Pitfalls in Erythrocyte Protoporphyrin Measurement for Diagnosis and Monitoring of Protoporphyrias. Clinical Chemistry, 2015, 61, 1453-1456.	1.5	29
83	Setleis syndrome due to inheritance of the 1p36.22p36.21 duplication: evidence for lack of penetrance. Journal of Human Genetics, 2015, 60, 717-722.	1.1	12
84	α-Galactosidase A Knockout Mice. American Journal of Pathology, 2015, 185, 651-665.	1.9	34
85	Afamelanotide for Erythropoietic Protoporphyria. New England Journal of Medicine, 2015, 373, 48-59.	13.9	206
86	Ten-year outcome of enzyme replacement therapy with agalsidase beta in patients with Fabry disease. Journal of Medical Genetics, 2015, 52, 353-358.	1.5	266
87	Quantitative and multiplexed DNA methylation analysis using long-read single-molecule real-time bisulfite sequencing (SMRT-BS). BMC Genomics, 2015, 16, 350.	1.2	68
88	Fabry Disease. , 2015, , 419-430.		3
89	Chromosome 1p36.22p36.21 duplications/triplication causes Setleis syndrome (focal facial dermal) Tj ETQq1 1 C).784314 i 0.7	rgBT/Overlo
90	Actionable exomic incidental findings in 6503 participants: challenges of variant classification. Genome Research, 2015, 25, 305-315.	2.4	313

#	Article	IF	CITATIONS
91	Preclinical Development of a Subcutaneous ALAS1 RNAi Therapeutic for Treatment of Hepatic Porphyrias Using Circulating RNA Quantification. Molecular Therapy - Nucleic Acids, 2015, 4, e263.	2.3	107
92	Setleis syndrome: clinical, molecular and structural studies of the first <scp>TWIST2</scp> missense mutation. Clinical Genetics, 2015, 88, 489-493.	1.0	12
93	RNAi-mediated silencing of hepatic $\langle i \rangle$ Alas $1 \langle i \rangle$ effectively prevents and treats the induced acute attacks in acute intermittent porphyria mice. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 7777-7782.	3.3	99
94	An Ashkenazi Jewish SMN1 haplotype specific to duplication alleles improves pan-ethnic carrier screening for spinal muscular atrophy. Genetics in Medicine, 2014, 16, 149-156.	1.1	64
95	Genome-wide mapping of IBD segments in an Ashkenazi PD cohort identifies associated haplotypes. Human Molecular Genetics, 2014, 23, 4693-4702.	1.4	49
96	Acute Porphyrias in the USA: Features of 108ÂSubjects from Porphyrias Consortium. American Journal of Medicine, 2014, 127, 1233-1241.	0.6	185
97	JCL Roundtable: Enzyme replacement therapy for lipid storage disorders. Journal of Clinical Lipidology, 2014, 8, 463-472.	0.6	3
98	Setleis Syndrome: Genetic and Clinical Findings in a New Case With Epilepsy. Pediatric Neurology, 2014, 50, 389-391.	1.0	3
99	Therapies for Lysosomal Storage Diseases. , 2013, , 1-30.		1
100	An Allele-Specific PCR System for Rapid Detection and Discrimination of the CYP2C19 \hat{a} -4A, \hat{a} -4B, and \hat{a} -17 Alleles. Journal of Molecular Diagnostics, 2013, 15, 783-789.	1.2	17
101	Diagnosis of feline acute intermittent porphyria presenting with erythrodontia requires molecular analyses. Veterinary Journal, 2013, 198, 720-722.	0.6	8
102	Multi-ethnic distribution of clinically relevant CYP2C genotypes and haplotypes. Pharmacogenomics Journal, 2013, 13, 369-377.	0.9	87
103	Extended haplotype association study in Crohn's disease identifies a novel, Ashkenazi Jewish-specific missense mutation in the NF-κB pathway gene, HEATR3. Genes and Immunity, 2013, 14, 310-316.	2.2	31
104	Focal facial dermal dysplasia, type IV, is caused by mutations in CYP26C1. Human Molecular Genetics, 2013, 22, 696-703.	1.4	41
105	Frequency of the cholesteryl ester storage disease common <i>LIPA</i> E8SJM mutation (c.894G>A) in various racial and ethnic groups. Hepatology, 2013, 58, 958-965.	3.6	85
106	Loss-of-Function Ferrochelatase and Gain-of-Function Erythroid-Specific 5-Aminolevulinate Synthase Mutations Causing Erythropoietic Protoporphyria and X-Linked Protoporphyria in North American Patients Reveal Novel Mutations and a High Prevalence of X-Linked Protoporphyria. Molecular Medicine, 2013, 19, 26-29.	1.9	74
107	Molecular Expression and Characterization of Erythroid-Specific 5-Aminolevulinate Synthase Gain-of-Function Mutations Causing X-Linked Protoporphyria. Molecular Medicine, 2013, 19, 18-25.	1.9	33
108	A Genome-Wide Scan of Ashkenazi Jewish Crohn's Disease Suggests Novel Susceptibility Loci. PLoS Genetics, 2012, 8, e1002559.	1.5	144

#	Article	IF	CITATIONS
109	Identification of CYP2C19*4B: pharmacogenetic implications for drug metabolism including clopidogrel responsiveness. Pharmacogenomics Journal, 2012, 12, 297-305.	0.9	40
110	The porphyrias: advances in diagnosis and treatment. Blood, 2012, 120, 4496-4504.	0.6	207
111	Copy number variation and warfarin dosing: evaluation of <i>CYP2C9 < /i>, <i>VKORC1 < /i>, <i>CYP4F2 < /i>, <i>GGCX < /i> and <i>CALU < /i>. Pharmacogenomics, 2012, 13, 297-307.</i></i></i></i></i>	0.6	13
112	Enzyme Replacement Therapy for Lysosomal Diseases: Lessons from 20 Years of Experience and Remaining Challenges. Annual Review of Genomics and Human Genetics, 2012, 13, 307-335.	2.5	229
113	Fabry Disease: Incidence of the Common Later-Onset α-Galactosidase A IVS4+919G→A Mutation in Taiwanese Newborns—Superiority of DNA-Based to Enzyme-Based Newborn Screening for Common Mutations. Molecular Medicine, 2012, 18, 780-784.	1.9	71
114	The porphyrias: advances in diagnosis and treatment. Hematology American Society of Hematology Education Program, 2012, 2012, 19-27.	0.9	34
115	Setleis syndrome in Mexican-Nahua sibs due to a homozygous TWIST2 frameshift mutation and partial expression in heterozygotes: review of the focal facial dermal dysplasias and subtype reclassification. Journal of Medical Genetics, 2011, 48, 716-720.	1.5	27
116	Increasing Tamoxifen Dose in Breast Cancer Patients Based on CYP2D6 Genotypes and Endoxifen Levels: Effect on Active Metabolite Isomers and the Antiestrogenic Activity Score. Clinical Pharmacology and Therapeutics, 2011, 90, 605-611.	2.3	73
117	Nonsense mutations of the bHLH transcription factor TWIST2 found in Setleis Syndrome patients cause dysregulation of periostin. International Journal of Biochemistry and Cell Biology, 2011, 43, 1523-1531.	1.2	18
118	Diagnostic dilemma: A young woman with Fabry disease symptoms, no family history, and a "sequencing crypticâ€Î±-galactosidase a large deletion. Molecular Genetics and Metabolism, 2011, 104, 314-318.	0.5	11
119	Tay-Sachs disease in an Arab family due to c.78G>A HEXA nonsense mutation encoding a p.W26X early truncation enzyme peptide. Molecular Genetics and Metabolism, 2011, 104, 700-702.	0.5	8
120	CYP1A2*1F and GSTM1 Alleles Are Associated with Susceptibility to Porphyria Cutanea Tarda. Molecular Medicine, 2011, 17, 241-247.	1.9	19
121	Congenital Erythropoietic Porphyria: Characterization of Murine Models of the Severe Common (C73R/C73R) and Later-Onset Genotypes. Molecular Medicine, 2011, 17, 748-756.	1.9	10
122	Harderoporphyria due to homozygosity for coproporphyrinogen oxidase missense mutation H327R. Journal of Inherited Metabolic Disease, 2011, 34, 225-231.	1.7	22
123	Gaucher disease: when molecular testing and clinical presentation disagree -the novel c.1226A>G(p.N370S)RecNcil allele. Journal of Inherited Metabolic Disease, 2011, 34, 789-793.	1.7	9
124	Evaluation of 22 genetic variants with Crohn's Disease risk in the Ashkenazi Jewish population: a case-control study. BMC Medical Genetics, 2011, 12, 63.	2.1	41
125	Detection of large gene rearrangements in X-linked genes by dosage analysis: identification of novel α-galactosidase A (GLA) deletions causing Fabry disease. Human Mutation, 2011, 32, 688-695.	1.1	13
126	A LC–MS/MS method for the specific, sensitive, and simultaneous quantification of 5-aminolevulinic acid and porphobilinogen. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 2389-2396.	1.2	37

#	Article	IF	Citations
127	Identification of two HEXA mutations causing infantile-onset Tay–Sachs disease in the Persian population. Journal of Human Genetics, 2011, 56, 682-684.	1.1	5
128	Congenital erythropoietic porphyria: a novel uroporphyrinogen III synthase branchpoint mutation reveals underlying wild-type alternatively spliced transcripts. Blood, 2010, 115, 1062-1069.	0.6	15
129	Homozygous Nonsense Mutations in TWIST2 Cause Setleis Syndrome. American Journal of Human Genetics, 2010, 87, 289-296.	2.6	65
130	Experience with carrier screening and prenatal diagnosis for 16 Ashkenazi Jewish genetic diseases. Human Mutation, 2010, 31, 1240-1250.	1.1	125
131	Feline Congenital Erythropoietic Porphyria: Two Homozygous UROS Missense Mutations Cause the Enzyme Deficiency and Porphyrin Accumulation. Molecular Medicine, 2010, 16, 381-388.	1.9	23
132	Feline acute intermittent porphyria: a phenocopy masquerading as an erythropoietic porphyria due to dominant and recessive hydroxymethylbilane synthase mutations. Human Molecular Genetics, 2010, 19, 584-596.	1.4	32
133	The Pharmacological Chaperone 1-Deoxygalactonojirimycin Reduces Tissue Globotriaosylceramide Levels in a Mouse Model of Fabry Disease. Molecular Therapy, 2010, 18, 23-33.	3.7	126
134	Combined <i>CYP2C9</i> , <i>VKORC1</i> and <i>CYP4F2</i> frequencies among racial and ethnic groups. Pharmacogenomics, 2010, 11, 781-791.	0.6	146
135	Hepatoerythropoietic Porphyria Misdiagnosed as Child Abuse. Archives of Dermatology, 2010, 146, 529-33.	1.7	11
136	AAV8-mediated Gene Therapy Prevents Induced Biochemical Attacks of Acute Intermittent Porphyria and Improves Neuromotor Function. Molecular Therapy, 2010, 18, 17-22.	3.7	52
137	Type 1 Gaucher Disease. Archives of Internal Medicine, 2010, 170, 1463-9.	4.3	58
138	Tamoxifen Metabolite Isomer Separation and Quantification by Liquid Chromatographyâ^'Tandem Mass Spectrometry. Analytical Chemistry, 2010, 82, 10186-10193.	3.2	28
139	Pompe disease: Dramatic improvement in gastrointestinal function following enzyme replacement therapy. A report of three later-onset patients. Molecular Genetics and Metabolism, 2010, 101, 130-133.	0.5	52
140	Newborn screening for Fabry disease in Taiwan reveals a high incidence of the later-onset <i>GLA</i> mutation c.936+919G>A (IVS4+919G>A). Human Mutation, 2009, 30, 1397-1405.	1.1	299
141	Fabry disease: progression of nephropathy, and prevalence of cardiac and cerebrovascular events before enzyme replacement therapy. Nephrology Dialysis Transplantation, 2009, 24, 2102-2111.	0.4	297
142	Genomics and personalized medicine: a perspective. Personalized Medicine, 2009, 6, 135-137.	0.8	0
143	Identification and Characterization of Feline Acute Intermittent Porphyria: The First Naturally-Occurring Animal Model Blood, 2009, 114, 3014-3014.	0.6	О
144	Human uroporphyrinogen III synthase: NMRâ€based mapping of the active site. Proteins: Structure, Function and Bioinformatics, 2008, 71, 855-873.	1.5	16

#	Article	IF	CITATIONS
145	Warfarin Pharmacogenetics: CYP2C9 and VKORC1 Genotypes Predict Different Sensitivity and Resistance Frequencies in the Ashkenazi and Sephardi Jewish Populations. American Journal of Human Genetics, 2008, 82, 495-500.	2.6	122
146	Sustained, Long-Term Renal Stabilization After 54 Months of Agalsidase \hat{l}^2 Therapy in Patients with Fabry Disease. Journal of the American Society of Nephrology: JASN, 2007, 18, 1547-1557.	3.0	396
147	<i>CYP2C9</i> , <i>CYP2C19</i> and <i>CYP2D6</i> allele frequencies in the Ashkenazi Jewish population. Pharmacogenomics, 2007, 8, 721-730.	0.6	43
148	Agalsidase-Beta Therapy for Advanced Fabry Disease. Annals of Internal Medicine, 2007, 146, 77.	2.0	493
149	Type 1 Gaucher disease: null and hypomorphic novel chitotriosidase mutations-implications for diagnosis and therapeutic monitoring. Human Mutation, 2007, 28, 866-873.	1.1	52
150	Acute intermittent porphyria: vector optimization for gene therapy. Journal of Gene Medicine, 2007, 9, 806-811.	1.4	6
151	Prenatal diagnosis of Fabry disease. Prenatal Diagnosis, 2007, 27, 693-694.	1.1	36
152	High Incidence of Later-Onset Fabry Disease Revealed by Newborn Screening*. American Journal of Human Genetics, 2006, 79, 31-40.	2.6	842
153	Fabry disease: Identification of 50 novel \hat{l}_{\pm} -galactosidase A mutations causing the classic phenotype and three-dimensional structural analysis of 29 missense mutations. Human Genomics, 2006, 2, 297.	1.4	130
154	Fabry disease: clinical spectrum and evidence-based enzyme replacement therapy. Nephrologie Et Therapeutique, 2006, 2 Suppl 2, S172-85.	0.2	8
155	Detection of ?-galactosidase a mutations causing fabry disease by denaturing high performance liquid chromatography. Human Mutation, 2005, 25, 299-305.	1.1	51
156	Gastrointestinal manifestations of Fabry disease: Clinical response to enzyme replacement therapy. Molecular Genetics and Metabolism, 2005, 85, 255-259.	0.5	73
157	Recommendations for the Diagnosis and Treatment of the Acute Porphyrias. Annals of Internal Medicine, 2005, 142, 439.	2.0	485
158	Acute Intermittent Porphyria. Archives of Neurology, 2004, 61, 1764.	4.9	92
159	AAV2 Vector Harboring a Liver-Restricted Promoter Facilitates Sustained Expression of Therapeutic Levels of $\hat{l}\pm$ -Galactosidase A and the Induction of Immune Tolerance in Fabry Mice. Molecular Therapy, 2004, 9, 231-240.	3.7	127
160	Fabry disease: renal involvement limited to podocyte pathology and proteinuria in a septuagenarian cardiac variant. Pathologic and therapeutic implications. American Journal of Kidney Diseases, 2004, 43, 164-171.	2.1	43
161	Enzyme replacement therapy for Fabry disease: lessons from two $\hat{l}\pm$ -galactosidase A orphan products and one FDA approval. Expert Opinion on Biological Therapy, 2004, 4, 1167-1176.	1.4	99
162	Cystic fibrosis population carrier screening: 2004 revision of American College of Medical Genetics mutation panel. Genetics in Medicine, 2004, 6, 387-391.	1.1	413

#	Article	IF	CITATIONS
163	Fabry disease in childhood. Journal of Pediatrics, 2004, 144, S20-S26.	0.9	96
164	Long-Term Safety and Efficacy of Enzyme Replacement Therapyfor Fabry Disease. American Journal of Human Genetics, 2004, 75, 65-74.	2.6	394
165	Premarital and prenatal screening for cystic fibrosis: Experience in the Ashkenazi Jewish population. Genetics in Medicine, 2004, 6, 415-420.	1.1	26
166	Cystic fibrosis carrier screening: Validation of a novel method using BeadChip technology. Genetics in Medicine, 2004, 6, 431-438.	1.1	20
167	Fabry disease: Characterization of ?-galactosidase A double mutations and the D313Y plasma enzyme pseudodeficiency allele. Human Mutation, 2003, 22, 486-492.	1.1	133
168	Fabry disease: Detection of undiagnosed hemodialysis patients and identification of a "renal variant― phenotype1. Kidney International, 2003, 64, 801-807.	2.6	368
169	Genetic homogeneity and phenotypic variability among Ashkenazi Jews with Usher syndrome type III. Journal of Medical Genetics, 2003, 40, 767-772.	1.5	97
170	A Mutation of PCDH15 among Ashkenazi Jews with the Type 1 Usher Syndrome. New England Journal of Medicine, 2003, 348, 1664-1670.	13.9	142
171	Fabry Disease, an Under-Recognized Multisystemic Disorder: Expert Recommendations for Diagnosis, Management, and Enzyme Replacement Therapy. Annals of Internal Medicine, 2003, 138, 338.	2.0	619
172	Alternative Splicing in the \hat{I}_{\pm} -Galactosidase A Gene: Increased Exon Inclusion Results in the Fabry Cardiac Phenotype. American Journal of Human Genetics, 2002, 70, 994-1002.	2.6	146
173	Carrier Screening for Mucolipidosis Type IV in the American Ashkenazi Jewish Population. American Journal of Human Genetics, 2002, 70, 1023-1027.	2.6	35
174	Fabry disease: 45 novel mutations in the \hat{l}_{\pm} -galactosidase A gene causing the classical phenotype. Molecular Genetics and Metabolism, 2002, 76, 23-30.	0.5	86
175	Familial dysautonomia: Detection of thelKBKAP IVS20+6T? C and R696P mutations and frequencies among Ashkenazi Jews. American Journal of Medical Genetics Part A, 2002, 110, 253-257.	2.4	56
176	Globotriaosylceramide accumulation in the Fabry kidney is cleared from multiple cell types after enzyme replacement therapy. Kidney International, 2002, 62, 1933-1946.	2.6	291
177	Congenital erythropoietic porphyria: advances in pathogenesis and treatment. British Journal of Haematology, 2002, 117, 779-795.	1.2	108
178	Congenital erythropoietic porphyria: identification and expression of eight novel mutations in the uroporphyrinogen III synthase gene. British Journal of Haematology, 2002, 117, 980-987.	1.2	35
179	Enzyme replacement and enhancement therapies: lessons from lysosomal disorders. Nature Reviews Genetics, 2002, 3, 954-966.	7.7	254
180	Safety and Efficacy of Recombinant Human \hat{l}_{\pm} -Galactosidase A Replacement Therapy in Fabry's Disease. New England Journal of Medicine, 2001, 345, 9-16.	13.9	1,433

#	Article	IF	CITATIONS
181	Laboratory standards and guidelines for population-based cystic fibrosis carrier screening. Genetics in Medicine, 2001, 3, 149-154.	1.1	440
182	Treatment of severe congenital erythropoietic porphyria by bone marrow transplantation. Journal of the American Academy of Dermatology, 2001, 45, 279-282.	0.6	63
183	Fabry Disease: Preclinical Studies Demonstrate the Effectiveness of $\hat{I}\pm$ -Galactosidase A Replacement in Enzyme-Deficient Mice. American Journal of Human Genetics, 2001, 68, 14-25.	2.6	182
184	A Phase 1/2 Clinical Trial of Enzyme Replacement in Fabry Disease: Pharmacokinetic, Substrate Clearance, and Safety Studies. American Journal of Human Genetics, 2001, 68, 711-722.	2.6	350
185	PRENATAL GENETIC SCREENING IN THE ASHKENAZI JEWISH POPULATION. Clinics in Perinatology, 2001, 28, 367-382.	0.8	12
186	22. Experiences in molecular-based prenatal screening for Ashkenazi Jewish genetic diseases. Advances in Genetics, 2001, 44, 275-296.	0.8	15
187	Mutation of the matrix metalloproteinase 2 gene (MMP2) causes a multicentric osteolysis and arthritis syndrome. Nature Genetics, 2001, 28, 261-265.	9.4	277
188	Cystic fibrosis population carrier screening: Here at lastâ€"Are we ready?. Genetics in Medicine, 2001, 3, 87-90.	1.1	29
189	Uroporphyrinogen III synthase erythroid promoter mutations in adjacent GATA1 and CP2 elements cause congenital erythropoietic porphyria. Journal of Clinical Investigation, 2001, 107, 753-762.	3.9	85
190	Malignant fibrous histiocytoma: Inherited and sporadic forms have loss of heterozygosity at chromosome bands 9p21-22?evidence for a common genetic defect. Genes Chromosomes and Cancer, 2000, 27, 191-195.	1.5	36
191	Inherited multicentric osteolysis with arthritis: A variant resembling Torg syndrome in a Saudi family. American Journal of Medical Genetics Part A, 2000, 93, 11-18.	2.4	59
192	Gaucher disease: expression and characterization of mild and severe acid \hat{l}^2 -glucosidase mutations in Portuguese type 1 patients. European Journal of Human Genetics, 2000, 8, 95-102.	1.4	25
193	Infusion of recombinant human acid sphingomyelinase into Niemannâ€Pick disease mice leads to visceral, but not neurological, correction of the pathophysiology. FASEB Journal, 2000, 14, 1988-1995.	0.2	126
194	Uroporphyrinogen III Synthase. Journal of Biological Chemistry, 2000, 275, 2295-2304.	1.6	41
195	Human Uroporphyrinogen-III Synthase: Genomic Organization, Alternative Promoters, and Erythroid-Specific Expression. Genomics, 2000, 70, 223-231.	1.3	56
196	Malignant fibrous histiocytoma: Inherited and sporadic forms have loss of heterozygosity at chromosome bands 9p21â€"22â€"evidence for a common genetic defect. , 2000, 27, 191.		1
197	Non–pseudogene-derived complex acid β-glucosidase mutations causing mild type 1 and severe type 2 Gaucher disease. Journal of Clinical Investigation, 1999, 103, 817-823.	3.9	46
198	Mutations in a new gene encoding a thiamine transporter cause thiamine-responsive megaloblastic anaemia syndrome. Nature Genetics, 1999, 22, 309-312.	9.4	201

#	Article	IF	Citations
199	Determination of Bone Markers in Pycnodysostosis: Effects of Cathepsin K Deficiency on Bone Matrix Degradation. Journal of Bone and Mineral Research, 1999, 14, 1902-1908.	3.1	128
200	Type 1 Gaucher disease presenting with extensive mandibular lytic lesions: Identification and expression of a novel acid ?-glucosidase mutation., 1999, 84, 334-339.		8
201	Identification and characterization of hydroxymethylbilane synthase mutations causing acute intermittent porphyria: Evidence for an ancestral founder of the common G111R mutation., 1999, 86, 366-375.		35
202	Identification and characterization of hydroxymethylbilane synthase mutations causing acute intermittent porphyria: evidence for an ancestral founder of the common G111R mutation. American Journal of Medical Genetics Part A, 1999, 86, 366-75.	2.4	11
203	Gene therapy for genetic diseases. Pediatrics International, 1998, 40, 191-203.	0.2	7
204	Prenatal diagnosis and outcome of mosaicism for ade novo unbalanced translocation identified in amniocytes., 1998, 18, 857-861.		4
205	Association of professors of human and medical genetics: Summary of the third annual workshop. American Journal of Medical Genetics Part A, 1998, 75, 318-325.	2.4	0
206	Identification of a novel point mutation (S65T) in \hat{l}_{\pm} -galactosidase A gene in Chinese patients with Fabry disease., 1998, 11, 328-330.		16
207	Familial Porphyria Cutanea Tarda: Characterization of Seven Novel Uroporphyrinogen Decarboxylase Mutations and Frequency of Common Hemochromatosis Alleles. American Journal of Human Genetics, 1998, 63, 1363-1375.	2.6	51
208	Carrier Frequency of the Bloom SyndromeblmAshMutation in the Ashkenazi Jewish Population. Molecular Genetics and Metabolism, 1998, 64, 286-290.	0.5	79
209	Molecular Genetics of Congenital Erythropoietic Porphyria. Seminars in Liver Disease, 1998, 18, 77-84.	1.8	52
210	Human \hat{l}_{\pm} -galactosidase A: glycosylation site 3 is essential for enzyme solubility. Biochemical Journal, 1998, 332, 789-797.	1.7	92
211	Congenital erythropoietic porphyria successfully treated by allogeneic bone marrow transplantation. Blood, 1998, 92, 4053-8.	0.6	15
212	Delta-Aminolevulinic Acid Dehydratase Polymorphism: Influence on Lead Levels and Kidney Function in Humans. Archives of Environmental Health, 1997, 52, 91-96.	0.4	60
213	Fabry Disease: Thirty-Five Mutations in the $\hat{l}\pm$ -Galactosidase A Gene in Patients with Classic and Variant Phenotypes. Molecular Medicine, 1997, 3, 174-182.	1.9	124
214	Lead Binding to Î'â€Aminolevulinic Acid Dehydratase (ALAD) in Human Erythrocytes. Basic and Clinical Pharmacology and Toxicology, 1997, 81, 153-158.	0.0	155
215	Prenatal detection and molecular characterization of a de novo duplication of the distal long arm of chromosome 19., 1997, 71, 325-328.		14
216	Fabry disease: Molecular carrier detection and prenatal diagnosis by analysis of closely linked polymorphisms at Xq22.1., 1997, 71, 329-335.		22

#	Article	IF	CITATIONS
217	Prenatal diagnosis of a familial interchromosomal insertion of Y chromosome heterochromatin., 1997, 73, 470-473.		4
218	Fabry disease: Molecular carrier detection and prenatal diagnosis by analysis of closely linked polymorphisms at Xq22.1. American Journal of Medical Genetics Part A, 1997, 71, 329-335.	2.4	1
219	HLA-DQA1 and Polymarker Allele Frequencies in Two New York City Jewish Populations. Journal of Forensic Sciences, 1997, 42, 919-922.	0.9	7
220	Prenatal genetic carrier testing using triple disease screening. JAMA - Journal of the American Medical Association, 1997, 278, 1268-72.	3.8	18
221	Pycnodysostosis: refined linkage and radiation hybrid analyses reduce the critical region to 2 cM at 1q21 and map two candidate genes. Human Genetics, 1996, 98, 141-144.	1.8	19
222	Regression of skeletal changes in type 1 Gaucher disease with enzyme replacement therapy. Skeletal Radiology, 1996, 25, 485-488.	1.2	26
223	Prenatal diagnosis of a fetus with two balanced de novo chromosome rearrangements. , 1996, 66, 197-199.		7
224	MOLECULAR PRENATAL DIAGNOSIS OF GLYCOGEN STORAGE DISEASE TYPE Ia., 1996, 16, 333-336.		14
225	Molecular basis of congenital erythropoietic porphyria: Mutations in the human uroporphyrinogen III synthase gene. Human Mutation, 1996, 7, 187-192.	1.1	36
226	Bone density in type 1 gaucher disease. Journal of Bone and Mineral Research, 1996, 11, 1801-1807.	3.1	94
227	Molecular basis of congenital erythropoietic porphyria: Mutations in the human uroporphyrinogen III synthase gene. Human Mutation, 1996, 7, 187-192.	1.1	4
228	Identification and Expression of a Missense Mutation (Y446C) in the Acid Sphingomyelinase Gene from a Japanese Patient with Type A Niemann-Pick Disease Tohoku Journal of Experimental Medicine, 1995, 177, 117-123.	0.5	7
229	Acute intermittent porphyria: A single-base deletion and a nonsense mutation in the human hydroxymethylbilane synthase gene, predicting truncations of the enzyme polypeptide. American Journal of Medical Genetics Part A, 1995, 58, 155-158.	2.4	9
230	Genetic mapping of the cleidocranial dysplasia (CCD) locus on chromosome band 6p21 to include a microdeletion. American Journal of Medical Genetics Part A, 1995, 58, 200-205.	2.4	39
231	Prenatal diagnosis of familial dysautonomia by analysis of linked CA-repeat polymorphisms on chromosome 9q31-q33. American Journal of Medical Genetics Part A, 1995, 59, 349-355.	2.4	19
232	Linkage of pycnodysostosis to chromosome 1q21 by homozygosity mapping. Nature Genetics, 1995, 10, 235-237.	9.4	94
233	Neural gene therapy for inherited diseases with mental retardation: Principles and prospects. Mental Retardation and Developmental Disabilities Research Reviews, 1995, 1, 39-48.	3.5	1
234	A mutation in the 5′ untranslated region of the human α-galactosidase A gene in high-activity variants inhibits specific protein binding. FEBS Letters, 1995, 371, 181-184.	1.3	9

#	Article	IF	CITATIONS
235	Congenital erythropoietic porphyria: identification and expression of 10 mutations in the uroporphyrinogen III synthase gene Journal of Clinical Investigation, 1995, 95, 905-912.	3.9	85
236	Molecular basis of fabry disease: Mutations and polymorphisms in the human \hat{l}_{\pm} -galactosidase A gene. Human Mutation, 1994, 3, 103-111.	1.1	132
237	Molecular basis of acute intermittent porphyria: Mutations and polymorphisms in the human hydroxymethylbilane synthase gene. Human Mutation, 1994, 4, 243-252.	1.1	27
238	Acute intermittent porphyria: identification and expression of exonic mutations in the hydroxymethylbilane synthase gene. An initiation codon missense mutation in the housekeeping transcript causes "variant acute intermittent porphyria" with normal expression of the erythroid-specific enzyme Journal of Clinical Investigation, 1994, 94, 1927-1937.	3.9	64
239	Richard M. Goodman Fellowship: A research fellowship in Jewish genetic diseases. American Journal of Medical Genetics Part A, 1993, 47, 572-572.	2.4	O
240	Fabry disease: Detection of gene rearrangements in the human \hat{l}_{\pm} -Galactosidase A Gene by Multiplex PCR Amplification. Human Mutation, 1993, 2, 108-111.	1.1	28
241	Type A Niemann-Pick disease: A frameshift mutation in the acid sphingomyelinase gene (fsP330) occurs in Ashkenazi Jewish patients. Human Mutation, 1993, 2, 317-319.	1.1	44
242	Nature and frequency of mutations in the alpha-galactosidase A gene that cause Fabry disease. American Journal of Human Genetics, 1993, 53, 1186-97.	2.6	181
243	Overexpression of human alpha-galactosidase A results in its intracellular aggregation, crystallization in lysosomes, and selective secretion Journal of Cell Biology, 1992, 119, 1137-1150.	2.3	137
244	First-trimester biochemical and molecular diagnoses using chorionic villi: High accuracy in the U.S. collaborative study. Prenatal Diagnosis, 1992, 12, 357-372.	1.1	24
245	Risk factors associated with transcervical CVS losses. Prenatal Diagnosis, 1992, 12, 373-376.	1.1	5
246	Comparison between avian and human prolyl 4-hydroxylases: Studies on the holomeric enzymes and their constituent subunits. Journal of Cellular Biochemistry, 1992, 48, 172-189.	1.2	13
247	Identification of a missense mutation (S436R) in the acid sphingomyelinase gene from a Japanese patient with type B Niemann-Pick disease. Human Mutation, 1992, 1, 70-71.	1.1	30
248	Congenital erythropoietic porphyria. A mild variant with low uroporphyrin I levels due to a missense mutation (A66V) encoding residual uroporphyrinogen III synthase activity. Archives of Dermatology, 1992, 128, 1243-1248.	1.7	26
249	Congenital erythropoietic porphyria: identification and expression of exonic mutations in the uroporphyrinogen III synthase gene Journal of Clinical Investigation, 1992, 89, 693-700.	3.9	69
250	An Atypical Variant of Fabry's Disease with Manifestations Confined to the Myocardium. New England Journal of Medicine, 1991, 324, 395-399.	13.9	342
251	Regional assignment of the human uroporphyrinogen III synthase (UROS) gene to chromosome 10q25.2?q26.3. Human Genetics, 1991, 87, 18-22.	1.8	56
252	Schindler disease: An inherited neuroaxonal dystrophy due to \hat{l} ±-N-acetylgalactosaminidase deficiency. Journal of Inherited Metabolic Disease, 1990, 13, 549-559.	1.7	145

#	Article	IF	Citations
253	Alpha-galactosidase A gene rearrangements causing Fabry disease. Identification of short direct repeats at breakpoints in an Alu-rich gene. Journal of Biological Chemistry, 1990, 265, 9319-26.	1.6	103
254	Fabry disease: six gene rearrangements and an exonic point mutation in the alpha-galactosidase gene Journal of Clinical Investigation, 1989, 83, 1390-1399.	3.9	149
255	Nucleotide sequence of the human α-galactosidase A gene. Nucleic Acids Research, 1989, 17, 3301-3302.	6.5	148
256	Fabry disease: molecular genetics of the inherited nephropathy. Advances in Nephrology From the Necker Hospital, 1989, 18, 113-27.	0.2	13
257	Human uroporphyrinogen III synthase: molecular cloning, nucleotide sequence, and expression of a full-length cDNA Proceedings of the National Academy of Sciences of the United States of America, 1988, 85, 7049-7053.	3.3	94
258	Structural organization of the human alpha-galactosidase A gene: further evidence for the absence of a 3' untranslated region Proceedings of the National Academy of Sciences of the United States of America, 1988, 85, 3903-3907.	3.3	147
259	Coupled-enzyme and direct assays for uroporphyrinogen III synthase activity in human erythrocytes and cultured lymphoblasts. Analytical Biochemistry, 1987, 166, 120-133.	1.1	48
260	Cholesteryl ester storage disease: Pathologic changes in an affected fetus. American Journal of Medical Genetics Part A, 1987, 26, 689-698.	2.4	23
261	Purification and properties of uroporphyrinogen III synthase from human erythrocytes Journal of Biological Chemistry, 1987, 262, 1268-1273.	1.6	45
262	Purification and properties of uroporphyrinogen III synthase from human erythrocytes. Journal of Biological Chemistry, 1987, 262, 1268-73.	1.6	41
263	[38] Porphobilinogen synthase: a specific and sensitive coupled-enzyme assay. Methods in Enzymology, 1986, 123, 339-345.	0.4	3
264	Genetic heterogeneity in acute intermittent porphyria: characterisation and frequency of porphobilinogen deaminase mutations in Finland BMJ: British Medical Journal, 1985, 291, 505-509.	2.4	41
265	ANIMAL MODEL STUDIES OF ALLELISM: CHARACTERIZATION OF ARYLSULFATASE B MUTATIONS IN HOMOALLELIC AND HETEROALLELIC (GENETIC COMPOUND) HOMOZYGOTES WITH FELINE MUCOPOLYSACCHARIDOSIS VI. Genetics, 1985, 110, 733-749.	1.2	10
266	Bone-Marrow Transplantation in the Maroteaux–Lamy Syndrome (Mucopolysaccharidosis Type VI). New England Journal of Medicine, 1984, 311, 1606-1611.	13.9	199
267	Reduced plasma concentrations of total, low density lipoprotein and high density lipoprotein cholesterol in patients with Gaucher type I disease. Clinical Genetics, 1984, 26, 109-116.	1.0	47
268	Gaucher Type 1 (Ashkenazi) disease: a new method for heterozygote detection using a novel fluorescent natural substrate. Clinica Chimica Acta, 1982, 124, 123-135.	0.5	33
269	Assays of the heme biosynthetic enzymes. Preface. Enzyme, 1982, 28, 91-3.	0.7	6
270	Glutamate dehydrogenase deficiency in three patients with spinocerebellar syndrome. Annals of Neurology, 1980, 7, 297-303.	2.8	116

#	Article	IF	CITATIONS
271	Purification and properties of uroporphyrinogen I synthase from human erythrocytes. Identification of stable enzyme-substrate intermediates. Journal of Biological Chemistry, 1980, 255, 1993-9.	1.6	107
272	The Ocular Manifestations in Fabry's Disease. JAMA Ophthalmology, 1979, 97, 671-676.	2.6	154
273	Alpha-L-iduronidase Deficiency in a Cat: A Model of Mucopolysaccharidosis I. Pediatric Research, 1979, 13, 1294-1297.	1.1	96
274	Purification and properties of delta-aminolevulinate dehydrase from human erythrocytes Journal of Biological Chemistry, 1979, 254, 6924-6930.	1.6	165
275	Purification and properties of delta-aminolevulinate dehydrase from human erythrocytes. Journal of Biological Chemistry, 1979, 254, 6924-30.	1.6	142
276	Electrocardiographic and vectorcardiographic abnormalities in Fabry's disease. American Heart Journal, 1977, 93, 699-705.	1.2	69
277	Toward enzyme therapy for lysosomal storage diseases. Physiological Reviews, 1976, 56, 57-99.	13.1	139
278	Cardiac valvular anomalies in Fabry disease. Clinical, morphologic, and biochemical studies Circulation, 1976, 54, 818-825.	1.6	151
279	Fabry's disease: enzymatic diagnosis of hemizygotes and heterozygotes. Alpha-galactosidase activities in plasma, serum, urine, and leukocytes. Translational Research, 1973, 81, 157-71.	2.4	174
280	Heme biosynthesis and the porphyrias. , 0, , 509-525.		0