

Chentao Lin

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2396669/chentao-lin-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84
papers

7,279
citations

39
h-index

85
g-index

125
ext. papers

8,577
ext. citations

10.8
avg, IF

5.99
L-index

#	Paper	IF	Citations
84	Regulation of flowering time by Arabidopsis photoreceptors. <i>Science</i> , 1998 , 279, 1360-3	33.3	611
83	Photoexcited CRY2 interacts with CIB1 to regulate transcription and floral initiation in Arabidopsis. <i>Science</i> , 2008 , 322, 1535-9	33.3	475
82	Enhancement of blue-light sensitivity of Arabidopsis seedlings by a blue light receptor cryptochrome 2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 2686-90	11.5	381
81	Cryptochrome structure and signal transduction. <i>Annual Review of Plant Biology</i> , 2003 , 54, 469-96	30.7	369
80	Blue light-dependent interaction of CRY2 with SPA1 regulates COP1 activity and floral initiation in Arabidopsis. <i>Current Biology</i> , 2011 , 21, 841-7	6.3	285
79	Arabidopsis cryptochrome 1 interacts with SPA1 to suppress COP1 activity in response to blue light. <i>Genes and Development</i> , 2011 , 25, 1029-34	12.6	267
78	The cryptochromes. <i>Genome Biology</i> , 2005 , 6, 220	18.3	257
77	Blue light receptors and signal transduction. <i>Plant Cell</i> , 2002 , 14 Suppl, S207-25	11.6	252
76	Regulation of Arabidopsis cryptochrome 2 by blue-light-dependent phosphorylation. <i>Nature</i> , 2002 , 417, 763-7	50.4	230
75	Regulation of photoperiodic flowering by Arabidopsis photoreceptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 2140-5	11.5	222
74	The action mechanisms of plant cryptochromes. <i>Trends in Plant Science</i> , 2011 , 16, 684-91	13.1	217
73	The Cryptochrome Blue Light Receptors. <i>The Arabidopsis Book</i> , 2010 , 8, e0135	3	196
72	Arabidopsis cryptochrome 1 is a soluble protein mediating blue light-dependent regulation of plant growth and development. <i>Plant Journal</i> , 1996 , 10, 893-902	6.9	190
71	Plant blue-light receptors. <i>Trends in Plant Science</i> , 2000 , 5, 337-42	13.1	189
70	Mutations throughout an Arabidopsis blue-light photoreceptor impair blue-light-responsive anthocyanin accumulation and inhibition of hypocotyl elongation. <i>Plant Journal</i> , 1995 , 8, 653-8	6.9	171
69	Photoreceptors and regulation of flowering time. <i>Plant Physiology</i> , 2000 , 123, 39-50	6.6	166
68	The Arabidopsis blue light receptor cryptochrome 2 is a nuclear protein regulated by a blue light-dependent post-transcriptional mechanism. <i>Plant Journal</i> , 1999 , 19, 279-87	6.9	148

67	Blue light-dependent in vivo and in vitro phosphorylation of Arabidopsis cryptochrome 1. <i>Plant Cell</i> , 2003 , 15, 2421-9	11.6	147
66	SUB1, an Arabidopsis Ca ²⁺ -binding protein involved in cryptochrome and phytochrome coaction. <i>Science</i> , 2001 , 291, 487-90	33.3	131
65	Regulation of flowering time in Arabidopsis by K homology domain proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 12759-64	11.5	128
64	Searching for a photocycle of the cryptochrome photoreceptors. <i>Current Opinion in Plant Biology</i> , 2010 , 13, 578-86	9.9	122
63	A study of gibberellin homeostasis and cryptochrome-mediated blue light inhibition of hypocotyl elongation. <i>Plant Physiology</i> , 2007 , 145, 106-18	6.6	116
62	Multiple bHLH proteins form heterodimers to mediate CRY2-dependent regulation of flowering-time in Arabidopsis. <i>PLoS Genetics</i> , 2013 , 9, e1003861	6	113
61	Comprehensive profiling of rhizome-associated alternative splicing and alternative polyadenylation in moso bamboo (<i>Phyllostachys edulis</i>). <i>Plant Journal</i> , 2017 , 91, 684-699	6.9	108
60	Formation of nuclear bodies of Arabidopsis CRY2 in response to blue light is associated with its blue light-dependent degradation. <i>Plant Cell</i> , 2009 , 21, 118-30	11.6	108
59	Arabidopsis cryptochrome 2 completes its posttranslational life cycle in the nucleus. <i>Plant Cell</i> , 2007 , 19, 3146-56	11.6	107
58	Photoactivation and inactivation of Arabidopsis cryptochrome 2. <i>Science</i> , 2016 , 354, 343-347	33.3	101
57	Association of the circadian rhythmic expression of GmCRY1a with a latitudinal cline in photoperiodic flowering of soybean. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 21028-33	11.5	98
56	Blue light-dependent interaction between cryptochrome2 and CIB1 regulates transcription and leaf senescence in soybean. <i>Plant Cell</i> , 2013 , 25, 4405-20	11.6	87
55	Over-expression of an AT-hook gene, AHL22, delays flowering and inhibits the elongation of the hypocotyl in Arabidopsis thaliana. <i>Plant Molecular Biology</i> , 2009 , 71, 39-50	4.6	85
54	Arabidopsis cryptochrome 2 (CRY2) functions by the photoactivation mechanism distinct from the tryptophan (trp) triad-dependent photoreduction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 20844-9	11.5	81
53	Derepression of the NC80 motif is critical for the photoactivation of Arabidopsis CRY2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 7289-94	11.5	80
52	Arabidopsis CRY2 and ZTL mediate blue-light regulation of the transcription factor CIB1 by distinct mechanisms. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 17582-7	11.5	64
51	Signaling mechanisms of plant cryptochromes in Arabidopsis thaliana. <i>Journal of Plant Research</i> , 2016 , 129, 137-48	2.6	63
50	Mechanisms of Cryptochrome-Mediated Photoresponses in Plants. <i>Annual Review of Plant Biology</i> , 2020 , 71, 103-129	30.7	61

49	Molecular basis for blue light-dependent phosphorylation of Arabidopsis cryptochrome 2. <i>Nature Communications</i> , 2017 , 8, 15234	17.4	56
48	A Drought-Inducible Transcription Factor Delays Reproductive Timing in Rice. <i>Plant Physiology</i> , 2016 , 171, 334-43	6.6	56
47	Cryptochromes Orchestrate Transcription Regulation of Diverse Blue Light Responses in Plants. <i>Photochemistry and Photobiology</i> , 2017 , 93, 112-127	3.6	47
46	Trp triad-dependent rapid photoreduction is not required for the function of Arabidopsis CRY1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 9135-40	11.5	45
45	Beyond the photocycle-how cryptochromes regulate photoresponses in plants?. <i>Current Opinion in Plant Biology</i> , 2018 , 45, 120-126	9.9	36
44	CONSTANS-LIKE 7 (COL7) is involved in phytochrome B (phyB)-mediated light-quality regulation of auxin homeostasis. <i>Molecular Plant</i> , 2014 , 7, 1429-1440	14.4	36
43	A CRY-BIC negative-feedback circuitry regulating blue light sensitivity of Arabidopsis. <i>Plant Journal</i> , 2017 , 92, 426-436	6.9	35
42	The blue light-dependent phosphorylation of the CCE domain determines the photosensitivity of Arabidopsis CRY2. <i>Molecular Plant</i> , 2015 , 8, 631-43	14.4	33
41	Transcriptome characterization of moso bamboo (<i>Phyllostachys edulis</i>) seedlings in response to exogenous gibberellin applications. <i>BMC Plant Biology</i> , 2018 , 18, 125	5.3	31
40	Genome-Wide Profiling of Circular RNAs in the Rapidly Growing Shoots of Moso Bamboo (<i>Phyllostachys edulis</i>). <i>Plant and Cell Physiology</i> , 2019 , 60, 1354-1373	4.9	30
39	Coordination of Cryptochrome and Phytochrome Signals in the Regulation of Plant Light Responses. <i>Agronomy</i> , 2017 , 7, 25	3.6	30
38	Genome-wide analysis and transcriptomic profiling of the auxin biosynthesis, transport and signaling family genes in moso bamboo (<i>Phyllostachys heterocycla</i>). <i>BMC Genomics</i> , 2017 , 18, 870	4.5	26
37	New insights into the mechanisms of phytochrome-cryptochrome coaction. <i>New Phytologist</i> , 2018 , 217, 547-551	9.8	26
36	Photooligomerization Determines Photosensitivity and Photoreactivity of Plant Cryptochromes. <i>Molecular Plant</i> , 2020 , 13, 398-413	14.4	24
35	Over-expression of an S-domain receptor-like kinase extracellular domain improves panicle architecture and grain yield in rice. <i>Journal of Experimental Botany</i> , 2015 , 66, 7197-209	7	24
34	Cryptochrome-mediated light responses in plants. <i>The Enzymes</i> , 2014 , 35, 167-89	2.3	24
33	Light Regulation of Gibberellins Metabolism in Seedling Development. <i>Journal of Integrative Plant Biology</i> , 2007 , 49, 21-27	8.3	22
32	Robust CRISPR/Cas9 mediated genome editing and its application in manipulating plant height in the first generation of hexaploid Ma bamboo (<i>Dendrocalamus latiflorus</i> Munro). <i>Plant Biotechnology Journal</i> , 2020 , 18, 1501-1503	11.6	19

31	Reconstituting Arabidopsis CRY2 Signaling Pathway in Mammalian Cells Reveals Regulation of Transcription by Direct Binding of CRY2 to DNA. <i>Cell Reports</i> , 2018 , 24, 585-593.e4	10.6	18
30	Using hybrid transcription factors to study gene function in rice. <i>Science China Life Sciences</i> , 2015 , 58, 1160-2	8.5	18
29	Florigen (II): It is a Mobile Protein. <i>Journal of Integrative Plant Biology</i> , 2007 , 49, 1665-1669	8.3	17
28	Using HEK293T Expression System to Study Photoactive Plant Cryptochromes. <i>Frontiers in Plant Science</i> , 2016 , 7, 940	6.2	17
27	Genome-Wide Characterization and Gene Expression Analyses of GATA Transcription Factors in Moso Bamboo (). <i>International Journal of Molecular Sciences</i> , 2019 , 21,	6.3	15
26	The Blue Light-Dependent Polyubiquitination and Degradation of Arabidopsis Cryptochrome2 Requires Multiple E3 Ubiquitin Ligases. <i>Plant and Cell Physiology</i> , 2016 , 57, 2175-2186	4.9	15
25	Light Regulation of Alternative Pre-mRNA Splicing in Plants. <i>Photochemistry and Photobiology</i> , 2017 , 93, 159-165	3.6	13
24	The interplay between microRNA and alternative splicing of linear and circular RNAs in eleven plant species. <i>Bioinformatics</i> , 2019 , 35, 3119-3126	7.2	13
23	A photo-responsive F-box protein FOF2 regulates floral initiation by promoting FLC expression in Arabidopsis. <i>Plant Journal</i> , 2017 , 91, 788-801	6.9	12
22	Phototropin blue light receptors and light-induced movement responses in plants. <i>Science Signaling</i> , 2002 , 2002, pe5	8.8	11
21	Plant sciences. A CONSTANS experience brought to light. <i>Science</i> , 2004 , 303, 965-6	33.3	10
20	Transcriptome profiling reveals the crucial biological pathways involved in cold response in Moso bamboo (<i>Phyllostachys edulis</i>). <i>Tree Physiology</i> , 2020 , 40, 538-556	4.2	9
19	A structural view of plant CRY2 photoactivation and inactivation. <i>Nature Structural and Molecular Biology</i> , 2020 , 27, 401-403	17.6	8
18	A photoregulatory mechanism of the circadian clock in Arabidopsis. <i>Nature Plants</i> , 2021 , 7, 1397-1408	11.5	8
17	The Full-Length Transcriptome of <i>Spartina alterniflora</i> Reveals the Complexity of High Salt Tolerance in Monocotyledonous Halophyte. <i>Plant and Cell Physiology</i> , 2020 , 61, 882-896	4.9	8
16	Regulation of Arabidopsis photoreceptor CRY2 by two distinct E3 ubiquitin ligases. <i>Nature Communications</i> , 2021 , 12, 2155	17.4	8
15	Large Scale Profiling of Protein Isoforms Using Label-Free Quantitative Proteomics Revealed the Regulation of Nonsense-Mediated Decay in Moso Bamboo (). <i>Cells</i> , 2019 , 8,	7.9	7
14	Identification and Characterization of the PEBP Family Genes in Moso Bamboo (<i>Phyllostachys heterocycla</i>). <i>Scientific Reports</i> , 2019 , 9, 14998	4.9	7

13	Arabidopsis IPGA1 is a microtubule-associated protein essential for cell expansion during petal morphogenesis. <i>Journal of Experimental Botany</i> , 2019 , 70, 5231-5243	7	6
12	Preliminary Functional Analysis of the Isoforms of OsHsfA2a (<i>Oryza sativa</i> L.) Generated by Alternative Splicing. <i>Plant Molecular Biology Reporter</i> , 2013 , 31, 38-46	1.7	6
11	Florigen: One Found, More to Follow?. <i>Journal of Integrative Plant Biology</i> , 2006 , 48, 617-621	8.3	6
10	Cortical Microtubule Organization during Petal Morphogenesis in. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	5
9	Photomorphogenesis: When blue meets red. <i>Nature Plants</i> , 2016 , 2, 16019	11.5	3
8	Photoreceptor signaling: when COP1 meets VPs. <i>EMBO Journal</i> , 2019 , 38, e102962	13	3
7	The Universally Conserved Residues Are Not Universally Required for Stable Protein Expression or Functions of Cryptochromes. <i>Molecular Biology and Evolution</i> , 2020 , 37, 327-340	8.3	3
6	Different response modes and cooperation modulations of blue-light receptors in photomorphogenesis. <i>Plant, Cell and Environment</i> , 2021 , 44, 1802-1815	8.4	2
5	The transcriptional dynamics during de novo shoot organogenesis of Ma bamboo (<i>Dendrocalamus latiflorus</i> Munro): implication of the contributions of the abiotic stress response in this process. <i>Plant Journal</i> , 2021 , 107, 1513-1532	6.9	2
4	Light Regulation of Flowering Time in Arabidopsis 2005 , 325-332		1
3	Photoreceptors and Associated Signaling II: Cryptochromes 2004 , 885-888		1
2	Production of purple Ma bamboo (<i>Dendrocalamus latiflorus</i> Munro) with enhanced drought and cold stress tolerance by engineering anthocyanin biosynthesis. <i>Planta</i> , 2021 , 254, 50	4.7	1
1	Characterization of Flowering Time Mutants. <i>Methods in Molecular Biology</i> , 2019 , 2026, 193-199	1.4	