

# Gustavo Gav Alencastro Veiga Cruzeiro

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2396919/publications.pdf>

Version: 2024-02-01

17  
papers

129  
citations

1307594

7  
h-index

1372567

10  
g-index

17  
all docs

17  
docs citations

17  
times ranked

282  
citing authors

#	ARTICLE	IF	CITATIONS
1	Activation of Hedgehog signaling by the oncogenic RELA fusion reveals a primary cilia-dependent vulnerability in supratentorial ependymoma. <i>Neuro-Oncology</i> , 2023, 25, 185-198.	1.2	4
2	Identification of TP53 as a Hub Gene of Group 3 Medulloblastoma and Coregulated Genes with Potential Prognostic Values. <i>Journal of Molecular Neuroscience</i> , 2022, 72, 633-641.	2.3	6
3	Clinical Prognostic Implications of Wnt Hub Genes Expression in Medulloblastoma. <i>Cellular and Molecular Neurobiology</i> , 2022, , 1.	3.3	2
4	Understanding the epigenetic landscape and cellular architecture of childhood brain tumors. <i>Neurochemistry International</i> , 2021, 144, 104940.	3.8	2
5	YAP1 Is a Potential Predictive Molecular Biomarker for Response to SMO Inhibitor in Medulloblastoma Cells. <i>Cancers</i> , 2021, 13, 6249.	3.7	1
6	CTGF expression is indicative of better survival rates in patients with medulloblastoma. <i>Cancer Gene Therapy</i> , 2020, 27, 378-382.	4.6	4
7	Notch pathway in ependymoma RELA-fused subgroup: upregulation and association with cancer stem cells markers expression. <i>Cancer Gene Therapy</i> , 2020, 27, 509-512.	4.6	11
8	Frequency of the TP53 p.R337H mutation in a Brazilian cohort of pediatric patients with solid tumors. <i>Molecular Biology Reports</i> , 2020, 47, 6439-6443.	2.3	3
9	Arsenic Trioxide exerts cytotoxic and radiosensitizing effects in pediatric Medulloblastoma cell lines of SHH Subgroup. <i>Scientific Reports</i> , 2020, 10, 6836.	3.3	10
10	The therapeutic potential of Aurora kinases targeting in glioblastoma: from preclinical research to translational oncology. <i>Journal of Molecular Medicine</i> , 2020, 98, 495-512.	3.9	12
11	A simplified approach using Taqman low-density array for medulloblastoma subgrouping. <i>Acta Neuropathologica Communications</i> , 2019, 7, 33.	5.2	18
12	Distinct response to GDF15 knockdown in pediatric and adult glioblastoma cell lines. <i>Journal of Neuro-Oncology</i> , 2018, 139, 51-60.	2.9	4
13	Reduced hydroxymethylation characterizes medulloblastoma while TET and IDH genes are differentially expressed within molecular subgroups. <i>Journal of Neuro-Oncology</i> , 2018, 139, 33-42.	2.9	8
14	HIF1A is Overexpressed in Medulloblastoma and its Inhibition Reduces Proliferation and Increases EPAS1 and ATG16L1 Methylation. <i>Current Cancer Drug Targets</i> , 2018, 18, 287-294.	1.6	17
15	Análise de associação quanto à produtividade e seus caracteres componentes em linhagens e cultivares de arroz de terras altas. <i>Pesquisa Agropecuária Brasileira</i> , 2014, 49, 771-782.	0.9	6
16	Hypoxia-related gene expression profile in childhood acute lymphoblastic leukemia: prognostic implications. <i>Leukemia and Lymphoma</i> , 2014, 55, 1751-1757.	1.3	12
17	Chromosomal heterogeneity and instability characterize pediatric medulloblastoma cell lines and affect neoplastic phenotype. <i>Cytotechnology</i> , 2013, 65, 871-885.	1.6	9