

Dongqin Tan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2397885/dongqin-tan-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55
papers

1,822
citations

25
h-index

42
g-index

56
ext. papers

2,119
ext. citations

8.4
avg, IF

4.96
L-index

#	Paper	IF	Citations
55	Characteristics of PAHs, PCDD/Fs, PCBs and PCNs in atmospheric fine particulate matter in Dalian, China. <i>Chemosphere</i> , 2022 , 288, 132488	8.4	1
54	Occurrence, accumulation, and health risks of heavy metals in Chinese market baskets.. <i>Science of the Total Environment</i> , 2022 , 154597	10.2	1
53	Multi-omics analysis to reveal disorders of cell metabolism and integrin signaling pathways induced by PM. <i>Journal of Hazardous Materials</i> , 2021 , 424, 127573	12.8	3
52	Exposure to short-chain chlorinated paraffins inhibited PPAR α -mediated fatty acid oxidation and stimulated aerobic glycolysis in vitro in human cells. <i>Science of the Total Environment</i> , 2021 , 772, 144957	10.2	4
51	The effect of toxic components on metabolomic response of male SD rats exposed to fine particulate matter. <i>Environmental Pollution</i> , 2021 , 272, 115922	9.3	7
50	Effect of short-chain chlorinated paraffins on metabolic profiling of male SD rats. <i>Science of the Total Environment</i> , 2021 , 750, 141404	10.2	2
49	Effect of urea on chlorinated aromatics formation mediated by copper and iron species in combustion flue gas. <i>Chemosphere</i> , 2021 , 280, 130963	8.4	
48	Partitioning and removal behaviors of PCDD/Fs, PCBs and PCNs in a modern municipal solid waste incineration system. <i>Science of the Total Environment</i> , 2020 , 735, 139134	10.2	22
47	Synergistic effect of mixed Cu and Fe oxides and chlorides on electrophilic chlorination of dibenzo-p-dioxin and dibenzofuran. <i>Science of the Total Environment</i> , 2020 , 721, 137563	10.2	6
46	Robust Single-Molecule Enzyme Nanocapsules for Biosensing with Significantly Improved Biosensor Stability. <i>Analytical Chemistry</i> , 2020 , 92, 5830-5837	7.8	28
45	Sources and health risks of PM-bound polychlorinated biphenyls (PCBs) and organochlorine pesticides (OCPs) in a North China rural area. <i>Journal of Environmental Sciences</i> , 2020 , 95, 240-247	6.4	6
44	Mass balance and elimination mechanism of polychlorinated dibenzo-p-dioxins and dibenzofurans (PCDD/Fs) during the kraft pulping process. <i>Journal of Hazardous Materials</i> , 2020 , 398, 122819	12.8	3
43	Magnetic magnesium oxide composites for rapid removal of polycyclic aromatic hydrocarbons and cadmium ions from water. <i>Environmental Chemistry</i> , 2020 , 17, 479	3.2	1
42	Mechanistic aspects of polychlorinated dibenzo-p-dioxins and dibenzofurans (PCDD/Fs) formation from chlorine bleaching of non-wood pulp. <i>Journal of Hazardous Materials</i> , 2020 , 386, 121652	12.8	4
41	Short-chain chlorinated paraffins (SCCPs) disrupt hepatic fatty acid metabolism in liver of male rat via interacting with peroxisome proliferator-activated receptor α (PPAR α). <i>Ecotoxicology and Environmental Safety</i> , 2019 , 181, 164-171	7	16
40	Comparing the disrupting effects of short-, medium- and long-chain chlorinated Paraffins on cell viability and metabolism. <i>Science of the Total Environment</i> , 2019 , 685, 297-307	10.2	25
39	CoO nanoparticles supported mesoporous carbon framework interface for glucose biosensing. <i>Talanta</i> , 2019 , 203, 112-121	6.2	25

38	Bioaccumulation and human health implications of essential and toxic metals in freshwater products of Northeast China. <i>Science of the Total Environment</i> , 2019 , 673, 768-776	10.2	21
37	Levels and fingerprints of chlorinated aromatic hydrocarbons in fly ashes from the typical industrial thermal processes: Implication for the co-formation mechanism. <i>Chemosphere</i> , 2019 , 224, 298-305	8.4	12
36	Electrophilic Chlorination of Naphthalene in Combustion Flue Gas. <i>Environmental Science & Technology</i> , 2019 , 53, 5741-5749	10.3	15
35	Molecular characterization of dissolved organic matters in winter atmospheric fine particulate matters (PM) from a coastal city of northeast China. <i>Science of the Total Environment</i> , 2019 , 689, 312-321 ^{10.2}	10.2	14
34	Integration of metabolomics and transcriptomics reveals short-chain chlorinated paraffin-induced hepatotoxicity in male Sprague-Dawley rat. <i>Environment International</i> , 2019 , 133, 105231	12.9	29
33	Dummy molecularly imprinted solid phase extraction of climbazole from environmental water samples. <i>Talanta</i> , 2019 , 196, 47-53	6.2	28
32	Controlled Manipulation of Metal-Organic Framework Layers to Nanometer Precision Inside Large Mesochannels of Ordered Mesoporous Silica for Enhanced Removal of Bisphenol A from Water. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 4328-4337	9.5	20
31	Validation of a HRGC-ECNI/LRMS method to monitor short-chain chlorinated paraffins in human plasma. <i>Journal of Environmental Sciences</i> , 2019 , 75, 289-295	6.4	18
30	Controllable growth of ZIF-8 layers with nanometer-level precision on SiO ₂ nano-powders via liquid phase epitaxy stepwise growth approach. <i>Microporous and Mesoporous Materials</i> , 2018 , 268, 268-275	5.3	14
29	Determination of nine bisphenols in sewage and sludge using dummy molecularly imprinted solid-phase extraction coupled with liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2018 , 1552, 10-16	4.5	43
28	Diurnal variations of atmospheric polycyclic aromatic hydrocarbons (PAHs) during three sequent winter haze episodes in Beijing, China. <i>Science of the Total Environment</i> , 2018 , 625, 1486-1493	10.2	31
27	Spatial variation of PCDD/F and PCB emissions and their composition profiles in stack flue gas from the typical cement plants in China. <i>Chemosphere</i> , 2018 , 195, 491-497	8.4	19
26	Short-chain chlorinated paraffins (SCCPs) induced thyroid disruption by enhancement of hepatic thyroid hormone influx and degradation in male Sprague Dawley rats. <i>Science of the Total Environment</i> , 2018 , 625, 657-666	10.2	30
25	Advances in sensing and biosensing of bisphenols: A review. <i>Analytica Chimica Acta</i> , 2018 , 998, 1-27	6.6	43
24	Multiresidue determination and potential risks of emerging pesticides in aquatic products from Northeast China by LC-MS/MS. <i>Journal of Environmental Sciences</i> , 2018 , 63, 116-125	6.4	29
23	Hyperbranched mixed-mode anion-exchange polymeric sorbent for highly selective extraction of nine acidic non-steroidal anti-inflammatory drugs from human urine. <i>Talanta</i> , 2018 , 190, 15-22	6.2	18
22	Polychlorinated dibenzo-p-dioxin and dibenzofuran precursors and formation mechanisms during non-woodpulp chlorine bleaching process. <i>Chemosphere</i> , 2018 , 211, 1-9	8.4	4
21	Developmental and metabolic responses of zebrafish (<i>Danio rerio</i>) embryos and larvae to short-chain chlorinated paraffins (SCCPs) exposure. <i>Science of the Total Environment</i> , 2018 , 622-623, 214-221	10.2	38

20	Concentrations of short- and medium-chain chlorinated paraffins in indoor dusts from malls in China: Implications for human exposure. <i>Chemosphere</i> , 2017 , 172, 103-110	8.4	27
19	Phenyltrichlorosilane-functionalized magnesium oxide microspheres: Preparation, characterization and application for the selective extraction of dioxin-like polycyclic aromatic hydrocarbons in soils with matrix solid-phase dispersion. <i>Analytica Chimica Acta</i> , 2017 , 956, 14-23	6.6	18
18	Multifunctionalized mesoporous silica as an efficient reversed-phase/anion exchange mixed-mode sorbent for solid-phase extraction of four acidic nonsteroidal anti-inflammatory drugs in environmental water samples. <i>Journal of Chromatography A</i> , 2017 , 1527, 10-17	4.5	22
17	Preparation of a reversed-phase/anion-exchange mixed-mode spherical sorbent by Pickering emulsion polymerization for highly selective solid-phase extraction of acidic pharmaceuticals from wastewater. <i>Journal of Chromatography A</i> , 2017 , 1521, 1-9	4.5	13
16	Response Characteristics of Bisphenols on a Metal-Organic Framework-Based Tyrosinase Nanosensor. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 16533-9	9.5	55
15	3D metal-organic framework as highly efficient biosensing platform for ultrasensitive and rapid detection of bisphenol A. <i>Biosensors and Bioelectronics</i> , 2015 , 65, 295-301	11.8	149
14	Solid-phase extraction based on a molecularly imprinted polymer for the selective determination of four benzophenones in tap and river water. <i>Journal of Separation Science</i> , 2015 , 38, 3412-20	3.4	20
13	Effects of short-chain chlorinated paraffins exposure on the viability and metabolism of human hepatoma HepG2 cells. <i>Environmental Science & Technology</i> , 2015 , 49, 3076-83	10.3	68
12	Bioaccumulation and trophic transfer of short chain chlorinated paraffins in a marine food web from Liaodong Bay, North China. <i>Environmental Science & Technology</i> , 2014 , 48, 5964-71	10.3	126
11	Kinetics of PCDD/Fs formation from non-wood pulp bleaching with chlorine. <i>Environmental Science & Technology</i> , 2014 , 48, 4361-7	10.3	16
10	Highly class-selective solid-phase extraction of bisphenols in milk, sediment and human urine samples using well-designed dummy molecularly imprinted polymers. <i>Journal of Chromatography A</i> , 2014 , 1360, 9-16	4.5	59
9	Development of biosensor technologies for analysis of environmental contaminants. <i>Trends in Environmental Analytical Chemistry</i> , 2014 , 2, 25-32	12	72
8	Electrochemical biosensing platform based on amino acid ionic liquid functionalized graphene for ultrasensitive biosensing applications. <i>Biosensors and Bioelectronics</i> , 2014 , 62, 134-9	11.8	46
7	Congener-specific distribution and bioaccumulation of short-chain chlorinated paraffins in sediments and bivalves of the Bohai Sea, China. <i>Marine Pollution Bulletin</i> , 2014 , 79, 299-304	6.7	46
6	Highly selective dummy molecularly imprinted polymer as a solid-phase extraction sorbent for five bisphenols in tap and river water. <i>Journal of Chromatography A</i> , 2014 , 1343, 33-41	4.5	68
5	Nanographene-based tyrosinase biosensor for rapid detection of bisphenol A. <i>Biosensors and Bioelectronics</i> , 2012 , 35, 193-199	11.8	131
4	Environmental occurrence and distribution of short chain chlorinated paraffins in sediments and soils from the Liaohe River Basin, P. R. China. <i>Environmental Science & Technology</i> , 2012 , 46, 3771-8	10.3	128
3	Amino acid ionic liquid modified mesoporous carbon: a tailor-made nanostructure biosensing platform. <i>ChemSusChem</i> , 2012 , 5, 1918-25	8.3	25

- 2 Formation and emission of PCDD/Fs in Chinese non-wood pulp and paper mills. *Environmental Science & Technology*, **2012**, 46, 12234-40 10.3 27
- 1 Emissions of PCDD/Fs from municipal solid waste incinerators in China. *Chemosphere*, **2009**, 75, 1153-8 8.4 126