

Valeriya G Makhankova

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2400414/publications.pdf>

Version: 2024-02-01

34
papers

457
citations

687363

13
h-index

713466

21
g-index

35
all docs

35
docs citations

35
times ranked

447
citing authors

#	ARTICLE	IF	CITATIONS
1	Hybrid Cu-Containing Compounds Based on Lacunary Strandberg Anions: Synthesis under Mild Conditions, Crystal Structure, and Magnetic Properties. <i>Inorganic Chemistry</i> , 2022, 61, 5701-5714.	4.0	7
2	Hybrid compound based on diethylenetriamincopper(II) cations and scarce V-monosubstituted I^{2-} -octamolybdate as water oxidation catalyst. <i>RSC Advances</i> , 2021, 11, 32119-32125.	3.6	0
3	Facile one-pot synthesis of hybrid compounds based on decavanadate showing water oxidation activity. <i>Inorganic Chemistry Communication</i> , 2020, 119, 108111.	3.9	2
4	Copper-containing hybrid compounds based on extremely rare $[\text{V}_2\text{Mo}_6\text{O}_{26}]^{6-}$ POM as water oxidation catalysts. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 1813-1823.	6.0	13
5	Heterometallic Cu/Co and Cu/Mn oxalate complexes as single-source precursors for spinel-type oxides. <i>Journal of Solid State Chemistry</i> , 2019, 270, 563-568.	2.9	2
6	Kinetics of Decomposition of Hydrogen Peroxide in the Presence of Mono- and Heteropolynuclear Complexes of Cu^{2+} and $\text{Co}^{2+/3+}$ with Deprotonated Di- and Triethanolamines. <i>Theoretical and Experimental Chemistry</i> , 2018, 53, 402-409.	0.8	0
7	Synthesis, Characterization, and Magnetic Properties of a Series of Copper(II) Chloride Complexes of Pyridyliminebenzoic Acids. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 1603-1619.	2.0	8
8	Stereospecific $\text{sp}^3 \text{C-H}$ oxidation with m-CPBA: A Co(III) Schiff base complex as pre-catalyst vs. its Co(III) heterometallic derivative. <i>Applied Catalysis A: General</i> , 2018, 560, 171-184.	4.3	23
9	Synthesis, crystal structure and spectroscopic characterization of heterometallic Cu/Mo complexes obtained under mild conditions. <i>Journal of Molecular Structure</i> , 2018, 1167, 209-214.	3.6	1
10	Influence of structural rigidity of Cu(II)/Mo(VI) complexes on the photoconductivity of film polymeric composites. <i>Molecular Crystals and Liquid Crystals</i> , 2018, 671, 78-84.	0.9	0
11	Direct Synthesis of Heterometallic Complexes. , 2018, , 183-237.		6
12	Ca^{2+} -Driven Self-Assembly of POMs into 2D/3D Coordination Polymers. <i>European Journal of Inorganic Chemistry</i> , 2017, 2017, 3525-3532.	2.0	6
13	Homogeneous Cobalt/Vanadium Complexes as Precursors for Functionalized Mixed Oxides in Visible-Light-Driven Water Oxidation. <i>ChemSusChem</i> , 2016, 9, 2957-2966.	6.8	16
14	Diversity of Polyoxometalate-Based Copper Compounds Obtained from the Same Reaction System. <i>European Journal of Inorganic Chemistry</i> , 2016, 2016, 5456-5466.	2.0	12
15	Direct synthesis of heterometallic Cu/Mo complexes with aromatic chelating N,N-donating ligands. <i>Inorganica Chimica Acta</i> , 2016, 443, 36-44.	2.4	8
16	Structural, magnetic, thermal and visible light-driven water oxidation studies of heterometallic Mn/V complexes. <i>Polyhedron</i> , 2015, 88, 81-89.	2.2	14
17	Chloridobis(1,10-phenanthroline- $\lambda^2\text{N},\lambda^2\text{N}$)copper(II) chlorido(1,10-phenanthroline- $\lambda^2\text{N},\lambda^2\text{N}$)(pyridine-2,6-dicarboxylato- $\lambda^3\text{O}_2,\text{N},\text{O}_6$)manganate(II) methanol monosolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, m147-m148.	0.2	1
18	Decavanadates decorated with $[\text{Cu}(\text{n})_2]^{2+}$: Convenient synthetic route, crystal structures and analysis of vibrational spectra. <i>Polyhedron</i> , 2014, 81, 597-606.	2.2	20

#	ARTICLE	IF	CITATIONS
19	Direct synthesis of linear trinuclear complexes with acetate and NN donor ligands. Journal of Molecular Structure, 2013, 1038, 211-215.	3.6	5
20	Direct synthesis and properties of monomeric and dimeric Mn(III) "salen complexes tuned by tetrahalocadmate anions. Inorganic Chemistry Communication, 2012, 20, 282-285.	3.9	5
21	Surface characterization of ZnO/ZnMn ₂ O ₄ and Cu/Mn ₃ O ₄ powders obtained by thermal degradation of heterobimetallic complexes. Journal of Solid State Chemistry, 2012, 187, 291-294.	2.9	9
22	Heterometallic M/Mn (M=Cu, Co, Zn) acetate complexes as precursors for binary oxides. Journal of Solid State Chemistry, 2010, 183, 2695-2702.	2.9	14
23	Ammonium tris-oxalatoferate(III) as a source of metalloligand in direct synthesis of Cu/Fe coordination polymer. Inorganic Chemistry Communication, 2010, 13, 1509-1511.	3.9	7
24	Preparation of binary M/Mn (M = Co, Cu, Zn) oxide catalysts by thermal degradation of heterobimetallic complexes. Studies in Surface Science and Catalysis, 2010, 175, 563-566.	1.5	2
25	as a source of manganese in the direct synthesis of heterobimetallic Cu/Mn complexes. Inorganica Chimica Acta, 2009, 362, 1307-1314.	2.4	13
26	Direct synthesis of Co/Mn complex with Co-semisepulchrate entity. Inorganic Chemistry Communication, 2009, 12, 473-475.	3.9	10
27	Direct Synthesis, Crystal Structures, High-Field EPR, and Magnetic Studies of Heterometallic Polymers Containing Manganese(II) Carboxylates Interconnected by [Cu(en) ₂] ²⁺ . Inorganic Chemistry, 2008, 47, 4554-4563.	4.0	31
28	Novel heterobimetallic Cu/Mn coordination polymers prepared by "direct permanganate" synthesis. Inorganic Chemistry Communication, 2007, 10, 1325-1329.	3.9	11
29	Direct synthesis and crystal structures of new heteropolynuclear complexes containing aminoalcohol ligands: From heterobi- (Co/Zn) to heterotrimetallic (Cu/Co/Zn) compounds. Inorganica Chimica Acta, 2005, 358, 4519-4526.	2.4	23
30	Assembling Novel Heterotrimetallic Cu/Co/Ni and Cu/Co/Cd Cores Supported by Diethanolamine Ligand in One-Pot Reactions of Zerovalent Copper with Metal Salts. Inorganic Chemistry, 2004, 43, 7868-7876.	4.0	49
31	Novel polynuclear Cu ₁ /Co ₁ complexes constructed from one and two Cu ₂ Co triangles with antiferromagnetic exchange coupling. Dalton Transactions RSC, 2002, , 4253-4259.	2.3	37
32	Formation, Structures, and Magnetic and EPR Spectroscopic Properties of Dicobalt(III)-Dicopper(II) Complexes Featuring Heterotetranuclear Cations of a Puckered Cyclic Structure with Diethanolamine and Diethanolamine(2 ⁻) as Bridging Ligands. European Journal of Inorganic Chemistry, 2002, 2002, 2163-2169.	2.0	37
33	A unique heteropentanuclear Cu ₁ Co ₂ Co ₁ complex, synthesised from metallic Cu and Co acetate in the presence of triethanolamine. Magnetic properties and a strong H-bond stabilised lattice. New Journal of Chemistry, 2001, 25, 685-689.	2.8	57
34	Spectroscopic and Magnetostructural Evidence for the Formation of [Cu _{0.5} Co _{0.5} (H ₂ Tea) ₂] ^X Mixed-Crystal Compounds from Zerovalent Cu and Co Salts in the Presence of Triethanolamine (H ₃ Tea -Triethanolamine; X = SCN, Cl). Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2001, 56, 931-936.	0.7	8