

# Lucã-a Martã-nez-Mota

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2401488/publications.pdf>

Version: 2024-02-01

22  
papers

542  
citations

687220

13  
h-index

642610

23  
g-index

23  
all docs

23  
docs citations

23  
times ranked

742  
citing authors

#	ARTICLE	IF	CITATIONS
1	Antidepressant-like effects of acupuncture via modulation of corticosterone, sex hormones, and hippocampal BDNF expression in male rats. <i>Brain Research Bulletin</i> , 2021, 173, 53-65.	1.4	12
2	Tipos de violencia en la infancia que inciden en el abuso y dependencia de cannabis entre adolescentes: una revisión sistemática y metaanálisis. <i>Revista De Psicología De La Salud</i> , 2020, 32, 63.	0.2	10
3	<i>Piper auritum</i> Kunth (Piperaceae) improves the sexual performance of sluggish male rats through enhancing ejaculation. <i>Journal of Ethnopharmacology</i> , 2019, 231, 453-463.	2.0	7
4	Role of Estradiol in the Expression of Genes Involved in Serotonin Neurotransmission: Implications for Female Depression. <i>Current Neuropharmacology</i> , 2019, 17, 459-471.	1.4	57
5	Forced ethanol ingestion by Wistar rats from a juvenile age increased voluntary alcohol consumption in adulthood, with the involvement of orexin-A. <i>Alcohol</i> , 2018, 70, 73-80.	0.8	9
6	Antidepressant effects of acupoint stimulation and fluoxetine by increasing dendritic arborization and spine density in CA1 hippocampal neurons of socially isolated rats. <i>Neuroscience Letters</i> , 2018, 675, 48-53.	1.0	14
7	Sex and age differences in the antidepressant-like effect of fluoxetine in the forced swim test. <i>Pharmacology Biochemistry and Behavior</i> , 2017, 152, 81-89.	1.3	40
8	Isolation stress and chronic mild stress induced immobility in the defensive burying behavior and a transient increased ethanol intake in Wistar rats. <i>Alcohol</i> , 2017, 63, 43-51.	0.8	8
9	Prosexual Effect of <i>Chrysactinia mexicana</i> A. Gray (Asteraceae), False Damiana, in a Model of Male Sexual Behavior. <i>BioMed Research International</i> , 2016, 2016, 1-9.	0.9	5
10	Young-Adult Male Rats' Vulnerability to Chronic Mild Stress Is Reflected by Anxious-Like instead of Depressive-Like Behaviors. <i>Neuroscience Journal</i> , 2016, 2016, 1-12.	2.3	15
11	Age-related changes in the antidepressant-like effect of desipramine and fluoxetine in the rat forced-swim test. <i>Behavioural Pharmacology</i> , 2016, 27, 22-28.	0.8	21
12	Ovariectomy differential influence on some hemostatic markers of mice and rats. <i>Experimental Animals</i> , 2015, 64, 81-89.	0.7	15
13	The Effects of Orexin A and B on Two Forms of Immobility Responses and on Analgesia. <i>Advances in Neuroimmune Biology</i> , 2014, 5, 235-242.	0.7	7
14	Age differences in the impact of forced swimming test on serotonin transporter levels in lateral septum and dorsal raphe. <i>Behavioral and Brain Functions</i> , 2014, 10, 3.	1.4	12
15	Chronic Stress Induces Structural Alterations in Splenic Lymphoid Tissue That Are Associated with Changes in Corticosterone Levels in Wistar-Kyoto Rats. <i>BioMed Research International</i> , 2013, 2013, 1-6.	0.9	29
16	Brain SERT Expression of Male Rats Is Reduced by Aging and Increased by Testosterone Restitution. <i>Neuroscience Journal</i> , 2013, 2013, 1-8.	2.3	13
17	Aging impairs the antidepressant-like response to citalopram in male rats. <i>European Journal of Pharmacology</i> , 2010, 633, 39-43.	1.7	22
18	Estrogens participate in the antidepressant-like effect of desipramine and fluoxetine in male rats. <i>Pharmacology Biochemistry and Behavior</i> , 2008, 88, 332-340.	1.3	51

#	ARTICLE	IF	CITATIONS
19	Anxiolytic-like actions of testosterone in the burying behavior test: role of androgen and GABA-benzodiazepine receptors. <i>Psychoneuroendocrinology</i> , 2005, 30, 762-770.	1.3	118
20	Ejaculation induces long-lasting behavioural changes in male rats in the forced swimming test: evidence for an increased sensitivity to the antidepressant desipramine. <i>Brain Research Bulletin</i> , 2005, 65, 323-329.	1.4	15
21	Testosterone-dependent antidepressant-like effect of noradrenergic but not of serotonergic drugs. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 78, 711-718.	1.3	39
22	Indorenate produces antidepressant-like actions in the rat forced swimming test via 5-HT 1A receptors. <i>Psychopharmacology</i> , 2002, 165, 60-66.	1.5	21