

# Wei Wei

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2401971/wei-wei-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

79  
papers

3,971  
citations

39  
h-index

61  
g-index

84  
ext. papers

4,577  
ext. citations

5.2  
avg, IF

5.82  
L-index

#	Paper	IF	Citations
79	Recent Advances in Arylations and Sulfonylations of Arylazo Sulfones. <i>Chinese Journal of Organic Chemistry</i> , <b>2021</b> , 41, 4639	3	2
78	Electrochemical-Induced C(sp <sup>3</sup> )H Dehydrogenative Trimerization of Pyrazolones to Tripyrazolones. <i>European Journal of Organic Chemistry</i> , <b>2021</b> , 2021, 5491-5496	3.2	0
77	Visible-light-induced three-component reaction of quinoxalin-2(1H)-ones, alkenes and CF <sub>3</sub> SO <sub>2</sub> Na leading to 3-trifluoroalkylated quinoxalin-2(1H)-ones. <i>Chinese Chemical Letters</i> , <b>2021</b> , 32, 258-262	8.1	43
76	Metal-free visible-light-induced aerobic oxidation of $\beta$ -diazoesters leading to $\beta$ -ketoesters in air. <i>Organic Chemistry Frontiers</i> , <b>2021</b> , 8, 1970-1975	5.2	5
75	Catalyst- and additive-free selective sulfonylation/cyclization of 1,6-enynes with arylazo sulfones leading to sulfonylated $\beta$ -butyrolactams. <i>Chinese Chemical Letters</i> , <b>2021</b> , 32, 136-139	8.1	12
74	Recent advances in the application of sulfinic acids for the construction of sulfur-containing compounds. <i>Chinese Chemical Letters</i> , <b>2021</b> , 33, 97-97	8.1	3
73	Visible-light-initiated 4CzIPN catalyzed multi-component tandem reactions to assemble sulfonated quinoxalin-2(1H)-ones. <i>Chinese Chemical Letters</i> , <b>2021</b> ,	8.1	10
72	Electrochemical-Induced Transfer Hydrogenation of Imidazopyridines with Secondary Amine as Hydrogen Donor. <i>Organic Letters</i> , <b>2020</b> , 22, 8824-8828	6.2	11
71	Metal-Free Trifluoroalkylation of Quinoxalin-2(1)-ones with Unactivated Alkenes and LangloisU Reagent. <i>Journal of Organic Chemistry</i> , <b>2020</b> , 85, 6888-6896	4.2	39
70	Visible-light-promoted aerobic oxidative synthesis of $\beta$ -ketosulfones under photocatalyst-free conditions. <i>Tetrahedron Letters</i> , <b>2020</b> , 61, 151335	2	13
69	Visible-light-promoted acridine red catalyzed aerobic oxidative decarboxylative acylation of $\beta$ - $\alpha$ -carboxylic acids with quinoxalin-2(1H)-ones. <i>Organic Chemistry Frontiers</i> , <b>2020</b> , 7, 492-498	5.2	68
68	Direct decarboxylative C-H $\beta$ -arylation of quinoxalin-2(H)-ones with aryl acyl peroxides leading to 3-arylquinoxalin-2(1H)-ones. <i>Tetrahedron Letters</i> , <b>2020</b> , 61, 152559	2	3
67	Metal-free visible-light-induced oxidative cyclization reaction of 1,6-enynes and arylsulfinic acids leading to sulfonylated benzofurans. <i>Chinese Chemical Letters</i> , <b>2020</b> , 31, 67-70	8.1	63
66	Silver-mediated aminophosphinylation of propargyl alcohols with aromatic amines and H-phosphine oxides leading to $\beta$ -aminophosphine oxides. <i>Chinese Chemical Letters</i> , <b>2020</b> , 31, 373-376	8.1	20
65	Copper-Catalyzed Three-Component Reaction of Alkynes, TMSN, and Ethers: Regiocontrollable Synthesis of N- and N-Oxyalkylated 1,2,3-Triazoles. <i>Organic Letters</i> , <b>2019</b> , 21, 7218-7222	6.2	20
64	Metal-free I <sub>2</sub> O <sub>5</sub> -mediated oxidative synthesis of sulfonylated benzofurans through cyclization reaction of 1,6-enynes and arylsulfonylhydrazides. <i>Tetrahedron Letters</i> , <b>2019</b> , 60, 1845-1848	2	41
63	TEMPO-Catalyzed Aminophosphinylation of Ethers via Tandem C(sp)-H and C(sp)-O Bond Cleavage. <i>Organic Letters</i> , <b>2019</b> , 21, 3332-3336	6.2	17

62	Catalyst-free visible-light-initiated oxidative coupling of aryldiazo sulfones with thiols leading to unsymmetrical sulfoxides in air. <i>Green Chemistry</i> , <b>2019</b> , 21, 1609-1613	10	110
61	Resveratrol Alleviates Postprandial Hyperglycemia in Diabetic Mice by Competitively Inhibiting $\alpha$ -Glucosidase. <i>Journal of Agricultural and Food Chemistry</i> , <b>2019</b> , 67, 2886-2893	5.7	25
60	Visible-light-mediated metal-free decarboxylative acylations of isocyanides with $\alpha$ -oxocarboxylic acids and water leading to $\beta$ -ketoamides. <i>Green Chemistry</i> , <b>2019</b> , 21, 6051-6055	10	34
59	Photocatalyst-Free Visible Light-Induced Synthesis of $\alpha$ -Oxo Sulfoxides via Oxysulfonylation of Alkenes with Aryldiazo Sulfones and Dioxxygen in Air. <i>Advanced Synthesis and Catalysis</i> , <b>2019</b> , 361, 5277-5282	5.6	33
58	Metal-Free Catalytic Synthesis of Thiocarbamates Using Sodium Sulfinates as the Sulfur Source. <i>Journal of Organic Chemistry</i> , <b>2019</b> , 84, 2976-2983	4.2	35
57	Selective assembly of N1- and N2-alkylated 1,2,3-triazoles via copper-catalyzed decarboxylative cycloaddition of alkynyl carboxylic acids with ethers and azidotrimethylsilane. <i>Organic Chemistry Frontiers</i> , <b>2019</b> , 6, 3983-3988	5.2	7
56	Direct coupling of haloquinolines and sulfonyl chlorides leading to sulfonylated quinolines in water. <i>Tetrahedron Letters</i> , <b>2019</b> , 60, 214-218	2	40
55	Direct Iodosulfonylation of Alkynes with Sulfonylhydrazides and Iodine Pentoxide Leading to Multisubstituted $\alpha$ -Enones. <i>Synlett</i> , <b>2018</b> , 29, 830-834	2.2	12
54	Copper-Catalyzed Regioselective Cleavage of C-X and C-H Bonds: A Strategy for Sulfur Dioxide Fixation. <i>Chemistry - A European Journal</i> , <b>2018</b> , 24, 4423-4427	4.8	55
53	Visible-Light-Enabled Construction of Thiocarbamates from Isocyanides, Thiols, and Water at Room Temperature. <i>Organic Letters</i> , <b>2018</b> , 20, 5291-5295	6.2	59
52	Direct C-H 3-Arylation of Quinoxalin-2(H)-ones with Aryl Diazonium Salts under Visible-Light Irradiation. <i>Chinese Journal of Organic Chemistry</i> , <b>2018</b> , 38, 3189	3	51
51	Visible-light-enabled oxyazidation of alkenes leading to $\alpha$ -azidoketones in air. <i>Green Chemistry</i> , <b>2018</b> , 20, 3197-3202	10	70
50	Transition-metal-free KI-catalyzed regioselective sulfenylation of 4-anilinocoumarins using Bunte salts. <i>Organic and Biomolecular Chemistry</i> , <b>2018</b> , 16, 8015-8019	3.9	8
49	Metal-Free Visible-Light-Induced C $\equiv$ C/C $\equiv$ C Cross-Dehydrogenative-Coupling of Quinoxalin-2(H)-ones with Simple Ethers. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2018</b> , 6, 17252-17257	8.7	113
48	Metal-Free C(sp)-H/N-H Cross-Dehydrogenative Coupling of Quinoxalinones with Aliphatic Amines under Visible-Light Photoredox Catalysis. <i>Organic Letters</i> , <b>2018</b> , 20, 7125-7130	6.2	161
47	Metal- and photocatalyst-free visible-light-promoted regioselective selenylation of coumarin derivatives via oxidation-induced C $\equiv$ C functionalization. <i>Organic Chemistry Frontiers</i> , <b>2018</b> , 5, 2974-2979	5.2	62
46	Catalyst-free synthesis of $\beta$ -thioacrylic acids via cascade thiolation and 1,4-aryl migration of aryl alkynoates at room temperature. <i>Organic and Biomolecular Chemistry</i> , <b>2018</b> , 16, 8379-8383	3.9	11
45	Copper-Catalyzed Selenylation of Imidazo[1,2-a]pyridines with Selenium Powder via a Radical Pathway. <i>Journal of Organic Chemistry</i> , <b>2017</b> , 82, 2906-2913	4.2	55

44	Copper-catalyzed direct hydroxyphosphorylation of electron-deficient alkenes with H-phosphine oxides and dioxygen. <i>Tetrahedron Letters</i> , <b>2017</b> , 58, 2058-2061	2	18
43	DMSO-promoted regioselective synthesis of sulfenylated pyrazoles via a radical pathway. <i>Organic Chemistry Frontiers</i> , <b>2017</b> , 4, 1367-1371	5.2	36
42	Copper-catalyzed aerobic oxidative coupling of ketones with P(O)H compounds leading to $\beta$ -keto phosphine oxides. <i>Organic Chemistry Frontiers</i> , <b>2017</b> , 4, 1385-1389	5.2	29
41	Metal-free IO-mediated direct construction of sulfonamides from thiols and amines. <i>Organic and Biomolecular Chemistry</i> , <b>2017</b> , 15, 4789-4793	3.9	24
40	Copper catalyzed one-pot synthesis of $\beta$ -keto phosphine oxides from ketones and H-phosphine oxides. <i>Tetrahedron Letters</i> , <b>2017</b> , 58, 2417-2420	2	16
39	Visible-light-induced selective synthesis of sulfoxides from alkenes and thiols using air as the oxidant. <i>Green Chemistry</i> , <b>2017</b> , 19, 3520-3524	10	95
38	Transition-metal-free PhI(OAc) <sub>2</sub> -promoted highly selective hydroboration of terminal alkynes under air. <i>RSC Advances</i> , <b>2017</b> , 7, 26070-26073	3.7	13
37	Metal-free Oxidative Coupling of Aromatic Alkenes with Thiols Leading to (E)-Vinyl Sulfones. <i>Journal of Organic Chemistry</i> , <b>2017</b> , 82, 6857-6864	4.2	65
36	Ruthenium(ii)-catalyzed olefination carbonyl reductive cross-coupling. <i>Chemical Science</i> , <b>2017</b> , 8, 8193-8197	10.7	41
35	Visible-light-enabled spirocyclization of alkynes leading to 3-sulfonyl and 3-sulfenyl azaspiro[4,5]trienones. <i>Green Chemistry</i> , <b>2017</b> , 19, 5608-5613	10	111
34	Visible light-induced C-H sulfenylation using sulfinic acids. <i>Green Chemistry</i> , <b>2017</b> , 19, 4785-4791	10	95
33	Copper-Catalyzed Direct Oxyphosphorylation of Enamides with P(O)-H Compounds and Dioxygen. <i>Chinese Journal of Chemistry</i> , <b>2017</b> , 35, 1378-1382	4.9	24
32	Direct cross-coupling of aryl alkynyl iodides with arylsulfinic acids leading to alkynyl sulfones under catalyst-free conditions. <i>Tetrahedron Letters</i> , <b>2017</b> , 58, 4799-4802	2	11
31	Metal-free molecular iodine-catalyzed direct sulfonylation of pyrazolones with sodium sulfinates leading to sulfonated pyrazoles at room temperature. <i>Organic Chemistry Frontiers</i> , <b>2017</b> , 4, 26-30	5.2	61
30	Metal-free iodine-catalyzed direct cross-dehydrogenative coupling (CDC) between pyrazoles and thiols. <i>Organic Chemistry Frontiers</i> , <b>2016</b> , 3, 1457-1461	5.2	43
29	Visible-light initiated direct oxysulfonylation of alkenes with sulfinic acids leading to $\beta$ -keto sulfones. <i>Green Chemistry</i> , <b>2016</b> , 18, 5630-5634	10	111
28	Direct synthesis of $\beta$ -hydroxyketone phosphates from terminal alkynes and H-phosphine oxides in the presence of PhI(OAc) <sub>2</sub> and H <sub>2</sub> O. <i>Chinese Chemical Letters</i> , <b>2016</b> , 27, 1691-1695	8.1	7
27	Copper-catalyzed direct oxyphosphorylation of alkynes with H-phosphine oxides and dioxygen: A convenient approach to $\beta$ -keto phosphine oxides. <i>Synthetic Communications</i> , <b>2016</b> , 46, 1377-1385	1.7	20

26	Molecular Iodine-Mediated Difunctionalization of Alkenes with Nitriles and Thiols Leading to $\beta$ -Acetamido Sulfides. <i>Journal of Organic Chemistry</i> , <b>2016</b> , 81, 2252-60	4.2	71
25	A copper-catalyzed cascade reaction of o-bromoarylisothiocyanates with isocyanides leading to benzo[d]imidazo[5,1-b]thiazoles under ligand-free conditions. <i>Organic Chemistry Frontiers</i> , <b>2016</b> , 3, 556-560	5.2	19
24	Iodine-catalyzed Direct Thiolation of Indoles with Thiols Leading to 3-Thioindoles Using Air as the Oxidant. <i>Catalysis Letters</i> , <b>2016</b> , 146, 1743-1748	2.8	40
23	Metal-free direct construction of sulfenylated pyrazoles via the NaOH promoted sulfenylation of pyrazolones with aryl thiols. <i>RSC Advances</i> , <b>2016</b> , 6, 51830-51833	3.7	31
22	Catalyst-free direct difunctionalization of alkenes with H-phosphine oxides and dioxygen: a facile and green approach to $\beta$ -hydroxyphosphine oxides. <i>Tetrahedron Letters</i> , <b>2016</b> , 57, 2642-2646	2	26
21	Silver-mediated radical cyclization of alkynoates and $\beta$ -keto acids leading to coumarins via cascade double C-C bond formation. <i>Journal of Organic Chemistry</i> , <b>2015</b> , 80, 1550-6	4.2	118
20	Direct difunctionalization of alkenes with sulfinic acids and NBS leading to $\beta$ -bromo sulfones. <i>Tetrahedron Letters</i> , <b>2015</b> , 56, 1808-1811	2	42
19	I <sub>2</sub> O <sub>5</sub> /DBU mediated direct $\beta$ -phosphoryloxylation of ketones with H-phosphonates leading to $\beta$ -hydroxyketone phosphates. <i>Tetrahedron</i> , <b>2015</b> , 71, 6901-6906	2.4	15
18	Metal-Free Oxidative Spirocyclization of Alkynes with Sulfonylhydrazides Leading to 3-Sulfonated Azaspiro[4,5]trienones. <i>Journal of Organic Chemistry</i> , <b>2015</b> , 80, 4966-72	4.2	109
17	Metal-Free Direct Construction of Sulfonamides via Iodine-Mediated Coupling Reaction of Sodium Sulfinates and Amines at Room Temperature. <i>Advanced Synthesis and Catalysis</i> , <b>2015</b> , 357, 987-992	5.6	74
16	Silver-catalyzed direct spirocyclization of alkynes with thiophenols: a simple and facile approach to 3-thioazaspiro[4,5]trienones. <i>RSC Advances</i> , <b>2015</b> , 5, 84657-84661	3.7	46
15	Metal-free direct difunctionalization of alkenes with I <sub>2</sub> O <sub>5</sub> and P(O)H <sub>3</sub> compounds leading to $\beta$ -dodophosphates. <i>Organic Chemistry Frontiers</i> , <b>2015</b> , 2, 1356-1360	5.2	30
14	Direct difunctionalization of alkynes with sulfinic acids and molecular iodine: a simple and convenient approach to (E)- $\beta$ -dodovinyl sulfones. <i>RSC Advances</i> , <b>2015</b> , 5, 4416-4419	3.7	73
13	Direct and metal-free arylsulfonylation of alkynes with sulfonylhydrazides for the construction of 3-sulfonated coumarins. <i>Chemical Communications</i> , <b>2015</b> , 51, 768-71	5.8	164
12	Metal-Free Direct Hydrosulfonylation of Azodicarboxylates with Sulfinic Acids Leading to Sulfonylhydrazine Derivatives. <i>Synthetic Communications</i> , <b>2015</b> , 45, 1574-1584	1.7	12
11	Catalyst-free direct decarboxylative coupling of $\beta$ -keto acids with thiols: a facile access to thioesters. <i>Organic and Biomolecular Chemistry</i> , <b>2015</b> , 13, 7323-30	3.9	55
10	Metal-Free Iodine-Catalyzed Direct Arylthiation of Substituted Anilines with Thiols. <i>Journal of Organic Chemistry</i> , <b>2015</b> , 80, 6083-92	4.2	65
9	Copper-catalyzed highly selective direct hydrosulfonylation of alkynes with arylsulfinic acids leading to vinyl sulfones. <i>Organic and Biomolecular Chemistry</i> , <b>2014</b> , 12, 1861-4	3.9	90

8	Catalyst-free direct arylsulfonylation of N-arylacrylamides with sulfinic acids: a convenient and efficient route to sulfonated oxindoles. <i>Green Chemistry</i> , <b>2014</b> , 16, 2988-2991	10	140
7	Iron-catalyzed direct difunctionalization of alkenes with dioxygen and sulfinic acids: a highly efficient and green approach to $\beta$ -ketosulfones. <i>Organic and Biomolecular Chemistry</i> , <b>2014</b> , 12, 7678-81	3.9	72
6	Copper-catalyzed cyanoalkylation of activated alkenes with AIBN: a convenient and efficient approach to cyano-containing oxindoles. <i>RSC Advances</i> , <b>2014</b> , 4, 48535-48538	3.7	29
5	Metal-free direct trifluoromethylation of activated alkenes with Langlois reagent leading to CF <sub>3</sub> -containing oxindoles. <i>Journal of Organic Chemistry</i> , <b>2014</b> , 79, 4225-30	4.2	111
4	Copper-catalyzed direct oxysulfonylation of alkenes with dioxygen and sulfonylhydrazides leading to $\beta$ -ketosulfones. <i>Chemical Communications</i> , <b>2013</b> , 49, 10239-41	5.8	236
3	Catalytic and direct oxyphosphorylation of alkenes with dioxygen and H-phosphonates leading to $\beta$ -ketophosphonates. <i>Angewandte Chemie - International Edition</i> , <b>2011</b> , 50, 9097-9	16.4	158
2	Metal-free electrochemical synthesis of $\beta$ -ketoamides via decarboxylative coupling of $\beta$ -keto acids with isocyanides and water. <i>Organic Chemistry Frontiers</i> ,	5.2	2
1	Metal-Free Multi-Component Sulfur Dioxide Insertion Reaction Leading to Quinoxalin-2-One-Containing Vinyl Sulfones under Visible-Light Photoredox Catalysis. <i>Advanced Synthesis and Catalysis</i> ,	5.6	5