

Valentina Kutiyifa

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2402247/valentina-kutyifa-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

190
papers

2,920
citations

29
h-index

46
g-index

205
ext. papers

3,789
ext. citations

5.5
avg, IF

4.91
L-index

#	Paper	IF	Citations
190	Introducing the all-new Fellows Corner of : The future is here now.. <i>Heart Rhythm O2</i> , 2022 , 3, 117-118	1.5	
189	Systolic Blood Pressure and Risk for Ventricular Arrhythmia in Patients With an Implantable Cardioverter Defibrillator. <i>American Journal of Cardiology</i> , 2021 , 143, 74-79	3	1
188	Risk factors for ventricular tachyarrhythmic events in patients without left bundle branch block who receive cardiac resynchronization therapy. <i>Annals of Noninvasive Electrocardiology</i> , 2021 , 26, e12847	1.5	1
187	Cardiac resynchronization therapy and ventricular tachyarrhythmia burden. <i>Heart Rhythm</i> , 2021 , 18, 762-769	6.9	2
186	Survival After Implantable Cardioverter-Defibrillator Shocks. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 2453-2462	15.1	2
185	Smoking and the Risk of Stroke in Patients with a Left Ventricular Assist device. <i>ASAIO Journal</i> , 2021 , 67, 1217-1221	3.6	
184	Risk Prediction in Women With Congenital Long QT Syndrome. <i>Journal of the American Heart Association</i> , 2021 , 10, e021088	6	2
183	Combining diastolic dysfunction and natriuretic peptides to risk stratify patients with heart failure with reduced ejection fraction. <i>International Journal of Cardiology</i> , 2021 , 335, 59-65	3.2	0
182	Protected risk stratification with the wearable cardioverter-defibrillator: results from the WEARIT-II-EUROPE registry. <i>Clinical Research in Cardiology</i> , 2021 , 110, 102-113	6.1	6
181	Sex differences in arrhythmic burden with the wearable cardioverter-defibrillator. <i>Heart Rhythm</i> , 2021 , 18, 404-410	6.7	3
180	Reassessing the role of antitachycardia pacing in fast ventricular arrhythmias in primary prevention implantable cardioverter-defibrillator recipients: Results from MADIT-RIT. <i>Heart Rhythm</i> , 2021 , 18, 399-403	6.7	3
179	Predicted benefit of an implantable cardioverter-defibrillator: the MADIT-ICD benefit score. <i>European Heart Journal</i> , 2021 , 42, 1676-1684	9.5	16
178	Rationale and design of the HINODE study: Heart failure indication and sudden cardiac death prevention trial Japan. <i>Journal of Arrhythmia</i> , 2021 , 37, 1031-1037	1.5	0
177	Utility of cardiovascular implantable electronic device-derived patient activity to predict clinical outcomes. <i>Heart Rhythm</i> , 2021 , 18, 1344-1351	6.7	1
176	Arrhythmic and Mortality Outcomes Among Ischemic Versus Nonischemic Cardiomyopathy Patients Receiving Primary Implantable Cardioverter-Defibrillator Therapy. <i>JACC: Clinical Electrophysiology</i> , 2021 ,	4.6	1
175	Hospitalization for Heart Failure and Subsequent Ventricular Tachyarrhythmias in Patients With Left Ventricular Dysfunction. <i>JACC: Clinical Electrophysiology</i> , 2021 , 7, 1099-1107	4.6	
174	European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on risk assessment in cardiac arrhythmias: use the right tool for the right outcome, in the right population. <i>Europace</i> , 2020 , 22, 1147-1148	3.9	25

173	European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on risk assessment in cardiac arrhythmias: use the right tool for the right outcome, in the right population. <i>Journal of Arrhythmia</i> , 2020 , 36, 553-607	1.5	11
172	European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on risk assessment in cardiac arrhythmias: use the right tool for the right outcome, in the right population. <i>Heart Rhythm</i> , 2020 , 17, e2169-e316	6.7	7
171	True bipolar or extended bipolar left ventricular pacing is associated with better survival in cardiac resynchronization therapy patients. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020 , 43, 412-417	1.6	
170	The role and outcomes of new supraventricular tachycardia among patients with mild heart failure. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 1099-1104	2.7	
169	Cardiac Resynchronization Therapy and Risk of Recurrent Hospitalizations in Patients Without Left Bundle Branch Block: The Long-Term Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy. <i>Circulation: Heart Failure</i> , 2020 , 13, e006925	7.6	0
168	Circadian variation and seasonal distribution of implantable defibrillator detected new onset atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020 , 43, 1495-1500	1.6	3
167	Implantable cardioverter-defibrillator programming after first occurrence of ventricular tachycardia in the Multicenter Automatic Defibrillator Implantation Trial-Reduce Inappropriate Therapy (MADIT-RIT). <i>Heart Rhythm O2</i> , 2020 , 1, 77-82	1.5	0
166	Marital Status and Long-Term Outcomes in Mild Heart Failure Patients With an Implantable Cardioverter Defibrillator or Cardiac Resynchronization Therapy With Defibrillator. <i>American Journal of Cardiology</i> , 2020 , 125, 1180-1186	3	
165	Future research prioritization in cardiac resynchronization therapy. <i>American Heart Journal</i> , 2020 , 223, 48-58	4.9	7
164	Relation between resting heart rate and the risk of ventricular tachyarrhythmias in MADIT-RIT. <i>Europace</i> , 2020 , 22, 281-287	3.9	1
163	An International Multicenter Evaluation of Type 5 Long QT Syndrome: A Low Penetrant Primary Arrhythmic Condition. <i>Circulation</i> , 2020 , 141, 429-439	16.7	15
162	Need for pacing in patients who qualify for an implantable cardioverter-defibrillator: Clinical implications for the subcutaneous ICD. <i>Annals of Noninvasive Electrocardiology</i> , 2020 , 25, e12744	1.5	3
161	Cardiac Resynchronization Therapy for Chemotherapy-Induced Cardiomyopathy-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 1317	27.4	
160	Decline in physical activity in the weeks preceding sustained ventricular arrhythmia in women. <i>Heart Rhythm O2</i> , 2020 , 1, 283-287	1.5	1
159	AnaLysis of Both sex and device specific factoRs on outcomes in pAtients with non-ischemic cardiomyopathy (BIO-LIBRA): Design and clinical protocol. <i>Heart Rhythm O2</i> , 2020 , 1, 376-384	1.5	
158	Machine learning-based mortality prediction of patients undergoing cardiac resynchronization therapy: the SEMMELWEIS-CRT score. <i>European Heart Journal</i> , 2020 , 41, 1747-1756	9.5	41
157	Prognostic Usefulness of Systolic Blood Pressure One-Year Following Cardiac Resynchronization Therapy (from MADIT-CRT). <i>American Journal of Cardiology</i> , 2020 , 125, 777-782	3	1
156	CHADS-VASc Score and the Risk of Ventricular Tachyarrhythmic Events and Mortality in MADIT-CRT. <i>Journal of the American Heart Association</i> , 2020 , 9, e014353	6	3

155	Clinical Significance of Early Hospital Readmission in Continuous-Flow Left Ventricular Assist Device Patients. <i>ASAIO Journal</i> , 2020 , 66, 760-765	3.6	3
154	Videos to reduce racial disparities in ICD therapy Via Innovative Designs (VIVID) trial: Rational, design and methodology. <i>American Heart Journal</i> , 2020 , 220, 59-67	4.9	0
153	Premature ventricular complexes: diagnostic and therapeutic considerations in clinical practice : A state-of-the-art review by the American College of Cardiology Electrophysiology Council. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020 , 57, 5-26	2.4	16
152	Predictors and outcomes of atrial tachyarrhythmia among patients with implantable defibrillators. <i>Heart Rhythm</i> , 2020 , 17, 553-559	6.7	1
151	Outcome by Sex in Patients With Long QT Syndrome With an Implantable Cardioverter Defibrillator. <i>Journal of the American Heart Association</i> , 2020 , 9, e016398	6	1
150	Utility of 6-Minute Walk Test to Predict Response to Cardiac Resynchronization Therapy in Patients With Mild Heart Failure. <i>American Journal of Cardiology</i> , 2020 , 132, 79-86	3	0
149	Sustained Ventricular Tachyarrhythmia Termination in a Large Cohort of Women Using Wearable Cardioverter-Defibrillators. <i>JACC: Clinical Electrophysiology</i> , 2020 , 6, 1187-1188	4.6	1
148	Applicability of the MADIT-CRT Response Score for Prediction of Long-Term Clinical and Arrhythmic Events by QRS Morphology. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020 , 13, e008499	6.4	
147	Lateral left ventricular lead position is superior to posterior position in long-term outcome of patients who underwent cardiac resynchronization therapy. <i>ESC Heart Failure</i> , 2020 , 7, 3374	3.7	4
146	Competing risk analysis of ventricular arrhythmia events in heart failure patients with moderately compromised renal dysfunction. <i>Europace</i> , 2020 , 22, 1384-1390	3.9	2
145	Remote monitoring of cardiac implanted electronic devices: legal requirements and ethical principles - ESC Regulatory Affairs Committee/EHRA joint task force report. <i>Europace</i> , 2020 , 22, 1742-1758	3.9	14
144	Left Ventricular Reverse Remodeling in Cardiac Resynchronization Therapy and Long-Term Outcomes. <i>JACC: Clinical Electrophysiology</i> , 2019 , 5, 1001-1010	4.6	5
143	Risk of Ventricular Tachyarrhythmic Events in Patients Who Improved Beyond Guidelines for a Defibrillator in MADIT-CRT. <i>JACC: Clinical Electrophysiology</i> , 2019 , 5, 1172-1181	4.6	2
142	2019 HRS/EHRA/APHS/LAHS focused update to 2015 expert consensus statement on optimal implantable cardioverter-defibrillator programming and testing. <i>Europace</i> , 2019 , 21, 1442-1443	3.9	21
141	Prognostic Importance of Defibrillator-Appropriate Shocks and Antitachycardia Pacing in Patients With Mild Heart Failure. <i>Journal of the American Heart Association</i> , 2019 , 8, e010346	6	4
140	Effectiveness of single- vs dual-coil implantable defibrillator leads: An observational analysis from the SIMPLE study. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 1078-1085	2.7	0
139	Primary prevention with the implantable cardioverter-defibrillator in high-risk long-QT syndrome patients. <i>Europace</i> , 2019 , 21, 339-346	3.9	17
138	Long-term single-centre large volume experience with transseptal endocardial left ventricular lead implantation. <i>Europace</i> , 2019 , 21, 1237-1245	3.9	6

137	Death with an implantable cardioverter-defibrillator: a MADIT-II substudy. <i>Europace</i> , 2019 , 21, 1843-1850.	9	5
136	Association of Cardiac Resynchronization Therapy With Change in Left Ventricular Ejection Fraction in Patients With Chemotherapy-Induced Cardiomyopathy. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 322, 1799-1805	27.4	19
135	Cardiac Resynchronization Therapy for Heart Failure in Patients Without Left Bundle Branch Block 2019 , 39-55		
134	Quality of life predicting long-term outcomes in cardiac resynchronization therapy patients. <i>Europace</i> , 2019 , 21, 1865-1875	3.9	4
133	Management of asymptomatic arrhythmias: a European Heart Rhythm Association (EHRA) consensus document, endorsed by the Heart Failure Association (HFA), Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS), Cardiac Arrhythmia Society of Southern Africa (CASSA), and Latin America Heart Rhythm Society (LAHRS). <i>Europace</i> , 2019 ,	3.9	30
132	Wearable cardioverter-defibrillator and ventricular arrhythmias: risk stratification in patients with shorter device use-AuthorsQepl. <i>Europace</i> , 2019 , 21, 525-526	3.9	1
131	Long-term outcomes of cardiac resynchronization therapy by left ventricular ejection fraction. <i>European Journal of Heart Failure</i> , 2019 , 21, 360-369	12.3	5
130	Cardiac resynchronization therapy: need to synchronize patients and device longevities with comorbidities. <i>Europace</i> , 2019 , 21, 683-685	3.9	1
129	Current status of interventional cardiac electrophysiology training in ESC member countries: an EHRA Young EP Report. <i>Europace</i> , 2019 , 21, 522-524	3.9	0
128	Machine learning-based phenogrouping in heart failure to identify responders to cardiac resynchronization therapy. <i>European Journal of Heart Failure</i> , 2019 , 21, 74-85	12.3	90
127	Implantable Cardioverter Defibrillators and Survival in Continuous-Flow Left Ventricular Assist Device Patients. <i>ASAIO Journal</i> , 2019 , 65, 49-53	3.6	8
126	Cybersecurity for Cardiac Implantable Electronic Devices: What Should You Know?. <i>Journal of the American College of Cardiology</i> , 2018 , 71, 1284-1288	15.1	32
125	Atrioventricular dromotopathy: evidence for a distinctive entity in heart failure with prolonged PR interval?. <i>Europace</i> , 2018 , 20, 1067-1077	3.9	13
124	Clinical aspects of the three major genetic forms of long QT syndrome (LQT1, LQT2, LQT3). <i>Annals of Noninvasive Electrocardiology</i> , 2018 , 23, e12537	1.5	22
123	Usefulness of Electrocardiographic Left Atrial Abnormality to Predict Response to Cardiac Resynchronization Therapy in Patients With Mild Heart Failure and Left Bundle Branch Block (a Multicenter Automatic Defibrillator Implantation Trial with Cardiac Resynchronization Therapy Substudy). <i>American Journal of Cardiology</i> , 2018 , 122, 658-674	3	5
122	Comparison of Long-Term Survival Benefits With Cardiac Resynchronization Therapy in Patients With Mild Heart Failure With Versus Without Diabetes Mellitus (from the Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy [MADIT-CRT]). <i>American Journal of Cardiology</i> , 2018 , 121, 1506-1512	3	3
121	Quality of life measured with EuroQol-five dimensions questionnaire predicts long-term mortality, response, and reverse remodelling in cardiac resynchronization therapy patients. <i>Europace</i> , 2018 , 20, 1506-1512	3.9	6
120	Long-Term Survival With Implantable Cardioverter-Defibrillator in Different Symptomatic Functional Classes of Heart Failure. <i>American Journal of Cardiology</i> , 2018 , 121, 615-620	3	8

119	Influence of Diabetes Mellitus on Outcomes in Patients After Left Ventricular Assist Device Implantation. <i>Annals of Thoracic Surgery</i> , 2018 , 106, 555-560	2.7	6
118	Right ventricular lead location, right-left ventricular lead interaction, and long-term outcomes in cardiac resynchronization therapy patients. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018 , 52, 185-194	2.4	3
117	Novel electrocardiographic dyssynchrony criteria improve patient selection for cardiac resynchronization therapy. <i>Europace</i> , 2018 , 20, 97-103	3.9	15
116	Postimplantation ventricular ectopic burden and clinical outcomes in cardiac resynchronization therapy-defibrillator patients: a MADIT-CRT substudy. <i>Annals of Noninvasive Electrocardiology</i> , 2018 , 23, e12491	1.5	7
115	Baseline adverse electrical remodeling and the risk for ventricular arrhythmia in Cardiac Resynchronization Therapy Recipients (MADIT CRT). <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 1017-1023	2.7	
114	Effectiveness of high rate and delayed detection ICD programming by race: A MADIT-RIT substudy. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 1418-1424	2.7	0
113	One-year follow-up of the prospective registry of patients using the wearable defibrillator (WEARIT-II Registry). <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018 , 41, 1307-1313	1.6	9
112	Non-response to Cardiac Resynchronization Therapy. <i>Current Heart Failure Reports</i> , 2018 , 15, 315-321	2.8	10
111	Predictors of long-term mortality with cardiac resynchronization therapy in mild heart failure patients with left bundle branch block. <i>Clinical Cardiology</i> , 2018 , 41, 1358-1366	3.3	3
110	Arthur Jay Moss MD PhD: The cardiology world has again lost one of its most respected and worldwide-honoured scholars and experienced clinician. Born 21 June 1931, Professor of Medicine and Cardiology at Rochester University Medical Center, Rochester, NY, Arthur passed away on 14 February 2018 at the age of 86. <i>European Heart Journal</i> , 2018 , 39, 1672-1674	9.5	
109	Extended use of the wearable cardioverter-defibrillator in patients at risk for sudden cardiac death. <i>Europace</i> , 2018 , 20, f225-f232	3.9	9
108	Impact of non-cardiovascular disease burden on thirty-day hospital readmission in heart failure patients. <i>Cardiology Journal</i> , 2018 , 25, 691-700	1.4	2
107	Left Ventricular Lead Location and Long-Term Outcomes in Cardiac Resynchronization Therapy Patients. <i>JACC: Clinical Electrophysiology</i> , 2018 , 4, 1410-1420	4.6	11
106	Experience with the wearable cardioverter-defibrillator in older patients: Results from the Prospective Registry of Patients Using the Wearable Cardioverter-Defibrillator. <i>Heart Rhythm</i> , 2018 , 15, 1379-1386	6.7	6
105	In memoriam Dr Arthur J. Moss. <i>Europace</i> , 2018 , 20, 1060-1062	3.9	
104	Propensity score matched comparison of subcutaneous and transvenous implantable cardioverter-defibrillator therapy in the SIMPLE and EFFORTLESS studies. <i>Europace</i> , 2018 , 20, f240-f248	3.9	26
103	Readmission Patterns During Long-Term Follow-Up After Left Ventricular Assist Device Implantation. <i>American Journal of Cardiology</i> , 2018 , 122, 1021-1027	3	12
102	Sex differences in cardiac arrhythmia: a consensus document of the European Heart Rhythm Association, endorsed by the Heart Rhythm Society and Asia Pacific Heart Rhythm Society. <i>Europace</i> , 2018 , 20, 1565-1565ao	3.9	108

101	Multiple Comorbidities and Response to Cardiac Resynchronization Therapy: MADIT-CRT Long-Term Follow-Up. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2369-2379	15.1	30
100	Right ventricular apical versus non-apical implantable cardioverter defibrillator lead: A systematic review and meta-analysis. <i>Journal of Electrocardiology</i> , 2017 , 50, 591-597	1.4	4
99	Predictive value of device-derived activity level for short-term outcomes in MADIT-CRT. <i>Heart Rhythm</i> , 2017 , 14, 1081-1086	6.7	9
98	Race and Sex Differences in QRS Interval and Associated Outcome Among Patients with Left Ventricular Systolic Dysfunction. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	5
97	Effects of implantable cardioverter/defibrillator shock and antitachycardia pacing on anxiety and quality of life: A MADIT-RIT substudy. <i>American Heart Journal</i> , 2017 , 189, 75-84	4.9	29
96	Regional Longitudinal Deformation Improves Prediction of Ventricular Tachyarrhythmias in Patients With Heart Failure With Reduced Ejection Fraction: A MADIT-CRT Substudy (Multicenter Automatic Defibrillator Implantation Trial-Cardiac Resynchronization Therapy). <i>Circulation: Cardiovascular Imaging</i> , 2017 , 10,	3.9	18
95	Renal Function Changes Following Left Ventricular Assist Device Implantation. <i>American Journal of Cardiology</i> , 2017 , 120, 2213-2220	3	8
94	Reply: The Benefit of Cardiac Resynchronization Therapy Is Not Hindered by the Number of Comorbidities. <i>Journal of the American College of Cardiology</i> , 2017 , 70, 2097-2098	15.1	
93	Heart failure severity, inappropriate ICD therapy, and novel ICD programming: a MADIT-RIT substudy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017 , 40, 1405-1411	1.6	4
92	Effect of Gender on the Risk of Neurologic Events and Subsequent Outcomes in Patients With Left Ventricular Assist Devices. <i>American Journal of Cardiology</i> , 2017 , 119, 297-301	3	13
91	Clinical presentation at first heart failure hospitalization does not predict recurrent heart failure admission. <i>ESC Heart Failure</i> , 2017 , 4, 520-526	3.7	2
90	Long-Term Survival of Patients With Left Bundle Branch Block Who Are Hypo-Responders to Cardiac Resynchronization Therapy. <i>American Journal of Cardiology</i> , 2017 , 120, 825-830	3	8
89	Multicenter Automatic Defibrillator Implantation Trial-Subcutaneous Implantable Cardioverter Defibrillator (MADIT S-ICD): Design and clinical protocol. <i>American Heart Journal</i> , 2017 , 189, 158-166	4.9	27
88	Effect of Significant Weight Change on Inappropriate Implantable Cardioverter-Defibrillator Therapy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017 , 40, 9-16	1.6	4
87	Sex Differences in Inappropriate ICD Device Therapies: MADIT-II and MADIT-CRT. <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , 28, 94-102	2.7	6
86	Impact of CT-apelin and NT-proBNP on identifying non-responders to cardiac resynchronization therapy. <i>Biomarkers</i> , 2017 , 22, 279-286	2.6	3
85	Validation of an automatic diagnosis of strict left bundle branch block criteria using 12-lead electrocardiograms. <i>Annals of Noninvasive Electrocardiology</i> , 2017 , 22,	1.5	8
84	Effect of cardiac resynchronization therapy on the risk of ventricular tachyarrhythmias in patients with chronic kidney disease. <i>Annals of Noninvasive Electrocardiology</i> , 2017 , 22,	1.5	2

83	Device-detected subclinical atrial tachyarrhythmias: definition, implications and management-an European Heart Rhythm Association (EHRA) consensus document, endorsed by Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRs) and Sociedad Latinoamericana de Estimulaci3n Card3aca y Electrofisiolog3a (SOLEACE). <i>Europace</i> , 2017 , <i>19</i> , 1556-1578	3.9	137
82	Study of the wearable cardioverter defibrillator in advanced heart-failure patients (SWIFT). <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , <i>28</i> , 778-784	2.7	10
81	Rationale and design of the BUDAPEST-CRT Upgrade Study: a prospective, randomized, multicentre clinical trial. <i>Europace</i> , 2017 , <i>19</i> , 1549-1555	3.9	14
80	Wound haematoma following defibrillator implantation: incidence and predictors in the Shockless Implant Evaluation (SIMPLE) trial. <i>Europace</i> , 2017 , <i>19</i> , 1002-1006	3.9	13
79	Cardiac Resynchronization in Different Age Groups: A MADIT-CRT Long-Term Follow-Up Substudy. <i>Journal of Cardiac Failure</i> , 2016 , <i>22</i> , 143-9	3.3	5
78	Lessons learned from the Multicenter Automatic Defibrillator Implantation Trial-Cardiac Resynchronization Therapy (MADIT-CRT). <i>Trends in Cardiovascular Medicine</i> , 2016 , <i>26</i> , 137-46	6.9	4
77	Predictors and Risk of Ventricular Tachyarrhythmias or Death in Black and White Cardiac Patients: A MADIT-CRT Trial Substudy. <i>JACC: Clinical Electrophysiology</i> , 2016 , <i>2</i> , 448-455	4.6	11
76	Sustained clinical benefit of cardiac resynchronization therapy in non-LBBB patients with prolonged PR-interval: MADIT-CRT long-term follow-up. <i>Clinical Research in Cardiology</i> , 2016 , <i>105</i> , 944-952	6.1	32
75	Time Dependence of Ventricular Tachyarrhythmias After Myocardial Infarction: A MADIT-CRT Substudy. <i>JACC: Clinical Electrophysiology</i> , 2016 , <i>2</i> , 565-573	4.6	
74	Relative Wall Thickness and the Risk for Ventricular Tachyarrhythmias in Patients With Left Ventricular Dysfunction. <i>Journal of the American College of Cardiology</i> , 2016 , <i>67</i> , 303-12	15.1	29
73	Novel ICD Programming and Inappropriate ICD Therapy in CRT-D Versus ICD Patients: A MADIT-RIT Sub-Study. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016 , <i>9</i> , e001965	6.4	15
72	Longer right to left ventricular activation delay at cardiac resynchronization therapy implantation is associated with improved clinical outcome in left bundle branch block patients. <i>Europace</i> , 2016 , <i>18</i> , 550-9	3.9	13
71	Relation of QRS Duration to Clinical Benefit of Cardiac Resynchronization Therapy in Mild Heart Failure Patients Without Left Bundle Branch Block: The Multicenter Automatic Defibrillator Implantation Trial with Cardiac Resynchronization Therapy Substudy. <i>Circulation: Heart Failure</i> , 2016 , <i>9</i> , e002667	7.6	9
70	Bipolar left ventricular pacing is associated with significant reduction in heart failure or death in CRT-D patients with LBBB. <i>Heart Rhythm</i> , 2016 , <i>13</i> , 1468-74	6.7	10
69	Prior hospital admission predicts thirty-day hospital readmission for heart failure patients. <i>Cardiology Journal</i> , 2016 , <i>23</i> , 155-62	1.4	12
68	Effectiveness of cardiac resynchronization therapy by the frequency of revascularization procedures in ischemic cardiomyopathy patients. <i>Cardiology Journal</i> , 2016 , <i>23</i> , 437-45	1.4	3
67	Effect of obesity on the effectiveness of cardiac resynchronization to reduce the risk of first and recurrent ventricular tachyarrhythmia events. <i>Cardiovascular Diabetology</i> , 2016 , <i>15</i> , 93	8.7	12
66	Predictors and clinical relevance of ventricular tachyarrhythmias in ambulatory patients with a continuous flow left ventricular assist device. <i>Heart Rhythm</i> , 2016 , <i>13</i> , 1052-1056	6.7	35

65	Letter to the Editor- Prognostic implication of baseline PR interval in patients undergoing cardiac resynchronization therapy. <i>Heart Rhythm</i> , 2016 , 13, 1573	6.7	
64	Clinical Implications of Complete Left-Sided Reverse Remodeling With Cardiac Resynchronization Therapy: A MADIT-CRT Substudy. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 1268-76	15.1	26
63	Reply to the Editor- Bipolar left ventricular pacing is associated with significant reduction in heart failure or death in CRT-D patients with LBBB. <i>Heart Rhythm</i> , 2016 , 13, e327-e328	6.7	
62	No Utility of the Wearable Cardioverter-Defibrillator in Patients With Nonischemic Cardiomyopathy?. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 2807	15.1	
61	The Burden and Morphology of Premature Ventricular Contractions and their Impact on Clinical Outcomes in Patients Receiving Biventricular Pacing in the Multicenter Automatic Defibrillator Implantation Trial-Cardiac Resynchronization Therapy (MADIT-CRT). <i>Annals of Noninvasive Electrocardiology</i> , 2016 , 21, 41-8	1.5	4
60	Long-Term Outcomes With Cardiac Resynchronization Therapy in Patients With Mild Heart Failure With Moderate Renal Dysfunction. <i>Circulation: Heart Failure</i> , 2015 , 8, 725-32	7.6	15
59	Risk factors and the effect of cardiac resynchronization therapy on cardiac and non-cardiac mortality in MADIT-CRT. <i>Europace</i> , 2015 , 17, 1816-22	3.9	8
58	Temporal Influence of Heart Failure Hospitalizations Prior to Implantable Cardioverter Defibrillator or Cardiac Resynchronization Therapy With Defibrillator on Subsequent Outcome in Mild Heart Failure Patients (from MADIT-CRT). <i>American Journal of Cardiology</i> , 2015 , 115, 1423-7	3	5
57	Sex Differences in Long-Term Outcomes With Cardiac Resynchronization Therapy in Mild Heart Failure Patients With Left Bundle Branch Block. <i>Journal of the American Heart Association</i> , 2015 , 4,	6	25
56	Inverse Relationship of Blood Pressure to Long-Term Outcomes and Benefit of Cardiac Resynchronization Therapy in Patients With Mild Heart Failure: A Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy Long-Term Follow-Up Substudy. <i>Circulation: Heart Failure</i> , 2015 , 8, 921-6	7.6	10
55	Long-term outcome with cardiac resynchronization therapy in mild heart failure patients with left bundle branch block from US and Europe MADIT-CRT. <i>Heart Failure Reviews</i> , 2015 , 20, 535-43	5	4
54	Characterization and predictors of first and subsequent inappropriate ICD therapy by heart rate ranges: Result of the MADIT-RIT efficacy analysis. <i>Heart Rhythm</i> , 2015 , 12, 2030-7	6.7	6
53	Device therapy: Saving lives with appropriate ICD therapy in elderly patients. <i>Nature Reviews Cardiology</i> , 2015 , 12, 504-6	14.8	
52	Use of the wearable cardioverter defibrillator in high-risk cardiac patients: data from the Prospective Registry of Patients Using the Wearable Cardioverter Defibrillator (WEARIT-II Registry). <i>Circulation</i> , 2015 , 132, 1613-9	16.7	148
51	Effect of Cardiac Resynchronization Therapy in Patients With Insulin-Treated Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2015 , 116, 393-9	3	6
50	The association between biventricular pacing and cardiac resynchronization therapy-defibrillator efficacy when compared with implantable cardioverter defibrillator on outcomes and reverse remodelling. <i>European Heart Journal</i> , 2015 , 36, 440-8	9.5	46
49	Early intervention and long-term outcome with cardiac resynchronization therapy in patients without a history of advanced heart failure symptoms. <i>European Journal of Heart Failure</i> , 2015 , 17, 964-70	12.3	9
48	Reduced risk of life-threatening ventricular tachyarrhythmias with cardiac resynchronization therapy: relationship to left ventricular ejection fraction. <i>European Journal of Heart Failure</i> , 2015 , 17, 971-8	12.3	16

47	Prognostic Significance of Heart Rate Variability Among Patients Treated With Cardiac Resynchronization Therapy: MADIT-CRT (Multicenter Automatic Defibrillator Implantation Trial-Cardiac Resynchronization Therapy). <i>JACC: Clinical Electrophysiology</i> , 2015 , 1, 74-80	4.6	7
46	Identification of Low-Risk Adult Congenital LQTS Patients. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 853-858	2.7	6
45	Sex Differences in Device Therapies for Ventricular Arrhythmias or Death in the Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy (MADIT-CRT) Trial. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 862-871	2.7	31
44	Reduction in Inappropriate ICD Therapy in MADIT-RIT Patients Without History of Atrial Tachyarrhythmia. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 879-884	2.7	5
43	Long-QT Syndrome and Therapy for Attention Deficit/Hyperactivity Disorder. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 1039-44	2.7	20
42	Digoxin therapy and associated clinical outcomes in the MADIT-CRT trial. <i>Heart Rhythm</i> , 2015 , 12, 2010-76.7		18
41	Apical vs. non-apical right ventricular pacing in cardiac resynchronization therapy: a meta-analysis. <i>Europace</i> , 2015 , 17, 1259-66	3.9	32
40	Time-dependent risk reduction of ventricular tachyarrhythmias in cardiac resynchronization therapy patients: a MADIT-RIT sub-study. <i>Europace</i> , 2015 , 17, 1085-91	3.9	14
39	Effects of Statins on First and Recurrent Supraventricular Arrhythmias in Patients With Mild Heart Failure (from the Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy). <i>American Journal of Cardiology</i> , 2015 , 116, 1869-74	3	5
38	The effect of ICD programming on inappropriate and appropriate ICD Therapies in ischemic and nonischemic cardiomyopathy: the MADIT-RIT trial. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 424-433	2.7	21
37	Abstract 15501: True Bipolar Left Ventricular Pacing is Associated With Better Survival in Cardiac Resynchronization Therapy Patients. <i>Circulation</i> , 2015 , 132,	16.7	1
36	The effect of intermittent atrial tachyarrhythmia on heart failure or death in cardiac resynchronization therapy with defibrillator versus implantable cardioverter-defibrillator patients: a MADIT-CRT substudy (Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy). <i>Journal of the American College of Cardiology</i> , 2014 , 63, 1180-1187	15.1	26
35	Survival with cardiac-resynchronization therapy in mild heart failure. <i>New England Journal of Medicine</i> , 2014 , 370, 1694-701	59.2	220
34	Syncope in high-risk cardiomyopathy patients with implantable defibrillators: frequency, risk factors, mechanisms, and association with mortality: results from the multicenter automatic defibrillator implantation trial-reduce inappropriate therapy (MADIT-RIT) study. <i>Circulation</i> , 2014 , 129, 545-553	16.7	35
33	Mortality reduction in relation to implantable cardioverter defibrillator programming in the Multicenter Automatic Defibrillator Implantation Trial-Reduce Inappropriate Therapy (MADIT-RIT). <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014 , 7, 785-92	6.4	85
32	Association between frequency of atrial and ventricular ectopic beats and biventricular pacing percentage and outcomes in patients with cardiac resynchronization therapy. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 971-81	15.1	29
31	Left ventricular ejection fraction normalization in cardiac resynchronization therapy and risk of ventricular arrhythmias and clinical outcomes: results from the Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy (MADIT-CRT) trial. <i>Circulation</i> , 2014 , 130, 2278-86	16.7	118
30	ICD programming to reduce shocks and improve outcomes. <i>Current Cardiology Reports</i> , 2014 , 16, 496	4.2	3

29	Comparison of low versus high (>40 mm Hg) pulse pressure to predict the benefit of cardiac resynchronization therapy for heart failure (from the Multicenter Automatic Defibrillator Implantation Trial-Cardiac Resynchronization Therapy Trial). <i>American Journal of Cardiology</i> , 2014 , 114, 1053-8	3	3
28	Cardiac resynchronization therapy is associated with reductions in left atrial volume and inappropriate implantable cardioverter-defibrillator therapy in MADIT-CRT. <i>Heart Rhythm</i> , 2014 , 11, 1001-7	6.7	4
27	Smoking is associated with an increased risk of first and recurrent ventricular tachyarrhythmias in ischemic and nonischemic patients with mild heart failure: a MADIT-CRT substudy. <i>Heart Rhythm</i> , 2014 , 11, 822-7	6.7	7
26	PR interval identifies clinical response in patients with non-left bundle branch block: a Multicenter Automatic Defibrillator Implantation Trial-Cardiac Resynchronization Therapy substudy. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014 , 7, 645-51	6.4	68
25	The effect of weight loss on clinical outcomes in patients implanted with a cardiac resynchronization therapy device-A MADIT-CRT substudy. <i>Journal of Cardiac Failure</i> , 2014 , 20, 183-9	3.3	10
24	Response to letter regarding, "PR interval identifies clinical response in patients with non-left bundle branch block: a multicenter automatic defibrillator implantation trial-cardiac resynchronization therapy sub-study" by Kutuyifa et al. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014 , 7, 1030	6.4	1
23	Effect of cardiac resynchronization therapy with implantable cardioverter defibrillator versus cardiac resynchronization therapy with pacemaker on mortality in heart failure patients: results of a high-volume, single-centre experience. <i>European Journal of Heart Failure</i> , 2014 , 16, 1323-30	12.3	40
22	Survival with cardiac-resynchronization therapy. <i>New England Journal of Medicine</i> , 2014 , 371, 477-8	59.2	11
21	Comparison of age (. <i>American Journal of Cardiology</i> , 2014 , 114, 1855-60	3	12
20	Predictors of spontaneous reverse remodeling in mild heart failure patients with left ventricular dysfunction. <i>Circulation: Heart Failure</i> , 2014 , 7, 565-72	7.6	18
19	Response to letter regarding article, "syncope in high-risk cardiomyopathy patients with implantable defibrillators: frequency, risk factors, mechanisms, and association with mortality: results from the Multicenter Automatic Defibrillator Implantation Trial-Reduce Inappropriate Therapy (MADIT-RIT) study". <i>Circulation</i> , 2014 , 130, e133	16.7	
18	A metric for evaluating the cardiac response to resynchronization therapy. <i>American Journal of Cardiology</i> , 2014 , 113, 1371-7	3	9
17	Clinical impact, safety, and efficacy of single- versus dual-coil ICD leads in MADIT-CRT. <i>Journal of Cardiovascular Electrophysiology</i> , 2013 , 24, 1246-52	2.7	29
16	The influence of left ventricular ejection fraction on the effectiveness of cardiac resynchronization therapy: MADIT-CRT (Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy). <i>Journal of the American College of Cardiology</i> , 2013 , 61, 936-44	15.1	64
15	Risk factors and outcomes associated with the development of myocardial ischemic events in patients who receive cardiac resynchronization therapy. <i>American Journal of Cardiology</i> , 2013 , 112, 1896-900	3.9	2
14	Impact of carvedilol and metoprolol on inappropriate implantable cardioverter-defibrillator therapy: the MADIT-CRT trial (Multicenter Automatic Defibrillator Implantation With Cardiac Resynchronization Therapy). <i>Journal of the American College of Cardiology</i> , 2013 , 62, 1343-50	15.1	31
13	Dyssynchrony and the risk of ventricular arrhythmias. <i>JACC: Cardiovascular Imaging</i> , 2013 , 6, 432-44	8.4	58
12	Effect on cardiac function of cardiac resynchronization therapy in patients with right bundle branch block (from the Multicenter Automatic Defibrillator Implantation Trial With Cardiac Resynchronization Therapy [MADIT-CRT] trial). <i>American Journal of Cardiology</i> , 2013 , 112, 525-9	3	30

11	Effects of cardiac resynchronization therapy on left ventricular mass and wall thickness in mild heart failure patients in MADIT-CRT. <i>Heart Rhythm</i> , 2013 , 10, 354-60	6.7	5
10	Impact of the right ventricular lead position on clinical outcome and on the incidence of ventricular tachyarrhythmias in patients with CRT-D. <i>Heart Rhythm</i> , 2013 , 10, 1770-7	6.7	34
9	Atrioventricular delay programming and the benefit of cardiac resynchronization therapy in MADIT-CRT. <i>Heart Rhythm</i> , 2013 , 10, 1136-43	6.7	20
8	Clinical significance of ventricular tachyarrhythmias in patients treated with CRT-D. <i>Heart Rhythm</i> , 2013 , 10, 943-50	6.7	3
7	Ambulatory ECG monitoring in atrial fibrillation management. <i>Progress in Cardiovascular Diseases</i> , 2013 , 56, 143-52	8.5	27
6	Left ventricular lead location and the risk of ventricular arrhythmias in the MADIT-CRT trial. <i>European Heart Journal</i> , 2013 , 34, 184-90	9.5	37
5	How to Assess the Nonresponder to Cardiac Resynchronization Therapy: A Comprehensive Stepwise Approach. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2012 , 65, 504-510	0.7	2
4	Tracing the European course of cardiac resynchronization therapy from 2006 to 2008. <i>Europace</i> , 2010 , 12, 692-701	3.9	32
3	Minimal invasive coronary sinus lead reposition technique for the treatment of phrenic nerve stimulation. <i>Europace</i> , 2008 , 10, 1157-60	3.9	14
2	Stabilization of the coronary sinus electrode position with coronary stent implantation to prevent and treat dislocation. <i>Journal of Cardiovascular Electrophysiology</i> , 2007 , 18, 303-7	2.7	39
1	The cardiac arrest centre for the treatment of sudden cardiac arrest due to presumed cardiac cause: aims, function, and structure: position paper of the ACVC association of the ESC, EAPCI, EHRA, ERC, EUSEM, and ESICM. <i>European Heart Journal: Acute Cardiovascular Care</i> ,	4.3	3