

Pablo Navarro

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2402756/pablo-navarro-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71
papers

1,892
citations

27
h-index

41
g-index

73
ext. papers

2,285
ext. citations

5.2
avg, IF

5.15
L-index

#	Paper	IF	Citations
71	Thermal stability of choline chloride deep eutectic solvents by TGA/FTIR-ATR analysis. <i>Journal of Molecular Liquids</i> , 2018 , 260, 37-43	6	143
70	Liquid-Liquid Extraction of Toluene from Heptane Using [emim][DCA], [bmim][DCA], and [emim][TCM] Ionic Liquids. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 2714-2720	3.9	138
69	Thermal Properties of Cyano-Based Ionic Liquids. <i>Journal of Chemical & Engineering Data</i> , 2013 , 58, 2187-2193	2.8	111
68	Ionic liquids for post-combustion CO ₂ capture by physical absorption: Thermodynamic, kinetic and process analysis. <i>International Journal of Greenhouse Gas Control</i> , 2017 , 61, 61-70	4.2	75
67	Selective extraction of toluene from n-heptane using [emim][SCN] and [bmim][SCN] ionic liquids as solvents. <i>Journal of Chemical Thermodynamics</i> , 2014 , 79, 266-271	2.9	64
66	Physical Properties of N-Butylpyridinium Tetrafluoroborate and N-Butylpyridinium Bis(trifluoromethylsulfonyl)imide Binary Ionic Liquid Mixtures. <i>Journal of Chemical & Engineering Data</i> , 2012 , 57, 1318-1325	2.8	63
65	Absorption refrigeration cycles based on ionic liquids: Refrigerant/absorbent selection by thermodynamic and process analysis. <i>Applied Energy</i> , 2018 , 213, 179-194	10.7	61
64	Separation of toluene from n-heptane, 2,3-dimethylpentane, and cyclohexane using binary mixtures of [4empy][Tf2N] and [emim][DCA] ionic liquids as extraction solvents. <i>Separation and Purification Technology</i> , 2013 , 120, 392-401	8.3	52
63	Liquid-Liquid extraction of toluene from n-heptane by {[emim][TCM]+[emim][DCA]} binary ionic liquid mixtures. <i>Fluid Phase Equilibria</i> , 2014 , 364, 48-54	2.5	51
62	Choline Chloride-Based Deep Eutectic Solvents in the Dearomatization of Gasolines. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 1039-1047	8.3	50
61	Physical Properties of Binary and Ternary Mixtures of 2-Propanol, Water, and 1-Butyl-3-methylimidazolium Tetrafluoroborate Ionic Liquid. <i>Journal of Chemical & Engineering Data</i> , 2012 , 57, 1165-1173	2.8	48
60	COSMO-based/Aspen Plus process simulation of the aromatic extraction from pyrolysis gasoline using the {[4empy][NTf2] + [emim][DCA]} ionic liquid mixture. <i>Separation and Purification Technology</i> , 2018 , 190, 211-227	8.3	45
59	Dicyanamide-based ionic liquids in the liquid-Liquid extraction of aromatics from alkanes: Experimental evaluation and computational predictions. <i>Chemical Engineering Research and Design</i> , 2016 , 109, 561-572	5.5	44
58	Liquid-Liquid Extraction of BTEX from Reformer Gasoline Using Binary Mixtures of [4empy][Tf2N] and [emim][DCA] Ionic Liquids. <i>Energy & Fuels</i> , 2014 , 28, 6666-6676	4.1	43
57	Vapor-Liquid equilibria of {n-heptane + toluene + [emim][DCA]} system by headspace gas chromatography. <i>Fluid Phase Equilibria</i> , 2015 , 387, 209-216	2.5	42
56	Encapsulated Ionic Liquids to Enable the Practical Application of Amino Acid-Based Ionic Liquids in CO ₂ Capture. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 14178-14187	8.3	42
55	Separation of aromatics from n-alkanes using tricyanomethanide-based ionic liquids: Liquid-liquid extraction, vapor-liquid separation, and thermophysical characterization. <i>Journal of Molecular Liquids</i> , 2016 , 223, 880-889	6	41

54	Thermal stability, specific heats, and surface tensions of ([emim][DCA]+[4empy][Tf2N]) ionic liquid mixtures. <i>Journal of Chemical Thermodynamics</i> , 2014 , 76, 152-160	2.9	37
53	Design of the recovery section of the extracted aromatics in the separation of BTEX from naphtha feed to ethylene crackers using [4empy][Tf 2 N] and [emim][DCA] mixed ionic liquids as solvent. <i>Separation and Purification Technology</i> , 2017 , 180, 149-156	8.3	34
52	Physical Characterization of an Aromatic Extraction Solvent Formed by [bpy][BF4] and [4bmpy][Tf2N] Mixed Ionic Liquids. <i>Journal of Chemical & Engineering Data</i> , 2013 , 58, 1496-1504	2.8	33
51	Selective recovery of aliphatics from aromatics in the presence of the {[4empy][Tf 2 N] + [emim][DCA]} ionic liquid mixture. <i>Journal of Chemical Thermodynamics</i> , 2016 , 96, 134-142	2.9	31
50	Separation of BTEX from a naphtha feed to ethylene crackers using a binary mixture of [4empy][Tf2N] and [emim][DCA] ionic liquids. <i>Separation and Purification Technology</i> , 2015 , 144, 54-62	8.3	30
49	Dearomatization of pyrolysis gasolines from mild and severe cracking by liquid-liquid extraction using a binary mixture of [4empy][Tf2N] and [emim][DCA] ionic liquids. <i>Fuel Processing Technology</i> , 2015 , 137, 269-282	7.2	28
48	Mixing and decomposition behavior of {[4bmpy][Tf2N]+[emim][EtSO4]} and {[4bmpy][Tf2N]+[emim][TFES]} ionic liquid mixtures. <i>Journal of Chemical Thermodynamics</i> , 2015 , 82, 58-75 ⁹	2.9	28
47	Enhanced separation of benzene and cyclohexane by homogeneous extractive distillation using ionic liquids as entrainers. <i>Separation and Purification Technology</i> , 2020 , 240, 116583	8.3	27
46	Experimental screening towards developing ionic liquid-based extractive distillation in the dearomatization of refinery streams. <i>Separation and Purification Technology</i> , 2018 , 201, 268-275	8.3	27
45	Thermal stability and specific heats of {[emim][DCA]+[emim][TCM]} mixed ionic liquids. <i>Thermochimica Acta</i> , 2014 , 588, 22-27	2.9	27
44	Liquid-Liquid Extraction of Toluene from n-Alkanes using {[4empy][Tf2N] + [emim][DCA]} Ionic Liquid Mixtures. <i>Journal of Chemical & Engineering Data</i> , 2014 , 59, 1692-1699	2.8	26
43	Recovery of tyrosol from aqueous streams using hydrophobic ionic liquids: a first step towards developing sustainable processes for olive mill wastewater (OMW) management. <i>RSC Advances</i> , 2016 , 6, 18751-18762	3.7	25
42	Extraction of aromatic hydrocarbons from pyrolysis gasoline using tetrathiocyanatocobaltate-based ionic liquids: Experimental study and simulation. <i>Fuel Processing Technology</i> , 2017 , 159, 96-110	7.2	24
41	Imidazolium and pyridinium-based ionic liquids for the cyclohexane/cyclohexene separation by liquid-liquid extraction. <i>Journal of Chemical Thermodynamics</i> , 2019 , 131, 340-346	2.9	24
40	Toluene/n-Heptane Separation by Extractive Distillation with Tricyanomethanide-Based Ionic Liquids: Experimental and CPA EoS Modeling. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 14242-14253	3.9	24
39	Cyclohexane/cyclohexene separation by extractive distillation with cyano-based ionic liquids. <i>Journal of Molecular Liquids</i> , 2019 , 289, 111120	6	22
38	Use of selective ionic liquids and ionic liquid/salt mixtures as entrainer in a (vapor + liquid) system to separate n-heptane from toluene. <i>Journal of Chemical Thermodynamics</i> , 2015 , 91, 156-164	2.9	20
37	Extraction of benzene, ethylbenzene, and xylenes from n-heptane using binary mixtures of [4empy][Tf2N] and [emim][DCA] ionic liquids. <i>Fluid Phase Equilibria</i> , 2014 , 380, 1-10	2.5	20

36	Deepening of the Role of Cation Substituents on the Extractive Ability of Pyridinium Ionic Liquids of N-Compounds from Fuels. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 2015-2025	8.3	18
35	Extraction and recovery process to selectively separate aromatics from naphtha feed to ethylene crackers using 1-ethyl-3-methylimidazolium thiocyanate ionic liquid. <i>Chemical Engineering Research and Design</i> , 2017 , 120, 102-112	5.5	18
34	Sustainable Recovery of Volatile Fatty Acids from Aqueous Solutions Using Terpenoids and Eutectic Solvents. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 16786-16794	8.3	18
33	Design of the Hydrocarbon Recovery Section from the Extract Stream of the Aromatic Separation from Reformer and Pyrolysis Gasolines Using a Binary Mixture of [4empy][Tf2N] + [emim][DCA] Ionic Liquids. <i>Energy & Fuels</i> , 2017 , 31, 1035-1043	4.1	17
32	New Experimental Data and Modeling of Glymes: Toward the Development of a Predictive Model for Polyethers. <i>Industrial & Engineering Chemistry Research</i> , 2017 , 56, 7830-7844	3.9	16
31	Dearomatization of pyrolysis gasoline by extractive distillation with 1-ethyl-3-methylimidazolium tricyanomethanide. <i>Fuel Processing Technology</i> , 2019 , 195, 106156	7.2	16
30	A comparative study of pure ionic liquids and their mixtures as potential mass agents in the separation of hydrocarbons. <i>Journal of Molecular Liquids</i> , 2016 , 222, 118-124	6	15
29	Vapor-liquid equilibria for n-heptane + {benzene, toluene, p-xylene, or ethylbenzene} + {[4empy][Tf2N] (0.3) + [emim][DCA] (0.7)} binary ionic liquid mixture. <i>Fluid Phase Equilibria</i> , 2016 , 417, 41-49	2.5	14
28	Separation of benzene from methylcycloalkanes by extractive distillation with cyano-based ionic liquids: Experimental and CPA EoS modelling. <i>Separation and Purification Technology</i> , 2020 , 234, 116128	8.3	13
27	Separation of phenols from aqueous streams using terpenoids and hydrophobic eutectic solvents. <i>Separation and Purification Technology</i> , 2020 , 251, 117379	8.3	12
26	Thermal stability and specific heats of {[bpy][BF4] + [bpy][Tf2N]} and {[bpy][BF4] + [4bmpy][Tf2N]} mixed ionic liquid solvents. <i>Journal of Thermal Analysis and Calorimetry</i> , 2015 , 119, 1235-1243	4.1	11
25	Novel Process to Reduce Benzene, Thiophene, and Pyrrole in Gasoline Based on [4bmpy][TCM] Ionic Liquid. <i>Energy & Fuels</i> , 2018 , 32, 5650-5658	4.1	10
24	Vapor-Liquid Equilibria for (n-Hexane, n-Octane, Cyclohexane, or 2,3-Dimethylpentane) + Toluene + {[4empy][Tf2N] (0.3) + [emim][DCA] (0.7)} Mixed Ionic Liquids. <i>Journal of Chemical & Engineering Data</i> , 2016 , 61, 2440-2449	2.8	10
23	Stripping Columns to Regenerate Ionic Liquids and Selectively Recover Hydrocarbons Avoiding Vacuum Conditions. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 20370-20380	3.9	10
22	Dearomatization of pyrolysis gasoline with an ionic liquid mixture: Experimental study and process simulation. <i>AIChE Journal</i> , 2017 , 63, 4054-4065	3.6	9
21	Vapor-Liquid Equilibria of n-Heptane + Toluene + 1-Ethyl-4-methylpyridinium Bis(trifluoromethylsulfonyl)imide Ionic Liquid. <i>Journal of Chemical & Engineering Data</i> , 2016 , 61, 458-465	2.8	9
20	On the volatility of aromatic hydrocarbons in ionic liquids: Vapor-liquid equilibrium measurements and theoretical analysis. <i>Journal of Molecular Liquids</i> , 2018 , 250, 9-18	6	9
19	Molecular and Thermodynamic Properties of Zwitterions versus Ionic Liquids: A Comprehensive Computational Analysis to Develop Advanced Separation Processes. <i>ChemPhysChem</i> , 2018 , 19, 801-815	3.2	8

18	Toward Modeling the Aromatic/Aliphatic Separation by Extractive Distillation with Tricyanomethanide-Based Ionic Liquids Using CPA EoS. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 19681-19692	3.9	7
17	Understanding the CO ₂ valorization to propylene carbonate catalyzed by 1-butyl-3-methylimidazolium amino acid ionic liquids. <i>Journal of Molecular Liquids</i> , 2021 , 324, 114782	6	7
16	Impact of water on the [C4C1im][Ac] ability for the CO ₂ /CH ₄ separation. <i>Journal of CO₂ Utilization</i> , 2019 , 31, 115-123	7.6	6
15	Multiscale evaluation of CO ₂ -derived cyclic carbonates to separate hydrocarbons: Drafting new competitive processes. <i>Fuel Processing Technology</i> , 2021 , 212, 106639	7.2	6
14	Sustainable Production of Furfural in Biphasic Reactors Using Terpenoids and Hydrophobic Eutectic Solvents. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 10266-10275	8.3	5
13	High pressure density of tricyanomethanide-based ionic liquids: Experimental and PC-SAFT modelling. <i>Fluid Phase Equilibria</i> , 2020 , 520, 112652	2.5	4
12	Extractive Distillation with Ionic Liquids To Separate Benzene, Toluene, and Xylene from Pyrolysis Gasoline: Process Design and Techno-Economic Comparison with the Morphylane Process. <i>Industrial & Engineering Chemistry Research</i> ,	3.9	4
11	. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 15058-15068	3.9	4
10	Close-cycle process to produce CO ₂ -derived propylene carbonate based on amino acid catalyst and water. <i>Journal of CO₂ Utilization</i> , 2021 , 52, 101656	7.6	4
9	Extending the ability of cyclic carbonates for extracting BTEX to challenging low aromatic content naphtha: the designer solvent role at process scale. <i>Computers and Chemical Engineering</i> , 2021 , 154, 107468	4.68	4
8	Extractive removal and recovery of bisphenol A from aqueous solutions using terpenoids and hydrophobic eutectic solvents. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 9, 106128	6.8	3
7	Fatty alcohol/water reaction-separation platform to produce propylene carbonate from captured CO ₂ using a hydrophobic ionic liquid. <i>Separation and Purification Technology</i> , 2021 , 275, 119143	8.3	2
6	High-Pressure Density of Bis(1-alkyl-3-methylimidazolium) Tetraisothiocyanatocobaltate Ionic Liquids: Experimental and PC-SAFT with Volume-Shift Modeling. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 4827-4833	2.8	1
5	Universal and low energy-demanding platform to produce propylene carbonate from CO ₂ using hydrophilic ionic liquids. <i>Separation and Purification Technology</i> , 2022 , 121273	8.3	1
4	Extraction of antibiotics identified in the EU Watch List 2020 from hospital wastewater using hydrophobic eutectic solvents and terpenoids. <i>Separation and Purification Technology</i> , 2022 , 282, 120117	8.3	0
3	Tetrathiocyanatocobaltate and bis(trifluoromethylsulfonyl)imide-based ionic liquids as mass agents in the separation of cyclohexane and cyclohexene mixtures by homogeneous extractive distillation. <i>Journal of Chemical Thermodynamics</i> , 2021 , 157, 106403	2.9	0
2	Fine-tune simultaneous dearomatization, desulfurization and denitrogenation of liquid fuels with CO ₂ -derived cyclic carbonates. <i>Fuel</i> , 2022 , 321, 124005	7.1	0
1	Assessment of bio-ionic liquids as promising solvents in industrial separation processes: Computational screening using COSMO-RS method. <i>Fluid Phase Equilibria</i> , 2022 , 560, 113495	2.5	0

