

# Jorge PÃ©rez-FernÃ¡ndez

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2403338/publications.pdf>

Version: 2024-02-01

27  
papers

1,153  
citations

430874

18  
h-index

580821

25  
g-index

28  
all docs

28  
docs citations

28  
times ranked

1425  
citing authors

#	ARTICLE	IF	CITATIONS
1	Structural Probing with MNase Tethered to Ribosome Assembly Factors Resolves Flexible RNA Regions within the Nascent Pre-Ribosomal RNA. <i>Non-coding RNA</i> , 2022, 8, 1.	2.6	3
2	A High-Copy Suppressor Screen Reveals a Broad Role of Prefoldin-like Bud27 in the TOR Signaling Pathway in <i>Saccharomyces cerevisiae</i> . <i>Genes</i> , 2022, 13, 748.	2.4	3
3	Non-Coding, RNAPII-Dependent Transcription at the Promoters of rRNA Genes Regulates Their Chromatin State in <i>S. cerevisiae</i> . <i>Non-coding RNA</i> , 2021, 7, 41.	2.6	5
4	Pol5 is required for recycling of small subunit biogenesis factors and for formation of the peptide exit tunnel of the large ribosomal subunit. <i>Nucleic Acids Research</i> , 2019, 48, 405-420.	14.5	7
5	Pwp2 mediates UTP-B assembly via two structurally independent domains. <i>Scientific Reports</i> , 2017, 7, 3169.	3.3	9
6	Purification of RNA Polymerase I-Associated Chromatin from Yeast Cells. <i>Methods in Molecular Biology</i> , 2016, 1455, 213-223.	0.9	0
7	Structure of the Yeast Ribosomal Stalk. , 2014, , 115-125.		10
8	Compositional and structural analysis of selected chromosomal domains from <i>Saccharomyces cerevisiae</i> . <i>Nucleic Acids Research</i> , 2014, 42, e2-e2.	14.5	25
9	Binding of the Termination Factor Nsi1 to Its Cognate DNA Site Is Sufficient To Terminate RNA Polymerase I Transcription <i>&lt;i&gt;In Vitro&lt;/i&gt;</i> and To Induce Termination <i>&lt;i&gt;In Vivo&lt;/i&gt;</i> . <i>Molecular and Cellular Biology</i> , 2014, 34, 3817-3827.	2.3	30
10	Purification of Specific Chromatin Domains from Single-Copy Gene Loci in <i>Saccharomyces cerevisiae</i> . <i>Methods in Molecular Biology</i> , 2014, 1094, 329-341.	0.9	20
11	In Vitro Reconstitution of Yeast tLTP/UTP A and UTP B Subcomplexes Provides New Insights into Their Modular Architecture. <i>PLoS ONE</i> , 2014, 9, e114898.	2.5	18
12	The Hog1 Stress-activated Protein Kinase Targets Nucleoporins to Control mRNA Export upon Stress. <i>Journal of Biological Chemistry</i> , 2013, 288, 17384-17398.	3.4	35
13	RNA polymerase I termination: Where is the end?. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2013, 1829, 306-317.	1.9	37
14	Chromatin states at ribosomal DNA loci. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2013, 1829, 405-417.	1.9	60
15	Structure-function analysis of Hmo1 unveils an ancestral organization of HMG-Box factors involved in ribosomal DNA transcription from yeast to human. <i>Nucleic Acids Research</i> , 2013, 41, 10135-10149.	14.5	47
16	Mutations in TFIIF causing trichothiodystrophy are responsible for defects in ribosomal RNA production and processing. <i>Human Molecular Genetics</i> , 2013, 22, 2881-2893.	2.9	283
17	Rrp5p, Noc1p and Noc2p form a protein module which is part of early large ribosomal subunit precursors in <i>S. cerevisiae</i> . <i>Nucleic Acids Research</i> , 2013, 41, 1191-1210.	14.5	61
18	Studies on the Assembly Characteristics of Large Subunit Ribosomal Proteins in <i>S. cerevisiae</i> . <i>PLoS ONE</i> , 2013, 8, e68412.	2.5	51

#	ARTICLE	IF	CITATIONS
19	Regulation of Ribosomal RNA Production by RNA Polymerase I: Does Elongation Come First?. <i>Genetics Research International</i> , 2012, 2012, 1-13.	2.0	27
20	The Reb1-homologue Ydr026c/Nsi1 is required for efficient RNA polymerase I termination in yeast. <i>EMBO Journal</i> , 2012, 31, 3480-3493.	7.8	48
21	Interrelationships between Yeast Ribosomal Protein Assembly Events and Transient Ribosome Biogenesis Factors Interactions in Early Pre-Ribosomes. <i>PLoS ONE</i> , 2012, 7, e32552.	2.5	34
22	Local Tertiary Structure Probing of Ribonucleoprotein Particles by Nuclease Fusion Proteins. <i>PLoS ONE</i> , 2012, 7, e42449.	2.5	7
23	RNA polymerase I-specific subunits promote polymerase clustering to enhance the rRNA gene transcription cycle. <i>Journal of Cell Biology</i> , 2011, 192, 277-293.	5.2	68
24	Elucidation of the assembly events required for the recruitment of Utp20, Imp4 and Bms1 onto nascent pre-ribosomes. <i>Nucleic Acids Research</i> , 2011, 39, 8105-8121.	14.5	46
25	The 90S Preribosome Is a Multimodular Structure That Is Assembled through a Hierarchical Mechanism. <i>Molecular and Cellular Biology</i> , 2007, 27, 5414-5429.	2.3	155
26	The Acidic Protein Binding Site Is Partially Hidden in the Free <i>Saccharomyces cerevisiae</i> Ribosomal Stalk Protein P0. <i>Biochemistry</i> , 2005, 44, 5532-5540.	2.5	24
27	Characterization of interaction sites in the <i>Saccharomyces cerevisiae</i> ribosomal stalk components. <i>Molecular Microbiology</i> , 2002, 46, 719-792.	2.5	39