

Gary Struhl

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2403367/publications.pdf>

Version: 2024-02-01

48
papers

12,214
citations

87723

38
h-index

205818

48
g-index

50
all docs

50
docs citations

50
times ranked

7877
citing authors

#	ARTICLE	IF	CITATIONS
1	Evolutionary plasticity in the requirement for force exerted by ligand endocytosis to activate <i>C.Âlegans</i> Notch proteins. <i>Current Biology</i> , 2022, 32, 2263-2271.e6.	1.8	4
2	A unified mechanism for the control of <i>Drosophila</i> wing growth by the morphogens Decapentaplegic and Wingless. <i>PLoS Biology</i> , 2021, 19, e3001111.	2.6	15
3	Control of <i>Drosophila</i> wing size by morphogen range and hormonal gating. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 31935-31944.	3.3	32
4	Causal role for inheritance of H3K27me3 in maintaining the OFF state of a <i>Drosophila</i> HOX gene. <i>Science</i> , 2017, 356, .	6.0	182
5	Epsin-Dependent Ligand Endocytosis Activates Notch by Force. <i>Cell</i> , 2017, 171, 1383-1396.e12.	13.5	103
6	Scaling the <i>Drosophila</i> Wing: TOR-Dependent Target Gene Access by the Hippo Pathway Transducer Yorkie. <i>PLoS Biology</i> , 2015, 13, e1002274.	2.6	47
7	Fat/Dachsous Signaling Promotes <i>Drosophila</i> Wing Growth by Regulating the Conformational State of the NDR Kinase Warts. <i>Developmental Cell</i> , 2015, 35, 737-749.	3.1	50
8	Notch Is Required in Adult <i>Drosophila</i> Sensory Neurons for Morphological and Functional Plasticity of the Olfactory Circuit. <i>PLoS Genetics</i> , 2015, 11, e1005244.	1.5	28
9	Tethered wings. <i>Nature</i> , 2014, 505, 162-163.	13.7	12
10	Dissecting the molecular bridges that mediate the function of Frizzled in planar cell polarity. <i>Development (Cambridge)</i> , 2012, 139, 3665-3674.	1.2	62
11	A Feed-Forward Circuit Linking Wingless, Fat-Dachsous Signaling, and the Warts-Hippo Pathway to <i>Drosophila</i> Wing Growth. <i>PLoS Biology</i> , 2010, 8, e1000386.	2.6	130
12	Do the protocadherins Fat and Dachsous link up to determine both planar cell polarity and the dimensions of organs?. <i>Nature Cell Biology</i> , 2008, 10, 1379-1382.	4.6	70
13	Planar Cell Polarity: A Bridge Too Far?. <i>Current Biology</i> , 2008, 18, R959-R961.	1.8	17
14	Control of <i>Drosophila</i> wing growth by the <i>vestigial</i> quadrant enhancer. <i>Development (Cambridge)</i> , 2007, 134, 3011-3020.	1.2	70
15	Recruitment of cells into the <i>Drosophila</i> wing primordium by a feed-forward circuit of <i>vestigial</i> autoregulation. <i>Development (Cambridge)</i> , 2007, 134, 3001-3010.	1.2	95
16	Planar cell polarity: one or two pathways?. <i>Nature Reviews Genetics</i> , 2007, 8, 555-563.	7.7	204
17	Two separate molecular systems, Dachsous/Fat and Starry night/Frizzled, act independently to confer planar cell polarity. <i>Development (Cambridge)</i> , 2006, 133, 4561-4572.	1.2	195
18	Distinct roles for Mind bomb, Neuralized and Epsin in mediating DSL endocytosis and signaling in <i>Drosophila</i> . <i>Development (Cambridge)</i> , 2005, 132, 2883-2894.	1.2	158

#	ARTICLE	IF	CITATIONS
19	Drosophila Epsin mediates a select endocytic pathway that DSL ligands must enter to activate Notch. Development (Cambridge), 2004, 131, 5367-5380.	1.2	220
20	Cell interactions and planar polarity in the abdominal epidermis of Drosophila. Development (Cambridge), 2004, 131, 4651-4664.	1.2	150
21	Developmental Compartments and Planar Polarity in Drosophila. Current Biology, 2002, 12, 1189-1198.	1.8	136
22	Subdivision of the <i>Drosophila</i> wing imaginal disc by EGFR-mediated signaling. Development (Cambridge), 2002, 129, 1357-1368.	1.2	85
23	Control of growth and patterning of the <i>Drosophila</i> wing imaginal disc by EGFR-mediated signaling. Development (Cambridge), 2002, 129, 1369-1376.	1.2	69
24	Subdivision of the <i>Drosophila</i> wing imaginal disc by EGFR-mediated signaling. Development (Cambridge), 2002, 129, 1357-68.	1.2	37
25	Control of growth and patterning of the <i>Drosophila</i> wing imaginal disc by EGFR-mediated signaling. Development (Cambridge), 2002, 129, 1369-76.	1.2	30
26	Nicastrin is required for Presenilin-mediated transmembrane cleavage in <i>Drosophila</i> . Nature Cell Biology, 2001, 3, 1129-1132.	4.6	152
27	Requirements for Presenilin-Dependent Cleavage of Notch and Other Transmembrane Proteins. Molecular Cell, 2000, 6, 625-636.	4.5	393
28	Regulation of the Hedgehog and Wingless signalling pathways by the F-box/WD40-repeat protein Slimb. Nature, 1998, 391, 493-496.	13.7	1,610
29	Nuclear Access and Action of Notch In Vivo. Cell, 1998, 93, 649-660.	13.5	713
30	Sequence-specific RNA binding by Bicoid. Nature, 1997, 388, 634-634.	13.7	53
31	Direct and Long-Range Action of a DPP Morphogen Gradient. Cell, 1996, 85, 357-368.	13.5	888
32	Morphogens, Compartments, and Pattern: Lessons from <i>Drosophila</i> ?. Cell, 1996, 85, 951-961.	13.5	547
33	Dual Roles for Patched in Sequestering and Transducing Hedgehog. Cell, 1996, 87, 553-563.	13.5	832
34	Direct and Long-Range Action of a Wingless Morphogen Gradient. Cell, 1996, 87, 833-844.	13.5	700
35	RNA recognition and translational regulation by a homeodomain protein. Nature, 1996, 379, 694-699.	13.7	332
36	Protein kinase A and hedgehog signaling in <i>drosophila</i> limb development. Cell, 1995, 80, 563-572.	13.5	324

#	ARTICLE	IF	CITATIONS
37	Compartment boundaries and the control of Drosophilla limb pattern by hedgehog protein. Nature, 1994, 368, 208-214.	13.7	843
38	The torso receptor localizes as well as transduces the spatial signal specifying terminal body pattern in Drosophila. Nature, 1993, 362, 152-155.	13.7	95
39	Organizing activity of wingless protein in Drosophila. Cell, 1993, 72, 527-540.	13.5	837
40	Differing strategies for organizing anterior and posterior body pattern in Drosophila embryos. Nature, 1989, 338, 741-744.	13.7	211
41	Morphogen Gradients and the Control of Body Pattern in Insect Embryos. Novartis Foundation Symposium, 1989, 144, 65-98.	1.2	5
42	Cis- acting sequences responsible for anterior localization of bicoid mRNA in Drosophila embryos. Nature, 1988, 336, 595-598.	13.7	345
43	Borders of parasegments in Drosophila embryos are delimited by the fushi tarazu and even-skipped genes. Nature, 1987, 328, 440-442.	13.7	240
44	Splitting the bithorax complex of Drosophila. Nature, 1984, 308, 454-457.	13.7	133
45	Early role of the esc+ gene product in the determination of segments in Drosophila. Cell, 1982, 31, 285-292.	13.5	118
46	Decapentaplegic "hopes held out. Nature, 1982, 298, 13-14.	13.7	4
47	A homoeotic mutation transforming leg to antenna in Drosophila. Nature, 1981, 292, 635-638.	13.7	260
48	A gene product required for correct initiation of segmental determination in Drosophila. Nature, 1981, 293, 36-41.	13.7	378