

Martin Andreas RÃ¼der

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2403816/publications.pdf>

Version: 2024-02-01

113
papers

4,208
citations

257450

24
h-index

128289

60
g-index

123
all docs

123
docs citations

123
times ranked

7534
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Association analyses of more than 140,000 men identify 63 new prostate cancer susceptibility loci. <i>Nature Genetics</i> , 2018, 50, 928-936. | 21.4 | 652 |
| 2 | Identification of 23 new prostate cancer susceptibility loci using the iCOGS custom genotyping array. <i>Nature Genetics</i> , 2013, 45, 385-391. | 21.4 | 492 |
| 3 | A meta-analysis of 87,040 individuals identifies 23 new susceptibility loci for prostate cancer. <i>Nature Genetics</i> , 2014, 46, 1103-1109. | 21.4 | 408 |
| 4 | Seven prostate cancer susceptibility loci identified by a multi-stage genome-wide association study. <i>Nature Genetics</i> , 2011, 43, 785-791. | 21.4 | 265 |
| 5 | Trans-ancestry genome-wide association meta-analysis of prostate cancer identifies new susceptibility loci and informs genetic risk prediction. <i>Nature Genetics</i> , 2021, 53, 65-75. | 21.4 | 264 |
| 6 | Timing of radiotherapy after radical prostatectomy (RADICALS-RT): a randomised, controlled phase 3 trial. <i>Lancet</i> , The, 2020, 396, 1413-1421. | 13.7 | 226 |
| 7 | Polygenic hazard score to guide screening for aggressive prostate cancer: development and validation in large scale cohorts. <i>BMJ: British Medical Journal</i> , 2018, 360, j5757. | 2.3 | 153 |
| 8 | Active surveillance for clinically localized prostate cancer – a systematic review. <i>Journal of Surgical Oncology</i> , 2014, 109, 830-835. | 1.7 | 139 |
| 9 | A meta-analysis of genome-wide association studies to identify prostate cancer susceptibility loci associated with aggressive and non-aggressive disease. <i>Human Molecular Genetics</i> , 2013, 22, 408-415. | 2.9 | 118 |
| 10 | Prostate artery embolisation for benign prostatic hyperplasia: a systematic review and meta-analysis. <i>European Radiology</i> , 2019, 29, 287-298. | 4.5 | 98 |
| 11 | Fine-mapping of prostate cancer susceptibility loci in a large meta-analysis identifies candidate causal variants. <i>Nature Communications</i> , 2018, 9, 2256. | 12.8 | 88 |
| 12 | ERG Protein Expression in Diagnostic Specimens Is Associated with Increased Risk of Progression During Active Surveillance for Prostate Cancer. <i>European Urology</i> , 2014, 66, 851-860. | 1.9 | 75 |
| 13 | Does Cytoreductive Prostatectomy Really Have an Impact on Prognosis in Prostate Cancer Patients with Low-volume Bone Metastasis? Results from a Prospective Case-Control Study. <i>European Urology Focus</i> , 2017, 3, 646-649. | 3.1 | 72 |
| 14 | Enzalutamide treatment in patients with metastatic castration-resistant prostate cancer progressing after chemotherapy and abiraterone acetate. <i>Scandinavian Journal of Urology</i> , 2014, 48, 268-275. | 1.0 | 59 |
| 15 | Trends in incidence and 5-year mortality in men with newly diagnosed, metastatic prostate cancer – A population-based analysis of 2 national cohorts. <i>Cancer</i> , 2018, 124, 2931-2938. | 4.1 | 58 |
| 16 | Proteogenomic Characterization of Patient-Derived Xenografts Highlights the Role of REST in Neuroendocrine Differentiation of Castration-Resistant Prostate Cancer. <i>Clinical Cancer Research</i> , 2019, 25, 595-608. | 7.0 | 55 |
| 17 | Risk of prostate cancer diagnosis and mortality in men with a benign initial transrectal ultrasound-guided biopsy set: a population-based study. <i>Lancet Oncology</i> , The, 2017, 18, 221-229. | 10.7 | 54 |
| 18 | Short-term morbidity and mortality following radical cystectomy: a systematic review. <i>BMJ Open</i> , 2021, 11, e043266. | 1.9 | 48 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Germline variation at 8q24 and prostate cancer risk in men of European ancestry. <i>Nature Communications</i> , 2018, 9, 4616. | 12.8 | 43 |
| 20 | Automated Bone Scan Index as a quantitative imaging biomarker in metastatic castration-resistant prostate cancer patients being treated with enzalutamide. <i>EJNMMI Research</i> , 2016, 6, 23. | 2.5 | 37 |
| 21 | Active surveillance can reduce overtreatment in patients with low-risk prostate cancer. <i>Danish Medical Journal</i> , 2013, 60, A4575. | 0.5 | 32 |
| 22 | Serum testosterone level as a predictor of biochemical failure after radical prostatectomy for localized prostate cancer. <i>BJU International</i> , 2012, 109, 520-524. | 2.5 | 31 |
| 23 | Diagnostic characteristics of lethal prostate cancer. <i>European Journal of Cancer</i> , 2017, 84, 18-26. | 2.8 | 31 |
| 24 | Vaccination against RhoC induces long-lasting immune responses in patients with prostate cancer: results from a phase I/II clinical trial. , 2020, 8, e001157. | | 28 |
| 25 | Danish Prostate Cancer Registry – methodology and early results from a novel national database. <i>Clinical Epidemiology</i> , 2016, Volume 8, 351-360. | 3.0 | 25 |
| 26 | Palliative Prostate Artery Embolization for Prostate Cancer: A Case Series. <i>CardioVascular and Interventional Radiology</i> , 2019, 42, 1405-1412. | 2.0 | 21 |
| 27 | Vitamin D levels and the risk of prostate cancer and prostate cancer mortality. <i>Acta OncolÃ³gica</i> , 2021, 60, 316-322. | 1.8 | 20 |
| 28 | The impact of the 2005 International Society of Urological Pathology consensus guidelines on Gleason grading â€“ a matchedâ€“pair analysis. <i>BJU International</i> , 2016, 117, 883-889. | 2.5 | 19 |
| 29 | Open vs robotâ€“assisted radical cystectomy (BORARC): a doubleâ€“blinded, randomised feasibility study. <i>BJU International</i> , 2022, 130, 102-113. | 2.5 | 19 |
| 30 | Prostate needle biopsies: interobserver variation and clinical consequences of histopathological reâ€“evaluation. <i>Apmis</i> , 2011, 119, 239-246. | 2.0 | 18 |
| 31 | Survival after radical prostatectomy for clinically localised prostate cancer: a populationâ€“based study. <i>BJU International</i> , 2014, 113, 541-547. | 2.5 | 18 |
| 32 | The risk of biochemical recurrence for intermediate-risk prostate cancer after radical prostatectomy. <i>Scandinavian Journal of Urology</i> , 2017, 51, 450-456. | 1.0 | 18 |
| 33 | Molecular Profiling of Docetaxel-Resistant Prostate Cancer Cells Identifies Multiple Mechanisms of Therapeutic Resistance. <i>Cancers</i> , 2021, 13, 1290. | 3.7 | 17 |
| 34 | Morbidity and Days Alive and Out of Hospital Within 90 Days Following Radical Cystectomy for Bladder Cancer. <i>European Urology Open Science</i> , 2021, 28, 1-8. | 0.4 | 17 |
| 35 | Elevated miR-615-3p Expression Predicts Adverse Clinical Outcome and Promotes Proliferation and Migration of Prostate Cancer Cells. <i>American Journal of Pathology</i> , 2019, 189, 2377-2388. | 3.8 | 16 |
| 36 | Prostate Artery Embolization for Lower Urinary Tract Symptoms in Men Unfit for Surgery. <i>Diagnostics</i> , 2019, 9, 46. | 2.6 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Postembolization Syndrome after Prostatic Artery Embolization: A Systematic Review. <i>Diagnostics</i> , 2020, 10, 659. | 2.6 | 16 |
| 38 | Urokinase-Type Plasminogen Activator Receptor (uPAR) PET/MRI of Prostate Cancer for Noninvasive Evaluation of Aggressiveness: Comparison with Gleason Score in a Prospective Phase 2 Clinical Trial. <i>Journal of Nuclear Medicine</i> , 2021, 62, 354-359. | 5.0 | 16 |
| 39 | Exercise training to increase tumour natural killer cell infiltration in men with localised prostate cancer: a randomised controlled trial. <i>BJU International</i> , 2023, 131, 116-124. | 2.5 | 16 |
| 40 | Systematic review: does endocrine therapy prolong survival in patients with prostate cancer?. <i>Scandinavian Journal of Urology</i> , 2016, 50, 135-143. | 1.0 | 15 |
| 41 | Active surveillance for localized prostate cancer: An analysis of patient contacts and utilization of healthcare resources. <i>Scandinavian Journal of Urology</i> , 2015, 49, 43-50. | 1.0 | 14 |
| 42 | First Danish Single-Institution Experience with Radical Prostatectomy: Biochemical Outcome in 1200 Consecutive Patients. <i>Prostate Cancer</i> , 2011, 2011, 1-5. | 0.6 | 13 |
| 43 | Is it possible to predict low-volume and insignificant prostate cancer by core needle biopsies?. <i>Apmis</i> , 2013, 121, 257-265. | 2.0 | 13 |
| 44 | Anastomotic complications after robot-assisted laparoscopic and open radical prostatectomy. <i>Scandinavian Journal of Urology</i> , 2016, 50, 274-279. | 1.0 | 13 |
| 45 | Risk of Depression After Radical Prostatectomy—A Nationwide Registry-based Study. <i>European Urology Oncology</i> , 2021, 4, 601-608. | 5.4 | 13 |
| 46 | The Early Prostate Cancer program: bicalutamide in nonmetastatic prostate cancer. <i>Expert Review of Anticancer Therapy</i> , 2008, 8, 361-369. | 2.4 | 12 |
| 47 | Predictive value of combined analysis of pro-NGP and ERG in localized prostate cancer. <i>Apmis</i> , 2018, 126, 804-813. | 2.0 | 12 |
| 48 | Active Surveillance Versus Radical Prostatectomy in Favorable-risk Localized Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e814-e821. | 1.9 | 12 |
| 49 | Primary Gleason pattern in biopsy Gleason score 7 is predictive of adverse histopathological features and biochemical failure following radical prostatectomy. <i>Scandinavian Journal of Urology</i> , 2014, 48, 168-176. | 1.0 | 11 |
| 50 | Prostate-specific antigen doubling time as a progression criterion in an active surveillance programme for patients with localized prostate cancer. <i>BJU International</i> , 2014, 113, E98-105. | 2.5 | 11 |
| 51 | The predictive value of ERG protein expression for development of castration-resistant prostate cancer in hormone-naïve advanced prostate cancer treated with primary androgen deprivation therapy. <i>Prostate</i> , 2015, 75, 1499-1509. | 2.3 | 11 |
| 52 | Copenhagen uPAR prostate cancer (CuPCa) database: protocol and early results. <i>Biomarkers in Medicine</i> , 2016, 10, 209-216. | 1.4 | 11 |
| 53 | Long-Term Renal Function Following Radical Cystectomy for Bladder Cancer. <i>Urology</i> , 2022, 160, 147-153. | 1.0 | 11 |
| 54 | Changes in preoperative characteristics in patients undergoing radical prostatectomy—a 16-year nationwide analysis. <i>Acta Oncologica</i> , 2014, 53, 361-367. | 1.8 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | A single-center experience with abiraterone as treatment for metastatic castration-resistant prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 291.e1-291.e7. | 1.6 | 10 |
| 56 | A Nationwide Analysis of Risk of Prostate Cancer Diagnosis and Mortality following an Initial Negative Transrectal Ultrasound Biopsy with Long-Term Followup. <i>Journal of Urology</i> , 2022, 208, 100-108. | 0.4 | 10 |
| 57 | Risk of biochemical recurrence and positive surgical margins in patients with pT2 prostate cancer undergoing radical prostatectomy. <i>Journal of Surgical Oncology</i> , 2014, 109, 132-138. | 1.7 | 9 |
| 58 | Risk factors associated with positive surgical margins following radical prostatectomy for clinically localized prostate cancer: Can nerve-sparing surgery increase the risk?. <i>Scandinavian Journal of Urology</i> , 2014, 48, 15-20. | 1.0 | 9 |
| 59 | Cytoreductive prostatectomy in metastatic prostate cancer: a systematic review. <i>Scandinavian Journal of Urology</i> , 2018, 52, 1-7. | 1.0 | 9 |
| 60 | Educational level and first-time PSA testing in general practice. <i>Scandinavian Journal of Urology</i> , 2019, 53, 275-281. | 1.0 | 9 |
| 61 | ERG protein expression over time: from diagnostic biopsies to radical prostatectomy specimens in clinically localised prostate cancer. <i>Journal of Clinical Pathology</i> , 2015, 68, 788-794. | 2.0 | 8 |
| 62 | Radical prostatectomy in Denmark: Survival analysis and temporal trends in clinicopathological parameters with up to 20 years of follow-up. <i>Surgical Oncology</i> , 2017, 26, 21-27. | 1.6 | 8 |
| 63 | The prognostic impact of incidental prostate cancer following radical cystoprostatectomy: a nationwide analysis. <i>Scandinavian Journal of Urology</i> , 2018, 52, 358-363. | 1.0 | 8 |
| 64 | Validation of the four-miRNA biomarker panel MiCaP for prediction of long-term prostate cancer outcome. <i>Scientific Reports</i> , 2020, 10, 10704. | 3.3 | 8 |
| 65 | Surgical Approaches and Outcomes in Living Donor Nephrectomy: A Systematic Review and Meta-analysis. <i>European Urology Focus</i> , 2022, 8, 1795-1801. | 3.1 | 8 |
| 66 | Quality of life and secondary outcomes for open versus robot-assisted radical cystectomy: a double-blinded, randomised feasibility trial. <i>World Journal of Urology</i> , 2022, 40, 1669-1677. | 2.2 | 8 |
| 67 | Itraconazole Reverts ABCB1-Mediated Docetaxel Resistance in Prostate Cancer. <i>Frontiers in Pharmacology</i> , 0, 13, . | 3.5 | 8 |
| 68 | First danish single-institution experience with radical prostatectomy: impact of surgical margins on biochemical outcome. <i>Scandinavian Journal of Urology and Nephrology</i> , 2012, 46, 172-179. | 1.4 | 7 |
| 69 | The CPC Risk Calculator: A New App to Predict Prostate-specific Antigen Recurrence During Follow-up After Radical Prostatectomy. <i>European Urology Focus</i> , 2018, 4, 360-368. | 3.1 | 7 |
| 70 | Risk of depression after diagnostic prostate cancer workup – a nationwide, registry-based study. <i>Psycho-Oncology</i> , 2021, 30, 1939-1947. | 2.3 | 7 |
| 71 | Radical prostatectomy in clinically localized high-risk prostate cancer: Outcome of 231 consecutive patients. <i>Scandinavian Journal of Urology</i> , 2013, 47, 19-25. | 1.0 | 6 |
| 72 | Non-typical positive surgical margins after radical prostatectomy for pT2 prostate cancer is associated with the highest risk of recurrence. <i>Journal of Surgical Oncology</i> , 2014, 109, 818-822. | 1.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Selective arterial embolization of renal angiomyolipomas: A 10-year experience. <i>BJUI Compass</i> , 2022, 3, 86-92. | 1.3 | 5 |
| 74 | Patients undergoing radical prostatectomy have a better survival than the background population. <i>Danish Medical Journal</i> , 2013, 60, A4612. | 0.5 | 5 |
| 75 | Temporal Trends in Clinical and Pathological Characteristics for Men Undergoing Radical Prostatectomy Between 1995 and 2013 at Rigshospitalet, Copenhagen, Denmark, and Stanford University Hospital, United States. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e181-e192. | 1.9 | 4 |
| 76 | 5hmC Level Predicts Biochemical Failure Following Radical Prostatectomy in Prostate Cancer Patients with ERG Negative Tumors. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1025. | 4.1 | 4 |
| 77 | Novel functions of the luteinizing hormone/chorionic gonadotropin receptor in prostate cancer cells and patients. <i>PLoS ONE</i> , 2020, 15, e0238814. | 2.5 | 4 |
| 78 | Detection of Clinically Significant Prostate Cancer by Systematic TRUS-Biopsies in a Population-Based Setting Over a 20 Year Period. <i>Urology</i> , 2021, 155, 20-25. | 1.0 | 4 |
| 79 | What is the risk of prostate cancer mortality following negative systematic TRUS-guided biopsies? A systematic review. <i>BMJ Open</i> , 2020, 10, e040965. | 1.9 | 4 |
| 80 | Center experience and other determinants of patient radiation exposure during prostatic artery embolization: a retrospective study in three Scandinavian centers. <i>European Radiology</i> , 2022, 32, 2404-2413. | 4.5 | 4 |
| 81 | Safety and oncological outcome following radiofrequency ablation of small renal masses in a single center. <i>Scandinavian Journal of Urology</i> , 2021, 55, 203-208. | 1.0 | 3 |
| 82 | Risk of recurrence and long-term mortality following radical cystectomy for bladder cancer. <i>Scandinavian Journal of Urology</i> , 2022, 56, 149-154. | 1.0 | 3 |
| 83 | Length of life gained with surgical treatment of prostate cancer: A population-based analysis. <i>Scandinavian Journal of Urology</i> , 2015, 49, 275-281. | 1.0 | 2 |
| 84 | The use of transrectal ultrasound-guided biopsy following the introduction of prostate-specific antigen testing in Denmark: a population-based analysis. <i>Scandinavian Journal of Urology</i> , 2018, 52, 169-173. | 1.0 | 2 |
| 85 | The Association between Plasma Levels of Intact and Cleaved uPAR Levels and the Risk of Biochemical Recurrence after Radical Prostatectomy for Prostate Cancer. <i>Diagnostics</i> , 2020, 10, 877. | 2.6 | 2 |
| 86 | Prescription rates for commonly used drugs before and after a prostate cancer diagnosis. <i>Cancer Causes and Control</i> , 2022, , 1. | 1.8 | 2 |
| 87 | A case of iatrogenic ureteric injury presenting with headache. <i>Nature Reviews Urology</i> , 2008, 5, 113-116. | 1.4 | 1 |
| 88 | The drama of prostate cancer diagnostics – Authors' reply. <i>Lancet Oncology</i> , The, 2017, 18, e133. | 10.7 | 1 |
| 89 | Plasma levels of intact and cleaved urokinase plasminogen activator receptor (uPAR) in men with clinically localised prostate cancer. <i>Journal of Clinical Pathology</i> , 2017, 70, 1063-1068. | 2.0 | 1 |
| 90 | Prognostic implication of gait function following treatment for spinal cord compression in men diagnosed with prostate cancer. <i>Scandinavian Journal of Urology</i> , 2019, 53, 222-228. | 1.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | AZGP1 Protein Expression in Hormone-Naïve Advanced Prostate Cancer Treated with Primary Androgen Deprivation Therapy. <i>Diagnostics</i> , 2020, 10, 520. | 2.6 | 1 |
| 92 | Can Computed Tomography Perfusion Predict Treatment Response After Prostate Artery Embolization: A Feasibility Study. <i>Diagnostics</i> , 2020, 10, 304. | 2.6 | 1 |
| 93 | Efficacy of dexamethasone in reducing the postembolisation syndrome in men undergoing prostatic artery embolisation for benign prostatic hyperplasia: protocol for a single-centre, randomised, double-blind, placebo-controlled trial—the “DEXAPAE”™ study. <i>BMJ Open</i> , 2021, 11, e047878. | 1.9 | 1 |
| 94 | Radical prostatectomy for clinically localised prostate cancer at Rigshospitalet 1995-2011 - an analysis of surgical and oncological outcome. <i>Danish Medical Journal</i> , 2013, 60, B4752. | 0.5 | 1 |
| 95 | Prescription rates for drugs used in treatment of benign prostatic hyperplasia and erectile dysfunction before and after prostate cancer diagnosis. <i>Acta Oncologica</i> , 2022, 61, 931-938. | 1.8 | 1 |
| 96 | Response to: K B Bell, M Kida & K Cooper: Histopathology sampling of radical prostatectomy specimens: representative or entire submission?. <i>Histopathology</i> , 2011, 59, 1014-1014. | 2.9 | 0 |
| 97 | 994 STANDARDIZED RELATIVE SURVIVAL AND MORTALITY AFTER RADICAL PROSTATECTOMY FOR CLINICALLY LOCALIZED PROSTATE CANCER. <i>Journal of Urology</i> , 2013, 189, . | 0.4 | 0 |
| 98 | 996 NATION-WIDE ANALYSIS OF SURVIVAL AFTER RADICAL PROSTATECTOMY FOR CLINICALLY LOCALIZED PROSTATE CANCER IN DENMARK 1995-2011. <i>Journal of Urology</i> , 2013, 189, . | 0.4 | 0 |
| 99 | PD27-12 BIOCHEMICAL EFFICACY OF ENZALUTAMIDE IN POST-CHEMO MCRPC PATIENTS PREVIOUSLY TREATED WITH ABIRATERONE. <i>Journal of Urology</i> , 2014, 191, . | 0.4 | 0 |
| 100 | MP70-19 KETOCONAZOLE THERAPY IN POST-CHEMO MCRPC - THE CASE FOR A COMPARISON TO ABIRATERONE. <i>Journal of Urology</i> , 2014, 191, . | 0.4 | 0 |
| 101 | MP62-20 ESTIMATED LENGTH OF LIFE GAINED WITH RADICAL PROSTATECTOMY COMPARED TO THE BACKGROUND POPULATION: A POPULATION-BASED ANALYSIS. <i>Journal of Urology</i> , 2014, 191, . | 0.4 | 0 |
| 102 | PD26-01 CHANGES IN CLINICO-PATHOLOGICAL CHARACTERISTICS AT PROSTATE CANCER DIAGNOSIS DETECTED ON PROSTATE BIOPSIES IN DANISH MEN FROM 1995 TO 2011. <i>Journal of Urology</i> , 2016, 195, . | 0.4 | 0 |
| 103 | The impact of positive surgical margins on salvage radiation or androgen deprivation therapy following radical prostatectomy—a nationwide study. <i>Acta Oncologica</i> , 2021, 60, 620-626. | 1.8 | 0 |
| 104 | Urokinase plasminogen activator receptor (uPAR) as a novel biomarker in prostate cancer.. <i>Journal of Clinical Oncology</i> , 2015, 33, 183-183. | 1.6 | 0 |
| 105 | Survival trends in patients diagnosed with metastatic prostate cancer: A nationwide analysis.. <i>Journal of Clinical Oncology</i> , 2017, 35, 171-171. | 1.6 | 0 |
| 106 | Nationwide analysis: Changes in the natural history of low risk localized prostate cancer.. <i>Journal of Clinical Oncology</i> , 2017, 2017, 12-12. | 1.6 | 0 |
| 107 | Nationwide analysis: Changes in the natural history of low risk localized prostate cancer.. <i>Journal of Clinical Oncology</i> , 2017, 35, 12-12. | 1.6 | 0 |
| 108 | Diagnostic characteristics of men harboring lethal prostate cancer: A population-based analysis.. <i>Journal of Clinical Oncology</i> , 2017, 35, 217-217. | 1.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Risk of depression following prostate cancer work-up: A nationwide study.. Journal of Clinical Oncology, 2019, 37, 5061-5061. | 1.6 | 0 |
| 110 | Antibiotic prophylaxis and complications following prostate biopsies - a systematic review. Danish Medical Journal, 2017, 64, . | 0.5 | 0 |
| 111 | Reply to Djaladat H and Choreifi A's Letter-to-the-Editor Re: Vejlgard M, Maibom SL, Stroomberg HV, et al. Long-term Renal Function Following Radical Cystectomy for Bladder Cancer. Urology. 2021;S0090-4295(21)01083-9. doi:10.1016/j.urology.2021.11.015. Urology, 2022, , . | 1.0 | 0 |
| 112 | Reply by Authors. Journal of Urology, 2022, , 101097JU0000000000000249103. | 0.4 | 0 |
| 113 | Prostatic artery embolization in men with severe hemophilia a: a case report of two patients. CVIR Endovascular, 2022, 5, 21. | 1.1 | 0 |