Luciano Marchi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2406475/luciano-marchio-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

3,071
citations

47
g-index

146
ext. papers

3,379
ext. citations

4.7
avg, IF

L-index

#	Paper	IF	Citations
137	Salification Controls the In-Vitro Release of Theophylline. <i>Crystals</i> , 2022 , 12, 201	2.3	1
136	Dimerizing cascades of enallenamides reveal the visible-light-promoted activation of cumulated C-C double bonds <i>Chemical Science</i> , 2022 , 13, 2632-2639	9.4	3
135	Phosphine Oxide Porous Organic Polymers Incorporating Cobalt(II) Ions: Synthesis, Characterization, and Investigation of H Production <i>ACS Omega</i> , 2022 , 7, 6104-6112	3.9	3
134	Dissipative control of the fluorescence of a 1,3-dipyrenyl calix[4]arene in the cone conformation. <i>Organic and Biomolecular Chemistry</i> , 2021 ,	3.9	4
133	Progress and perspectives on strategies to control photochemical properties in Metallo-Dithiolene Donor-Acceptor systems. <i>Inorganica Chimica Acta</i> , 2021 , 531, 120731	2.7	1
132	Synthesis, DNA-Binding, Anticancer Evaluation, and Molecular Docking Studies of Bishomoleptic and Trisheteroleptic Ru-Diimine Complexes Bearing 2-(2-Pyridyl)-quinoxaline. <i>Bioinorganic Chemistry and Applications</i> , 2021 , 2021, 5599773	4.2	1
131	Insight into the Properties of Heteroleptic Metal Dithiolenes: Multistimuli Responsive Luminescence, Chromism, and Nonlinear Optics. <i>Inorganic Chemistry</i> , 2021 , 60, 9332-9344	5.1	2
130	Design, physico-chemical characterization and biological activity of organogold(III) glycoconjugates. <i>Dalton Transactions</i> , 2021 , 50, 8963-8979	4.3	3
129	Cascade Dynamics of Multiple Molecular Rotors in a MOF: Benchmark Mobility at a Few Kelvins and Dynamics Control by CO. <i>Journal of the American Chemical Society</i> , 2021 , 143, 13082-13090	16.4	3
128	Anti-Kasha Conformational Photoisomerization of a Heteroleptic Dithiolene Metal Complex Revealed by Ultrafast Spectroscopy. <i>Journal of Physical Chemistry A</i> , 2020 , 124, 10687-10693	2.8	6
127	Halogen Bonds Direct the Solid State Architectures of a Multivalent Iodopropargylcalix[4]arene. <i>Crystal Growth and Design</i> , 2020 , 20, 3611-3616	3.5	6
126	Synthesis, crystal structure, and optical properties of fluorinated poly(pyrazole) ligands and in silico assessment of their affinity for volatile organic compounds. <i>New Journal of Chemistry</i> , 2020 , 44, 6443-6	435	4
125	Supramolecular Assemblies in Silver Complexes: Phase Transitions and the Role of the Halogen Bond. <i>Inorganic Chemistry</i> , 2020 , 59, 4140-4149	5.1	2
124	Trisulfonamide calix[6]arene-catalysed Michael addition to nitroalkenes. <i>Organic and Biomolecular Chemistry</i> , 2020 , 18, 6241-6246	3.9	5
123	Orthogonal Syntheses of 3.2.0 Bicycles from Enallenes Promoted by Visible Light. <i>Organic Letters</i> , 2020 , 22, 6354-6359	6.2	7
122	Diastereoselective bicyclization of enynols via gold catalysis. Organic Chemistry Frontiers, 2019, 6, 3584-	-35288	5
121	Three-Dimensional Porous Architectures Based on MnII/III Three-Blade Paddle Wheel Metallacryptates. <i>Crystal Growth and Design</i> , 2019 , 19, 1954-1964	3.5	4

(2017-2019)

120	From Recovered Palladium to Molecular and Nanoscale Catalysts. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 ,	8.3	1
119	Syntheses and Biological Studies of Cu(II) Complexes Bearing Bis(pyrazol-1-yl)- and Bis(triazol-1-yl)-acetato Heteroscorpionate Ligands. <i>Molecules</i> , 2019 , 24,	4.8	13
118	Visible-Light-Promoted Polycyclizations of Dienynes. <i>Angewandte Chemie</i> , 2019 , 131, 6775-6779	3.6	1
117	Visible-Light-Promoted Polycyclizations of Dienynes. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 6703-6707	16.4	11
116	Design of nickel donor acceptor dithiolenes for 2nd order nonlinear optics: an experimental and computational study. <i>New Journal of Chemistry</i> , 2019 , 43, 12570-12579	3.6	6
115	Au(iii)-Proline derivatives exhibiting selective antiproliferative activity against HepG2/SB3 apoptosis-resistant cancer cells. <i>Dalton Transactions</i> , 2019 , 48, 16017-16025	4.3	O
114	Structure, vibrational, electrical and optical study of [C2H10N2] (IO3)2[4HIO3. <i>Journal of Molecular Structure</i> , 2019 , 1179, 18-32	3.4	6
113	Multifunctional Organosulfonate Anions Self-Assembled with Organic Cations by Charge-Assisted Hydrogen Bonds and the Cooperation of Water. <i>Crystal Growth and Design</i> , 2018 , 18, 2082-2092	3.5	16
112	Anticancer Gold(III) Peptidomimetics: From Synthesis to in vitro and ex vivo Biological Evaluations. <i>ChemMedChem</i> , 2018 , 13, 1131-1145	3.7	17
111	Thermodynamic stability and structure in aqueous solution of the [Cu(PTA)] complex (PTA = aminophosphine-1,3,5-triaza-7-phosphaadamantane). <i>Journal of Inorganic Biochemistry</i> , 2018 , 188, 50-61	4.2	6
110	Alternative Routes to Tricyclic Cyclohexenes with Trinuclear Palladium Complexes. <i>ACS Catalysis</i> , 2018 , 8, 144-147	13.1	21
109	Synthesis, chemical characterization and cancer cell growth-inhibitory activities of Cu(ii) and Ru(iii) aliphatic and aromatic dithiocarbamato complexes. <i>Dalton Transactions</i> , 2018 , 47, 15477-15486	4.3	17
108	Structural Diversity in a New Series of Halogenated Quinolyl Salicylaldimides-Based FeIII Complexes Showing Solid-State Halogen-Bonding/HalogenIIIHalogen Interactions. <i>Crystal Growth and Design</i> , 2018 , 18, 4187-4199	3.5	8
107	Uncommon Optical Properties and Silver-Responsive Turn-Off/On Luminescence in a Pt Heteroleptic Dithiolene Complex. <i>Chemistry - A European Journal</i> , 2018 , 24, 10503-10512	4.8	8
106	Flexible porous molecular materials responsive to CO2, CH4 and Xe stimuli. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 14231-14239	13	57
105	Ionic Couple-Driven Palladium Leaching by Organic Triiodide Solutions. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 4359-4370	8.3	8
104	CO regulates molecular rotor dynamics in porous materials. <i>Chemical Communications</i> , 2017 , 53, 7776-7	7 <u>5</u> 7. 9	24
103	Optically Multiresponsive Heteroleptic Platinum Dithiolene Complex with Proton-Switchable Properties. <i>Inorganic Chemistry</i> , 2017 , 56, 6763-6767	5.1	15

102	Synthesis, Characterization and Catalytic Activity of a Tungsten(VI) Amino Triphenolate Complex. <i>Catalysis Letters</i> , 2017 , 147, 2313-2318	2.8	5
101	Semi-Reduction of Internal Alkynes with Prototypical Subnanometric Metal Surfaces: Bridging Homogeneous and Heterogeneous Catalysis with Trinuclear All-Metal Aromatics. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 8205-8212	8.3	26
100	Heterogenization of a [NiFe] Hydrogenase Mimic through Simple and Efficient Encapsulation into a Mesoporous MOF. <i>Inorganic Chemistry</i> , 2017 , 56, 14801-14808	5.1	22
99	From recovered metal waste to high-performance palladium catalysts. <i>Green Chemistry</i> , 2017 , 19, 5846-	-5 <u>&</u> 53	13
98	Novel metalloantimalarials: Transmission blocking effects of water soluble Cu(I), Ag(I) and Au(I) phosphane complexes on the murine malaria parasite Plasmodium berghei. <i>Journal of Inorganic Biochemistry</i> , 2017 , 166, 1-4	4.2	17
97	1,2,4-Triazolyl 5-Azaspiro[2.4]heptanes: Lead Identification and Early Lead Optimization of a New Series of Potent and Selective Dopamine D3 Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2016 , 59, 8549-76	8.3	12
96	Silver(I) Bis(pyrazolyl)methane Complexes and Their Implementation as Precursors for Metallic Silver Deposition. <i>European Journal of Inorganic Chemistry</i> , 2016 , 2016, 2626-2633	2.3	10
95	Effective bromo and chloro peroxidation catalysed by tungsten(vi) amino triphenolate complexes. <i>Dalton Transactions</i> , 2016 , 45, 14603-8	4.3	17
94	Synthesis, characterization and crystal structure of rhenium(I) tricarbonyl diimine complexes coupled with their efficiency in producing hydrogen in a photocatalytic system. <i>Polyhedron</i> , 2016 , 110, 157-164	2.7	10
93	Design of 2D Porous Coordination Polymers Based on Metallacrown Units. <i>Chemistry - A European Journal</i> , 2016 , 22, 6482-6	4.8	18
92	Multi-NIR-Emissive Materials based on Heterolanthanide Molecular Assemblies. <i>MRS Advances</i> , 2016 , 1, 2683-2688	0.7	1
91	Silver(I) and Thioether-bis(pyrazolyl)methane Ligands: The Correlation between Ligand Functionalization and Coordination Polymer Architecture. <i>Crystal Growth and Design</i> , 2016 , 16, 3543-35	5 ³ 2 ⁵	21
90	A Platinum-Dithiolene Monoanionic Salt Exhibiting Multiproperties, Including Room-Temperature Proton-Dependent Solution Luminescence. <i>Inorganic Chemistry</i> , 2016 , 55, 5118-26	5.1	5
89	A nonlinear optical active polymer film based on Pd(ii) dithione/dithiolate second-order NLO chromophores. <i>Dalton Transactions</i> , 2016 , 45, 17431-17438	4.3	6
88	Structural changes in MII dithione/dithiolato complexes (M = Ni, Pd, Pt) on varying the dithione functionalization. <i>CrystEngComm</i> , 2015 , 17, 4161-4171	3.3	5
87	Light Conversion Control in NIR-Emissive Optical Materials Based on Heterolanthanide ErxYb3\(\text{Quinolinolato Molecular Components. } Chemistry of Materials, 2015, 27, 4082-4092	9.6	18
86	Tuning the oxidation state and magnetic and coordination behaviour of iron and cobalt complexes by O/S variation in mono-thio and dithio-oxamide chelating ligands. <i>New Journal of Chemistry</i> , 2015 , 39, 4716-4725	3.6	6
85	Controlling Nd-to-Yb energy transfer through a molecular approach. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 11524-11530	7.1	20

84	Switching-on luminescence in anilate-based molecular materials. <i>Dalton Transactions</i> , 2015 , 44, 15786-8	0423	27
83	Ln3Q9 as a molecular framework for ion-size-driven assembly of heterolanthanide (Nd, Er, Yb) multiple near-infrared emitters. <i>Chemistry - A European Journal</i> , 2015 , 21, 3882-5	4.8	21
82	The peculiar behavior of Picha in the formation of metallacrown complexes with Cu(II), Ni(II) and Zn(II) in aqueous solution. <i>Dalton Transactions</i> , 2015 , 44, 3237-50	4.3	13
81	Ln3Q9 as a Molecular Framework for Ion-Size-Driven Assembly of Heterolanthanide (Nd, Er, Yb) Multiple Near-Infrared Emitters. <i>Chemistry - A European Journal</i> , 2015 , 21, 3837-3837	4.8	1
8o	Hydrogen-Bonded Supramolecular Architectures Based on Tris(Hydranilato)Metallate(III) (M = Fe, Cr) Metallotectons. <i>Crystal Growth and Design</i> , 2014 , 14, 5938-5948	3.5	19
79	Porous molecular crystals by macrocyclic coordination supramolecules. <i>Journal of the American Chemical Society</i> , 2014 , 136, 14883-95	16.4	41
78	Synthesis and characterization of silver(I) pyrazolylmethylpyridine complexes and their implementation as metallic silver thin film precursors. <i>Inorganic Chemistry</i> , 2014 , 53, 4629-38	5.1	15
77	Role of the acceptor in tuning the properties of metal [M(II) = Ni, Pd, Pt] dithiolato/dithione (donor/acceptor) second-order nonlinear chromophores: combined experimental and theoretical studies. <i>Inorganic Chemistry</i> , 2014 , 53, 1170-83	5.1	31
76	Effective one-step removal-inertization of hazardous metals (Cd and Hg) by environmental friendly reagents. <i>Inorganic Chemistry Communication</i> , 2014 , 39, 47-50	3.1	7
75	Oxidative stress induced by copper and iron complexes with 8-hydroxyquinoline derivatives causes paraptotic death of HeLa cancer cells. <i>Molecular Pharmaceutics</i> , 2014 , 11, 1151-63	5.6	63
74	Halogen-bonding in a new family of tris(haloanilato)metallate(III) magnetic molecular building blocks. <i>Dalton Transactions</i> , 2014 , 43, 7006-19	4.3	41
73	Fully Efficient Direct Yb-to-Er Energy Transfer at Molecular Level in a Near-Infrared Emitting Heterometallic Trinuclear Quinolinolato Complex. <i>Journal of Physical Chemistry Letters</i> , 2013 , 4, 3062-30	o6: 4	20
72	Silver-Organic Oil Additive for High-Temperature Applications. <i>Tribology Letters</i> , 2013 , 52, 261-269	2.8	16
71	Near-infrared pigments based on ion-pair charge transfer salts of dicationic and dianionic metal-dithiolene [M(II) = Pd, Pt] complexes. <i>Dalton Transactions</i> , 2013 , 42, 12429-39	4.3	10
70	Insights into the reactivity of gold-dithiocarbamato anticancer agents toward model biomolecules by using multinuclear NMR spectroscopy. <i>Chemistry - A European Journal</i> , 2013 , 19, 13428-36	4.8	17
69	Effective one-step gold dissolution using environmentally friendly low-cost reagents. <i>Chemistry - A European Journal</i> , 2013 , 19, 10111-4	4.8	15
68	Zinc(II) complexes with dithiocarbamato derivatives: structural characterisation and biological assays on cancerous cell lines. <i>Journal of Inorganic Biochemistry</i> , 2012 , 117, 131-9	4.2	36
67	Toward the selective delivery of chemotherapeutics into tumor cells by targeting peptide transporters: tailored gold-based anticancer peptidomimetics. <i>Journal of Medicinal Chemistry</i> , 2012 , 55, 2212-26	8.3	54

66	Mixed-ligand Pt(II) dithione-dithiolato complexes: influence of the dicyanobenzodithiolato ligand on the second-order NLO properties. <i>Dalton Transactions</i> , 2012 , 41, 3485-93	4.3	38
65	Electrochromic second-order NLO chromophores based on M(II) (M = Ni, Pd, Pt) complexes with diselenolato-dithione (donor-acceptor) ligands. <i>Dalton Transactions</i> , 2012 , 41, 12106-13	4.3	23
64	Ruthenium(II/III)-based compounds with encouraging antiproliferative activity against non-small-cell lung cancer. <i>Chemistry - A European Journal</i> , 2012 , 18, 14464-72	4.8	21
63	Copper-dependent cytotoxicity of 8-hydroxyquinoline derivatives correlates with their hydrophobicity and does not require caspase activation. <i>Journal of Medicinal Chemistry</i> , 2012 , 55, 10448	3- 8 -3	138
62	Influence of anions in silver supramolecular frameworks: structural characteristics and sorption properties. <i>Journal of the American Chemical Society</i> , 2012 , 134, 9142-5	16.4	50
61	Dual Emitting [Yb(5,7ClQ)2(H5,7ClQ)2Cl]: Chemical and Photophysical Properties. <i>ChemPlusChem</i> , 2012 , 77, 240-248	2.8	15
60	Structural variability in Ag(I) and Cu(I) coordination polymers with thioether-functionalized bis(pyrazolyl)methane ligands. <i>Inorganic Chemistry</i> , 2011 , 50, 10786-97	5.1	29
59	Combined experimental and theoretical study on redox-active d8 metal dithione-dithiolato complexes showing molecular second-order nonlinear optical activity. <i>Inorganic Chemistry</i> , 2011 , 50, 10015-27	5.1	44
58	Copper binding agents acting as copper ionophores lead to caspase inhibition and paraptotic cell death in human cancer cells. <i>Journal of the American Chemical Society</i> , 2011 , 133, 6235-42	16.4	185
57	Synthesis, Structural Characterization, and Magnetic Properties of the Heteroleptic Dinuclear Nickel Selenite Complex [{Ni(TMEDA)SeO3}2]. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 332	7-3 333	3 3
56	Metallacrowns of Ni(II) with \(\frac{1}{2}\) minohydroxamic acids in aqueous solution: beyond a 12-MC-4, an unexpected (vacant?) 15-MC-5. <i>Dalton Transactions</i> , 2011 , 40, 2491-501	4.3	24
55	Promising anticancer mono- and dinuclear ruthenium(III) dithiocarbamato complexes: systematic solution studies. <i>Dalton Transactions</i> , 2011 , 40, 11885-95	4.3	26
54	Argentophilic Interactions in Mono-, Di-, and Polymeric Ag(I) Complexes with N,N?-Dimethyl-piperazine-2,3-dithione and Iodide. <i>Crystal Growth and Design</i> , 2011 , 11, 1278-1286	3.5	49
53	Redox-switchable chromophores based on metal (Ni, Pd, Pt) mixed-ligand dithiolene complexes showing molecular second-order nonlinear-optical activity. <i>Inorganic Chemistry</i> , 2011 , 50, 2058-60	5.1	48
52	Croconato-containing M(III) (M = Ga, Er) complexes as potential building blocks for mono/multifunctional molecular materials. <i>Inorganica Chimica Acta</i> , 2011 , 370, 474-481	2.7	6
51	Nitrosyl derivatives of the unsaturated dihydrides [Mn2(EH)2(CO)6(EL2)] (L2EEPh2PCH2PPh2, (EtO)2POP(OEt)2). <i>Journal of Organometallic Chemistry</i> , 2011 , 696, 559-567	2.3	14
50	Li+, Cu+, and Ag+ oligonuclear structures with the sterically demanding bis(3,5-tertbutylpyrazol-1-yl)dithioacetate heteroscorpionate ligand. <i>Inorganic Chemistry</i> , 2010 , 49, 700	7 ⁵ 1 ¹ 5	13
49	New sulfur-oxygen mixed-donor ligand N,NRdimethyl-piperazine-3-oxo-2-thione (Me2pipto) and its Ni(II) and Fe(II) complexes. <i>Dalton Transactions</i> , 2010 , 39, 8139-42	4.3	7

48	Metal-organic chains constructed from pre-organized N2S2 donor ligands. <i>Polyhedron</i> , 2010 , 29, 361-3	71 2.7	9
47	The thioxotriazole copper(II) complex A0 induces endoplasmic reticulum stress and paraptotic death in human cancer cells. <i>Journal of Biological Chemistry</i> , 2009 , 284, 24306-19	5.4	102
46	Copper compounds in anticancer strategies. Current Medicinal Chemistry, 2009, 16, 1325-48	4.3	183
45	Cu-Complexes with Scorpionate Ligands as Models for the Binding Sites of Copper Proteins. <i>Current Bioactive Compounds</i> , 2009 , 5, 244-263	0.9	7
44	Square-planar mixed ligand nickel dithiolenes as second-order non-linear chromophores: synthesis and characterisation of [Ni(Me2pipdt)(dddt)]. <i>Monatshefte Fil Chemie</i> , 2009 , 140, 775-781	1.4	11
43	Novel carbon-centered heteroscorpionate ligands: Cu(I) complexes and luminescence properties. <i>Inorganica Chimica Acta</i> , 2009 , 362, 4430-4438	2.7	11
42	Preliminary chemico-biological studies on Ru(III) compounds with S-methyl pyrrolidine/dimethyl dithiocarbamate. <i>Journal of Inorganic Biochemistry</i> , 2009 , 103, 774-82	4.2	17
41	Synthesis, structural characterisation and solution chemistry of ruthenium(III) triazole-thiadiazine complexes. <i>Dalton Transactions</i> , 2009 , 3766-73	4.3	9
40	Self-assembly supramolecular architectures of chromium(III) complexes using croconate as building block. <i>Dalton Transactions</i> , 2009 , 557-63	4.3	8
39	Hard/soft selectivity in ligand substitution reactions of beta-diketonate platinum(II) complexes. <i>Dalton Transactions</i> , 2009 , 7786-95	4.3	27
38	Thermodynamics of binding of carboxylates to amphiphilic Eu(3+)/Cu(2+) metallacrown. <i>Dalton Transactions</i> , 2009 , 6705-8	4.3	37
37	Paraptotic Cell Death Induced by the Thioxotriazole Copper Complex A0: A New Tool to Kill Apoptosis-Resistant Cancer Cells 2009 , 201-207		
36	Copper(II) 12-metallacrown-4 complexes of alpha-, beta- and gamma-aminohydroxamic acids: a comparative thermodynamic study in aqueous solution. <i>Dalton Transactions</i> , 2008 , 2693-701	4.3	40
35	Cul complexes with N,NRS,SRscorpionate ligands: evidence for dimer-monomer equilibria. <i>Inorganic Chemistry</i> , 2008 , 47, 2223-32	5.1	16
34	Low-temperature N-O bond cleavage of nitrogen monoxide in heterometallic carbonyl complexes. An experimental and theoretical study. <i>Inorganic Chemistry</i> , 2008 , 47, 10644-55	5.1	10
33	Synthesis, Structure, Spectroscopic Studies and Magnetic Properties of the Tetrakis(5,7-dichloro-8-quinolinolato)gadolinium(III) Complex. <i>European Journal of Inorganic Chemistry</i> , 2008 , 2008, 3820-3826	2.3	18
32	New membrane electrodes based on a functionalized tetraphenylborate covalently bound to the polymeric backbone. <i>Sensors and Actuators B: Chemical</i> , 2008 , 133, 235-240	8.5	1
31	Structure and Bonding in the Unsaturated Hydride- and Hydrocarbyl-Bridged Complexes [Mo2(Ib-C5H5)2(EX)(IPCy2)(CO)2] (X = H, CH3, CH2Ph, Ph). Evidence for the Presence of EAgostic and EBonding Interactions. <i>Organometallics</i> , 2007 , 26, 6197-6212	3.8	61

30	A new chiral N,NRO-donor heteroscorpionate ligand. Structures of Ni2+, Cu2+, Zn2+ complexes and study of solution equilibria by means of 1H NMR/UV-vis titrations and EXSY NMR spectroscopy. <i>Inorganic Chemistry</i> , 2007 , 46, 3367-77	5.1	24
29	Thioamido coordination in a thioxo-1,2,4-triazole copper(II) complex enhances nonapoptotic programmed cell death associated with copper accumulation and oxidative stress in human cancer cells. <i>Journal of Medicinal Chemistry</i> , 2007 , 50, 1916-24	8.3	63
28	Mononuclear and polynuclear copper(I) complexes with a new N,NRS-donor ligand and with structural analogies to the copper thionein core. <i>Inorganic Chemistry</i> , 2007 , 46, 10143-52	5.1	14
27	Synthesis, characterization and in vitro cytotoxicity of homobimetallic complexes of palladium(II) with 2-thiouracil ligands. Crystal structure of [Pd2(TU)(PPh3)3Cl2]. <i>Applied Organometallic Chemistry</i> , 2007 , 21, 626-632	3.1	15
26	New Insights on Near-Infrared Emitters Based on Er-quinolinolate Complexes: Synthesis, Characterization, Structural, and Photophysical Properties. <i>Advanced Functional Materials</i> , 2007 , 17, 23	6 5 -5237	76 ⁵²
25	Tris(1,2-dimethyl-3-hydroxy-4(1H)-pyridone)oxotantalum(v): a new water-soluble tantalum complex containing the [Ta=O]3+ core. <i>Dalton Transactions</i> , 2006 , 4343-7	4.3	2
24	Synthesis and structural characterization of tris(2-seleno-1-mesitylimidazolyl) hydroborato complexes: a new type of strongly electron donating tripodal selenium ligand. <i>Chemical Communications</i> , 2006 , 3990-2	5.8	62
23	Cu(I) dinuclear complexes with tripodal ligands vs monodentate donors: triphenylphosphine, thiourea, and pyridine. A 1H NMR titration study. <i>Inorganic Chemistry</i> , 2006 , 45, 3456-66	5.1	9
22	(Z)-4-Anilinopent-3-en-2-one. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o873-	o874	7
21	Structure and characterisation of [Pt(Me2pipdt)2][Pt(mnt)2]2 and its unusual magnetic properties associated with a non-regular one-dimensional [Pt(mnt)2] stack. <i>Chemical Physics Letters</i> , 2006 , 421, 36	1 ² 356	5
20	Non-apoptotic programmed cell death induced by a copper(II) complex in human fibrosarcoma cells. <i>Histochemistry and Cell Biology</i> , 2006 , 126, 473-82	2.4	45
19	Structure and emission properties of Er3Q9 (Q = 8-quinolinolate). <i>Inorganic Chemistry</i> , 2005 , 44, 840-2	5.1	78
18	Synthesis, structure, and electrochemical properties of copper(I) complexes with S/N homoscorpionate and heteroscorpionate ligands. <i>Inorganic Chemistry</i> , 2005 , 44, 4333-45	5.1	28
17	Synthesis, solution equilibria and antiproliferative activity of copper(II) aminomethyltriazole and aminomethylthioxotriazoline complexes. <i>Journal of Inorganic Biochemistry</i> , 2005 , 99, 1573-84	4.2	26
16	Structure, solution equilibria and magnetic properties of copper(II) complexes with new sulfurated triazoline derivatives of hamino acids. <i>Inorganica Chimica Acta</i> , 2005 , 358, 147-160	2.7	4
15	Electro-Conducting Properties of Charge-Transfer Salts Based on Cationic and Anionic Platinum Dithiolenes © Trystal Structure of [Pt(Me2pipdt)2][Pt(dtcr)2]. European Journal of Inorganic Chemistry, 2005, 2005, 1829-1835	2.3	10
14	On the Use of the Bis(diiodine) Adduct of 1,4-Dimethylperhydro-1,4-diazepine-2,3-dithione (Me2dazdt) to Recover Liquid Mercury Producing [Hg(Me2dazdt)I2] in a One-Step Reaction. <i>European Journal of Inorganic Chemistry</i> , 2004 , 2004, 960-963	2.3	15
13	[S2], [S3], and [N3] coordination modes of hydrotris(thioxotriazolyl)borato. Zinc, nickel, cobalt, and bismuth complexes. <i>Inorganica Chimica Acta</i> , 2004 , 357, 367-375	2.7	17

LIST OF PUBLICATIONS

12	of [Pt(Me2pipdt)2][Pt(SCN)4] (Me2pipdt = N,N?-dimethyl-piperazine-2,3-dithione). <i>Inorganica Chimica Acta</i> , 2004 , 357, 1608-1612	2.7	6	
11	Synthesis, structure and electrochemical properties of a nickel complex with the hydrotris[thioxotriazolyl-3-(2-pyridyl)]borate podand ligand. <i>Polyhedron</i> , 2004 , 23, 1829-1835	2.7	6	
10	New nickel dithiolenediselenolene complexes obtained from 3,4-dichloro-1,2,5-thiadiazole: X-ray structure of (Bu4N)2[Ni(C2N2S2.2Se0.8)2]. <i>Polyhedron</i> , 2003 , 22, 2175-2181	2.7	7	
9	Synthesis and molecular structure of the dihydrobis(thioxotriazolinyl)borato complexes of zinc(II), bismuth(III), and nickel(II). MH-B interaction studied by Ab initio calculations. <i>Inorganic Chemistry</i> , 2003 , 42, 1769-78	5.1	26	
8	Versatile ligand behavior of hydrotris(4-ethyl-3-methyl-5-thioxo-1,2,4-triazolyl)borate. Syntheses and crystal structures of Cu(I) and Bi(III) complexes. <i>Inorganic Chemistry</i> , 2003 , 42, 2109-14	5.1	42	
7	New powerful reagents based on dihalogen/N,N?-dimethylperhydrodiazepine-2,3-dithione adducts for gold dissolution: the IBr case. <i>Dalton Transactions</i> , 2003 , 1969-1974	4.3	27	
6	Synthesis, molecular structure, solution equilibrium, and antiproliferative activity of thioxotriazoline and thioxotriazole complexes of copper II and palladium II. <i>Journal of Inorganic Biochemistry</i> , 2002 , 92, 95-104	4.2	39	
5	Synthesis and crystal structure and optical properties of fluorenic-core oligomers. <i>Journal of Materials Chemistry</i> , 2002 , 12, 924-933		53	
4	Hydridotris(thioxotriazolyl)borate (Tt), an ambidentate (N(3)/S(3)) tripodal ligand. X-ray crystal structures of sodium, bismuth(III), tin(IV), and manganese(I) complexes. <i>Inorganic Chemistry</i> , 2001 , 40, 5030-5	5.1	53	
3	New ligand behavior of 4-amino-3-R-1,2,4-\(\mathbb{Q}\)-triazoline-5-thione. Crystal structures of silver(I) [R=H] and copper(I) [R=CH2CH3] complexes. <i>Inorganica Chimica Acta</i> , 2000 , 305, 95-101	2.7	16	
2	Synthesis and characterization of Co(II), Ni(II), Cu(II) and Zn(II) complexes of 4-amino-1,2,4-triazolidine-3,5-dione (urazine). <i>Inorganica Chimica Acta</i> , 2000 , 309, 91-102	2.7	13	
1	Chirality in mononuclear square planar complexes. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999 , 1575-1580		30	