

Joel T Haas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2408105/publications.pdf>

Version: 2024-02-01

37
papers

4,551
citations

218592

26
h-index

315616

38
g-index

39
all docs

39
docs citations

39
times ranked

7364
citing authors

#	ARTICLE	IF	CITATIONS
1	Apolipoprotein F is reduced in humans with steatosis and controls plasma triglyceride-rich lipoprotein metabolism. <i>Hepatology</i> , 2023, 77, 1287-1302.	3.6	3
2	Posttranscriptional Regulation of the Human LDL Receptor by the U2-Spliceosome. <i>Circulation Research</i> , 2022, 130, 80-95.	2.0	9
3	The hepatocyte insulin receptor is required to program the liver clock and rhythmic gene expression. <i>Cell Reports</i> , 2022, 39, 110674.	2.9	12
4	NASH-related increases in plasma bile acid levels depend on insulin resistance. <i>JHEP Reports</i> , 2021, 3, 100222.	2.6	24
5	CDKN2A/p16INK4a suppresses hepatic fatty acid oxidation through the AMPK \pm 2-SIRT1-PPAR \pm signaling pathway. <i>Journal of Biological Chemistry</i> , 2020, 295, 17310-17322.	1.6	17
6	Dysregulated lipid metabolism links NAFLD to cardiovascular disease. <i>Molecular Metabolism</i> , 2020, 42, 101092.	3.0	197
7	Plasma BCAA Changes in Patients With NAFLD Are Sex Dependent. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 2311-2321.	1.8	39
8	Transcriptional network analysis implicates altered hepatic immune function in NASH development and resolution. <i>Nature Metabolism</i> , 2019, 1, 604-614.	5.1	102
9	Metabolic and Innate Immune Cues Merge into a Specific Inflammatory Response via the UPR. <i>Cell</i> , 2019, 177, 1201-1216.e19.	13.5	100
10	Understanding lipid metabolism through hepatic steat-omics. <i>Nature Reviews Endocrinology</i> , 2019, 15, 321-322.	4.3	1
11	Bile acid alterations in nonalcoholic fatty liver disease, obesity, insulin resistance and type 2 diabetes: what do the human studies tell?. <i>Current Opinion in Lipidology</i> , 2019, 30, 244-254.	1.2	39
12	Nuclear Receptor Subfamily 1 Group D Member 1 Regulates Circadian Activity of NLRP3 Inflammasome to Reduce the Severity of Fulminant Hepatitis in Mice. <i>Gastroenterology</i> , 2018, 154, 1449-1464.e20.	0.6	144
13	Fasting the Microbiota to Improve Metabolism?. <i>Cell Metabolism</i> , 2017, 26, 584-585.	7.2	9
14	Triglyceride Synthesis by DGAT1 Protects Adipocytes from Lipid-Induced ER Stress during Lipolysis. <i>Cell Metabolism</i> , 2017, 26, 407-418.e3.	7.2	241
15	Bile Acid Alterations Are Associated With Insulin Resistance, but Not With NASH, in Obese Subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 3783-3794.	1.8	78
16	An oxidative stress paradox: time for a conceptual change?. <i>Diabetologia</i> , 2016, 59, 2514-2517.	2.9	5
17	Pathophysiology and Mechanisms of Nonalcoholic Fatty Liver Disease. <i>Annual Review of Physiology</i> , 2016, 78, 181-205.	5.6	302
18	Cholesteryl ester transfer protein (CETP): A Kupffer cell marker linking hepatic inflammation with atherogenic dyslipidemia?. <i>Hepatology</i> , 2015, 62, 1659-1661.	3.6	6

#	ARTICLE	IF	CITATIONS
19	Chlamydia trachomatis Infection Leads to Defined Alterations to the Lipid Droplet Proteome in Epithelial Cells. <i>PLoS ONE</i> , 2015, 10, e0124630.	1.1	51
20	High confidence proteomic analysis of yeast LDs identifies additional droplet proteins and reveals connections to dolichol synthesis and sterol acetylation. <i>Journal of Lipid Research</i> , 2014, 55, 1465-1477.	2.0	92
21	Lipid droplet biogenesis. <i>Current Opinion in Cell Biology</i> , 2014, 29, 39-45.	2.6	347
22	Hepatic insulin receptor deficiency impairs the SREBP-2 response to feeding and statins. <i>Journal of Lipid Research</i> , 2014, 55, 659-667.	2.0	37
23	Diacylglycerol Acyltransferase-1 Localizes Hepatitis C Virus NS5A Protein to Lipid Droplets and Enhances NS5A Interaction with the Viral Capsid Core. <i>Journal of Biological Chemistry</i> , 2013, 288, 9915-9923.	1.6	109
24	Triacylglycerol Synthesis Enzymes Mediate Lipid Droplet Growth by Relocalizing from the ER to Lipid Droplets. <i>Developmental Cell</i> , 2013, 24, 384-399.	3.1	623
25	The FATP1-DGAT2 complex facilitates lipid droplet expansion at the ER-lipid droplet interface. <i>Journal of Cell Biology</i> , 2012, 198, 895-911.	2.3	224
26	Studies on the Substrate and Stereo/Regioselectivity of Adipose Triglyceride Lipase, Hormone-sensitive Lipase, and Diacylglycerol-O-acyltransferases. <i>Journal of Biological Chemistry</i> , 2012, 287, 41446-41457.	1.6	171
27	Hepatic Insulin Signaling Is Required for Obesity-Dependent Expression of SREBP-1c mRNA but Not for Feeding-Dependent Expression. <i>Cell Metabolism</i> , 2012, 15, 873-884.	7.2	172
28	DGAT1 mutation is linked to a congenital diarrheal disorder. <i>Journal of Clinical Investigation</i> , 2012, 122, 4680-4684.	3.9	127
29	DGAT enzymes are required for triacylglycerol synthesis and lipid droplets in adipocytes. <i>Journal of Lipid Research</i> , 2011, 52, 657-667.	2.0	251
30	Transcriptional Activation of Apolipoprotein CIII Expression by Glucose May Contribute to Diabetic Dyslipidemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 513-519.	1.1	129
31	PKC δ regulates hepatic insulin sensitivity and hepatosteatosis in mice and humans. <i>Journal of Clinical Investigation</i> , 2011, 121, 2504-2517.	3.9	115
32	Dissecting the role of insulin resistance in the metabolic syndrome. <i>Current Opinion in Lipidology</i> , 2009, 20, 206-210.	1.2	62
33	Hepatic insulin resistance directly promotes formation of cholesterol gallstones. <i>Nature Medicine</i> , 2008, 14, 778-782.	15.2	260
34	Hepatic Insulin Resistance Is Sufficient to Produce Dyslipidemia and Susceptibility to Atherosclerosis. <i>Cell Metabolism</i> , 2008, 7, 125-134.	7.2	383
35	Diminished degradation of myelin basic protein by anti-sulfatide antibody and interferon- γ in myelin from glia maturation factor-deficient mice. <i>Neuroscience Research</i> , 2007, 58, 156-163.	1.0	7
36	Diminished cytokine and chemokine expression in the central nervous system of GMF-deficient mice with experimental autoimmune encephalomyelitis. <i>Brain Research</i> , 2007, 1144, 239-247.	1.1	35

#	ARTICLE	IF	CITATIONS
37	GMF-Knockout Mice are Unable to Induce Brain-Derived Neurotrophic Factor after Exercise. <i>Neurochemical Research</i> , 2006, 31, 579-584.	1.6	23