

# Thor Ueland

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2409/publications.pdf>

Version: 2024-02-01

325  
papers

12,705  
citations

29994

54  
h-index

38300

95  
g-index

331  
all docs

331  
docs citations

331  
times ranked

17760  
citing authors

#	ARTICLE	IF	CITATIONS
1	Enhanced Levels of Soluble and Membrane-Bound CD40 Ligand in Patients With Unstable Angina. <i>Circulation</i> , 1999, 100, 614-620.	1.6	491
2	Cytokine network in congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1999, 83, 376-382.	0.7	418
3	Elevated Circulating Levels of C-C Chemokines in Patients With Congestive Heart Failure. <i>Circulation</i> , 1998, 97, 1136-1143.	1.6	325
4	Immunomodulating Therapy With Intravenous Immunoglobulin in Patients With Chronic Heart Failure. <i>Circulation</i> , 2001, 103, 220-225.	1.6	319
5	Systemic complement activation is associated with respiratory failure in COVID-19 hospitalized patients. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 25018-25025.	3.3	279
6	Inflammatory Cytokines in Heart Failure: Mediators and Markers. <i>Cardiology</i> , 2012, 122, 23-35.	0.6	275
7	Effect of a single dose of the interleukin-6 receptor antagonist tocilizumab on inflammation and troponin T release in patients with non-ST-elevation myocardial infarction: a double-blind, randomized, placebo-controlled phase 2 trial. <i>European Heart Journal</i> , 2016, 37, 2406-2413.	1.0	270
8	Systemic inflammation in heart failure – The whys and wherefores. <i>Heart Failure Reviews</i> , 2006, 11, 83-92.	1.7	252
9	Dysregulated Osteoprotegerin/RANK Ligand/RANK Axis in Clinical and Experimental Heart Failure. <i>Circulation</i> , 2005, 111, 2461-2468.	1.6	213
10	Circulating Osteoprotegerin Levels and Long-Term Prognosis in Patients With Acute Coronary Syndromes. <i>Journal of the American College of Cardiology</i> , 2008, 51, 627-633.	1.2	182
11	Enhanced T-Cell Expression of RANK Ligand in Acute Coronary Syndrome. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 857-863.	1.1	170
12	Randomized Trial of Interleukin-6 Receptor Inhibition in Patients With Acute ST-Segment Elevation Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2021, 77, 1845-1855.	1.2	169
13	Prognostic value of osteoprotegerin in heart failure after acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2004, 44, 1970-1976.	1.2	168
14	Dickkopf-1 Enhances Inflammatory Interaction Between Platelets and Endothelial Cells and Shows Increased Expression in Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 1228-1234.	1.1	162
15	Chemokines and Cardiovascular Risk. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 1909-1919.	1.1	161
16	Relation of Osteoprotegerin to Coronary Calcium and Aortic Plaque (from the Dallas Heart Study). <i>American Journal of Cardiology</i> , 2007, 99, 513-518.	0.7	159
17	Prognostic Value of High-Sensitivity Troponin T in Chronic Heart Failure. <i>Circulation</i> , 2018, 137, 286-297.	1.6	157
18	Decreased Bone Formative and Enhanced Resorptive Markers in Human Immunodeficiency Virus Infection: Indication of Normalization of the Bone-Remodeling Process during Highly Active Antiretroviral Therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 145-150.	1.8	154

#	ARTICLE	IF	CITATIONS
19	Role of inflammation in the progression of heart failure. <i>Current Cardiology Reports</i> , 2007, 9, 236-241.	1.3	151
20	Elevated Levels of Activin A in Heart Failure. <i>Circulation</i> , 2004, 109, 1379-1385.	1.6	150
21	Affective symptoms are associated with markers of inflammation and immune activation in bipolar disorders but not in schizophrenia. <i>Journal of Psychiatric Research</i> , 2011, 45, 1608-1616.	1.5	146
22	Galectin-3 predicts response to statin therapy in the Controlled Rosuvastatin Multinational Trial in Heart Failure (CORONA). <i>European Heart Journal</i> , 2012, 33, 2290-2296.	1.0	144
23	Similar immune profile in bipolar disorder and schizophrenia: selective increase in soluble tumor necrosis factor receptor I and von Willebrand factor. <i>Bipolar Disorders</i> , 2009, 11, 726-734.	1.1	129
24	sST2 Predicts Outcome in Chronic Heart Failure Beyond NT-proBNP and High-Sensitivity Troponin T. <i>Journal of the American College of Cardiology</i> , 2018, 72, 2309-2320.	1.2	126
25	Interleukin 1 receptor antagonist and soluble tumor necrosis factor receptor 1 are associated with general severity and psychotic symptoms in schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2013, 145, 36-42.	1.1	118
26	The Carnitine-butYRObetaine-trimethylamine-N-oxide pathway and its association with cardiovascular mortality in patients with carotid atherosclerosis. <i>Atherosclerosis</i> , 2016, 247, 64-69.	0.4	116
27	Etiology of community-acquired pneumonia and diagnostic yields of microbiological methods: a 3-year prospective study in Norway. <i>BMC Infectious Diseases</i> , 2015, 15, 64.	1.3	115
28	Enhanced liver fibrosis score predicts transplant-free survival in primary sclerosing cholangitis. <i>Hepatology</i> , 2015, 62, 188-197.	3.6	106
29	Increased Secondary/Primary Bile Acid Ratio in Chronic Heart Failure. <i>Journal of Cardiac Failure</i> , 2017, 23, 666-671.	0.7	98
30	Exploring the Wnt signaling pathway in schizophrenia and bipolar disorder. <i>Translational Psychiatry</i> , 2018, 8, 55.	2.4	94
31	Pentraxin-3 in chronic heart failure: the CORONA and GISSI-HF trials. <i>European Journal of Heart Failure</i> , 2012, 14, 992-999.	2.9	91
32	Markers of atherosclerotic development in children with familial hypercholesterolemia: A literature review. <i>Atherosclerosis</i> , 2014, 235, 299-309.	0.4	88
33	Impact of Systemic Inflammation on the Progression of Gestational Diabetes Mellitus. <i>Current Diabetes Reports</i> , 2016, 16, 26.	1.7	87
34	Inflammatory cytokines as biomarkers in heart failure. <i>Clinica Chimica Acta</i> , 2015, 443, 71-77.	0.5	85
35	Inflammatory markers are associated with general cognitive abilities in schizophrenia and bipolar disorder patients and healthy controls. <i>Schizophrenia Research</i> , 2015, 165, 188-194.	1.1	85
36	A Cross-Sectional Study of the Prevalence of Gastrointestinal Symptoms and Pathology in Patients With Common Variable Immunodeficiency. <i>American Journal of Gastroenterology</i> , 2016, 111, 1467-1475.	0.2	85

#	ARTICLE	IF	CITATIONS
37	Efficacy of High Intensity Exercise on Disease Activity and Cardiovascular Risk in Active Axial Spondyloarthritis: A Randomized Controlled Pilot Study. PLoS ONE, 2014, 9, e108688.	1.1	83
38	Adiposity-related inflammation: Effects of pregnancy. Obesity, 2013, 21, E124-30.	1.5	80
39	Effect of Thalidomide on Cardiac Remodeling in Chronic Heart Failure. Circulation, 2005, 112, 3408-3414.	1.6	75
40	Plasma Osteoprotegerin Levels in the General Population. Hypertension, 2007, 49, 1392-1398.	1.3	74
41	Galectin-3 in heart failure: high levels are associated with all-cause mortality. International Journal of Cardiology, 2011, 150, 361-364.	0.8	74
42	High Level of Chemokine CCL18 Is Associated With Pulmonary Function Deterioration, Lung Fibrosis Progression, and Reduced Survival in Systemic Sclerosis. Chest, 2016, 150, 299-306.	0.4	73
43	GH/IGF-I and bone resorption in vivo and in vitro. European Journal of Endocrinology, 2005, 152, 327-332.	1.9	72
44	Soluble CD40 ligand in acute and chronic heart failure. European Heart Journal, 2005, 26, 1101-1107.	1.0	71
45	Childhood maltreatment severity is associated with elevated C-reactive protein and body mass index in adults with schizophrenia and bipolar diagnoses. Brain, Behavior, and Immunity, 2017, 65, 342-349.	2.0	67
46	Complement Activation in Patients With Congestive Heart Failure. Circulation, 2001, 104, 1494-1500.	1.6	66
47	Positive effects of a physiological dose of GH on markers of atherogenesis: a placebo-controlled study in patients with adult-onset GH deficiency. European Journal of Endocrinology, 2006, 154, 537-543.	1.9	66
48	Increased interleukin-6 and macrophage chemoattractant protein-1 are associated with respiratory failure in COVID-19. Scientific Reports, 2020, 10, 21697.	1.6	65
49	Inflammatory cytokines in chronic heart failure: interleukin-8 is associated with adverse outcome. Results from CORONA. European Journal of Heart Failure, 2014, 16, 68-75.	2.9	63
50	Predictors of Exacerbations in Chronic Obstructive Pulmonary Disease - Results from the Bergen COPD Cohort Study. PLoS ONE, 2014, 9, e109721.	1.1	62
51	Circulating levels of non-phosphorylated undercarboxylated matrix Gla protein are associated with disease severity in patients with chronic heart failure. Clinical Science, 2011, 121, 119-127.	1.8	61
52	Matrix Metalloproteinase 7 Is Associated with Symptomatic Lesions and Adverse Events in Patients with Carotid Atherosclerosis. PLoS ONE, 2014, 9, e84935.	1.1	61
53	Effect of metoprolol on cytokine levels in chronic heart failure—A substudy in the Metoprolol Controlled-Release Randomised Intervention Trial in Heart Failure (MERIT-HF). American Heart Journal, 2001, 141, 418-421.	1.2	59
54	Osteoprotegerin Predicts Progression of Chronic Heart Failure: Results From CORONA. Circulation: Heart Failure, 2011, 4, 145-152.	1.6	57

#	ARTICLE	IF	CITATIONS
55	Body mass index influence interferon-beta treatment response in multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2015, 288, 92-97.	1.1	56
56	Low fibre intake is associated with gut microbiota alterations in chronic heart failure. <i>ESC Heart Failure</i> , 2020, 7, 456-466.	1.4	56
57	Early Posttransplant Serum Osteoprotegerin Levels Predict Long-Term (8-Year) Patient Survival and Cardiovascular Death in Renal Transplant Patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 1746-1754.	3.0	54
58	Potential anti-inflammatory role of activin A in acute coronary syndromes. <i>Journal of the American College of Cardiology</i> , 2004, 44, 369-375.	1.2	53
59	Disturbed carnitine regulation in chronic heart failure – Increased plasma levels of palmitoyl-carnitine are associated with poor prognosis. <i>International Journal of Cardiology</i> , 2013, 167, 1892-1899.	0.8	53
60	Circulating Dickkopf-1 in Diabetes Mellitus: Association With Platelet Activation and Effects of Improved Metabolic Control and Low-Dose Aspirin. <i>Journal of the American Heart Association</i> , 2014, 3, .	1.6	53
61	Age-Related Changes in Cortical Bone Content of Insulin-Like Growth Factor Binding Protein (IGFBP)-3, IGFBP-5, Osteoprotegerin, and Calcium in Postmenopausal Osteoporosis: A Cross-Sectional Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 1014-1018.	1.8	51
62	Soluble CXCL16 Predicts Long-Term Mortality in Acute Coronary Syndromes. <i>Circulation</i> , 2009, 119, 3181-3188.	1.6	51
63	Activation of Platelets by <i>Aspergillus fumigatus</i> and Potential Role of Platelets in the Immunopathogenesis of Aspergillosis. <i>Infection and Immunity</i> , 2010, 78, 1269-1275.	1.0	51
64	Novel serum and bile protein markers predict primary sclerosing cholangitis disease severity and prognosis. <i>Journal of Hepatology</i> , 2017, 66, 1214-1222.	1.8	51
65	Decreased IL-1 $\beta$ -induced CCL20 response in human iPSC-astrocytes in schizophrenia: Potential attenuating effects on recruitment of regulatory T cells. <i>Brain, Behavior, and Immunity</i> , 2020, 87, 634-644.	2.0	49
66	Immune complexes, innate immunity, and NETosis in ChAdOx1 vaccine-induced thrombocytopenia. <i>European Heart Journal</i> , 2021, 42, 4064-4072.	1.0	49
67	Activated platelets and atherosclerosis. <i>Expert Review of Cardiovascular Therapy</i> , 2010, 8, 1297-1307.	0.6	48
68	Effect of Continuous Positive Airway Pressure on Arrhythmia in Atrial Fibrillation and Sleep Apnea: A Randomized Controlled Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021, 204, 573-582.	2.5	48
69	Plasma Levels of Soluble Tumor Necrosis Factor Receptor Type I During the Acute Phase Following Complicated Myocardial Infarction Predicts Survival in High-Risk Patients. <i>Journal of the American College of Cardiology</i> , 2005, 46, 2018-2021.	1.2	47
70	A Study of TNF Pathway Activation in Schizophrenia and Bipolar Disorder in Plasma and Brain Tissue. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw183.	2.3	47
71	Cytokine Network in Scrub Typhus: High Levels of Interleukin-8 Are Associated with Disease Severity and Mortality. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2648.	1.3	45
72	LIGHT/TNFSF14 is increased in patients with type 2 diabetes mellitus and promotes islet cell dysfunction and endothelial cell inflammation in vitro. <i>Diabetologia</i> , 2016, 59, 2134-2144.	2.9	45

#	ARTICLE	IF	CITATIONS
73	Wnt5a is elevated in heart failure and affects cardiac fibroblast function. <i>Journal of Molecular Medicine</i> , 2017, 95, 767-777.	1.7	45
74	Up-Regulation of <i>NOTCH4</i> Gene Expression in Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2012, 169, 1292-1300.	4.0	44
75	Large Reduction in Adiponectin During Pregnancy Is Associated With Large-for-Gestational-Age Newborns. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 2552-2559.	1.8	44
76	Risk Factors for Long-Term Mortality after Hospitalization for Community-Acquired Pneumonia: A 5-Year Prospective Follow-Up Study. <i>PLoS ONE</i> , 2016, 11, e0148741.	1.1	44
77	Leptin and adiponectin as predictors of cardiovascular risk after gestational diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2017, 16, 5.	2.7	43
78	Association Between Abdominal Aortic Calcification, Bone Mineral Density, and Fracture in Older Women. <i>Journal of Bone and Mineral Research</i> , 2019, 34, 2052-2060.	3.1	43
79	Monocyte chemoattractant protein-1 enhances and interleukin-10 suppresses the production of inflammatory cytokines in adult rat cardiomyocytes. <i>Basic Research in Cardiology</i> , 2001, 96, 345-352.	2.5	42
80	Soluble Glycoprotein 130 Predicts Fatal Outcomes in Chronic Heart Failure. <i>Circulation: Heart Failure</i> , 2013, 6, 91-98.	1.6	42
81	Interleukin-6 Signaling, Soluble Glycoprotein 130, and Inflammation in Heart Failure. <i>Current Heart Failure Reports</i> , 2014, 11, 146-155.	1.3	42
82	Prognostic importance of emerging cardiac, inflammatory, and renal biomarkers in chronic heart failure patients with reduced ejection fraction and anaemia: RED-CHF study. <i>European Journal of Heart Failure</i> , 2018, 20, 268-277.	2.9	42
83	Osteoprotegerin: A Biomarker With Many Faces. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 1684-1686.	1.1	41
84	Secreted Wnt Modulators in Symptomatic Aortic Stenosis. <i>Journal of the American Heart Association</i> , 2012, 1, e002261.	1.6	40
85	Inflammatory markers are altered in severe mental disorders independent of comorbid cardiometabolic disease risk factors. <i>Psychological Medicine</i> , 2019, 49, 1749-1757.	2.7	40
86	Inflammatory evidence for the psychosis continuum model. <i>Psychoneuroendocrinology</i> , 2016, 67, 189-197.	1.3	39
87	Effect of Everolimus Initiation and Calcineurin Inhibitor Elimination on Cardiac Allograft Vasculopathy in De Novo Heart Transplant Recipients. <i>Circulation: Heart Failure</i> , 2018, 11, e004050.	1.6	39
88	Effects of 12 Months of GH Treatment on Cortical and Trabecular Bone Content of IGFs and OPG in Adults with Acquired GH Deficiency: A Double-Blind, Randomized, Placebo-Controlled Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 2760-2763.	1.8	38
89	Interleukin-6 and activin A are independently associated with cardiovascular events and mortality in type 2 diabetes: the prospective Askar and BÅrum Cardiovascular Diabetes (ABCD) cohort study. <i>Cardiovascular Diabetology</i> , 2013, 12, 126.	2.7	38
90	Gut Microbiota-Dependent Trimethylamine N-Oxide Associates With Inflammation in Common Variable Immunodeficiency. <i>Frontiers in Immunology</i> , 2020, 11, 574500.	2.2	38

#	ARTICLE	IF	CITATIONS
91	Respiratory dysfunction three months after severe COVID-19 is associated with gut microbiota alterations. <i>Journal of Internal Medicine</i> , 2022, 291, 801-812.	2.7	38
92	Aortic Stiffness and Cardiovascular Risk in Women with Previous Gestational Diabetes Mellitus. <i>PLoS ONE</i> , 2015, 10, e0136892.	1.1	37
93	Attenuated Notch signaling in schizophrenia and bipolar disorder. <i>Scientific Reports</i> , 2018, 8, 5349.	1.6	37
94	Vitamin D supplementation and systemic inflammation in relapsing-remitting multiple sclerosis. <i>Journal of Neurology</i> , 2015, 262, 2713-2721.	1.8	36
95	LDL cholesterol in early pregnancy and offspring cardiovascular disease risk factors. <i>Journal of Clinical Lipidology</i> , 2016, 10, 1369-1378.e7.	0.6	36
96	Impact of Human Immunodeficiency Virus-Related Gut Microbiota Alterations on Metabolic Comorbid Conditions. <i>Clinical Infectious Diseases</i> , 2020, 71, e359-e367.	2.9	36
97	Associations between Body Composition, Circulating Interleukin-1 Receptor Antagonist, Osteocalcin, and Insulin Metabolism in Active Acromegaly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 361-368.	1.8	35
98	The Glucocorticoid-Induced Leucine Zipper Gene (GILZ) Expression Decreases after Successful Treatment of Patients with Endogenous Cushing's Syndrome and May Play a Role in Glucocorticoid-Induced Osteoporosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 246-255.	1.8	35
99	The alternative complement pathway is dysregulated in patients with chronic heart failure. <i>Scientific Reports</i> , 2017, 7, 42532.	1.6	35
100	Rationale for the ASSAIL-MI-trial: a randomised controlled trial designed to assess the effect of tocilizumab on myocardial salvage in patients with acute ST-elevation myocardial infarction (STEMI). <i>Open Heart</i> , 2019, 6, e001108.	0.9	34
101	The Homeostatic Chemokine CCL21 Predicts Mortality and May Play a Pathogenic Role in Heart Failure. <i>PLoS ONE</i> , 2012, 7, e33038.	1.1	33
102	Increased circulating IL-18 levels in severe mental disorders indicate systemic inflammasome activation. <i>Brain, Behavior, and Immunity</i> , 2022, 99, 299-306.	2.0	33
103	Activin A in Carcinoid Heart Disease: A Possible Role in Diagnosis and Pathogenesis. <i>Neuroendocrinology</i> , 2010, 92, 168-177.	1.2	32
104	Serum osteoprotegerin levels and long-term prognosis in patients with stable angina pectoris. <i>Atherosclerosis</i> , 2010, 212, 644-649.	0.4	32
105	Activin A and cardiovascular disease in type 2 diabetes mellitus. <i>Diabetes and Vascular Disease Research</i> , 2012, 9, 234-237.	0.9	32
106	Clustering of 37 circulating biomarkers by exploratory factor analysis in patients following complicated acute myocardial infarction. <i>International Journal of Cardiology</i> , 2013, 166, 729-735.	0.8	32
107	$\beta$ -cell dysfunction in women with previous gestational diabetes is associated with visceral adipose tissue distribution. <i>European Journal of Endocrinology</i> , 2015, 173, 63-70.	1.9	32
108	High-sensitivity troponin T, NT-proBNP and glomerular filtration rate: A multimarker strategy for risk stratification in chronic heart failure. <i>International Journal of Cardiology</i> , 2019, 277, 166-172.	0.8	32

#	ARTICLE	IF	CITATIONS
109	Plasma levels of von Willebrand factor and future risk of incident venous thromboembolism. <i>Blood Advances</i> , 2021, 5, 224-232.	2.5	32
110	Increased Cortical Bone Content of Insulin-Like Growth Factors in Acromegalic Patients <sup>1</sup> . <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 123-127.	1.8	31
111	Soluble ST2 reflects hemodynamic stress in non-ischemic heart failure. <i>International Journal of Cardiology</i> , 2015, 179, 378-384.	0.8	31
112	The Metabolic Risk in Patients Newly Diagnosed with Acromegaly Is Related to Fat Distribution and Circulating Adipokines and Improves after Treatment. <i>Neuroendocrinology</i> , 2016, 103, 197-206.	1.2	31
113	Wnt5a is associated with right ventricular dysfunction and adverse outcome in dilated cardiomyopathy. <i>Scientific Reports</i> , 2017, 7, 3490.	1.6	31
114	Elevated plasma sTIM-3 levels in patients with severe COVID-19. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 92-98.	1.5	31
115	Inflammatory response to percutaneous coronary intervention in stable coronary artery disease. <i>Journal of Thrombosis and Thrombolysis</i> , 2011, 31, 92-98.	1.0	30
116	Elevated serum osteoprotegerin levels measured early after acute ST-elevation myocardial infarction predict final infarct size. <i>Heart</i> , 2011, 97, 460-465.	1.2	30
117	Limited Added Value of Circulating Inflammatory Biomarkers in Chronic Heart Failure. <i>JACC: Heart Failure</i> , 2017, 5, 256-264.	1.9	30
118	Vitamin D, Vitamin D Binding Protein, and Longitudinal Outcomes in COPD. <i>PLoS ONE</i> , 2015, 10, e0121622.	1.1	30
119	Activin A Levels Are Associated With Abnormal Glucose Regulation in Patients With Myocardial Infarction. <i>Diabetes</i> , 2011, 60, 1544-1551.	0.3	29
120	Associations between circulating endostatin levels and vascular organ damage in systemic sclerosis and mixed connective tissue disease: an observational study. <i>Arthritis Research and Therapy</i> , 2015, 17, 231.	1.6	29
121	The relationship between markers of extracellular cardiac matrix turnover: infarct healing and left ventricular remodelling following primary PCI in patients with first-time STEMI. <i>European Heart Journal</i> , 2014, 35, 395-402.	1.0	28
122	Maternal inheritance does not predict cholesterol levels in children with familial hypercholesterolemia. <i>Atherosclerosis</i> , 2015, 243, 155-160.	0.4	28
123	Patients with depression display cytokine levels in serum and cerebrospinal fluid similar to patients with diffuse neurological symptoms without a defined diagnosis. <i>Neuropsychiatric Disease and Treatment</i> , 2016, 12, 817.	1.0	28
124	CCL21 as a Potential Serum Biomarker for Pulmonary Arterial Hypertension in Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2018, 70, 1644-1653.	2.9	28
125	Revisiting the obesity paradox in heart failure: Per cent body fat as predictor of biomarkers and outcome. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 1751-1759.	0.8	28
126	TNF Revisited: Osteoprotegerin and TNF-related Molecules in Heart Failure. <i>Current Heart Failure Reports</i> , 2012, 9, 92-100.	1.3	27



#	ARTICLE	IF	CITATIONS
127	Increased Serum Levels of the Notch Ligand DLL1 Are Associated With Diastolic Dysfunction, Reduced Exercise Capacity, and Adverse Outcome in Chronic Heart Failure. <i>Journal of Cardiac Failure</i> , 2016, 22, 218-223.	0.7	27
128	Cytokine responses, microbial aetiology and short-term outcome in community-acquired pneumonia. <i>European Journal of Clinical Investigation</i> , 2018, 48, e12865.	1.7	27
129	Levels and prognostic impact of circulating markers of inflammation, endothelial activation and extracellular matrix remodelling in patients with lung cancer and chronic obstructive pulmonary disease. <i>BMC Cancer</i> , 2018, 18, 739.	1.1	27
130	Elevated plasma levels of plasminogen activator inhibitor-1 are associated with risk of future incident venous thromboembolism. <i>Journal of Thrombosis and Haemostasis</i> , 2022, 20, 1618-1626.	1.9	27
131	Activated Leukocyte Cell Adhesion Molecule and Prognosis in Acute Ischemic Stroke. <i>Stroke</i> , 2011, 42, 2453-2458.	1.0	26
132	Neil3-dependent base excision repair regulates lipid metabolism and prevents atherosclerosis in ApoE-deficient mice. <i>Scientific Reports</i> , 2016, 6, 28337.	1.6	26
133	Circulating levels and prognostic value of soluble ST2 in heart failure are less influenced by age than N-terminal pro-B-type natriuretic peptide and high-sensitivity troponin T. <i>European Journal of Heart Failure</i> , 2020, 22, 2078-2088.	2.9	26
134	Cytokine Network in Adults with Falciparum Malaria and HIV-1: Increased IL-8 and IP-10 Levels Are Associated with Disease Severity. <i>PLoS ONE</i> , 2014, 9, e114480.	1.1	26
135	Persistent pulmonary pathology after COVID-19 is associated with high viral load, weak antibody response, and high levels of matrix metalloproteinase-9. <i>Scientific Reports</i> , 2021, 11, 23205.	1.6	26
136	Elevated Osteoprotegerin Predicts Declining Renal Function in Elderly Women: A 10-Year Prospective Cohort Study. <i>American Journal of Nephrology</i> , 2014, 39, 66-74.	1.4	25
137	Increasing serum levels of vitamin A, D and E are associated with alterations of different inflammation markers in patients with multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2014, 271, 60-65.	1.1	25
138	Augmented concentrations of CX3CL1 are associated with interstitial lung disease in systemic sclerosis. <i>PLoS ONE</i> , 2018, 13, e0206545.	1.1	25
139	C-X-C Ligand 16 Is an Independent Predictor of Cardiovascular Death and Morbidity in Acute Coronary Syndromes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019, 39, 2402-2410.	1.1	25
140	Adipocytes as a Source of Increased Circulating Levels of Nicotinamide Phosphoribosyltransferase/Visfatin in Active Acromegaly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 1355-1362.	1.8	24
141	Lessons Learned From a Randomized Study of Oral Valganciclovir Versus Parenteral Ganciclovir Treatment of Cytomegalovirus Disease in Solid Organ Transplant Recipients: The VICTOR Trial. <i>Clinical Infectious Diseases</i> , 2016, 62, 1154-1160.	2.9	24
142	Soluble ST2 is associated with disease severity in arrhythmogenic right ventricular cardiomyopathy. <i>Biomarkers</i> , 2017, 22, 367-371.	0.9	24
143	The Notch Ligands DLL1 and Periostin Are Associated with Symptom Severity and Diastolic Function in Dilated Cardiomyopathy. <i>Journal of Cardiovascular Translational Research</i> , 2017, 10, 401-410.	1.1	24
144	Impaired HDL Function Amplifies Systemic Inflammation in Common Variable Immunodeficiency. <i>Scientific Reports</i> , 2019, 9, 9427.	1.6	24

#	ARTICLE	IF	CITATIONS
145	Plasma cytokine expression in adolescent chronic fatigue syndrome. <i>Brain, Behavior, and Immunity</i> , 2015, 46, 80-86.	2.0	23
146	Association between altered brain morphology and elevated peripheral endothelial markers " Implications for psychotic disorders. <i>Schizophrenia Research</i> , 2015, 161, 222-228.	1.1	23
147	Low circulating pentraxin 3 levels in pregnancy is associated with gestational diabetes and increased apoB/apoA ratio: a 5-year follow-up study. <i>Cardiovascular Diabetology</i> , 2016, 15, 23.	2.7	23
148	Inflammatory adipokines contribute to insulin resistance in active acromegaly and respond differently to different treatment modalities. <i>European Journal of Endocrinology</i> , 2014, 170, 39-48.	1.9	22
149	Increased endothelial and macrophage markers are associated with disease severity and mortality in scrub typhus. <i>Journal of Infection</i> , 2014, 69, 462-469.	1.7	22
150	Interleukin-6 receptor inhibition with tocilizumab induces a selective and substantial increase in plasma IP-10 and MIP-1 $\beta$ in non-ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2018, 271, 1-7.	0.8	22
151	Reduced brain-derived neurotrophic factor is associated with childhood trauma experiences and number of depressive episodes in severe mental disorders. <i>Schizophrenia Research</i> , 2019, 205, 45-50.	1.1	22
152	Activated dendritic cells and monocytes in HIV immunological nonresponders. <i>Aids</i> , 2019, 33, 1117-1129.	1.0	22
153	Interleukin-6 inhibition in ST-elevation myocardial infarction: Immune cell profile in the randomised ASSAIL-MI trial. <i>EBioMedicine</i> , 2022, 80, 104013.	2.7	22
154	The Homeostatic Chemokine CCL21 Predicts Mortality in Aortic Stenosis Patients and Modulates Left Ventricular Remodeling. <i>PLoS ONE</i> , 2014, 9, e112172.	1.1	21
155	Circulating PCSK9 and Risk of Myocardial Infarction. <i>JACC Basic To Translational Science</i> , 2016, 1, 568-575.	1.9	21
156	Soluble markers of neutrophil, T-cell and monocyte activation are associated with disease severity and parasitemia in falciparum malaria. <i>BMC Infectious Diseases</i> , 2018, 18, 670.	1.3	21
157	Effect of hormone replacement therapy on atherogenic lipid profile in postmenopausal women. <i>Thrombosis Research</i> , 2019, 184, 1-7.	0.8	21
158	Bone Matrix Levels of Dickkopf and Sclerostin are Positively Correlated with Bone Mass and Strength in Postmenopausal Osteoporosis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2896.	1.8	21
159	Inflammatory biomarkers are associated with aetiology and predict outcomes in community-acquired pneumonia: results of a 5-year follow-up cohort study. <i>ERJ Open Research</i> , 2019, 5, 00014-2019.	1.1	21
160	Increased interleukin 18 activity in adolescents with early-onset psychosis is associated with cortisol and depressive symptoms. <i>Psychoneuroendocrinology</i> , 2020, 112, 104513.	1.3	21
161	Osteoprotegerin levels in patients with severe mental disorders. <i>Journal of Psychiatry and Neuroscience</i> , 2010, 35, 304-310.	1.4	21
162	Serum brain-derived neurotrophic factor levels in relation to comorbid depression and cytokine levels in Nepalese men with alcohol-use disorders. <i>Alcohol</i> , 2015, 49, 471-478.	0.8	20

#	ARTICLE	IF	CITATIONS
163	Prediction of Gestational Diabetes Mellitus and Pre-diabetes 5 Years Postpartum using 75%g Oral Glucose Tolerance Test at 14-16 Weeks™ Gestation. <i>Scientific Reports</i> , 2018, 8, 13392.	1.6	20
164	Admission Levels of DKK1 (Dickkopf-1) Are Associated With Future Cardiovascular Death in Patients With Acute Coronary Syndromes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019, 39, 294-302.	1.1	20
165	Rosuvastatin alters the genetic composition of the human gut microbiome. <i>Scientific Reports</i> , 2020, 10, 5397.	1.6	20
166	Re-appraisal of the obesity paradox in heart failure: a meta-analysis of individual data. <i>Clinical Research in Cardiology</i> , 2021, 110, 1280-1291.	1.5	20
167	NT-proBNP for Risk Prediction in Heart Failure. <i>JACC: Heart Failure</i> , 2021, 9, 653-663.	1.9	20
168	Myocardial gene expression of inflammatory cytokines after heart transplantation in relation to the development of transplant coronary artery disease. <i>American Journal of Cardiology</i> , 2003, 92, 715-717.	0.7	19
169	Secreted Frizzled Related Protein 3 in Chronic Heart Failure: Analysis from the Controlled Rosuvastatin Multinational Trial in Heart Failure (CORONA). <i>PLoS ONE</i> , 2015, 10, e0133970.	1.1	19
170	Vitamin D status and effect of interferon- $\gamma$ 21a treatment on MRI activity and serum inflammation markers in relapsing-remitting multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2015, 280, 21-28.	1.1	19
171	Low Circulating Levels of Mitochondrial and High Levels of Nuclear DNA Predict Mortality in Chronic Heart Failure. <i>Journal of Cardiac Failure</i> , 2016, 22, 823-828.	0.7	19
172	Macrophage migration inhibitory factor, a role in COPD. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2016, 311, L1-L7.	1.3	19
173	Inflammatory and related biomarkers are associated with post-transplant diabetes mellitus in kidney recipients: a retrospective study. <i>Transplant International</i> , 2018, 31, 510-519.	0.8	19
174	High neopterin and IP-10 levels in cerebrospinal fluid are associated with neurotoxic tryptophan metabolites in acute central nervous system infections. <i>Journal of Neuroinflammation</i> , 2018, 15, 327.	3.1	19
175	Absence of NLRP3 Inflammasome in Hematopoietic Cells Reduces Adverse Remodeling After Experimental Myocardial Infarction. <i>JACC Basic To Translational Science</i> , 2020, 5, 1210-1224.	1.9	19
176	The inflammatory response is related to circulatory failure after out-of-hospital cardiac arrest: A prospective cohort study. <i>Resuscitation</i> , 2022, 170, 115-125.	1.3	19
177	Soluble CXCL16 and risk of myocardial infarction: The HUNT study in Norway. <i>Atherosclerosis</i> , 2016, 244, 188-194.	0.4	18
178	Systemic Cell Adhesion Molecules in Severe Mental Illness: Potential Role of Intercellular CAM-1 in Linking Peripheral and Neuroinflammation. <i>Biological Psychiatry</i> , 2023, 93, 187-196.	0.7	18
179	Elevated inflammatory markers in preeclamptic pregnancies, but no relation to systemic arterial stiffness. <i>Pregnancy Hypertension</i> , 2015, 5, 325-329.	0.6	17
180	Increased Serum and Bone Matrix Levels of the Secreted Wnt Antagonist DKK-1 in Patients With Growth Hormone Deficiency in Response to Growth Hormone Treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 736-743.	1.8	17

#	ARTICLE	IF	CITATIONS
181	CXC chemokine ligand 16 is increased in gestational diabetes mellitus and preeclampsia and associated with lipoproteins in gestational diabetes mellitus at 5 years follow-up. <i>Diabetes and Vascular Disease Research</i> , 2017, 14, 525-533.	0.9	17
182	Association of Circulating Wnt Antagonists With Severe Abdominal Aortic Calcification in Elderly Women. <i>Journal of the Endocrine Society</i> , 2017, 1, 26-38.	0.1	17
183	Complement activation assessed by the plasma terminal complement complex and future risk of venous thromboembolism. <i>Journal of Thrombosis and Haemostasis</i> , 2019, 17, 934-943.	1.9	17
184	CCL21 is associated with fatal outcomes in chronic heart failure: data from CORONA and GISSI-HF trials. <i>European Journal of Heart Failure</i> , 2013, 15, 747-755.	2.9	16
185	Glucose homeostasis in adults with Prader-Willi syndrome during treatment with growth hormone: Results from a 12-month prospective study. <i>Growth Hormone and IGF Research</i> , 2014, 24, 16-21.	0.5	16
186	Predictive Value of Endostatin in Chronic Heart Failure Patients with Poor Kidney Function. <i>Cardiology</i> , 2015, 130, 17-22.	0.6	16
187	Novel Insights Into the Effects of Interleukin 6 Antagonism in Non-ST-Segment Elevation Myocardial Infarction Employing the SOMAscan Proteomics Platform. <i>Journal of the American Heart Association</i> , 2020, 9, e015628.	1.6	16
188	A cohort study of the effects of serum osteoprotegerin and osteoprotegerin gene polymorphisms on cardiovascular mortality in elderly women. <i>Clinical Endocrinology</i> , 2009, 71, 828-833.	1.2	15
189	Complement Activation Correlates With Disease Severity and Contributes to Cytokine Responses in <i>Plasmodium falciparum</i> Malaria. <i>Journal of Infectious Diseases</i> , 2015, 212, 1835-1840.	1.9	15
190	Gene expression in term placentas is regulated more by spinal or epidural anesthesia than by late-onset preeclampsia or gestational diabetes mellitus. <i>Scientific Reports</i> , 2016, 6, 29715.	1.6	15
191	Serum neutrophil gelatinase-associated lipocalin (NGAL) concentration is independently associated with mortality in patients with acute coronary syndrome. <i>International Journal of Cardiology</i> , 2018, 262, 79-84.	0.8	15
192	Serum PCSK9 is modified by interleukin-6 receptor antagonism in patients with hypercholesterolaemia following non-ST-elevation myocardial infarction. <i>Open Heart</i> , 2018, 5, e000765.	0.9	15
193	Soluble IL-1 receptor 2 is associated with left ventricular remodelling in patients with ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2018, 268, 187-192.	0.8	15
194	Homeostatic Chemokines and Prognosis in Patients With Acute Coronary Syndromes. <i>Journal of the American College of Cardiology</i> , 2019, 74, 774-782.	1.2	15
195	Vitamin D as a risk factor for patient survival after kidney transplantation: A prospective observational cohort study. <i>Clinical Transplantation</i> , 2019, 33, e13517.	0.8	15
196	Circulating delta-like Notch ligand 1 is correlated with cardiac allograft vasculopathy and suppressed in heart transplant recipients on everolimus-based immunosuppression. <i>American Journal of Transplantation</i> , 2019, 19, 1050-1060.	2.6	15
197	Interleukin 18 (IL-18) and its binding protein (IL-18BP) are increased in patients with epilepsy suggesting low-grade systemic inflammation. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020, 80, 221-225.	0.9	15
198	Atherogenic Lipid Ratios Related to Myeloperoxidase and C-Reactive Protein Levels in Psychotic Disorders. <i>Frontiers in Psychiatry</i> , 2020, 11, 672.	1.3	15

#	ARTICLE	IF	CITATIONS
199	A Complex Interaction between Rickettsia conorii and Dickkopf-1 – Potential Role in Immune Evasion Mechanisms in Endothelial Cells. PLoS ONE, 2012, 7, e43638.	1.1	15
200	Vitamin D Status and Long-Term Mortality in Community-Acquired Pneumonia: Secondary Data Analysis from a Prospective Cohort. PLoS ONE, 2016, 11, e0158536.	1.1	15
201	Circulating levels and prognostic cutoffs of sST2, hs-cTnT, and NT-proBNP in women vs. men with chronic heart failure. ESC Heart Failure, 2022, 9, 2084-2095.	1.4	15
202	Multimarker Risk Assessment Including Osteoprotegerin and CXCL16 in Acute Coronary Syndromes. Arteriosclerosis, Thrombosis, and Vascular Biology, 2012, 32, 3041-3049.	1.1	14
203	Low levels of short- and medium-chain acylcarnitines in HIV-infected patients. European Journal of Clinical Investigation, 2016, 46, 408-417.	1.7	14
204	Specific allergen immunotherapy: effect on IgE, IgG4 and chemokines in patients with allergic rhinitis. Scandinavian Journal of Clinical and Laboratory Investigation, 2016, 76, 118-127.	0.6	14
205	Plasma levels of mannose-binding lectin and future risk of venous thromboembolism. Journal of Thrombosis and Haemostasis, 2019, 17, 1661-1669.	1.9	14
206	Soluble Markers of Interleukin 1 Activation as Predictors of First-Time Myocardial Infarction in HIV-Infected Individuals. Journal of Infectious Diseases, 2019, 221, 506-509.	1.9	14
207	Legumain is upregulated in acute cardiovascular events and associated with improved outcome - potentially related to anti-inflammatory effects on macrophages. Atherosclerosis, 2020, 296, 74-82.	0.4	14
208	Lung disease, T-cells and inflammation in common variable immunodeficiency disorders. Scandinavian Journal of Clinical and Laboratory Investigation, 2013, 73, 514-522.	0.6	13
209	The Notch ligand Delta-like 1 is elevated and associated with mortality in patients with symptomatic aortic stenosis. International Journal of Cardiology, 2015, 180, 18-20.	0.8	13
210	Extracellular matrix markers and risk of myocardial infarction: The HUNT Study in Norway. European Journal of Preventive Cardiology, 2017, 24, 1161-1167.	0.8	13
211	Plasma hepcidin is associated with future risk of venous thromboembolism. Blood Advances, 2018, 2, 1191-1197.	2.5	13
212	The carnitine-butyrobetaine-TMAO pathway after cardiac transplant: Impact on cardiac allograft vasculopathy and acute rejection. Journal of Heart and Lung Transplantation, 2019, 38, 1097-1103.	0.3	13
213	Serum levels of inflammation-related markers and metabolites predict response to neoadjuvant chemotherapy with and without bevacizumab in breast cancers. International Journal of Cancer, 2020, 146, 223-235.	2.3	13
214	Combined effects of plasma von Willebrand factor and platelet measures on the risk of incident venous thromboembolism. Blood, 2021, 138, 2269-2277.	0.6	13
215	Elevated Circulating Osteoprotegerin and Renal Dysfunction Predict 15-Year Cardiovascular and All-Cause Mortality: A Prospective Study of Elderly Women. PLoS ONE, 2015, 10, e0134266.	1.1	13
216	Associations of brain natriuretic peptide, high-sensitive troponin T, and high-sensitive C-reactive protein with outcomes in severe aortic stenosis. PLoS ONE, 2017, 12, e0179304.	1.1	13

#	ARTICLE	IF	CITATIONS
217	Immune marker levels in severe mental disorders: associations with polygenic risk scores of related mental phenotypes and psoriasis. <i>Translational Psychiatry</i> , 2022, 12, 38.	2.4	13
218	Dysregulated RANK Ligand/RANK Axis in Hyperhomocysteinemic Subjects. <i>Stroke</i> , 2009, 40, 241-247.	1.0	12
219	Novel Extracellular Matrix Biomarkers as Predictors of Adverse Outcome in Chronic Heart Failure: Association Between Biglycan and Response to Statin Therapy in the CORONA Trial. <i>Journal of Cardiac Failure</i> , 2015, 21, 153-159.	0.7	12
220	Systemic and Airway Inflammation after Exposure to Fumes from Military Small Arms. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018, 197, 1349-1353.	2.5	12
221	Adipokines and macrophage markers during pregnancy – possible role for sCD163 in prediction and progression of gestational diabetes mellitus. <i>Diabetes/Metabolism Research and Reviews</i> , 2018, 35, e3114.	1.7	12
222	Pentraxin-3 vs C-reactive protein and other prognostic biomarkers in acute coronary syndrome: A substudy of the Platelet Inhibition and Patients Outcomes (PLATO) trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 313-322.	0.4	12
223	Immediate response in markers of inflammation and angiogenesis during exercise: a randomised cross-over study in heart transplant recipients. <i>Open Heart</i> , 2017, 4, e000635.	0.9	12
224	Systemic biomarkers of inflammation and haemostasis in patients with chronic necrotizing pulmonary aspergillosis. <i>BMC Infectious Diseases</i> , 2012, 12, 144.	1.3	11
225	Serum lipoprotein(a) is not modified by interleukin-6 receptor antagonism or associated with inflammation in non-ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2019, 274, 348-350.	0.8	11
226	Encephalitis and aseptic meningitis: short-term and long-term outcome, quality of life and neuropsychological functioning. <i>Scientific Reports</i> , 2019, 9, 16158.	1.6	11
227	Variation in Serum PCSK9 (Proprotein Convertase Subtilisin/Kexin Type 9), Cardiovascular Disease Risk, and an Investigation of Potential Unanticipated Effects of PCSK9 Inhibition. <i>Circulation Genomic and Precision Medicine</i> , 2019, 12, e002335.	1.6	11
228	Plasma levels of growth differentiation factor 15 are associated with future risk of venous thromboembolism. <i>Blood</i> , 2020, 136, 1863-1870.	0.6	11
229	Tissue factor pathway inhibitor upregulates CXCR7 expression and enhances CXCL12-mediated migration in chronic lymphocytic leukemia. <i>Scientific Reports</i> , 2021, 11, 5127.	1.6	11
230	Lasting Immunological Imprint of Primary Epstein-Barr Virus Infection With Associations to Chronic Low-Grade Inflammation and Fatigue. <i>Frontiers in Immunology</i> , 2021, 12, 715102.	2.2	11
231	Raised Serum Markers of T Cell Activation and Exhaustion in Granulomatous-Lymphocytic Interstitial Lung Disease in Common Variable Immunodeficiency. <i>Journal of Clinical Immunology</i> , 2022, 42, 1553-1563.	2.0	11
232	Wound complications and surgical events in de novo heart transplant patients treated with everolimus: Post-hoc analysis of the SCHEDULE trial. <i>International Journal of Cardiology</i> , 2016, 210, 80-84.	0.8	10
233	Immune activation and HIV-specific T cell responses are modulated by a cyclooxygenase-2 inhibitor in untreated HIV-infected individuals: An exploratory clinical trial. <i>PLoS ONE</i> , 2017, 12, e0176527.	1.1	10
234	Index of microvascular resistance to assess the effect of rosuvastatin on microvascular function in women with chest pain and no obstructive coronary artery disease: A double-blind randomized study. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 94, 660-668.	0.7	10

#	ARTICLE	IF	CITATIONS
235	Hip Structure Analyses in Acromegaly: Decrease of Cortical Bone Thickness After Treatment: A Longitudinal Cohort Study. <i>JBMR Plus</i> , 2019, 3, e10240.	1.3	10
236	Reduced levels of circulating adhesion molecules in adolescents with early-onset psychosis. <i>NPJ Schizophrenia</i> , 2020, 6, 20.	2.0	10
237	Plasma Levels of the Cytokines B Cell-Activating Factor (BAFF) and A Proliferation-Inducing Ligand (APRIL) in Schizophrenia, Bipolar, and Major Depressive Disorder: A Cross Sectional, Multisite Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 37-46.	2.3	10
238	The Effect of Rosuvastatin on Inflammation, Matrix Turnover and Left Ventricular Remodeling in Dilated Cardiomyopathy: A Randomized, Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e89732.	1.1	9
239	Secreted Frizzled-Related Protein 3 (sFRP3) in acute coronary syndromes. <i>International Journal of Cardiology</i> , 2015, 190, 217-219.	0.8	9
240	Low Levels of Immunoglobulins and Mannose-Binding Lectin Are Not Associated With Etiology, Severity, or Outcome in Community-Acquired Pneumonia. <i>Open Forum Infectious Diseases</i> , 2018, 5, ofy002.	0.4	9
241	Soluble T-Cell Immunoglobulin Mucin Domain-3 Is Associated With Hepatitis C Virus Coinfection and Low-Grade Inflammation During Chronic Human Immunodeficiency Virus Infection. <i>Open Forum Infectious Diseases</i> , 2020, 7, ofaa033.	0.4	9
242	Angiotensin II and angiotensin-like 4 protein provide prognostic information in patients with suspected acute coronary syndrome. <i>Journal of Internal Medicine</i> , 2021, 290, 894-909.	2.7	9
243	Neutrophil count predicts clinical outcome in hospitalized COVID-19 patients: Results from the NOR-Solidarity trial. <i>Journal of Internal Medicine</i> , 2022, 291, 241-243.	2.7	9
244	Elevated plasma D-dimer levels are associated with risk of future incident venous thromboembolism. <i>Thrombosis Research</i> , 2021, 208, 121-126.	0.8	9
245	Anti-inflammatory trials in chronic heart failure. <i>Heart Failure Monitor</i> , 2006, 5, 2-9.	0.7	9
246	Myocardial Function by Two-Dimensional Speckle Tracking Echocardiography and Activin A May Predict Mortality in Patients with Carcinoid Intestinal Disease. <i>Cardiology</i> , 2015, 132, 81-90.	0.6	8
247	Low YKL-40 in chronic heart failure may predict beneficial effects of statins: analysis from the controlled rosuvastatin multinational trial in heart failure (CORONA). <i>Biomarkers</i> , 2017, 22, 261-267.	0.9	8
248	Plasma Levels of Marine n-3 Fatty Acids Are Inversely Correlated With Proinflammatory Markers sTNFR1 and IL-6 in Renal Transplant Recipients. , 2017, 27, 161-168.		8
249	Functional Bowel Disorders Are Associated with a Central Immune Activation. <i>Gastroenterology Research and Practice</i> , 2017, 2017, 1-9.	0.7	8
250	Osteoprotegerin levels in ST-elevation myocardial infarction: Temporal profile and association with myocardial injury and left ventricular function. <i>PLoS ONE</i> , 2017, 12, e0173034.	1.1	8
251	Osteoprotegerin Is Associated With Major Bleeding But Not With Cardiovascular Outcomes in Patients With Acute Coronary Syndromes: Insights From the PLATO (Platelet Inhibition and Patient) Trial. <i>Circulation</i> , 2017, 135, 1431-1440.	1.1	8
252	Increased Complement Factor B and Bb Levels Are Associated with Mortality in Patients with Severe Aortic Stenosis. <i>Journal of Immunology</i> , 2019, 203, 1973-1980.	0.4	8

#	ARTICLE	IF	CITATIONS
253	Prevalence and prognostic implication of iron deficiency and anaemia in patients with severe aortic stenosis. <i>Open Heart</i> , 2019, 5, e000901.	0.9	8
254	Plasma levels of interleukin 27 in falciparum malaria is increased independently of co-infection with HIV: potential immune-regulatory role during malaria. <i>BMC Infectious Diseases</i> , 2020, 20, 65.	1.3	8
255	Inflammation in the early phase after kidney transplantation is associated with increased long-term all-cause mortality. <i>American Journal of Transplantation</i> , 2022, 22, 2016-2027.	2.6	8
256	Increased serum and bone matrix levels of transforming growth factor $\beta$ 1 in patients with GH deficiency in response to GH treatment. <i>European Journal of Endocrinology</i> , 2011, 165, 393-400.	1.9	7
257	Bone resorption following weight loss surgery is associated with treatment procedure and changes in secreted Wnt antagonists. <i>Endocrine</i> , 2016, 53, 313-321.	1.1	7
258	Dysregulated non-coding telomerase RNA component and associated exonuclease XRN1 in leucocytes from women developing preeclampsia-possible link to enhanced senescence. <i>Scientific Reports</i> , 2021, 11, 19735.	1.6	7
259	Anti-PF4/polyanion antibodies in COVID-19 patients are associated with disease severity and pulmonary pathology. <i>Platelets</i> , 2022, 33, 640-644.	1.1	7
260	Increased Osteoprotegerin Predicts Poor Virological Outcome During Anticytomegalovirus Therapy in Solid Organ Transplant Recipients. <i>Transplantation</i> , 2015, 99, 100-105.	0.5	6
261	Circulating cell-free DNA is elevated in community-acquired bacterial pneumonia and predicts short-term outcome. <i>Journal of Infection</i> , 2016, 73, 383-386.	1.7	6
262	Treatment of sleep apnea in patients with paroxysmal atrial fibrillation: design and rationale of a randomized controlled trial. <i>Scandinavian Cardiovascular Journal</i> , 2018, 52, 372-377.	0.4	6
263	T cell and monocyte/macrophage activation markers associate with adverse outcome, but give limited prognostic value in anemic patients with heart failure: results from RED-HF. <i>Clinical Research in Cardiology</i> , 2019, 108, 133-141.	1.5	6
264	Pentraxin 3 level is elevated in hereditary hemorrhagic telangiectasia and reflects the severity of disease-associated epistaxis. <i>Laryngoscope</i> , 2019, 129, E44-E49.	1.1	6
265	YKL-40 (Chitinase-3-Like Protein 1) Serum Levels in Aortic Stenosis. <i>Circulation: Heart Failure</i> , 2020, 13, e006643.	1.6	6
266	Lung CD4+ T-cells in patients with lung fibrosis produce pro-fibrotic interleukin-13 together with interferon- $\gamma$ . <i>European Respiratory Journal</i> , 2021, 57, 2000983.	3.1	6
267	Subjects with familial hypercholesterolemia have lower aortic valve area and higher levels of inflammatory biomarkers. <i>Journal of Clinical Lipidology</i> , 2021, 15, 134-141.	0.6	6
268	Adiponectin Is Related to Cardiovascular Risk in Severe Mental Illness Independent of Antipsychotic Treatment. <i>Frontiers in Psychiatry</i> , 2021, 12, 623192.	1.3	6
269	Lower circulating neuron-specific enolase concentrations in adults and adolescents with severe mental illness. <i>Psychological Medicine</i> , 2023, 53, 1479-1488.	2.7	6
270	Alternative splicing of placental lactogen (CSH2) in somatotroph pituitary adenomas. <i>Neuroendocrinology Letters</i> , 2015, 36, 136-42.	0.2	6



#	ARTICLE	IF	CITATIONS
271	Interleukin-18 signaling system links to agitation in severe mental disorders. <i>Psychoneuroendocrinology</i> , 2022, 140, 105721.	1.3	6
272	Levels of Lipoprotein (a) in patients with coronary artery disease with and without inflammatory rheumatic disease: a cross-sectional study. <i>BMJ Open</i> , 2019, 9, e030651.	0.8	5
273	ALCAM predicts future cardiovascular death in acute coronary syndromes: Insights from the PLATO trial. <i>Atherosclerosis</i> , 2020, 293, 35-41.	0.4	5
274	Cannabis Use Is Associated With Increased Levels of Soluble gp130 in Schizophrenia but Not in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 642.	1.3	5
275	Legumain in Acute Coronary Syndromes: A Substudy of the PLATO (Platelet Inhibition and Patient) Tj ETQq1 1 0.784314 rgBT <sub>5</sub> /Overlo	1.6	5
276	Hepcidin and Ferritin Predict Microbial Etiology in Community-Acquired Pneumonia. <i>Open Forum Infectious Diseases</i> , 2021, 8, ofab082.	0.4	5
277	Plasma Levels of Leptin and Risk of Future Incident Venous Thromboembolism. <i>Thrombosis and Haemostasis</i> , 2022, 122, 560-569.	1.8	5
278	Effect of eptifibatid on platelet-mediated inflammation in acute coronary syndromes. <i>International Journal of Cardiology</i> , 2011, 151, 385-387.	0.8	4
279	Prognostic value of CXCL16 in patients with left ventricular systolic dysfunction and heart failure. <i>International Journal of Cardiology</i> , 2013, 168, 4427-4429.	0.8	4
280	Monocyte/macrophage and T cell activation markers are not independently associated with MI risk in healthy individuals - results from the HUNT Study. <i>International Journal of Cardiology</i> , 2017, 243, 502-504.	0.8	4
281	Lipoprotein(a) concentration is associated with plasma arachidonic acid in subjects with familial hypercholesterolaemia. <i>British Journal of Nutrition</i> , 2019, 122, 790-799.	1.2	4
282	The Association Between Cardiorespiratory Fitness and Cognition Appears Neither Related to Current Physical Activity Nor Mediated by Brain-Derived Neurotrophic Factor in a Sample of Outpatients With Schizophrenia. <i>Frontiers in Psychiatry</i> , 2019, 10, 785.	1.3	4
283	Circulating regulators of the wntless pathway in precapillary pulmonary hypertension. <i>Respirology</i> , 2021, 26, 574-581.	1.3	4
284	Tocilizumab increases citrullinated histone 3 in non-ST segment elevation myocardial infarction. <i>Open Heart</i> , 2021, 8, e001492.	0.9	4
285	Impact of a Vancomycin-Induced Shift of the Gut Microbiome in a Gram-Negative Direction on Plasma Factor VIII:C Levels: Results from a Randomized Controlled Trial. <i>Thrombosis and Haemostasis</i> , 2022, 122, 540-551.	1.8	4
286	CCL21 and prognosis in acute coronary syndrome. <i>Aging</i> , 2019, 11, 9225-9226.	1.4	4
287	Growth differentiation factor 15 predicts poor prognosis in patients with heart failure and reduced ejection fraction and anemia: results from RED-HF. <i>Clinical Research in Cardiology</i> , 2021, 111, 440.	1.5	4
288	IL-18 and IL-18 binding protein are related to disease severity and parasitemia during falciparum malaria. <i>BMC Infectious Diseases</i> , 2021, 21, 1073.	1.3	4

#	ARTICLE	IF	CITATIONS
289	Exploring low grade inflammation by soluble urokinase plasminogen activator receptor levels in schizophrenia: a sex-dependent association with depressive symptoms. <i>BMC Psychiatry</i> , 2021, 21, 527.	1.1	4
290	Limited association between infections, autoimmune disease and genetic risk and immune activation in severe mental disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 116, 110511.	2.5	4
291	Serum markers of cardiac complications in a systemic sclerosis cohort. <i>Scientific Reports</i> , 2022, 12, 4661.	1.6	4
292	Effects of liraglutide vs. lifestyle changes on soluble suppression of tumorigenesis-2 (sST2) and galectin-3 in obese subjects with prediabetes or type 2 diabetes after comparable weight loss. <i>Cardiovascular Diabetology</i> , 2022, 21, 36.	2.7	4
293	Plasma lipopolysaccharide-binding protein is a biomarker for future venous thromboembolism: Results from discovery and validation studies. <i>Journal of Internal Medicine</i> , 2022, 292, 523-535.	2.7	4
294	Decreased Endomyocardial RANKL Expression in Transplant Coronary Artery Disease. <i>Transplantation</i> , 2006, 81, 1467-1470.	0.5	3
295	T8. ATHEROGENIC LIPID RATIOS RELATED TO MYELOPEROXIDASE AND C-REACTIVE PROTEIN LEVELS IN PSYCHOTIC DISORDERS. <i>Schizophrenia Bulletin</i> , 2019, 45, S206-S206.	2.3	3
296	Plasma parasitemia as assessed by quantitative PCR in relation to clinical disease severity in African adults with falciparum malaria with and without HIV co-infection. <i>Infection</i> , 2020, 48, 367-373.	2.3	3
297	Elevated levels of soluble urokinase plasminogen activator receptor as a low-grade inflammation marker in schizophrenia: A case-control study. <i>Schizophrenia Research</i> , 2021, 228, 190-192.	1.1	3
298	Secreted Wnt antagonists in scrub typhus. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009185.	1.3	3
299	The relationship between Fibroblast Growth Factor 23 (FGF23) and cardiac MRI findings following primary PCI in patients with acute first time STEMI. <i>IJC Heart and Vasculature</i> , 2021, 33, 100727.	0.6	3
300	Trans-fatty Acids and Survival in Renal Transplantation. , 2019, 29, 169-180.		2
301	Elevated levels of the secreted wingless agonist R-spondin 3 in preeclamptic pregnancies. <i>Journal of Hypertension</i> , 2020, 38, 1347-1354.	0.3	2
302	Distinct patterns of soluble leukocyte activation markers are associated with etiology and outcomes in precapillary pulmonary hypertension. <i>Scientific Reports</i> , 2020, 10, 18540.	1.6	2
303	Complement component 7 is associated with total- and cardiac death in chest-pain patients with suspected acute coronary syndrome. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 496.	0.7	2
304	The Alternative Complement Pathway Is Activated Without a Corresponding Terminal Pathway Activation in Patients With Heart Failure. <i>Frontiers in Immunology</i> , 2021, 12, 800978.	2.2	2
305	Iron homeostasis in heart transplant recipients randomized to ferric derisomaltose or placebo. <i>Clinical Transplantation</i> , 2022, 36, e14695.	0.8	2
306	Interleukin 1 receptor antagonist is associated with changes in body composition during physiological GH substitution in patients with adult-onset growth hormone deficiency. <i>Clinical Endocrinology</i> , 2011, 74, 60-66.	1.2	1

#	ARTICLE	IF	CITATIONS
307	Pro-gastrin-releasing peptide and outcome in patients with heart failure and anaemia: results from the RED-HF study. ESC Heart Failure, 2018, 5, 1052-1059.	1.4	1
308	Plasma n-6 Polyunsaturated Fatty Acid Levels and Survival in Renal Transplantation. , 2018, 28, 333-339.		1
309	Elevated Cholesteryl Ester Transfer Protein Activity Early in Pregnancy Predicts Prediabetes 5 Years Later. Journal of Clinical Endocrinology and Metabolism, 2020, 105, 854-865.	1.8	1
310	Exploring the potential effect of paricalcitol on markers of inflammation in de novo renal transplant recipients. PLoS ONE, 2020, 15, e0243759.	1.1	1
311	Cardiac biomarkers retain prognostic significance in patients with heart failure and chronic obstructive pulmonary disease. Journal of Cardiovascular Medicine, 2021, Publish Ahead of Print, 28-36.	0.6	1
312	Impact of delayed type hypersensitivity arthritis on development of heart failure by aortic constriction in mice. PLoS ONE, 2022, 17, e0262821.	1.1	1
313	Hepcidin predicts 5-year mortality after community-acquired pneumonia. Infectious Diseases, 2022, , 1-7.	1.4	1
314	41-fCirculating levels and prognostic cut-offs of sST2, high-sensitivity troponin T, and NT-proBNP in women vs. men with chronic heart failure. European Heart Journal Supplements, 2021, 23, .	0.0	1
315	EFFECT OF A SINGLE DOSE OF THE INTERLEUKIN-6 RECEPTOR ANTAGONIST TOCILIZUMAB ON MARKERS OF NEUTROPHIL EXTRACELLULAR TRAPS IN PATIENTS WITH NON-ST ELEVATION MYOCARDIAL INFARCTION. Journal of the American College of Cardiology, 2020, 75, 154.	1.2	0
316	Increased inflammatory markers reflecting fibrogenesis are independently associated with cardiac involvement in hospitalized COVID-19 patients. Journal of Infection, 2021, 82, 186-230.	1.7	0
317	Interleukin-1 Family Signaling Related to Agitation in Severe Mental Disorders. Biological Psychiatry, 2021, 89, S377.	0.7	0
318	Hip structure analyses in acromegaly: Decrease of cortical bone thickness after treatment. Endocrine Abstracts, 0, , .	0.0	0
319	Characterization of unique pro-fibrotic T cells resident in the lungs. , 2019, , .		0
320	Interleukin-6 Receptor Inhibition in Acute St-Segment Elevation Myocardial Infarction: A Randomised Placebo-Controlled Trial. SSRN Electronic Journal, 0, , .	0.4	0
321	Endostatin is higher and associated with pulmonary involvement in primary Sjögren's syndrome. Clinical and Experimental Rheumatology, 2016, 34, 690-3.	0.4	0
322	Title is missing!. , 2020, 15, e0243759.		0
323	Title is missing!. , 2020, 15, e0243759.		0
324	Title is missing!. , 2020, 15, e0243759.		0

#	ARTICLE	IF	CITATIONS
325	Title is missing!. , 2020, 15, e0243759.		0