## Walter Swardfager

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2409218/publications.pdf

Version: 2024-02-01

138 8,749 35 90
papers citations h-index g-index

144 14 14042
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	A Meta-Analysis of Cytokines in Major Depression. Biological Psychiatry, 2010, 67, 446-457.	1.3	3,771
2	A Meta-Analysis of Cytokines in Alzheimer's Disease. Biological Psychiatry, 2010, 68, 930-941.	1.3	851
3	White matter hyperintensities in vascular contributions to cognitive impairment and dementia (VCID): Knowledge gaps and opportunities. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2019, 5, 107-117.	3.7	250
4	The Effect of Exercise Training on Resting Concentrations of Peripheral Brain-Derived Neurotrophic Factor (BDNF): A Meta-Analysis. PLoS ONE, 2016, 11, e0163037.	2.5	212
5	The effect of acute exercise on blood concentrations of brainâ€derived neurotrophic factor in healthy adults: a metaâ€analysis. European Journal of Neuroscience, 2017, 46, 1635-1646.	2.6	198
6	Effects of omega-3 fatty acids on cognitive performance: a meta-analysis. Neurobiology of Aging, 2012, 33, 1482.e17-1482.e29.	3.1	190
7	Zinc in Depression: A Meta-Analysis. Biological Psychiatry, 2013, 74, 872-878.	1.3	180
8	Novel therapeutic targets in depression: Minocycline as a candidate treatment. Behavioural Brain Research, 2012, 235, 302-317.	2.2	162
9	The theory of bipolar disorder as an illness of accelerated aging: Implications for clinical care and research. Neuroscience and Biobehavioral Reviews, 2014, 42, 157-169.	6.1	146
10	The Relationship Between Inflammatory Markers and Post Stroke Cognitive Impairment. Journal of Geriatric Psychiatry and Neurology, 2010, 23, 199-205.	2.3	97
11	Mapping inflammation onto mood: Inflammatory mediators of anhedonia. Neuroscience and Biobehavioral Reviews, 2016, 64, 148-166.	6.1	97
12	Potential roles of zinc in the pathophysiology and treatment of major depressive disorder. Neuroscience and Biobehavioral Reviews, 2013, 37, 911-929.	6.1	91
13	Depression in people with type 2 diabetes: current perspectives. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2018, Volume 11, 333-343.	2.4	83
14	The relationship between indoleamine 2,3-dioxygenase activity and post-stroke cognitive impairment. Journal of Neuroinflammation, 2011, 8, 17.	7.2	79
15	Major Depressive Disorder Predicts Completion, Adherence, and Outcomes in Cardiac Rehabilitation. Journal of Clinical Psychiatry, 2011, 72, 1181-1188.	2.2	76
16	Interleukin-17 in post-stroke neurodegeneration. Neuroscience and Biobehavioral Reviews, 2013, 37, 436-447.	6.1	73
17	Exercise intervention and inflammatory markers in coronary artery disease: A meta-analysis. American Heart Journal, 2012, 163, 666-676.e3.	2.7	68
18	Relationship between hair cortisol concentrations and depressive symptoms in patients with coronary artery disease. Neuropsychiatric Disease and Treatment, 2010, 6, 393-400.	2.2	64

#	Article	IF	Citations
19	Advancing biomarker research: utilizing †Big Data†approaches for the characterization and prevention of bipolar disorder. Bipolar Disorders, 2014, 16, 531-547.	1.9	57
20	Cerebral blood flow in bipolar disorder: A systematic review. Journal of Affective Disorders, 2018, 241, 505-513.	4.1	55
21	Metabolic/inflammatory/vascular comorbidity in psychiatric disorders; soluble epoxide hydrolase (sEH) as a possible new target. Neuroscience and Biobehavioral Reviews, 2018, 87, 56-66.	6.1	54
22	Efficacy and Tolerability of Antidepressants for Treatment of Depression in Coronary Artery Disease: A Meta-Analysis. Canadian Journal of Psychiatry, 2010, 55, 91-99.	1.9	52
23	The complement cascade in Alzheimer's disease: a systematic review and meta-analysis. Molecular Psychiatry, 2021, 26, 5532-5541.	7.9	51
24	Relationships between memory decline and the use of metformin or DPP4 inhibitors in people with type 2 diabetes with normal cognition or Alzheimer's disease, and the role <i>APOE</i> carrier status. Alzheimer's and Dementia, 2020, 16, 1663-1673.	0.8	51
25	Inflammatory Markers in Mild Cognitive Impairment: A Meta-Analysis. Journal of Alzheimer's Disease, 2015, 47, 669-679.	2.6	49
26	White Matter Microstructural Integrity Is Associated with Executive Function and Processing Speed in Older Adults with Coronary Artery Disease. American Journal of Geriatric Psychiatry, 2015, 23, 754-763.	1.2	49
27	Indoleamine 2,3-dioxygenase activation and depressive symptoms in patients with coronary artery disease. Psychoneuroendocrinology, 2009, 34, 1560-1566.	2.7	48
28	Hippocampal segmentation for brains with extensive atrophy using threeâ€dimensional convolutional neural networks. Human Brain Mapping, 2020, 41, 291-308.	3.6	45
29	<i>APOE</i> Îμ4, white matter hyperintensities, and cognition in Alzheimer and Lewy body dementia. Neurology, 2019, 93, e1807-e1819.	1.1	43
30	Seasonal plasticity of cognition and related biological measures in adults with and without Alzheimer disease: Analysis of multiple cohorts. PLoS Medicine, 2018, 15, e1002647.	8.4	42
31	Peripheral inflammatory markers indicate microstructural damage within periventricular white matter hyperintensities inÂAlzheimer's disease: A preliminary report. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2017, 7, 56-60.	2.4	41
32	Post-stroke Fatigue and Depressive Symptoms Are Differentially Related to Mobility and Cognitive Performance. Frontiers in Aging Neuroscience, 2017, 9, 343.	3.4	41
33	Platelet activating factors in depression and coronary artery disease: A potential biomarker related to inflammatory mechanisms and neurodegeneration. Neuroscience and Biobehavioral Reviews, 2013, 37, 1611-1621.	6.1	40
34	Altered soluble epoxide hydrolase-derived oxylipins in patients with seasonal major depression: An exploratory study. Psychiatry Research, 2017, 252, 94-101.	3.3	40
35	Brain derived neurotrophic factor, cardiopulmonary fitness and cognition in patients with coronary artery disease. Brain, Behavior, and Immunity, 2011, 25, 1264-1271.	4.1	39
36	Mood and metabolism: Anhedonia as a clinical target in Type 2 diabetes. Psychoneuroendocrinology, 2016, 69, 123-132.	2.7	39

#	Article	IF	CITATIONS
37	<i>APOE</i> å€iµ4 associates with hippocampal volume, learning, and memory across the spectrum of Alzheimer's disease and dementia with Lewy bodies. Alzheimer's and Dementia, 2018, 14, 1137-1147.	0.8	39
38	The effect of white matter hyperintensities on verbal memory. Neurology, 2018, 90, e673-e682.	1.1	38
39	Poststroke Neuropsychiatric Symptoms: Relationships with IL-17 and Oxidative Stress. BioMed Research International, 2014, 2014, 1-6.	1.9	35
40	Depression, Type 2 Diabetes, and Poststroke Cognitive Impairment. Neurorehabilitation and Neural Repair, 2017, 31, 48-55.	2.9	34
41	The effect of exercise on resting concentrations of peripheral brain-derived neurotrophic factor (BDNF) in major depressive disorder: A meta-analysis. Journal of Psychiatric Research, 2018, 105, 123-131.	3.1	34
42	Soluble Epoxide Hydrolase-Derived Linoleic Acid Oxylipins in Serum Are Associated with Periventricular White Matter Hyperintensities and Vascular Cognitive Impairment. Translational Stroke Research, 2019, 10, 522-533.	4.2	34
43	A peripheral neutrophil-related inflammatory factor predicts a decline in executive function in mild Alzheimer's disease. Journal of Neuroinflammation, 2020, 17, 84.	7.2	34
44	Efficacy of non-invasive brain stimulation on global cognition and neuropsychiatric symptoms in Alzheimer's disease and mild cognitive impairment: A meta-analysis and systematic review. Ageing Research Reviews, 2021, 72, 101499.	10.9	34
45	Cardiopulmonary Fitness Is Associated with Cognitive Performance in Patients with Coronary Artery Disease. Journal of the American Geriatrics Society, 2010, 58, 1519-1525.	2.6	29
46	The use of angiotensin-converting enzyme inhibitors vs. angiotensin receptor blockers and cognitive decline in Alzheimer's disease: the importance of blood-brain barrier penetration and APOE ε4 carrier status. Alzheimer's Research and Therapy, 2021, 13, 43.	6.2	29
47	Peripheral lipid oxidative stress markers are related to vascular risk factors and subcortical small vessel disease. Neurobiology of Aging, 2017, 59, 91-97.	3.1	28
48	Inflammatory markers in type 2 diabetes with vs. without cognitive impairment; a systematic review and meta-analysis. Brain, Behavior, and Immunity, 2022, 100, 55-69.	4.1	28
49	Exercise intensity modulates the change in cerebral blood flow following aerobic exercise in chronic stroke. Experimental Brain Research, 2015, 233, 2467-2475.	1.5	27
50	Amyloid-beta burden predicts prospective decline in body mass index in clinically normal adults. Neurobiology of Aging, 2020, 93, 124-130.	3.1	27
51	Role of Proinflammatory Cytokines in Dopaminergic System Disturbances, Implications for Anhedonic Features of MDD. Current Pharmaceutical Design, 2017, 23, 2065-2072.	1.9	27
52	Development and evaluation of a liquid chromatography–mass spectrometry method for rapid, accurate quantitation of malondialdehyde in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1029-1030, 205-212.	2.3	25
53	Depressive symptoms predict nonâ€completion of a structured exercise intervention for people with Type 2 diabetes. Diabetic Medicine, 2016, 33, 529-536.	2.3	22
54	Neutrophil activation in Alzheimer's disease and mild cognitive impairment: A systematic review and meta-analysis of protein markers in blood and cerebrospinal fluid. Ageing Research Reviews, 2020, 62, 101130.	10.9	22

#	Article	IF	CITATIONS
55	Associations between brain amyloid accumulation and the use of angiotensin-converting enzyme inhibitors versus angiotensin receptor blockers. Neurobiology of Aging, 2021, 100, 22-31.	3.1	22
56	Kynurenine and depressive symptoms in a poststroke population. Neuropsychiatric Disease and Treatment, 2014, 10, 1827.	2.2	21
57	Regional Cerebral Arterial Transit Time Hemodynamics Correlate with Vascular Risk Factors and Cognitive Function in Men with Coronary Artery Disease. American Journal of Neuroradiology, 2015, 36, 295-301.	2.4	21
58	Antihypertensive Treatment is associated with MRI-Derived Markers of Neurodegeneration and Impaired Cognition: A Propensity-Weighted Cohort Study. Journal of Alzheimer's Disease, 2017, 59, 1113-1122.	2.6	21
59	F inding the O ptimal volume and intensity of R esistance T raining E xercise for Type 2 Diabetes: The FORTE Study, a Randomized Trial. Diabetes Research and Clinical Practice, 2017, 130, 98-107.	2.8	20
60	Assessing Cognitive Effects of Anticholinergic Medications in Patients With Coronary Artery Disease. Psychosomatics, 2014, 55, 61-68.	2.5	19
61	Reciprocal Predictive Relationships between Amyloid and Tau Biomarkers in Alzheimer's Disease Progression: An Empirical Model. Journal of Neuroscience, 2019, 39, 7428-7437.	3.6	19
62	Relationship between cardiopulmonary fitness and depressive symptoms in cardiac rehabilitation patients with coronary artery disease. Acta Dermato-Venereologica, 2008, 40, 213-218.	1.3	18
63	Cardiopulmonary Fitness Correlates with Regional Cerebral Grey Matter Perfusion and Density in Men with Coronary Artery Disease. PLoS ONE, 2014, 9, e91251.	2.5	18
64	Metabolic and vascular risk factors are associated with reduced cerebral blood flow and poorer midlife memory performance. Human Brain Mapping, 2020, 41, 855-864.	3.6	17
65	Untargeted metabolomic analysis of plasma from relapsing-remitting multiple sclerosis patients reveals changes in metabolites associated with structural changes in brain. Brain Research, 2020, 1732, 146589.	2.2	17
66	Ceramides predict verbal memory performance in coronary artery disease patients undertaking exercise: a prospective cohort pilot study. BMC Geriatrics, 2013, 13, 135.	2.7	16
67	Validity of the Center for Epidemiological Studies Depression scale in Type 2 diabetes. Journal of Psychosomatic Research, 2016, 90, 91-97.	2.6	16
68	Depression in type 2 diabetes: A systematic review and meta-analysis of blood inflammatory markers. Psychoneuroendocrinology, 2021, 134, 105448.	2.7	16
69	An immunological age index in bipolar disorder: A confirmatory factor analysis of putative immunosenescence markers and associations with clinical characteristics. International Journal of Methods in Psychiatric Research, 2018, 27, e1614.	2.1	15
70	Plasma Phosphatidylethanolamine and Triacylglycerol Fatty Acid Concentrations are Altered in Major Depressive Disorder Patients with Seasonal Pattern. Lipids, 2017, 52, 559-571.	1.7	14
71	Impact of early nausea on varenicline adherence and smoking cessation. Addiction, 2020, 115, 134-144.	3.3	14
72	Serum soluble epoxide hydrolase related oxylipins and major depression in patients with type 2 diabetes. Psychoneuroendocrinology, 2021, 126, 105149.	2.7	14

#	Article	IF	CITATIONS
73	A schizophrenia-like behavioral trait in the SHR model: Applying confirmatory factor analysis as a new statistical tool. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 85, 16-22.	4.8	13
74	Verbal Memory Performance and Completion of Cardiac Rehabilitation in Patients With Coronary Artery Disease. Psychosomatic Medicine, 2011, 73, 580-587.	2.0	12
75	Higher Cortisol Predicts Less Improvement in Verbal Memory Performance after Cardiac Rehabilitation in Patients with Coronary Artery Disease. Cardiovascular Psychiatry and Neurology, 2013, 2013, 1-8.	0.8	12
76	Assessing Music Perception in Young Children: Evidence for and Psychometric Features of the M-Factor. Frontiers in Neuroscience, 2017, 11, 18.	2.8	12
77	Depression and Diabetes Mellitus Multimorbidity Is Associated With Loss of Independence and Dementia Poststroke. Stroke, 2020, 51, 3531-3540.	2.0	12
78	The potential roles of excitatory-inhibitory imbalances and the repressor element-1 silencing transcription factor in aging and aging-associated diseases. Molecular and Cellular Neurosciences, 2021, 117, 103683.	2.2	12
79	Effects of the brain-derived neurotropic factor variant Val66Met on cortical structure in late childhood and early adolescence. Journal of Psychiatric Research, 2018, 98, 51-58.	3.1	11
80	MRI-visible perivascular space volumes, sleep duration and daytime dysfunction in adults with cerebrovascular disease. Sleep Medicine, 2021, 83, 83-88.	1.6	11
81	Leukotriene receptor antagonist use and cognitive decline in normal cognition, mild cognitive impairment, and Alzheimer's dementia. Alzheimer's Research and Therapy, 2021, 13, 147.	6.2	11
82	A link between microbial infection and cognition?. Nature Reviews Neurology, 2013, 9, 301-302.	10.1	10
83	Coronary Artery Calcification. Journal of the American College of Cardiology, 2016, 67, 1023-1026.	2.8	10
84	Validity of the QUADAS-2 in Assessing Risk of Bias in Alzheimer's Disease Diagnostic Accuracy Studies. Frontiers in Psychiatry, 2018, 9, 221.	2.6	10
85	Diabetes Mellitus Is Associated With Poor Inâ€Hospital and Longâ€Term Outcomes in Young and Midlife Stroke Survivors. Journal of the American Heart Association, 2021, 10, e019991.	3.7	10
86	A latent transition analysis of a cluster randomized controlled trial for drug use prevention Journal of Consulting and Clinical Psychology, 2018, 86, 657-665.	2.0	10
87	Biofluid markers of blood-brain barrier disruption and neurodegeneration in Lewy body spectrum diseases: A systematic review and meta-analysis. Parkinsonism and Related Disorders, 2022, 101, 119-128.	2.2	10
88	Purification of visual arrestin from squid photoreceptors and characterization of arrestin interaction with rhodopsin and rhodopsin kinase. Journal of Neurochemistry, 2006, 101, 223-231.	3.9	9
89	Lower serum osteocalcin concentrations in patients with type 2 diabetes and relationships with vascular risk factors among patients with coronary artery disease. Journal of Diabetes and Its Complications, 2019, 33, 390-397.	2.3	9
90	Quality of life and psychosocial measures influenced by exercise modality in patients with coronary artery disease. European Journal of Physical and Rehabilitation Medicine, 2015, 51, 291-9.	2.2	9

#	Article	IF	Citations
91	Associations Between Time After Stroke and Exercise Training Outcomes: A Metaâ€Regression Analysis. Journal of the American Heart Association, 2021, 10, e022588.	3.7	9
92	Relationship between hair cortisol concentrations and depressive symptoms in patients with coronary artery disease. Neuropsychiatric Disease and Treatment, 0, , 393.	2.2	8
93	Subcortical hyperintensities in the cholinergic system are associated with improvements in executive function in older adults with coronary artery disease undergoing cardiac rehabilitation. International Journal of Geriatric Psychiatry, 2018, 33, 279-287.	2.7	8
94	Assessing risk of bias in randomized controlled trials of methylphenidate for children and adolescents with attention deficit hyperactivity disorder ( <scp>ADHD</scp> ). International Journal of Methods in Psychiatric Research, 2018, 27, .	2.1	8
95	Rates of Screening for Breast, Colorectal, and Cervical Cancers in Older People With Cognitive Impairment or Dementia: A Meta-Analysis. Gerontology and Geriatric Medicine, 2018, 4, 233372141879944.	1.5	8
96	Psychiatric morbidity and cervical cancer screening: a retrospective population-based case–cohort study. CMAJ Open, 2020, 8, E134-E141.	2.4	8
97	Endosomal-Lysosomal and Autophagy Pathway in Alzheimer's Disease: A Systematic Review and Meta-Analysis. Journal of Alzheimer's Disease, 2022, 88, 1279-1292.	2.6	8
98	Reply to: Serum Zinc and the Risk of Depression in Men: Observations from a 20-Year Follow-up Study. Biological Psychiatry, 2015, 77, e13-e14.	1.3	7
99	Reduced substantia innominata volume mediates contributions of microvascular and macrovascular disease to cognitive deficits in Alzheimer's disease. Neurobiology of Aging, 2018, 66, 23-31.	3.1	7
100	Glucose-lowering drugs, cognition, and dementia: The clinical evidence. Neuroscience and Biobehavioral Reviews, 2022, 137, 104654.	6.1	7
101	Testing Measurement Invariance across Groups of Children with and without Attention-Deficit/ Hyperactivity Disorder: Applications for Word Recognition and Spelling Tasks. Frontiers in Psychology, 2017, 8, 1891.	2.1	6
102	Endostatin as a Mediator Between Endothelial Function and Cognitive Performance in Those at Risk for Vascular Cognitive Impairment. Journal of Alzheimer's Disease, 2020, 76, 1-11.	2.6	6
103	Disentangling trait, occasion-specific, and accumulated situational effects of psychological distress in adulthood: evidence from the 1958 and 1970 British birth cohorts. Psychological Medicine, 2021, 51, 804-814.	4.5	6
104	Aerobic exercise and aerobic fitness level do not modify motor learning. Scientific Reports, 2021, 11, 5366.	3.3	6
105	Poor stimulus discriminability as a common neuropsychological deficit between ADHD and reading ability in young children: a moderated mediation model. Psychological Medicine, 2017, 47, 255-266.	4.5	5
106	Plasma Sphingolipids Mediate a Relationship Between Type 2 Diabetes and Memory Outcomes in Patients with Coronary Artery Disease Undertaking Exercise. Journal of Alzheimer's Disease, 2019, 69, 717-727.	2.6	5
107	On Mediation Models in Clinical Neurology Studies. JAMA Neurology, 2019, 76, 116.	9.0	5
108	Questioning the Meaning of a Change on the Alzheimer's Disease Assessment Scale–Cognitive Subscale (ADAS-Cog): Noncomparable Scores and Item-Specific Effects Over Time. Assessment, 2021, 28, 1708-1722.	3.1	5

#	Article	IF	CITATIONS
109	Associations of white matter hyperintensities with networks of gray matter blood flow and volume in midlife adults: A coronary artery risk development in young adults magnetic resonance imaging substudy. Human Brain Mapping, 2022, 43, 3680-3693.	3.6	5
110	Risk of Bias in Randomized Clinical Trials on Psychological Therapies for Post-Traumatic Stress Disorder in Adults. Chronic Stress, 2018, 2, 247054701877906.	3.4	4
111	Gastric acid suppressants and cognitive decline in people with or without cognitive impairment. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2022, 8, e12243.	3.7	4
112	Soluble Epoxide Hydrolase and Diabetes Complications. International Journal of Molecular Sciences, 2022, 23, 6232.	4.1	4
113	The trajectory of balance skill development from childhood to adolescence was influenced by birthweight: a latent transition analysis in a British birth cohort. Journal of Clinical Epidemiology, 2019, 109, 12-19.	5.0	3
114	Comparability of an ADHD Latent Trait Between Groups: Disentangling True Between-Group Differences From Measurement Problems. Journal of Attention Disorders, 2019, 23, 712-720.	2.6	3
115	Pathophysiology of Vascular Cognitive Impairment (I): Theoretical Background. Stroke Revisited, 2020, , 71-86.	0.2	3
116	Does sex alter the relationship between <i>CYP2B6</i> variation, hydroxybupropion concentration and bupropionâ€aided smoking cessation in African Americans? A moderated mediation analysis. Addiction, 2022, 117, 1715-1724.	3.3	3
117	Neuroinflammation Mediates Synergy between Cerebral Ischemia and Amyloid- $\hat{l}^2$ to Cause Synaptic Depression. Journal of Neuroscience, 2014, 34, 13571-13573.	3.6	2
118	Birth weight, verbal cognition in early adolescence, and lexical and reading skills in late adolescence: a formal mediation analysis using a potential outcomes approach. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2019, 60, 773-783.	5 <b>.</b> 2	2
119	Serum osteocalcin is associated with subjective stress in people with depression and type 2 diabetes. Psychoneuroendocrinology, 2020, 122, 104878.	2.7	2
120	Influence of birthweight on childhood balance: Evidence from two British birth cohorts. Early Human Development, 2019, 130, 116-120.	1.8	1
121	Are serum brain-derived neurotrophic factor concentrations related to brain structure and psychopathology in late childhood and early adolescence?. CNS Spectrums, 2020, 25, 790-796.	1.2	1
122	Relationships between oral hypoglycemic drugs and memory decline in people with type 2 diabetes: A stratified longitudinal observational study. Alzheimer's and Dementia, 2020, 16, e041312.	0.8	1
123	Cerebrovascular assessments to help understand brain-related changes associated with aerobic exercise after stroke. Applied Physiology, Nutrition and Metabolism, 2021, 46, 412-415.	1.9	1
124	Dynamic relationships between depressive symptoms and insulin resistance over 20 years of adulthood. Psychological Medicine, 2023, 53, 1458-1467.	4.5	1
125	Dynamics between psychological distress and body mass index throughout adult life; evidence from 3 large cohort studies. Journal of Psychiatric Research, 2021, 144, 378-388.	3.1	1
126	36-LB: Linoleic Acid Derived Oxylipins, Memory, and Microvascular Retinal Complications in Patients with Type 2 Diabetes Mellitus. Diabetes, 2020, 69, 36-LB.	0.6	1

#	Article	IF	CITATIONS
127	Sex Differences in Metabolic and Behavioral Responses to Exercise but Not Exogenous Osteocalcin Treatment in Mice Fed a High Fat Diet. Frontiers in Physiology, 2022, 13, 831056.	2.8	1
128	Amyloidâ€independent vascular contributions to cortical atrophy and cognition in a multi enter mixed cohort with low to severe small vessel disease. Alzheimer's and Dementia, 2021, 17, .	0.8	1
129	Photoresponse in Squid. , 2010, , 347-353.		O
130	P2â€260: WHITE MATTER HYPERINTENSITIES AND VERBAL MEMORY: AN INDIRECT RELATIONSHIP MEDIATED BY TEMPORAL LOBE ATROPHY. Alzheimer's and Dementia, 2016, 12, P726.	0.8	0
131	[P2â€"219]: INFLAMMATION MEDIATES THE IMPACT OF SMALLâ€VESSEL DISEASE ON COGNITION IN ALZHEIMEI DISEASE: EVIDENCE FROM A MULTIMODAL STRATIFIED COHORT STUDY. Alzheimer's and Dementia, 2017, 13, P693.	l'S 0.8	O
132	Risk of bias in randomized controlled trials of psychological treatments for bulimia nervosa and binge eating. Annals of Epidemiology, 2018, 28, 625-628.e1.	1.9	0
133	Angiotensin receptor blockers versus angiotensinâ€converting enzyme inhibitors: Longitudinal associations with PET amyloid in the Alzheimer's Disease Neuroimaging Initiative. Alzheimer's and Dementia, 2020, 16, e042014.	0.8	0
134	Serum Soluble Epoxide Hydrolase Related Oxylipins and Depression in Patients With Type 2 Diabetes: An Exploratory Lipidomic Study. Biological Psychiatry, 2021, 89, S245-S246.	1.3	0
135	Associations between the use of histamine $\hat{a} \in \mathbb{Z}$ receptor antagonists vs. proton pump inhibitors and cognitive decline: A stratified longitudinal study in people with and without cognitive impairment. Alzheimer's and Dementia, 2021, 17, .	0.8	O
136	Serum oxylipins indicate subcortical ischemic vascular disease in patients with clinical stroke. Alzheimer's and Dementia, $2021,17,.$	0.8	0
137	Lipid peroxidation mediates the relationship between cardiopulmonary fitness and depressive symptoms in people with coronary artery disease. Alzheimer's and Dementia, 2021, 17, .	0.8	O
138	P93. Inflammatory Markers in Type 2 Diabetes and Cognitive Impairment: A Systematic Review and Meta-Analysis. Biological Psychiatry, 2022, 91, S124-S125.	1.3	0