

# Seok Pil Jang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2409279/seok-pil-jang-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74  
papers

5,475  
citations

24  
h-index

73  
g-index

83  
ext. papers

6,024  
ext. citations

2.9  
avg, IF

5.82  
L-index

#	Paper	IF	Citations
74	Extinction coefficient measurement of supercritical water-based multi-walled carbon nanotube nanofluids. <i>AIP Advances</i> , <b>2022</b> , 12, 065305	1.5	
73	Experimental Study on the Effect of Nanoparticle Migration on the Convective Heat Transfer Coefficient of EG/Water-based Al <sub>2</sub> O <sub>3</sub> Nanofluids. <i>International Journal of Heat and Mass Transfer</i> , <b>2021</b> , 169, 120903	4.9	15
72	Effect of polyolester oil-based multiwalled carbon-nanotube nanolubricant on the coefficient of performance of refrigeration systems. <i>Applied Thermal Engineering</i> , <b>2021</b> , 192, 116941	5.8	6
71	Radius effect on the thermal resistance of disk-shaped thin vapor chambers (TVCs) using Al <sub>2</sub> O <sub>3</sub> nanofluids. <i>International Journal of Heat and Mass Transfer</i> , <b>2020</b> , 154, 119769	4.9	3
70	Aqueous nanofluids containing paraffin-filled MWCNTs for improving effective specific heat and extinction coefficient. <i>Energy</i> , <b>2020</b> , 210,	7.9	6
69	Heat transfer enhancement of a radiator with mass-producing nanofluids (EG/water-based Al <sub>2</sub> O <sub>3</sub> nanofluids) for cooling a 100 kW high power system. <i>Applied Thermal Engineering</i> , <b>2020</b> , 180, 115780	5.8	9
68	Effect of the Freeze-Thaw on the Suspension Stability and Thermal Conductivity of EG/Water-Based Al <sub>2</sub> O <sub>3</sub> Nanofluids. <i>Journal of Nanomaterials</i> , <b>2019</b> , 2019, 1-8	3.2	5
67	Effect of mesh wick geometry on the maximum heat transfer rate of flat-micro heat pipes with multi-heat sources and sinks. <i>International Journal of Heat and Mass Transfer</i> , <b>2019</b> , 131, 537-545	4.9	12
66	Effect of surfactants on the stability and solar thermal absorption characteristics of water-based nanofluids with multi-walled carbon nanotubes. <i>International Journal of Heat and Mass Transfer</i> , <b>2018</b> , 122, 483-490	4.9	64
65	Thermal characteristics of silicon wafer-based TVCs (thin vapor chambers) with disk-shape using DI water. <i>International Journal of Heat and Mass Transfer</i> , <b>2018</b> , 127, 526-534	4.9	7
64	A review of the internal forced convective heat transfer characteristics of nanofluids: Experimental features, mechanisms and thermal performance criteria. <i>Journal of Mechanical Science and Technology</i> , <b>2018</b> , 32, 3491-3505	1.6	6
63	Thermal performance criterion for nanofluids in laminar flow regime. <i>Journal of Mechanical Science and Technology</i> , <b>2017</b> , 31, 975-983	1.6	8
62	Reliability study on skewness of doublet impinging injectors. <i>Journal of Mechanical Science and Technology</i> , <b>2017</b> , 31, 2295-2306	1.6	2
61	Thermal efficiency comparison: Surface-based solar receivers with conventional fluids and volumetric solar receivers with nanofluids. <i>Energy</i> , <b>2016</b> , 115, 404-417	7.9	30
60	The effect of nanoparticle shape on the thermal resistance of a flat-plate heat pipe using acetone-based Al <sub>2</sub> O <sub>3</sub> nanofluids. <i>International Journal of Heat and Mass Transfer</i> , <b>2016</b> , 92, 572-577	4.9	35
59	Transformation of SAC (Sn <sub>3.0</sub> Ag <sub>0.5</sub> Cu) nanoparticles into bulk material during melting process with large melting-point depression. <i>Micro and Nano Letters</i> , <b>2016</b> , 11, 840-843	0.9	2
58	Effect of particle shape on suspension stability and thermal conductivities of water-based bohemite alumina nanofluids. <i>Energy</i> , <b>2015</b> , 90, 1290-1297	7.9	59

57	Design optimization of a methane-fuel rocket combustor with a genetic algorithm. <i>Journal of Mechanical Science and Technology</i> , <b>2015</b> , 29, 1457-1463	1.6	2
56	Efficiency of a volumetric receiver using aqueous suspensions of multi-walled carbon nanotubes for absorbing solar thermal energy. <i>International Journal of Heat and Mass Transfer</i> , <b>2015</b> , 80, 58-71	4.9	36
55	Long-term reliability of the thermal performance of a flat-plate heat pipe using a prognostics method. <i>International Journal of Heat and Mass Transfer</i> , <b>2015</b> , 82, 369-372	4.9	9
54	Wettability of SAC305-coated Cu Fabricated by Low Temperature Process Using Ultrafine SAC305 Nanoparticles. <i>Journal of the Microelectronics and Packaging Society</i> , <b>2015</b> , 22, 25-30		
53	Do temperature and nanoparticle size affect the thermal conductivity of alumina nanofluids?. <i>Applied Physics Letters</i> , <b>2014</b> , 104, 161908	3.4	3 <sup>1</sup>
52	Enhancement of Processability and Electrical Resistance by Use of Ag-Based Composite Inks Containing Ultrafine SAC305 Alloy Nanoparticles. <i>Journal of Electronic Materials</i> , <b>2014</b> , 43, 3372-3378	1.9	3
51	Discussion: Analysis of Asymmetric Disk-Shaped and Flat-Plate Heat Pipes[Vafai, K., Zhu, N., and Wang, W., 1995, ASME J. Heat Transfer, 117(1), pp. 209-218]. <i>Journal of Heat Transfer</i> , <b>2014</b> , 136,	1.8	
50	Extinction coefficient of water-based multi-walled carbon nanotube nanofluids for application in direct-absorption solar collectors. <i>Micro and Nano Letters</i> , <b>2014</b> , 9, 635-638	0.9	6
49	Study on the Melting Point Depression of Tin Nanoparticles Manufactured by Modified Evaporation Method. <i>Transactions of the Korean Society of Mechanical Engineers, B</i> , <b>2014</b> , 38, 695-700	0.5	1
48	Efficiency of a Direct Absorption Solar Collector using Ag Nanofluids Synthesized by Chemical Reduction Method. <i>Journal of the Korean Solar Energy Society</i> , <b>2014</b> , 34, 65-72	0.1	2
47	Experimental Investigation of Coupling Effects between Particle Size and Temperature on the Thermal Conductivity of Alumina Nanofluids. <i>Journal of ILASS-Korea</i> , <b>2014</b> , 19, 174-181		
46	Thermal characteristics of an N <sub>2</sub> O catalytic igniter with metal foam for hybrid rocket motors. <i>International Journal of Heat and Mass Transfer</i> , <b>2013</b> , 66, 101-110	4.9	7
45	Magnetic-Thermal-Fluidic Analysis for Cooling Performance of Magnetic Nanofluids Comparing With Transformer Oil and Air by Using Fully Coupled Finite Element Method. <i>IEEE Transactions on Magnetics</i> , <b>2013</b> , 49, 1865-1868	2	21
44	Extinction coefficient of aqueous nanofluids containing multi-walled carbon nanotubes. <i>International Journal of Heat and Mass Transfer</i> , <b>2013</b> , 67, 930-935	4.9	56
43	Experimental Study of Pressure Drop in Compressible Fluid through Porous Media. <i>Transactions of the Korean Society of Mechanical Engineers, B</i> , <b>2013</b> , 37, 759-765	0.5	
42	Study on Efficiency of Flat-Plate Solar Collector Using Nanofluids. <i>Transactions of the Korean Society of Mechanical Engineers, B</i> , <b>2013</b> , 37, 799-805	0.5	
41	Effect of Insulation Coating on Start Time of Linear Region for Transient Hot-wire Method. <i>Transactions of the Korean Society of Mechanical Engineers, B</i> , <b>2013</b> , 37, 1147-1152	0.5	
40	Production of aqueous spherical gold nanoparticles using conventional ultrasonic bath. <i>Nanoscale Research Letters</i> , <b>2012</b> , 7, 420	5	33

39	Note: effect of the tilting angle of the wire on the onset of natural convection in the transient hot wire method. <i>Review of Scientific Instruments</i> , <b>2012</b> , 83, 076103	1.7	7
38	Experimental Investigation of Thermal Conductivities of EG-based ZnO Nanofluids Manufactured Using Pulsed Wire Evaporation Method. <i>Transactions of the Korean Society of Mechanical Engineers, B</i> , <b>2012</b> , 36, 111-115	0.5	
37	Rheological Characteristics of Kerosene Gel Fuel with SiO <sub>2</sub> Gellant Derivatives. <i>Journal of the Korean Society of Propulsion Engineers</i> , <b>2012</b> , 16, 23-31	0.2	2
36	Electrokinetic effects of charged nanoparticles in microfluidic Couette flow. <i>Journal of Colloid and Interface Science</i> , <b>2011</b> , 363, 59-63	9.3	8
35	Round-robin test on thermal conductivity measurement of ZnO nanofluids and comparison of experimental results with theoretical bounds. <i>Nanoscale Research Letters</i> , <b>2011</b> , 6, 258	5	13
34	Flow Characteristics of Nanofluids According to Nanoparticles Shape. <i>Applied Mechanics and Materials</i> , <b>2011</b> , 110-116, 3728-3736	0.3	
33	Study on the Thermal Characteristics of Heat Pipes with Water-Based MWCNT Nanofluids. <i>Applied Mechanics and Materials</i> , <b>2011</b> , 110-116, 1879-1885	0.3	
32	Onset of Natural Convection in Transient Hot Wire Device for Measuring Thermal Conductivity of Nanofluids. <i>Transactions of the Korean Society of Mechanical Engineers, B</i> , <b>2011</b> , 35, 279-285	0.5	1
31	New Bone Formation Following Transplantation of Stem Cells and Nanoscale Hydroxyapatite Scaffold Materials into Rabbit Long Bone Defects. <i>The Journal of the Korean Orthopaedic Association</i> , <b>2011</b> , 46, 18	0.1	0
30	Flow Characteristics of Al <sub>2</sub> O <sub>3</sub> Nanofluids with Nanoparticles of Various Shapes. <i>Transactions of the Korean Society of Mechanical Engineers, B</i> , <b>2011</b> , 35, 293-299	0.5	
29	Flow and Thermal Characteristics of Condensing Steam in a Single Horizontal Mini-Channel of a Multiport Cylinder Dryer. <i>Drying Technology</i> , <b>2010</b> , 29, 47-54	2.6	5
28	Spray jet penetration and distribution of modulated liquid jets in subsonic cross-flows. <i>Journal of Mechanical Science and Technology</i> , <b>2010</b> , 24, 1425-1431	1.6	9
27	Effects of porosity, pumping power, and L/D ratio on the thermal characteristics of an N <sub>2</sub> O catalytic igniter with packed bed geometry. <i>International Journal of Heat and Mass Transfer</i> , <b>2010</b> , 53, 726-731	4.9	5
26	Effect of nanofluids on the thermal performance of a flat micro heat pipe with a rectangular grooved wick. <i>International Journal of Heat and Mass Transfer</i> , <b>2010</b> , 53, 2183-2192	4.9	128
25	Thermal resistance of screen mesh wick heat pipes using the water-based Al <sub>2</sub> O <sub>3</sub> nanofluids. <i>International Journal of Heat and Mass Transfer</i> , <b>2010</b> , 53, 5888-5894	4.9	86
24	Response to Comment on Particle concentration and tube size dependence of viscosities of Al <sub>2</sub> O <sub>3</sub> -water nanofluids flowing through micro-and minitubes[Appl. Phys. Lett. 94, 066101 (2009)]. <i>Applied Physics Letters</i> , <b>2009</b> , 94, 066102	3.4	3
23	Flow and convective heat transfer characteristics of water-based Al <sub>2</sub> O <sub>3</sub> nanofluids in fully developed laminar flow regime. <i>International Journal of Heat and Mass Transfer</i> , <b>2009</b> , 52, 193-199	4.9	460
22	A benchmark study on the thermal conductivity of nanofluids. <i>Journal of Applied Physics</i> , <b>2009</b> , 106, 094313	4.3	766

21	Flow and Convective Heat Transfer Characteristics of Nanofluids With Various Shapes of Alumina Nanoparticles <b>2009</b> ,		1
20	Thermal Characteristics of an Electric Clothes Dryer. <i>Transactions of the Korean Society of Mechanical Engineers, B</i> , <b>2009</b> , 33, 629-634	0.5	
19	Effective viscosities and thermal conductivities of aqueous nanofluids containing low volume concentrations of Al <sub>2</sub> O <sub>3</sub> nanoparticles. <i>International Journal of Heat and Mass Transfer</i> , <b>2008</b> , 51, 2651-2656	4.9	579
18	Effects of Various Parameters on Nanofluid Thermal Conductivity. <i>Journal of Heat Transfer</i> , <b>2007</b> , 129, 617-623	1.8	292
17	Stability and thermal conductivity characteristics of nanofluids. <i>Thermochimica Acta</i> , <b>2007</b> , 455, 70-74	2.9	471
16	Buoyancy-driven heat transfer of water-based Al <sub>2</sub> O <sub>3</sub> nanofluids in a rectangular cavity. <i>International Journal of Heat and Mass Transfer</i> , <b>2007</b> , 50, 4003-4010	4.9	271
15	Particle concentration and tube size dependence of viscosities of Al <sub>2</sub> O <sub>3</sub> -water nanofluids flowing through micro- and minitubes. <i>Applied Physics Letters</i> , <b>2007</b> , 91, 243112	3.4	86
14	Fluid Flow and Convective Heat Transfer Characteristics of Al <sub>2</sub> O <sub>3</sub> Nanofluids. <i>Transactions of the Korean Society of Mechanical Engineers, B</i> , <b>2007</b> , 31, 16-20	0.5	1
13	Thermal Characteristics of an N <sub>2</sub> O Catalytic Ignitor with Packed-bed Geometry. <i>Transactions of the Korean Society of Mechanical Engineers, B</i> , <b>2007</b> , 31, 398-404	0.5	
12	Cooling performance of a microchannel heat sink with nanofluids. <i>Applied Thermal Engineering</i> , <b>2006</b> , 26, 2457-2463	5.8	312
11	Fluid Flow and Thermal Characteristics of a Microchannel Heat Sink Subject to an Impinging Air Jet. <i>Journal of Heat Transfer</i> , <b>2005</b> , 127, 770-779	1.8	33
10	Motion of Nanoparticles in Nanofluids Under an Electric Field <b>2005</b> , 497		4
9	Free Convection in a Rectangular Cavity (Benard Convection) With Nanofluids <b>2004</b> , 147		22
8	Effect of tip clearance on the cooling performance of a microchannel heat sink. <i>International Journal of Heat and Mass Transfer</i> , <b>2004</b> , 47, 1099-1103	4.9	56
7	Bulk mean temperature in porous medium analysis. <i>International Journal of Heat and Mass Transfer</i> , <b>2004</b> , 47, 5603-5607	4.9	3
6	Role of Brownian motion in the enhanced thermal conductivity of nanofluids. <i>Applied Physics Letters</i> , <b>2004</b> , 84, 4316-4318	3.4	1160
5	Experimental investigation of thermal characteristics for a microchannel heat sink subject to an impinging jet, using a micro-thermal sensor array. <i>Sensors and Actuators A: Physical</i> , <b>2003</b> , 105, 211-224	3.9	48
4	Fluid Flow and Thermal Characteristics for a Microchannel Heat Sink Subject to an Impinging Jet <b>2003</b> , 263		

3	Effects of the Darcy number, the Prandtl number, and the Reynolds number on local thermal non-equilibrium. <i>International Journal of Heat and Mass Transfer</i> , <b>2002</b> , 45, 3885-3896	4.9	108
2	Thermal Optimization of a Circular-Sectored Finned Tube Using a Porous Medium Approach. <i>Journal of Heat Transfer</i> , <b>2002</b> , 124, 1026-1033	1.8	20
1	Experimental and numerical analysis of heat transfer phenomena in a sensor tube of a mass flow controller. <i>International Journal of Heat and Mass Transfer</i> , <b>2001</b> , 44, 1711-1724	4.9	39