Lauren M Aleksunes

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2409790/lauren-m-aleksunes-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

139
papers

5,710
citations

42
p-index

72
g-index

150
ext. papers

6,357
ext. citations

4.3
avg, IF

L-index

#	Paper	IF	Citations
139	Suppression of Bile Acid Synthesis in a Preterm Infant Receiving Prolonged Parenteral Nutrition <i>Journal of Clinical and Experimental Hepatology</i> , 2022 , 12, 200-203	4.1	1
138	MULTIDRUG AND TOXIN EXTRUSION PROTEINS 2022 , 33-55		
137	Regulation of renal calbindin expression during cisplatin-induced kidney injury <i>Journal of Biochemical and Molecular Toxicology</i> , 2022 , e23068	3.4	O
136	Extravillous trophoblast migration and invasion: Impact of environmental chemicals and pharmaceuticals. <i>Reproductive Toxicology</i> , 2021 , 107, 60-68	3.4	4
135	Impact of Fusarium-Derived Mycoestrogens on Female Reproduction: A Systematic Review. <i>Toxins</i> , 2021 , 13,	4.9	4
134	BCRP/Transporter Regulates Accumulation of Cadmium in Kidney Cells: Role of the Q141K Variant in Modulating Nephrotoxicity. <i>Drug Metabolism and Disposition</i> , 2021 , 49, 629-637	4	1
133	Revealing Adverse Outcome Pathways from Public High-Throughput Screening Data to Evaluate New Toxicants by a Knowledge-Based Deep Neural Network Approach. <i>Environmental Science</i> & Mamp; Technology, 2021, 55, 10875-10887	10.3	4
132	Predictive modeling of estrogen receptor agonism, antagonism, and binding activities using machine- and deep-learning approaches. <i>Laboratory Investigation</i> , 2021 , 101, 490-502	5.9	11
131	Fetal Exosomal Platelet-activating Factor Triggers Functional Progesterone Withdrawal in Human Placenta. <i>Reproductive Sciences</i> , 2021 , 28, 252-262	3	
130	Low oxygen tension differentially regulates the expression of placental solute carriers and ABC transporters. <i>FEBS Letters</i> , 2021 , 595, 811-827	3.8	2
129	Renoprotective Effects of Melatonin against Vancomycin-Related Acute Kidney Injury in Hospitalized Patients: a Retrospective Cohort Study. <i>Antimicrobial Agents and Chemotherapy</i> , 2021 , 65, e0046221	5.9	2
128	Optimization of 1,4-bis(arylsulfonamido)naphthalene-N,NSdiacetic acids as inhibitors of Keap1-Nrf2 protein-protein interaction to suppress neuroinflammation. <i>Bioorganic and Medicinal Chemistry</i> , 2021 , 44, 116300	3.4	2
127	Time-dependent changes in kidney injury biomarkers in patients receiving multiple cycles of cisplatin chemotherapy. <i>Toxicology Reports</i> , 2020 , 7, 571-576	4.8	12
126	Advancing computer-aided drug discovery (CADD) by big data and data-driven machine learning modeling. <i>Drug Discovery Today</i> , 2020 , 25, 1624-1638	8.8	38
125	Transcription factor-mediated regulation of the BCRP/ efflux transporter: a review across tissues and species. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2020 , 16, 239-253	5.5	10
124	Mechanism-Driven Read-Across of Chemical Hepatotoxicants Based on Chemical Structures and Biological Data. <i>Toxicological Sciences</i> , 2020 , 174, 178-188	4.4	10
123	Epigenetic Regulation of Multidrug Resistance Protein 1 and Breast Cancer Resistance Protein Transporters by Histone Deacetylase Inhibition. <i>Drug Metabolism and Disposition</i> , 2020 , 48, 459-480	4	13

122	Developmental regulation of the gut-liver (FGF19-CYP7A1) axis in neonates. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 33, 987-992	2	12
121	Identification and Characterization of Efflux Transporters That Modulate the Subtoxic Disposition of Diclofenac and Its Metabolites. <i>Drug Metabolism and Disposition</i> , 2019 , 47, 1080-1092	4	9
120	Hepatic carboxylesterases are differentially regulated in PPAREhull mice treated with perfluorooctanoic acid. <i>Toxicology</i> , 2019 , 416, 15-22	4.4	9
119	Brain region-specific regulation of histone acetylation and efflux transporters in mice. <i>Journal of Biochemical and Molecular Toxicology</i> , 2019 , 33, e22318	3.4	5
118	Increased MDR1 Transporter Expression in Human Brain Endothelial Cells Through Enhanced Histone Acetylation and Activation of Aryl Hydrocarbon Receptor Signaling. <i>Molecular Neurobiology</i> , 2019 , 56, 6986-7002	6.2	12
117	Nonanimal Models for Acute Toxicity Evaluations: Applying Data-Driven Profiling and Read-Across. <i>Environmental Health Perspectives</i> , 2019 , 127, 47001	8.4	34
116	Inhibition of Cyclic Nucleotide Efflux by Placental MRP Transporters Enhances Trophoblast Syncytialization. <i>FASEB Journal</i> , 2019 , 33, 507.13	0.9	
115	Distilling Research Projects into Graphical Abstracts: Interactive Training During a Summer Research Fellowship. <i>FASEB Journal</i> , 2019 , 33, 497.8	0.9	
114	Pharmacokinetic determinants of cisplatin-induced subclinical kidney injury in oncology patients. <i>European Journal of Clinical Pharmacology</i> , 2019 , 75, 51-57	2.8	11
113	Placental BCRP/ABCG2 Transporter Prevents Fetal Exposure to the Estrogenic Mycotoxin Zearalenone. <i>Toxicological Sciences</i> , 2019 , 168, 394-404	4.4	10
112	Anandamide down-regulates placental transporter expression through CB2 receptor-mediated inhibition of cAMP synthesis. <i>Pharmacological Research</i> , 2019 , 141, 331-342	10.2	11
111	Placenta-on-a-Chip: Placental Drug Transport-on-a-Chip: A Microengineered In Vitro Model of Transporter-Mediated Drug Efflux in the Human Placental Barrier (Adv. Healthcare Mater. 2/2018). Advanced Healthcare Materials, 2018 , 7, 1870008	10.1	2
110	Interindividual Regulation of the Breast Cancer Resistance Protein/ Transporter in Term Human Placentas. <i>Drug Metabolism and Disposition</i> , 2018 , 46, 619-627	4	14
109	Activation of Nrf2 in the liver is associated with stress resistance mediated by suppression of the growth hormone-regulated STAT5b transcription factor. <i>PLoS ONE</i> , 2018 , 13, e0200004	3.7	26
108	Urinary protein biomarkers of kidney injury in patients receiving cisplatin chemotherapy. <i>Experimental Biology and Medicine</i> , 2018 , 243, 272-282	3.7	31
107	Placental Drug Transport-on-a-Chip: A Microengineered In Vitro Model of Transporter-Mediated Drug Efflux in the Human Placental Barrier. <i>Advanced Healthcare Materials</i> , 2018 , 7, 1700786	10.1	63
106	Quinone and nitrofurantoin redox cycling by recombinant cytochrome b5 reductase. <i>Toxicology and Applied Pharmacology</i> , 2018 , 359, 102-107	4.6	5
105	Xenobiotic transporters and kidney injury. Advanced Drug Delivery Reviews, 2017, 116, 73-91	18.5	61

104	Down-regulation of the placental BCRP/ABCG2 transporter in response to hypoxia signaling. <i>Placenta</i> , 2017 , 51, 57-63	3.4	21
103	Localization of the placental BCRP/ABCG2 transporter to lipid rafts: Role for cholesterol in mediating efflux activity. <i>Placenta</i> , 2017 , 55, 29-36	3.4	27
102	In Vitro Transport Activity and Trafficking of MRP2/ABCC2 Polymorphic Variants. <i>Pharmaceutical Research</i> , 2017 , 34, 1637-1647	4.5	10
101	Efflux Transporters Regulate Arsenite-Induced Genotoxicity in Double Negative and Double Positive T Cells. <i>Toxicological Sciences</i> , 2017 , 158, 127-139	4.4	8
100	Regulation of drug metabolism and toxicity by multiple factors of genetics, epigenetics, lncRNAs, gut microbiota, and diseases: a meeting report of the 21 International Symposium on Microsomes and Drug Oxidations (MDO). <i>Acta Pharmaceutica Sinica B</i> , 2017 , 7, 241-248	15.5	17
99	Profiling of Kidney Injury Biomarkers in Patients Receiving Cisplatin: Time-dependent Changes in the Absence of Clinical Nephrotoxicity. <i>Clinical Pharmacology and Therapeutics</i> , 2017 , 101, 510-518	6.1	22
98	Differential regulation of intestinal efflux transporters by pregnancy in mice. Xenobiotica, 2017, 47, 98	9- <u>9</u> 97	5
97	The effect of fibroblast growth factor 15 deficiency on the development of high fat diet induced non-alcoholic steatohepatitis. <i>Toxicology and Applied Pharmacology</i> , 2017 , 330, 1-8	4.6	33
96	Regulation of the placental BCRP transporter by PPAR gamma. <i>Journal of Biochemical and Molecular Toxicology</i> , 2017 , 31, N/A	3.4	16
95	Pharmacogenomic Variants May Influence the Urinary Excretion of Novel Kidney Injury Biomarkers in Patients Receiving Cisplatin. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	23
94	Restoration of enterohepatic bile acid pathways in pregnant mice following short term activation of Fxr by GW4064. <i>Toxicology and Applied Pharmacology</i> , 2016 , 310, 60-67	4.6	18
93	Environmentally Relevant Concentrations of Arsenite Induce Dose-Dependent Differential Genotoxicity Through Poly(ADP-Ribose) Polymerase Inhibition and Oxidative Stress in Mouse Thymus Cells. <i>Toxicological Sciences</i> , 2016 , 149, 31-41	4.4	21
92	Evaluation of the chromogenic anti-factor IIa assay to assess dabigatran exposure in geriatric patients with atrial fibrillation in an outpatient setting. <i>Thrombosis Journal</i> , 2016 , 14, 10	5.6	9
91	Correlation between Conjugated Bisphenol A Concentrations and Efflux Transporter Expression in Human Fetal Livers. <i>Drug Metabolism and Disposition</i> , 2016 , 44, 1061-5	4	8
90	Selective Targeting of Heme Protein in Cytochrome P450 and Nitric Oxide Synthase by Diphenyleneiodonium. <i>Toxicological Sciences</i> , 2016 , 151, 150-9	4.4	12
89	Nrf2 Regulates the Sensitivity of Mouse Keratinocytes to Nitrogen Mustard via Multidrug Resistance-Associated Protein 1 (Mrp1). <i>Toxicological Sciences</i> , 2016 , 149, 202-12	4.4	15
88	Inherited disorders of bilirubin clearance. <i>Pediatric Research</i> , 2016 , 79, 378-86	3.2	78
87	Regulation of Drug Disposition Gene Expression in Pregnant Mice with Car Receptor Activation. Nuclear Receptor Research, 2016, 3,	1.4	6

86	Endocrine and Metabolic Regulation of Transporters for Organic Cations 2016 , 171-185		2
85	Cefoxitin Plasma and Subcutaneous Adipose Tissue Concentration in Patients Undergoing Sleeve Gastrectomy. <i>Clinical Therapeutics</i> , 2016 , 38, 204-10	3.5	3
84	Nrf2 activators as potential modulators of injury in human kidney cells. <i>Toxicology Reports</i> , 2016 , 3, 153	-14589	24
83	Genetic and Dietary Regulation of Glyburide Efflux by the Human Placental Breast Cancer Resistance Protein Transporter. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016 , 357, 103	-437	22
82	Bardoxolone methyl modulates efflux transporter and detoxifying enzyme expression in cisplatin-induced kidney cell injury. <i>Toxicology Letters</i> , 2016 , 259, 52-59	4.4	14
81	Activation of NRF2 Signaling in HEK293 Cells by a First-in-Class Direct KEAP1-NRF2 Inhibitor. <i>Journal of Biochemical and Molecular Toxicology</i> , 2015 , 29, 261-6	3.4	11
80	Screening of Environmental Chemicals Identifies Zearalenone as a Novel Substrate of the Placental BCRP/ Transporter. <i>Toxicology Research</i> , 2015 , 4, 695-706	2.6	20
79	Screening a mouse liver gene expression compendium identifies modulators of the aryl hydrocarbon receptor (AhR). <i>Toxicology</i> , 2015 , 336, 99-112	4.4	39
78	Human Ontogeny of Drug Transporters: Review and Recommendations of the Pediatric Transporter Working Group. <i>Clinical Pharmacology and Therapeutics</i> , 2015 , 98, 266-87	6.1	123
77	Isoform-Specific Regulation of Mouse Carboxylesterase Expression and Activity by Prototypical Transcriptional Activators. <i>Journal of Biochemical and Molecular Toxicology</i> , 2015 , 29, 545-51	3.4	5
76	Identification of modulators of the nuclear receptor peroxisome proliferator-activated receptor [] (PPAR) in a mouse liver gene expression compendium. <i>PLoS ONE</i> , 2015 , 10, e0112655	3.7	49
75	Identification of chemical modulators of the constitutive activated receptor (CAR) in a gene expression compendium. <i>Nuclear Receptor Signaling</i> , 2015 , 13, e002	1	61
74	Interaction of Isoflavones with the BCRP/ABCG2 Drug Transporter. <i>Current Drug Metabolism</i> , 2015 , 16, 124-40	3.5	18
73	Genistein Reduces Glyburide Efflux by the Human Placental BCRP Transporter: Transcriptional Regulation and Direct Inhibition. <i>FASEB Journal</i> , 2015 , 29, 939.7	0.9	
72	Analysis of changes in hepatic gene expression in a murine model of tolerance to acetaminophen hepatotoxicity (autoprotection). <i>Toxicology and Applied Pharmacology</i> , 2014 , 274, 156-67	4.6	19
71	Differential Fmo3 gene expression in various liver injury models involving hepatic oxidative stress in mice. <i>Toxicology</i> , 2014 , 325, 85-95	4.4	12
7º	Fibroblast growth factor 15 deficiency impairs liver regeneration in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2014 , 306, G893-902	5.1	74
69	Regional expression of the BCRP/ABCG2 transporter in term human placentas. <i>Reproductive Toxicology</i> , 2014 , 43, 72-77	3.4	16

68	MDR1 transporter protects against paraquat-induced toxicity in human and mouse proximal tubule cells. <i>Toxicological Sciences</i> , 2014 , 141, 475-83	4.4	23
67	Transgenic expression of the human MRP2 transporter reduces cisplatin accumulation and nephrotoxicity in Mrp2-null mice. <i>American Journal of Pathology</i> , 2014 , 184, 1299-308	5.8	38
66	Self-assessment of research competencies during a summer undergraduate research fellowship in pharmacology and toxicology (1058.3). <i>FASEB Journal</i> , 2014 , 28, 1058.3	0.9	
65	Technical and knowledge-based outcomes following a one-week high school research program in toxicology and environmental health sciences (1058.1). <i>FASEB Journal</i> , 2014 , 28, 1058.1	0.9	
64	Pregnancy represses induction of efflux transporters in livers of type I diabetic mice. <i>Pharmaceutical Research</i> , 2013 , 30, 2209-20	4.5	10
63	Modulation of farnesoid X receptor results in post-translational modification of poly (ADP-ribose) polymerase 1 in the liver. <i>Toxicology and Applied Pharmacology</i> , 2013 , 266, 260-6	4.6	4
62	Assessment of drug transporter function using fluorescent cell imaging. <i>Current Protocols in Toxicology / Editorial Board, Mahin D Maines (editor-in-chief) [et Al]</i> , 2013 , 57, Unit 23.6.	1	16
61	Hepatic and renal Bcrp transporter expression in mice treated with perfluorooctanoic acid. <i>Toxicology</i> , 2013 , 306, 108-13	4.4	13
60	Establishment of metabolism and transport pathways in the rodent and human fetal liver. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 23801-27	6.3	19
59	Down-regulation of brush border efflux transporter expression in the kidneys of pregnant mice. Drug Metabolism and Disposition, 2013 , 41, 320-5	4	14
58	Regulation of hepatic phase II metabolism in pregnant mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013 , 344, 244-52	4.7	20
57	Effects of developmental deltamethrin exposure on white adipose tissue gene expression. <i>Journal of Biochemical and Molecular Toxicology</i> , 2013 , 27, 165-71	3.4	18
56	Inhibition of human MDR1 and BCRP transporter ATPase activity by organochlorine and pyrethroid insecticides. <i>Journal of Biochemical and Molecular Toxicology</i> , 2013 , 27, 157-64	3.4	23
55	Alteration of the expression of pesticide-metabolizing enzymes in pregnant mice: potential role in the increased vulnerability of the developing brain. <i>Drug Metabolism and Disposition</i> , 2013 , 41, 326-31	4	17
54	Gender-specific reduction of hepatic Mrp2 expression by high-fat diet protects female mice from ANIT toxicity. <i>Toxicology and Applied Pharmacology</i> , 2012 , 261, 189-95	4.6	12
53	Inflammatory regulation of ATP binding cassette efflux transporter expression and function in microglia. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012 , 343, 650-60	4.7	44
52	Renal efflux transporter expression in pregnant mice with Type I diabetes. <i>Toxicology Letters</i> , 2012 , 211, 304-11	4.4	10
51	Coordinated regulation of hepatic phase I and II drug-metabolizing genes and transporters using AhR-, CAR-, PXR-, PPARE and Nrf2-null mice. <i>Drug Metabolism and Disposition</i> , 2012 , 40, 1366-79	4	185

50	The traditional ayurvedic medicine, Eugenia jambolana (Jamun fruit), decreases liver inflammation, injury and fibrosis during cholestasis. <i>Liver International</i> , 2012 , 32, 560-73	7.9	30
49	Endocrine and metabolic regulation of renal drug transporters. <i>Journal of Biochemical and Molecular Toxicology</i> , 2012 , 26, 407-21	3.4	23
48	Severe diabetes and leptin resistance cause differential hepatic and renal transporter expression in mice. <i>Comparative Hepatology</i> , 2012 , 11, 1		24
47	Repression of hepatobiliary transporters and differential regulation of classic and alternative bile acid pathways in mice during pregnancy. <i>Toxicological Sciences</i> , 2012 , 130, 257-68	4.4	24
46	Bile acids via FXR initiate the expression of major transporters involved in the enterohepatic circulation of bile acids in newborn mice. <i>American Journal of Physiology - Renal Physiology</i> , 2012 , 302, G979-96	5.1	34
45	Expression of organic anion transporter 2 in the human kidney and its potential role in the tubular secretion of guanine-containing antiviral drugs. <i>Drug Metabolism and Disposition</i> , 2012 , 40, 617-24	4	60
44	Transcription factor-mediated regulation of carboxylesterase enzymes in livers of mice. <i>Drug Metabolism and Disposition</i> , 2012 , 40, 1191-7	4	40
43	Renal drug transporter expression in pregnant mice with type 1 diabetes. <i>FASEB Journal</i> , 2012 , 26, 104	17.4 .9	
42	Reduced ABC efflux transporter function in activated microglia: Implications in neurodegeneration. <i>FASEB Journal</i> , 2012 , 26, 398.3	0.9	
41	PFOA-mediated regulation of Bcrp transporter expression and function. <i>FASEB Journal</i> , 2012 , 26, 1047	7.6 0.9	
40	Constitutive activation of nuclear factor-E2-related factor 2 induces biotransformation enzyme and transporter expression in livers of mice with hepatocyte-specific deletion of Kelch-like ECH-associated protein 1. <i>Journal of Biochemical and Molecular Toxicology</i> , 2011 , 25, 320-9	3.4	10
39	Characterization of peroxisome proliferator-activated receptor alphaindependent effects of PPARalpha activators in the rodent liver: di-(2-ethylhexyl) phthalate also activates the constitutive-activated receptor. <i>Toxicological Sciences</i> , 2010 , 113, 45-59	4.4	56
38	Nuclear factor erythroid 2-related factor 2 deletion impairs glucose tolerance and exacerbates hyperglycemia in type 1 diabetic mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010 , 333, 140-51	4.7	79
37	Transcriptional regulation of renal cytoprotective genes by Nrf2 and its potential use as a therapeutic target to mitigate cisplatin-induced nephrotoxicity. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010 , 335, 2-12	4.7	138
36	Xenobiotic, bile acid, and cholesterol transporters: function and regulation. <i>Pharmacological Reviews</i> , 2010 , 62, 1-96	22.5	595
35	Introducing the "TCDD-inducible AhR-Nrf2 gene battery". <i>Toxicological Sciences</i> , 2009 , 111, 238-46	4.4	205
34	Application of multivariate statistical procedures to identify transcription factors that correlate with MRP2, 3, and 4 mRNA in adult human livers. <i>Xenobiotica</i> , 2009 , 39, 514-22	2	18
33	Role of hepatic transporters in prevention of bile acid toxicity after partial hepatectomy in mice. American Journal of Physiology - Renal Physiology, 2009, 297, G419-33	5.1	46

32	Compensatory induction of liver efflux transporters in response to ANIT-induced liver injury is impaired in FXR-null mice. <i>Toxicological Sciences</i> , 2009 , 110, 47-60	4.4	90
31	Constitutive androstane receptor-mediated changes in bile acid composition contributes to hepatoprotection from lithocholic acid-induced liver injury in mice. <i>Drug Metabolism and Disposition</i> , 2009 , 37, 1035-45	4	55
30	Altered disposition of acetaminophen in Nrf2-null and Keap1-knockdown mice. <i>Toxicological Sciences</i> , 2009 , 109, 31-40	4.4	69
29	ANIT-induced intrahepatic cholestasis alters hepatobiliary transporter expression via Nrf2-dependent and independent signaling. <i>Toxicological Sciences</i> , 2009 , 108, 247-57	4.4	85
28	Oleanolic acid activates Nrf2 and protects from acetaminophen hepatotoxicity via Nrf2-dependent and Nrf2-independent processes. <i>Biochemical Pharmacology</i> , 2009 , 77, 1273-82	6	137
27	Decreased apoptosis during CAR-mediated hepatoprotection against lithocholic acid-induced liver injury in mice. <i>Toxicology Letters</i> , 2009 , 188, 38-44	4.4	13
26	Induction of Mrp3 and Mrp4 transporters during acetaminophen hepatotoxicity is dependent on Nrf2. <i>Toxicology and Applied Pharmacology</i> , 2008 , 226, 74-83	4.6	122
25	Coordinated induction of Nrf2 target genes protects against iron nitrilotriacetate (FeNTA)-induced nephrotoxicity. <i>Toxicology and Applied Pharmacology</i> , 2008 , 231, 364-73	4.6	53
24	Drug-metabolizing enzyme and transporter expression in a mouse model of diabetes and obesity. <i>Molecular Pharmaceutics</i> , 2008 , 5, 77-91	5.6	89
23	Prominent expression of xenobiotic efflux transporters in mouse extraembryonic fetal membranes compared with placenta. <i>Drug Metabolism and Disposition</i> , 2008 , 36, 1960-70	4	42
22	Acquired resistance to acetaminophen hepatotoxicity is associated with induction of multidrug resistance-associated protein 4 (Mrp4) in proliferating hepatocytes. <i>Toxicological Sciences</i> , 2008 , 104, 261-73	4.4	59
21	Hepatic Mrp4 induction following acetaminophen exposure is dependent on Kupffer cell function. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 295, G294-304	5.1	53
20	Nrf2- and PPAR alpha-mediated regulation of hepatic Mrp transporters after exposure to perfluorooctanoic acid and perfluorodecanoic acid. <i>Toxicological Sciences</i> , 2008 , 106, 319-28	4.4	86
19	NF-E2-related factor 2 inhibits lipid accumulation and oxidative stress in mice fed a high-fat diet. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008 , 325, 655-64	4.7	190
18	Renal and hepatic transporter expression in type 2 diabetic rats. <i>Drug Metabolism Letters</i> , 2008 , 2, 11-7	2.1	74
17	Gender divergent expression of Nqo1 in Sprague Dawley and August Copenhagen x Irish rats. Journal of Biochemical and Molecular Toxicology, 2008 , 22, 93-100	3.4	7
16	Renal xenobiotic transporters are differentially expressed in mice following cisplatin treatment. <i>Toxicology</i> , 2008 , 250, 82-8	4.4	67
15	Oxidative and electrophilic stress induces multidrug resistance-associated protein transporters via the nuclear factor-E2-related factor-2 transcriptional pathway. <i>Hepatology</i> , 2007 , 46, 1597-610	11.2	255

LIST OF PUBLICATIONS

14	Role of NAD(P)H:quinone oxidoreductase 1 in clofibrate-mediated hepatoprotection from acetaminophen. <i>Toxicology</i> , 2007 , 230, 197-206	4.4	45
13	Induction of hepatobiliary efflux transporters in acetaminophen-induced acute liver failure cases. Drug Metabolism and Disposition, 2007, 35, 1963-9	4	61
12	Influence of acetaminophen vehicle on regulation of transporter gene expression during hepatotoxicity. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2007 , 70, 1870-2	3.2	15
11	Efflux transporter expression and acetaminophen metabolite excretion are altered in rodent models of nonalcoholic fatty liver disease. <i>Drug Metabolism and Disposition</i> , 2007 , 35, 1970-8	4	75
10	Emerging role of Nrf2 in protecting against hepatic and gastrointestinal disease. <i>Toxicologic Pathology</i> , 2007 , 35, 459-73	2.1	222
9	Regulation of transporter expression in mouse liver, kidney, and intestine during extrahepatic cholestasis. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2007 , 1768, 637-47	3.8	58
8	Coordinated expression of multidrug resistance-associated proteins (Mrps) in mouse liver during toxicant-induced injury. <i>Toxicological Sciences</i> , 2006 , 89, 370-9	4.4	69
7	Induction of hepatic transporters multidrug resistance-associated proteins (Mrp) 3 and 4 by clofibrate is regulated by peroxisome proliferator-activated receptor alpha. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006 , 317, 537-45	4.7	64
6	Nuclear factor-E2-related factor 2 expression in liver is critical for induction of NAD(P)H:quinone oxidoreductase 1 during cholestasis. <i>Cell Stress and Chaperones</i> , 2006 , 11, 356-63	4	43
5	Up-regulation of NAD(P)H quinone oxidoreductase 1 during human liver injury. <i>World Journal of Gastroenterology</i> , 2006 , 12, 1937-40	5.6	52
4	Differential expression of mouse hepatic transporter genes in response to acetaminophen and carbon tetrachloride. <i>Toxicological Sciences</i> , 2005 , 83, 44-52	4.4	105
3	Management of rosiglitazone-induced edema: two case reports and a review of the literature. Diabetes Technology and Therapeutics, 2002, 4, 505-14	8.1	25
2	Correlation between genotype and phenotypic categorization of staphylococci based on methicillin susceptibility and resistance. <i>Journal of Clinical Microbiology</i> , 2001 , 39, 2961-3	9.7	37
1	Antibacterial spectrum of a novel des-fluoro(6) quinolone, BMS-284756. <i>Antimicrobial Agents and Chemotherapy</i> , 2000 , 44, 3351-6	5.9	155