List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2410915/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Chromatin-Remodeling Factor BRG1 Is a Negative Modulator of L. donovani in IFNÎ <sup>3</sup> Stimulated and Infected THP-1 Cells. Frontiers in Cellular and Infection Microbiology, 2022, 12, 860058.	1.8	2
2	Rapid diagnosis of Leishmania infection with a portable loop-mediated isothermal amplification device. Journal of Biosciences, 2021, 46, 1.	0.5	8
3	Role of two aminoacyl-tRNA synthetase associated proteins (Endothelial Monocyte Activating) Tj ETQq1 1 0.784 224, 106128.	314 rgBT 0.9	/Overlock 10 0
4	Stigmasterol as a potential biomarker for amphotericin B resistance in Leishmania donovani. Journal of Antimicrobial Chemotherapy, 2020, 75, 942-950.	1.3	11
5	Sensing Host Arginine Is Essential for <i>Leishmania</i> Parasites' Intracellular Development. MBio, 2020, 11, .	1.8	17
6	Deciphering the interaction of benzoxaborole inhibitor AN2690 with connective polypeptide 1 (CP1) editing domain of Leishmania donovani leucyl-tRNA synthetase. Journal of Biosciences, 2020, 45, 1.	0.5	6
7	Epigenetic regulation of defense genes by histone deacetylase1 in human cell line-derived macrophages promotes intracellular survival of Leishmania donovani. PLoS Neglected Tropical Diseases, 2020, 14, e0008167.	1.3	14
8	Title is missing!. , 2020, 14, e0008167.		0
9	Title is missing!. , 2020, 14, e0008167.		0
10	Title is missing!. , 2020, 14, e0008167.		0
11	Title is missing!. , 2020, 14, e0008167.		0
12	The arginine sensing and transport binding sites are distinct in the human pathogen Leishmania. PLoS Neglected Tropical Diseases, 2019, 13, e0007304.	1.3	16
13	A Plant like Cytochrome P450 Subfamily CYP710C1 Gene in Leishmania donovani Encodes Sterol C-22 Desaturase and its Over-expression Leads to Resistance to Amphotericin B. PLoS Neglected Tropical Diseases, 2019, 13, e0007260.	1.3	9
14	Leishmania donovani Parasites Are Inhibited by the Benzoxaborole AN2690 Targeting Leucyl-tRNA Synthetase. Antimicrobial Agents and Chemotherapy, 2018, 62, .	1.4	24
15	Genetic manipulation of Leishmania donovani threonyl tRNA synthetase facilitates its exploration as a potential therapeutic target. PLoS Neglected Tropical Diseases, 2018, 12, e0006575.	1.3	12
16	Genetic Validation of <i>Leishmania donovani</i> Lysyl-tRNA Synthetase Shows that It Is Indispensable for Parasite Growth and Infectivity. MSphere, 2017, 2, .	1.3	7
17	The mitochondrial SIR2 related protein 2 (SIR2RP2) impacts Leishmania donovani growth and infectivity. PLoS Neglected Tropical Diseases, 2017, 11, e0005590.	1.3	20
18	The Cytochrome P450 Complement (CYPome) of Leishmania Leads to the Discovery of a Plant Like Cytochrome P450 Sub-Family CYP710C1 Gene. Proceedings of the Indian National Science Academy, 2017, 92	0.5	1

#	Article	IF	CITATIONS
19	Twin Attributes of Tyrosyl-tRNA Synthetase of Leishmania donovani. Journal of Biological Chemistry, 2016, 291, 17754-17771.	1.6	15
20	MicroRNA expression profiling of <i>Leishmania donovani</i> -infected host cells uncovers the regulatory role of MIR30A-3p in host autophagy. Autophagy, 2016, 12, 1817-1831.	4.3	70
21	Leishmania donovani Encodes a Functional Selenocysteinyl-tRNA Synthase. Journal of Biological Chemistry, 2016, 291, 1203-1220.	1.6	12
22	Proteomic-Based Approach To Gain Insight into Reprogramming of THP-1 Cells Exposed to Leishmania donovani over an Early Temporal Window. Infection and Immunity, 2015, 83, 1853-1868.	1.0	46
23	Genetically Engineered Ascorbic acid-deficient Live Mutants of Leishmania donovani induce long lasting Protective Immunity against Visceral Leishmaniasis. Scientific Reports, 2015, 5, 10706.	1.6	29
24	Leishmania genome analysis and high-throughput immunological screening identifies tuzin as a novel vaccine candidate against visceral leishmaniasis. Vaccine, 2014, 32, 3816-3822.	1.7	15
25	A quantitative proteomic screen to identify potential drug resistance mechanism in α-difluoromethylornithine (DFMO) resistant Leishmania donovani. Journal of Proteomics, 2014, 102, 44-59.	1.2	23
26	Deletion of <scp>V</scp> itamin <scp>C</scp> biosynthesis enzyme, <scp>A</scp> rabinoâ€1, 4â€lactone oxidase in <scp><i>L</i></scp> <i>eishmania donovani</i> results in increased proâ€inflammatory responses from host immune cells. Molecular Microbiology, 2014, 91, 1227-1239.	1.2	15
27	Identification and Functional Characterization of a Novel Bacterial Type Asparagine Synthetase A. Journal of Biological Chemistry, 2014, 289, 12096-12108.	1.6	14
28	Cryptosporidium parvum has an active hypusine biosynthesis pathway. Molecular and Biochemical Parasitology, 2014, 195, 14-22.	0.5	4
29	Visceral and post-Kala-Azar dermal leishmaniasis isolates show significant difference in their in vitro drug susceptibility pattern. Parasitology Research, 2013, 112, 1001-1009.	0.6	16
30	Unique posttranslational modifications in eukaryotic translation factors and their roles in protozoan parasite viability and pathogenesis. Molecular and Biochemical Parasitology, 2013, 187, 21-31.	0.5	16
31	Leishmania Vaccines: Past, Present, and Future. , 2013, , 143-163.		Ο
32	Structural Insight into DFMO Resistant Ornithine Decarboxylase from Entamoeba histolytica: An Inkling to Adaptive Evolution. PLoS ONE, 2013, 8, e53397.	1.1	15
33	Biochemical, Mutational and In Silico Structural Evidence for a Functional Dimeric Form of the Ornithine Decarboxylase from Entamoeba histolytica. PLoS Neglected Tropical Diseases, 2012, 6, e1559.	1.3	8
34	Quantitative proteomic profiling of the promastigotes and the intracellular amastigotes of Leishmania donovani isolates identifies novel proteins having a role in Leishmania differentiation and intracellular survival. Biochimica Et Biophysica Acta - Proteins and Proteomics, 2012, 1824, 1342-1350.	1.1	33
35	Unusual domain architecture of aminoacyl tRNA synthetases and their paralogs from Leishmania major. BMC Genomics, 2012, 13, 621.	1.2	37
36	A Unique Modification of the Eukaryotic Initiation Factor 5A Shows the Presence of the Complete Hypusine Pathway in Leishmania donovani. PLoS ONE, 2012, 7, e33138.	1.1	30

#	Article	IF	CITATIONS
37	Paromomycin Affects Translation and Vesicle-Mediated Trafficking as Revealed by Proteomics of Paromomycin –Susceptible –Resistant Leishmania donovani. PLoS ONE, 2011, 6, e26660.	1.1	85
38	Leishmania donovani: Structural insignt in the recognition of C-methylated analogues of spermidine as natural polyamines. Molecular Biology, 2011, 45, 619-623.	0.4	2
39	Differential expression of proteins in antimony-susceptible and -resistant isolates of Leishmania donovani. Molecular and Biochemical Parasitology, 2011, 179, 91-99.	0.5	66
40	Leishmania donovani encodes a functional enzyme involved in vitamin c biosynthesis: Arabino-1,4-lactone oxidase. Molecular and Biochemical Parasitology, 2011, 180, 76-85.	0.5	18
41	Characterization of Leishmania donovani Aquaporins Shows Presence of Subcellular Aquaporins Similar to Tonoplast Intrinsic Proteins of Plants. PLoS ONE, 2011, 6, e24820.	1.1	16
42	Novel convenient synthesis of biologically active esters of hydroxylamine. Amino Acids, 2010, 38, 509-517.	1.2	16
43	Drug targets in Leishmania. Journal of Parasitic Diseases, 2010, 34, 1-13.	0.4	162
44	Novel Arylimidamides for Treatment of Visceral Leishmaniasis. Antimicrobial Agents and Chemotherapy, 2010, 54, 2507-2516.	1.4	62
45	Assessing aquaglyceroporin gene status and expression profile in antimony-susceptible and -resistant clinical isolates of Leishmania donovani from India. Journal of Antimicrobial Chemotherapy, 2010, 65, 496-507.	1.3	75
46	Identification and Characterization of a Novel Deoxyhypusine Synthase in Leishmania donovani. Journal of Biological Chemistry, 2010, 285, 453-463.	1.6	47
47	Glyoxalase I Gene Deletion Mutants of Leishmania donovani Exhibit Reduced Methylglyoxal Detoxification. PLoS ONE, 2009, 4, e6805.	1.1	40
48	Ubiquitin Conjugation of Open Reading Frame F DNA Vaccine Leads to Enhanced Cell-Mediated Immune Response and Induces Protection against Both Antimony-Susceptible and -Resistant Strains of <i>Leishmania donovani</i> . Journal of Immunology, 2009, 183, 7719-7731.	0.4	34
49	Paromomycin: Uptake and resistance in Leishmania donovani. Molecular and Biochemical Parasitology, 2009, 164, 111-117.	0.5	132
50	A glutathione-specific aldose reductase of Leishmania donovani and its potential implications for methylglyoxal detoxification pathway. Gene, 2009, 429, 1-9.	1.0	13
51	High-throughput screening of amastigotes of Leishmania donovani clinical isolates against drugs using a colorimetric beta-lactamase assay. Indian Journal of Experimental Biology, 2009, 47, 475-9.	0.5	19
52	Novel agmatine analogue, Î <sup>3</sup> -guanidinooxypropylamine (GAPA) efficiently inhibits proliferation of Leishmania donovani by depletion of intracellular polyamine levels. Biochemical and Biophysical Research Communications, 2008, 375, 168-172.	1.0	13
53	Characterization and localization of ORFF gene from the LD1 locus of Leishmania donovani. Gene, 2008, 416, 1-10.	1.0	3
54	Characterization of the Entamoeba histolytica Ornithine Decarboxylase-Like Enzyme. PLoS Neglected Tropical Diseases, 2008, 2, e115.	1.3	16

#	Article	IF	CITATIONS
55	Glyoxalase Pathway of Trypanosomatid Parasites: A Promising Chemotherapeutic Target. Current Drug Targets, 2008, 9, 957-965.	1.0	4
56	Role of Aquaglyceroporin (AQP1) Gene and Drug Uptake in Antimony-resistant Clinical Isolates of Leishmania donovani. American Journal of Tropical Medicine and Hygiene, 2008, 79, 69-75.	0.6	47
57	Role of aquaglyceroporin (AQP1) gene and drug uptake in antimony-resistant clinical isolates of Leishmania donovani. American Journal of Tropical Medicine and Hygiene, 2008, 79, 69-75.	0.6	25
58	Antileishmanial Effect of 3-Aminooxy-1-Aminopropane Is Due to Polyamine Depletion. Antimicrobial Agents and Chemotherapy, 2007, 51, 528-534.	1.4	39
59	The sterol-binding antibiotic nystatin inhibits entry of non-opsonized Leishmania donovani into macrophages. Biochemical and Biophysical Research Communications, 2006, 339, 661-666.	1.0	34
60	Co-administration of IL-12 DNA with rORFF antigen confers long-term protective immunity against experimental visceral leishmaniaisis. Vaccine, 2006, 24, 2409-2416.	1.7	25
61	Characterization of the gene encoding glyoxalase II from Leishmania donovani: a potential target for anti-parasite drugs. Biochemical Journal, 2006, 393, 227-234.	1.7	37
62	Roles for mitochondria in pentamidine susceptibility and resistance in Leishmania donovani. Molecular and Biochemical Parasitology, 2006, 145, 1-10.	0.5	84
63	Role of ABC transporter MRPA, Â-glutamylcysteine synthetase and ornithine decarboxylase in natural antimony-resistant isolates of Leishmania donovani. Journal of Antimicrobial Chemotherapy, 2006, 59, 204-211.	1.3	153
64	Title is missing!. FEMS Immunology and Medical Microbiology, 2005, 43, 103-103.	2.7	0
65	Leishmania lipophosphoglycan activates the transcription factor activating protein 1 in J774A.1 macrophages through the extracellular signal-related kinase (ERK) and p38 mitogen-activated protein kinase. Molecular and Biochemical Parasitology, 2005, 139, 117-127.	0.5	27
66	A Heterologous Primeâ€Boost Vaccination Regimen Using ORFF DNA and Recombinant ORFF Protein Confers Protective Immunity against Experimental Visceral Leishmaniasis. Journal of Infectious Diseases, 2005, 191, 2130-2137.	1.9	54
67	Sequencing of Coat Protein Gene of an isolate of Cucumber mosaic virus Infecting Black Pepper (Piper) Tj ETQq1	1 8.3843	14 rgBT /Ove
68	Glyoxalase I from Leishmania donovani: A potential target for anti-parasite drug. Biochemical and Biophysical Research Communications, 2005, 337, 1237-1248.	1.0	40
69	Leishmaniasis: Current Status of Vaccine Development. Current Molecular Medicine, 2004, 4, 667-679.	0.6	23
70	Cholesterol is required for Leishmania donovani infection: implications in leishmaniasis. Molecular and Biochemical Parasitology, 2004, 133, 145-152.	0.5	109
71	Vaccination withLeishmaniasoluble antigen and immunostimulatory oligodeoxynucleotides induces specific immunity and protection againstLeishmania donovaniinfection. FEMS Immunology and Medical Microbiology, 2004, 42, 241-248.	2.7	25
72	Leishmania donovani induces interferon regulatory factor in murine macrophages: a host defense response. Biochemical and Biophysical Research Communications, 2004, 317, 639-647.	1.0	17

#	Article	IF	CITATIONS
73	Leishmania donovani activates nuclear transcription factor-κB in macrophages through reactive oxygen intermediates. Biochemical and Biophysical Research Communications, 2004, 322, 1086-1095.	1.0	16
74	Immunostimulatory oligodeoxynucleotides are potent enhancers of protective immunity in mice immunized with recombinant ORFF leishmanial antigen. Vaccine, 2004, 22, 3053-3060.	1.7	35
75	Vaccination with DNA encoding ORFF antigen confers protective immunity in mice infected with Leishmania donovani. Vaccine, 2003, 21, 1292-1299.	1.7	51
76	Expression of biopterin transporter (BT1) protein inLeishmania. FEMS Microbiology Letters, 2002, 208, 89-91.	0.7	11
77	The Leishmania genome project: new insights into gene organization and function. Medical Microbiology and Immunology, 2001, 190, 9-12.	2.6	36
78	EFFECT OFLEISHMANIA DONOVANILIPOPHOSPHOGLYCAN ON ORNITHINE DECARBOXYLASE ACTIVITY IN MACROPHAGES. Journal of Parasitology, 2001, 87, 1071-1076.	0.3	9
79	Detection of Leishmania causing visceral leishmaniasis in the Old and New Worlds by a polymerase chain reaction assay based on telomeric sequences American Journal of Tropical Medicine and Hygiene, 2001, 65, 573-582.	0.6	16
80	Genomic organization and gene function in <i>Leishmania</i> . Biochemical Society Transactions, 2000, 28, 527-531.	1.6	52
81	Inhibition of glutathione synthesis as a chemotherapeutic strategy for leishmaniasis. Tropical Medicine and International Health, 2000, 5, 438-442.	1.0	24
82	In the Human Malaria Parasite Plasmodium falciparum,Polyamines Are Synthesized by a Bifunctional Ornithine Decarboxylase,S-Adenosylmethionine Decarboxylase. Journal of Biological Chemistry, 2000, 275, 8097-8102.	1.6	82
83	Immunization with recombinant LD1 antigens protects against experimental leishmaniasis. Vaccine, 2000, 19, 423-430.	1.7	37
84	Plasmodium falciparum: detection and strain identification of Indian isolates by polymerase chain reaction. Southeast Asian Journal of Tropical Medicine and Public Health, 2000, 31, 213-8.	1.0	4
85	Effect of the microtubule stabilising agent taxol on leishmanial protozoan parasites in vitro. FEMS Microbiology Letters, 1999, 176, 429-435.	0.7	25
86	Isolation of a taxol-resistantLeishmania donovanipromastigote mutant that exhibits a multidrug-resistant phenotype. FEMS Microbiology Letters, 1999, 176, 437-441.	0.7	8
87	Leishmania donovani: Characterization and Expression of ORFF, a Gene Amplified from the LDI Locus. Experimental Parasitology, 1999, 93, 225-230.	0.5	17
88	The Leishmania donovani LD1 locus gene ORFG encodes a biopterin transporter (BT1). Molecular and Biochemical Parasitology, 1999, 104, 93-105.	0.5	67
89	Serodiagnosis of leishmaniasis with recombinant ORFF antigen American Journal of Tropical Medicine and Hygiene, 1999, 61, 482-487.	0.6	34
90	Chemoprevention of DMBA-induced transplacental and translactational carcinogenesis in mice by oil from mustard seeds (Brassica spp.). Cancer Letters, 1998, 134, 217-226.	3.2	6

#	Article	IF	CITATIONS
91	Combined Action of Inhibitors of S-Adenosylmethionine Decarboxylase with an Antimalarial Drug, Chloroquine, on Plasmodium falciparum. Journal of Eukaryotic Microbiology, 1997, 44, 12-17.	0.8	4
92	ANTILEISHMANIAL EFFECT OF A POTENT S-ADENOSYLMETHIONINE DECARBOXYLASE INHIBITOR: CGP 40215A. Pharmacological Research, 1996, 33, 67-70.	3.1	18
93	CHARACTERIZATION OF ALPHA-DIFLUOROMETHYLORNITHINE RESISTANTLEISHMANIA DONOVANIAND ITS SUSCEPTIBILITY TO OTHER INHIBITORS OF THE POLYAMINE BIOSYNTHETIC PATHWAY. Pharmacological Research, 1996, 34, 43-46.	3.1	14
94	Increased Expression of <i>LD1</i> Genes Transcribed by RNA Polymerase I in <i>Leishmania donovani</i> as a Result of Duplication into the <i>rRNA</i> Gene Locus. Molecular and Cellular Biology, 1995, 15, 6845-6853.	1.1	46
95	Effects of Bis(benzyl)polyamine Analogs on Leishmania donovani Promastigotes. Experimental Parasitology, 1995, 81, 39-46.	0.5	22
96	Leishmania donovani: Cellular control of ornithine decarboxylase in promastigotes. International Journal of Biochemistry and Cell Biology, 1995, 27, 947-952.	1.2	13
97	Antileishmanial activity of berenil and methylglyoxal bis (guanylhydrazone) and its correlation with S-adenosylmethionine decarboxylase and polyamines. International Journal of Biochemistry and Cell Biology, 1995, 27, 55-59.	1.2	15
98	Combined action of inhibitors of polyamine biosynthetic pathway with a known antimalarial drug chloroquine on plasmodium falciparum. Pharmacological Research, 1995, 31, 189-193.	3.1	7
99	Antileishmanial activity and modification of hepatic xenobiotic metabolizing enzymes in golden hamster by 2(3)-tert-butyl-4-hydroxyanisole following infection with Leishmania donovani. Biochemical Pharmacology, 1994, 47, 253-256.	2.0	11
100	Effect of antioxidants on the growth and polyamine levels of Leishmania donovani. Biochemical Pharmacology, 1994, 47, 611-615.	2.0	16
101	Effect of a Bis(Benzyl)Polyamine Analogue, and DL-α-difluoromethylornithine on Parasite Suppression and Cellular Polyamine Levels in Golden Hamster During Leishmania Donovani Infection. Pharmacological Research, 1993, 28, 359-366.	3.1	23
102	Structure and regulation of mammalian S-adenosylmethionine decarboxylase Journal of Biological Chemistry, 1988, 263, 17040-17049.	1.6	108
103	Structure and regulation of mammalian S-adenosylmethionine decarboxylase. Journal of Biological Chemistry, 1988, 263, 17040-9.	1.6	90
104	Properties of L1210 cells resistant to alpha-difluoromethylornithine. Cancer Research, 1988, 48, 2678-82.	0.4	32
105	Control of ornithine decarboxylase activity in alpha-difluoromethylornithine-resistant L1210 cells by polyamines and synthetic analogues. Journal of Biological Chemistry, 1988, 263, 11008-14.	1.6	55
106	Inhibition of Ornithine Decarboxylase Activity by Follicle Stimulating Hormone in Primary Culture of Rat Sertoli Cells. Journal of Andrology, 1987, 8, 383-387.	2.0	9
107	Desensitization of ornithine decarboxylase activity to norepinephrine in the testis of rat. Life Sciences, 1984, 34, 1041-1046.	2.0	2
108	Inhibition of epinephrine and gonadotropic hormone induced ornithine decarboxylase activity by phenoxybenzamine in the testis of immature rat. FEBS Letters, 1983, 152, 199-201.	1.3	4

#	Article	IF	CITATIONS
109	Stimulation of ornithine decarboxylase activity by luteinizing hormone releasing hormone in the testis of immature rat. Biochemical and Biophysical Research Communications, 1982, 109, 269-274.	1.0	6
110	Effect of catecholamines on ornithin decarboxylase activity in the testis of immature rat. Biochemical and Biophysical Research Communications, 1981, 102, 1096-1103.	1.0	8
111	Effect of prostaglandins on ornithine decarboxylase activity in the testis of immature rat. Prostaglandins, 1980, 20, 503-513.	1.2	15
112	Stimulation of ornithine decarboxylase activity by prostaglandins in the isolated cells of immature rat testis. FEBS Letters, 1980, 122, 197-198.	1.3	13
113	Effect of the microtubule stabilising agent taxol on leishmanial protozoan parasites in vitro. , 0, .		1
114	Isolation of a taxol-resistant Leishmania donovani promastigote mutant that exhibits a multidrug-resistant phenotype. , 0, .		1