# Jens Wuerfel

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/2411099/publications.pdf

Version: 2024-02-01

| | | | |
|---|---|---|---|
| 121<br>papers | 6,677<br>citations | 70961<br>41<br>h-index | 69108<br>77<br>g-index |
| 121<br>all docs | 121<br>docs citations | 121<br>times ranked | 7596<br>citing authors |

| # | Article | IF | Citations |
|---|---|---|---|
| 1 | MRI characteristics of neuromyelitis optica spectrum disorder. Neurology, 2015, 84, 1165-1173. | 1.5 | 523 |
| 2 | The impact of aging and gender on brain viscoelasticity. NeuroImage, 2009, 46, 652-657. | 2.1 | 345 |
| 3 | Serum neurofilament as a predictor of disease worsening and brain and spinal cord atrophy in multiple sclerosis. Brain, 2018, 141, 2382-2391. | 3.7 | 345 |
| 4 | The central vein sign and its clinical evaluation for the diagnosis of multiple sclerosis: a consensus statement from the North American Imaging in Multiple Sclerosis Cooperative. Nature Reviews Neurology, 2016, 12, 714-722. | 4.9 | 274 |
| 5 | MR-elastography reveals degradation of tissue integrity in multiple sclerosis. NeuroImage, 2010, 49, 2520-2525. | 2.1 | 262 |
| 6 | Serum neurofilament light chain for individual prognostication of disease activity in people with multiple sclerosis: a retrospective modelling and validation study. Lancet Neurology, The, 2022, 21, 246-257. | 4.9 | 210 |
| 7 | Perivascular spaces--MRI marker of inflammatory activity in the brain?. Brain, 2008, 131, 2332-2340. | 3.7 | 200 |
| 8 | Brain Viscoelasticity Alteration in Chronic-Progressive Multiple Sclerosis. PLoS ONE, 2012, 7, e29888. | 1.1 | 195 |
| 9 | Changes in cerebral perfusion precede plaque formation in multiple sclerosis: a longitudinal perfusion MRI study. Brain, 2004, 127, 111-119. | 3.7 | 194 |
| 10 | Demyelination reduces brain parenchymal stiffness quantified in vivo by magnetic resonance elastography. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 6650-6655. | 3.3 | 193 |
| 11 | Distinct lesion morphology at 7-T MRI differentiates neuromyelitis optica from multiple sclerosis. Neurology, 2012, 79, 708-714. | 1.5 | 190 |
| 12 | Functional and structural brain changes in antiâ€“Nâ€methylâ€Dâ€aspartate receptor encephalitis. Annals of Neurology, 2013, 74, 284-296. | 2.8 | 167 |
| 13 | MAGNIMS consensus recommendations on the use of brain and spinal cord atrophy measures in clinical practice. Nature Reviews Neurology, 2020, 16, 171-182. | 4.9 | 150 |
| 14 | Relationships of Overt and Silent Brain Lesions With Cognitive Function in Patients With Atrial Fibrillation. Journal of the American College of Cardiology, 2019, 73, 989-999. | 1.2 | 148 |
| 15 | Lesion morphology at 7 Tesla MRI differentiates Susac syndrome from multiple sclerosis. Multiple Sclerosis Journal, 2012, 18, 1592-1599. | 1.4 | 132 |
| 16 | High-Resolution Mechanical Imaging of Glioblastoma by Multifrequency Magnetic Resonance Elastography. PLoS ONE, 2014, 9, e110588. | 1.1 | 120 |
| 17 | Evaluation of the Central Vein Sign as a Diagnostic Imaging Biomarker in Multiple Sclerosis. JAMA Neurology, 2019, 76, 1446. | 4.5 | 119 |
| 18 | Oral High-Dose Atorvastatin Treatment in Relapsing-Remitting Multiple Sclerosis. PLoS ONE, 2008, 3, e1928. | 1.1 | 110 |

| # | Article | IF | Citations |
|---|---|---|---|
| 19 | Nonconventional MRI and microstructural cerebral changes in multiple sclerosis. Nature Reviews Neurology, 2015, 11, 676-686. | 4.9 | 109 |
| 20 | Frequency of blood CX3CR1â€positive natural killer cells correlates with disease activity in multiple sclerosis patients. FASEB Journal, 2005, 19, 1902-1904. | 0.2 | 85 |
| 21 | Optic radiation damage in multiple sclerosis is associated with visual dysfunction and retinal thinning â€“ an ultrahigh-field MR pilot study. European Radiology, 2015, 25, 122-131. | 2.3 | 84 |
| 22 | Quantitative magnetic resonance imaging towards clinical application in multiple sclerosis. Brain, 2021, 144, 1296-1311. | 3.7 | 81 |
| 23 | Smouldering multiple sclerosis: the â€˜real MSâ€™. Therapeutic Advances in Neurological Disorders, 2022, 15, 175628642110667. | 1.5 | 72 |
| 24 | Multiple Sclerosis Lesions and Irreversible Brain Tissue Damage. Archives of Neurology, 2012, 69, 739-45. | 4.9 | 68 |
| 25 | Spinal cord volume loss. Neurology, 2018, 91, e349-e358. | 1.5 | 66 |
| 26 | Teriflunomide slows BVL in relapsing MS. Neurology: Neuroimmunology and NeuroInflammation, 2017, 4, e390. | 3.1 | 65 |
| 27 | Gadopentetate but not gadobutrol accumulates in the dentate nucleus of multiple sclerosis patients. Multiple Sclerosis Journal, 2017, 23, 963-972. | 1.4 | 65 |
| 28 | Iron and Non-Iron-Related Characteristics of Multiple Sclerosis and Neuromyelitis Optica Lesions at 7T MRI. American Journal of Neuroradiology, 2016, 37, 1223-1230. | 1.2 | 61 |
| 29 | Encephalopathy, visual disturbance and hearing lossâ€"recognizing the symptoms of Susac syndrome. Nature Reviews Neurology, 2009, 5, 683-688. | 4.9 | 59 |
| 30 | Disruption of the leptomeningeal blood barrier in neuromyelitis optica spectrum disorder. Neurology: Neuroimmunology and NeuroInflammation, 2017, 4, e343. | 3.1 | 55 |
| 31 | Thalamus pathology in multiple sclerosis: from biology to clinical application. Cellular and Molecular Life Sciences, 2015, 72, 1127-1147. | 2.4 | 54 |
| 32 | A contrast-adaptive method for simultaneous whole-brain and lesion segmentation in multiple sclerosis. NeuroImage, 2021, 225, 117471. | 2.1 | 54 |
| 33 | Cerebral blood perfusion changes in multiple sclerosis. Journal of the Neurological Sciences, 2007, 259, 16-20. | 0.3 | 52 |
| 34 | Periventricular venous density in multiple sclerosis is inversely associated with T2 lesion count: a 7 Tesla MRI study. Multiple Sclerosis Journal, 2013, 19, 316-325. | 1.4 | 52 |
| 35 | Imaging of Iron. International Review of Neurobiology, 2013, 110, 195-239. | 0.9 | 50 |
| 36 | Silent brain infarcts impact on cognitive function in atrial fibrillation. European Heart Journal, 2022, 43, 2127-2135. | 1.0 | 50 |

| # | Article | IF | Citations |
|---|---|---|---|
| 37 | CNSâ€irrelevant Tâ€cells enter the brain, cause bloodâ€"brain barrier disruption but no glial pathology. European Journal of Neuroscience, 2007, 26, 1387-1398. | 1.2 | 48 |
| 38 | Ultrahigh-Field MRI in Human Ischemic Stroke â€" a 7 Tesla Study. PLoS ONE, 2012, 7, e37631. | 1.1 | 48 |
| 39 | The role of the cerebellum in multiple sclerosisâ€"150 years after Charcot. Neuroscience and Biobehavioral Reviews, 2018, 89, 85-98. | 2.9 | 48 |
| 40 | Design of the Swiss Atrial Fibrillation Cohort Study (Swiss-AF): structural brain damage and cognitive decline among patients with atrial fibrillation. Swiss Medical Weekly, 2017, 147, w14467. | 0.8 | 46 |
| 41 | Mouse model mimics multiple sclerosis in the clinico-radiological paradox. European Journal of Neuroscience, 2007, 26, 190-198. | 1.2 | 45 |
| 42 | Can we overcome the â€˜clinico-radiological paradoxâ€™ in multiple sclerosis?. Journal of Neurology, 2012, 259, 2151-2160. | 1.8 | 45 |
| 43 | Preferential spinal cord volume loss in primary progressive multiple sclerosis. Multiple Sclerosis Journal, 2019, 25, 947-957. | 1.4 | 44 |
| 44 | Serum neurofilament light chain is a useful biomarker in pediatric multiple sclerosis. Neurology: Neuroimmunology and NeuroInflammation, 2020, 7, . | 3.1 | 43 |
| 45 | Beyond blood brain barrier breakdown â€" in vivodetection of occult neuroinflammatory foci by magnetic nanoparticles in high field MRI. Journal of Neuroinflammation, 2009, 6, 20. | 3.1 | 41 |
| 46 | Identical lesion morphology in primary progressive and relapsingâ€"remitting MS â€"an ultrahigh field MRI study. Multiple Sclerosis Journal, 2014, 20, 1866-1871. | 1.4 | 40 |
| 47 | BRAVE-NET: Fully Automated Arterial Brain Vessel Segmentation in Patients With Cerebrovascular Disease. Frontiers in Artificial Intelligence, 2020, 3, 552258. | 2.0 | 40 |
| 48 | Rapid Parametric Mapping of the Longitudinal Relaxation Time T1 Using Two-Dimensional Variable Flip Angle Magnetic Resonance Imaging at 1.5 Tesla, 3 Tesla, and 7 Tesla. PLoS ONE, 2014, 9, e91318. | 1.1 | 38 |
| 49 | MRI phase changes in multiple sclerosis vs neuromyelitis optica lesions at 7T. Neurology: Neuroimmunology and NeuroInflammation, 2016, 3, e259. | 3.1 | 38 |
| 50 | Retinal nerve fibre layer thickness correlates with brain white matter damage in multiple sclerosis: A combined optical coherence tomography and diffusion tensor imaging study. Multiple Sclerosis Journal, 2014, 20, 1904-1907. | 1.4 | 36 |
| 51 | Ultrahigh field MRI in clinical neuroimmunology: a potential contribution to improved diagnostics and personalised disease management. EPMA Journal, 2015, 6, 16. | 3.3 | 36 |
| 52 | Power estimation for non-standardized multisite studies. NeuroImage, 2016, 134, 281-294. | 2.1 | 36 |
| 53 | Longitudinal study of multiple sclerosis lesions using ultra-high field (7T) multiparametric MR imaging. PLoS ONE, 2018, 13, e0202918. | 1.1 | 36 |
| 54 | Volume loss in the deep gray matter and thalamic subnuclei: a longitudinal study on disability progression in multiple sclerosis. Journal of Neurology, 2020, 267, 1536-1546. | 1.8 | 35 |

| # | Article | IF | Citations |
|---|---|---|---|
| 55 | High spatial resolution inÂvivo magnetic resonance imaging of the human eye, orbit, nervus opticus and optic nerve sheath at 7.0 Tesla. Experimental Eye Research, 2014, 125, 89-94. | 1.2 | 34 |
| 56 | Pediatric onset multiple sclerosis: McDonald criteria 2010 and the contribution of spinal cord MRI. Multiple Sclerosis Journal, 2013, 19, 1330-1335. | 1.4 | 33 |
| 57 | Brain iron accumulation in Wilson's disease: A longitudinal imaging case study during anticopper treatment using 7.0T MRI and transcranial sonography. Journal of Magnetic Resonance Imaging, 2018, 47, 282-285. | 1.9 | 29 |
| 58 | Epstein-Barr virus antibodies in serum and DNA load in saliva are not associated with radiological or clinical disease activity in patients with early multiple sclerosis. PLoS ONE, 2017, 12, e0175279. | 1.1 | 29 |
| 59 | MRI-based prediction of conversion from clinically isolated syndrome to clinically definite multiple sclerosis using SVM and lesion geometry. Brain Imaging and Behavior, 2019, 13, 1361-1374. | 1.1 | 27 |
| 60 | Longitudinal patterns of cortical thinning in multiple sclerosis. Human Brain Mapping, 2020, 41, 2198-2215. | 1.9 | 26 |
| 61 | Evaluation of the â€˜ring signâ€™ and the â€˜core signâ€™ as a magnetic resonance imaging marker of disease activity and progression in clinically isolated syndrome and early multiple sclerosis. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2020, 6, 205521732091548. | 0.5 | 25 |
| 62 | Serum neurofilament light in atrial fibrillation: clinical, neuroimaging and cognitive correlates. Brain Communications, 2020, 2, fcaa166. | 1.5 | 24 |
| 63 | Association of brain volume loss and long-term disability outcomes in patients with multiple sclerosis treated with teriflunomide. Multiple Sclerosis Journal, 2020, 26, 1207-1216. | 1.4 | 23 |
| 64 | Enlargement of Cerebral Ventricles as an Early Indicator of Encephalomyelitis. PLoS ONE, 2013, 8, e72841. | 1.1 | 22 |
| 65 | Clinical Correlations of Brain Lesion Location in Multiple Sclerosis: Voxel-Based Analysis of a Large Clinical Trial Dataset. Brain Topography, 2018, 31, 886-894. | 0.8 | 22 |
| 66 | Accurate, rapid and reliable, fully automated MRI brainstem segmentation for application in multiple sclerosis and neurodegenerative diseases. Human Brain Mapping, 2019, 40, 4091-4104. | 1.9 | 22 |
| 67 | Impact of 3 Tesla MRI on interobserver agreement in clinically isolated syndrome: A MAGNIMS multicentre study. Multiple Sclerosis Journal, 2019, 25, 352-360. | 1.4 | 22 |
| 68 | 7T MRI in natalizumab-associated PML and ongoing MS disease activity. Neurology: Neuroimmunology and NeuroInflammation, 2015, 2, e171. | 3.1 | 20 |
| 69 | A comparison of brain magnetic resonance imaging lesions in multiple sclerosis by race with reference to disability progression. Journal of Neuroinflammation, 2018, 15, 255. | 3.1 | 20 |
| 70 | Attack-related damage of thalamic nuclei in neuromyelitis optica spectrum disorders. Journal of Neurology, Neurosurgery and Psychiatry, 2019, 90, 1156-1164. | 0.9 | 20 |
| 71 | Distinction of seropositive NMO spectrum disorder and MS brain lesion distribution. Neurology, 2013, 81, 1966-1966. | 1.5 | 17 |
| 72 | Detailing intra-lesional venous lumen shrinking in multiple sclerosis investigated by sFLAIR MRI at 7-T. Journal of Neurology, 2014, 261, 2032-2036. | 1.8 | 17 |

| # | Article | IF | Citations |
|---|---|---|---|
| 73 | The choice of embedding media affects image quality, tissue R<sub>2</sub><sup>*</sup>, and susceptibility behaviors in postâ€mortem brain MR microscopy at 7.0T. Magnetic Resonance in Medicine, 2019, 81, 2688-2701. | 1.9 | 17 |
| 74 | Magnetic Resonance Phase Alterations in Multiple Sclerosis Patients with Short and Long Disease Duration. PLoS ONE, 2015, 10, e0128386. | 1.1 | 16 |
| 75 | Multifrequency magnetic resonance elastography of the brain reveals tissue degeneration in neuromyelitis optica spectrum disorder. European Radiology, 2017, 27, 2206-2215. | 2.3 | 16 |
| 76 | Brain Iron and Metabolic Abnormalities in C19orf12 Mutation Carriers: A 7.0 Tesla MRI Study in Mitochondrial Membrane Proteinâ€“Associated Neurodegeneration. Movement Disorders, 2020, 35, 142-150. | 2.2 | 16 |
| 77 | Epigallocatechin Gallate in Relapsing-Remitting Multiple Sclerosis. Neurology: Neuroimmunology and NeuroInflammation, 2021, 8, . | 3.1 | 16 |
| 78 | 7â€Tesla <scp>Magnetic Resonance Imaging</scp> for Brain Iron Quantification in Homozygous and Heterozygous <i><scp>PANK</scp>2</i> Mutation Carriers. Movement Disorders Clinical Practice, 2014, 1, 329-335. | 0.8 | 15 |
| 79 | Design of TRUST, a non-interventional, multicenter, 3-year prospective study investigating an integrated patient management approach in patients with relapsing-remitting multiple sclerosis treated with natalizumab. BMC Neurology, 2016, 16, 98. | 0.8 | 15 |
| 80 | Future Brain and Spinal Cord Volumetric Imaging in the Clinic for Monitoring Treatment Response in MS. Current Treatment Options in Neurology, 2018, 20, 17. | 0.7 | 15 |
| 81 | Clinical associations of T2-weighted lesion load and lesion location in small vessel disease: Insights from a large prospective cohort study. NeuroImage, 2019, 189, 727-733. | 2.1 | 15 |
| 82 | Quantitative 7T MRI does not detect occult brain damage in neuromyelitis optica. Neurology: Neuroimmunology and NeuroInflammation, 2019, 6, e541. | 3.1 | 15 |
| 83 | Efficacy and safety of ocrelizumab in patients with relapsingâ€remitting multiple sclerosis with suboptimal response to prior diseaseâ€modifying therapies: A primary analysis from the phase 3b CASTING singleâ€arm, openâ€label trial. European Journal of Neurology, 2022, 29, 790-801. | 1.7 | 15 |
| 84 | Renal Function and Body Mass Index Contribute to Serum Neurofilament Light Chain Levels in Elderly Patients With Atrial Fibrillation. Frontiers in Neuroscience, 2022, 16, 819010. | 1.4 | 15 |
| 85 | 7 Tesla MRI of Balo's concentric sclerosis versus multiple sclerosis lesions. Annals of Clinical and Translational Neurology, 2018, 5, 900-912. | 1.7 | 14 |
| 86 | Progressive Multifocal Leukoencephalopathy in a Multiple Sclerosis Patient Diagnosed after Switching from Natalizumab to Fingolimod. Case Reports in Neurological Medicine, 2016, 2016, 1-8. | 0.3 | 13 |
| 87 | Moyamoya Vessel Pathology Imaged by Ultraâ€“High-Field Magnetic Resonance Imaging at 7.0â€‰T. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 1544-1551. | 0.7 | 13 |
| 88 | Design and construction of an innovative brain phantom prototype for MRI. Magnetic Resonance in Medicine, 2019, 81, 1165-1171. | 1.9 | 13 |
| 89 | Transient enlargement of brain ventricles during relapsing-remitting multiple sclerosis and experimental autoimmune encephalomyelitis. JCI Insight, 2020, 5, . | 2.3 | 13 |
| 90 | Treatment-resistant chronic headaches and focal pachymeningitis in a 46-year-old man: a rare presentation of Wegener's granulomatosis. Lancet Neurology, The, 2008, 7, 368-372. | 4.9 | 12 |

| # | Article | IF | Citations |
|---|---|---|---|
| 91 | Targeting activated microglia in Alzheimer's pathology by intraventricular delivery of a phagocytosable MRI contrast agent in APP23 transgenic mice. NeuroImage, 2009, 46, 367-372. | 2.1 | 12 |
| 92 | Electrostatically stabilized magnetic nanoparticles â€“ an optimized protocol to label murine T cells for in vivo MRI. Frontiers in Neurology, 2011, 2, 72. | 1.1 | 12 |
| 93 | Expression pattern of the thrombopoietin receptor (Mpl) in the murine central nervous system. BMC Developmental Biology, 2010, 10, 77. | 2.1 | 10 |
| 94 | Ultrahigh-field MPRAGE Magnetic Resonance Angiography at 7.0T in patients with cerebrovascular disease. European Journal of Radiology, 2015, 84, 2613-2617. | 1.2 | 10 |
| 95 | Classification of multiple sclerosis based on patterns of <scp>CNS</scp> regional atrophy covariance. Human Brain Mapping, 2021, 42, 2399-2415. | 1.9 | 10 |
| 96 | Central nervous system atrophy predicts future dynamics of disability progression in a realâ€world multiple sclerosis cohort. European Journal of Neurology, 2021, 28, 4153-4166. | 1.7 | 10 |
| 97 | Simultaneous dual contrast weighting using double echo rapid acquisition with relaxation enhancement (RARE) imaging. Magnetic Resonance in Medicine, 2014, 72, 1590-1598. | 1.9 | 9 |
| 98 | MRI-based diagnostic biomarkers for early onset pediatric multiple sclerosis. NeuroImage: Clinical, 2015, 7, 400-408. | 1.4 | 9 |
| 99 | Analysis of Lymphocytic DNA Damage in Early Multiple Sclerosis by Automated Gamma-H2AX and 53BP1 Foci Detection: A Case Control Study. PLoS ONE, 2016, 11, e0147968. | 1.1 | 9 |
| 100 | Neuromyelitis optica does not impact periventricular venous density versus healthy controls: a 7.0ÂTesla MRI clinical study. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2016, 29, 535-541. | 1.1 | 9 |
| 101 | Lateral geniculate nucleus volume changes after optic neuritis in neuromyelitis optica: A longitudinal study. NeuroImage: Clinical, 2021, 30, 102608. | 1.4 | 9 |
| 102 | Blood Pressure and Brain Lesions in Patients With Atrial Fibrillation. Hypertension, 2021, 77, 662-671. | 1.3 | 8 |
| 103 | Regional Cerebellar Volume Loss Predicts Future Disability in Multiple Sclerosis Patients. Cerebellum, 2022, 21, 632-646. | 1.4 | 8 |
| 104 | Effects of teriflunomide treatment on cognitive performance and brain volume in patients with relapsing multiple sclerosis: Post hoc analysis of the TEMSO core and extension studies. Multiple Sclerosis Journal, 2022, 28, 1719-1728. | 1.4 | 8 |
| 105 | Leptomeningeal and Intraparenchymal Blood Barrier Disruption in a MOG-IgG-Positive Patient. Case Reports in Neurological Medicine, 2018, 2018, 1-3. | 0.3 | 7 |
| 106 | Targeted Blood Brain Barrier Opening With Focused Ultrasound Induces Focal Macrophage/Microglial Activation in Experimental Autoimmune Encephalomyelitis. Frontiers in Neuroscience, 2021, 15, 665722. | 1.4 | 6 |
| 107 | Central Slab versus Whole Brain to Measure Brain Atrophy in Multiple Sclerosis. European Neurology, 2018, 80, 207-214. | 0.6 | 5 |
| 108 | White matter lesion location correlates with disability in relapsing multiple sclerosis. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2020, 6, 205521732090684. | 0.5 | 5 |

| # | Article | IF | Citations |
|---|---|---|---|
| 109 | Longitudinal ultra-high field MRI of brain lesions in neuromyelitis optica spectrum disorders. Multiple Sclerosis and Related Disorders, 2020, 42, 102066. | 0.9 | 4 |
| 110 | Elastography Validity Criteria Definition Using Numerical Simulations and MR Acquisitions on a Low-Cost Structured Phantom. Frontiers in Physics, 2021, 9, . | 1.0 | 4 |
| 111 | Biomarkers of treatment response in patients with progressive multiple sclerosis treated with highâ€dose pharmaceuticalâ€grade biotin (MD1003). Brain and Behavior, 2021, 11, e01998. | 1.0 | 3 |
| 112 | Reliable and fast volumetry of the lumbar spinal cord using cord image analyser (Cordial). European Radiology, 2018, 28, 4488-4495. | 2.3 | 2 |
| 113 | 068â€…Evaluation of the long-term treatment effect of teriflunomide on cognitive outcomes and association with brain volume change: data from temso and its extension study. Journal of Neurology, Neurosurgery and Psychiatry, 2018, 89, A28.1-A28. | 0.9 | 2 |
| 114 | Association of Heart Rate Variability With Silent Brain Infarcts in Patients With Atrial Fibrillation. Frontiers in Cardiovascular Medicine, 2021, 8, 684461. | 1.1 | 2 |
| 115 | Right Hemispheric Predominance of Brain Infarcts in Atrial Fibrillation: A Lesion Mapping Analysis. Journal of Stroke, 2022, 24, 156-159. | 1.4 | 2 |
| 116 | Frequent but nonspecific venous narrowing in paediatric multiple sclerosis. Multiple Sclerosis Journal, 2012, 18, 1805-1805. | 1.4 | 1 |
| 117 | Neuromyelitis Optica Spectrum Disorders (NMOSD). , 2019, , 769-785. | | 1 |
| 118 | Neuromyelitis Optica Spectrum Disorders (NMOSD). , 2019, , 1-17. | | 1 |
| 119 | Untangling normal aging from disease-related brain atrophy in MS. Neurology: Neuroimmunology and NeuroInflammation, 2019, 6, e617. | 3.1 | 1 |
| 120 | Multiple Sclerosis, Blood Flow, and CSF Circulation. Journal of Cerebral Blood Flow and Metabolism, 2013, 33, 1313-1313. | 2.4 | 0 |
| 121 | Improving Accuracy of Brainstem MRI Volumetry: Effects of Age and Sex, and Normalization Strategies. Frontiers in Neuroscience, 2020, 14, 609422. | 1.4 | 0 |