

# Jari Tiihonen

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2411340/jari-tiihonen-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

195  
papers

8,507  
citations

49  
h-index

84  
g-index

206  
ext. papers

9,461  
ext. citations

5.2  
avg. IF

5.58  
L-index

| #   | Paper  | IF   | Citations |
|-----|--|------|-----------|
| 195 | HLA-DQB1 6672G>C (rs113332494) is associated with clozapine-induced neutropenia and agranulocytosis in individuals of European ancestry. <i>Translational Psychiatry</i> , <b>2021</b> , 11, 214               | 8.6  | 3         |
| 194 | Hip Fracture Risk in Antiepileptic Drug Initiators and Non-Initiators with Alzheimer's Disease. <i>Clinical Epidemiology</i> , <b>2021</b> , 13, 295-307   | 5.9  | 0         |
| 193 | Antipsychotic Polypharmacy for the Management of Schizophrenia: Evidence and Recommendations. <i>Drugs</i> , <b>2021</b> , 81, 1273-1284   | 12.1 | 6         |
| 192 | Switches and early discontinuations of antidepressant medication in young adults with depression. <i>Journal of Affective Disorders</i> , <b>2021</b> , 295, 1474-1481   | 6.6  | 1         |
| 191 | Antipsychotic use and risk of breast cancer in women with schizophrenia: a nationwide nested case-control study in Finland. <i>Lancet Psychiatry</i> , <b>2021</b> , 8, 883-891                                | 23.3 | 13        |
| 190 | Commentary on Robert Whitaker's viewpoint. <i>Psychological Medicine</i> , <b>2020</b> , 50, 2653-2654   | 6.9  | 2         |
| 189 | Health and work disability outcomes in parents of patients with schizophrenia associated with antipsychotic exposure by the offspring. <i>Scientific Reports</i> , <b>2020</b> , 10, 1219                      | 4.9  | 1         |
| 188 | Use of antidepressants and mood stabilizers in persons with first-episode schizophrenia. <i>European Journal of Clinical Pharmacology</i> , <b>2020</b> , 76, 711-718  | 2.8  | 4         |
| 187 | Rejoinder to rejoinder to commentary. <i>Psychological Medicine</i> , <b>2020</b> , 50, 2812-2813  | 6.9  |           |
| 186 | Neurobiological roots of psychopathy. <i>Molecular Psychiatry</i> , <b>2020</b> , 25, 3432-3441  | 15.1 | 12        |
| 185 | Sex-specific transcriptional and proteomic signatures in schizophrenia. <i>Nature Communications</i> , <b>2019</b> , 10, 3933  | 17.4 | 17        |
| 184 | Long-acting injectable antipsychotics (LAIs) for maintenance treatment of bipolar and schizoaffective disorders: A systematic review. <i>European Neuropsychopharmacology</i> , <b>2019</b> , 29, 457-470      | 1.2  | 23        |
| 183 | Factors associated with buprenorphine compared to amphetamine abuse among clients seeking treatment in Finland. <i>Journal of Substance Abuse Treatment</i> , <b>2014</b> , 46, 561-6                          | 4.2  | 3         |
| 182 | C9ORF72 expansion does not affect the phenotype in Nasu-Hakola disease with the DAP12 mutation. <i>Neurobiology of Aging</i> , <b>2014</b> , 35, 1780.e13-7  | 5.6  | 2         |
| 181 | Antipsychotic polypharmacy among a nationwide sample of community-dwelling persons with Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , <b>2014</b> , 41, 1223-8                                  | 4.3  | 17        |
| 180 | Previous forensic mental examination is a useful marker indicating effective violence relapse prevention among psychotic patients. <i>Nordic Journal of Psychiatry</i> , <b>2014</b> , 68, 311-5               | 2.3  | 1         |
| 179 | Antidementia drug use among community-dwelling individuals with Alzheimer's disease in Finland: a nationwide register-based study. <i>International Clinical Psychopharmacology</i> , <b>2014</b> , 29, 216-23 | 2.2  | 43        |

|     |  |     |    |
|-----|--|-----|----|
| 178 | Antipsychotic doses among community-dwelling persons with Alzheimer disease in Finland. <i>Journal of Clinical Psychopharmacology</i> , <b>2014</b> , 34, 435-40   | 1.7 | 17 |
| 177 | Comparison of solids suspension criteria based on electrical impedance tomography and visual measurements. <i>Chemical Engineering Science</i> , <b>2014</b> , 116, 128-135  | 4.4 | 10 |
| 176 | Association of socio-demographic factors, sick-leave and health care patterns with the risk of being granted a disability pension among psychiatric outpatients with depression. <i>PLoS ONE</i> , <b>2014</b> , 9, e99869   | 3.7 | 22 |
| 175 | Description of long-term polypharmacy among schizophrenia outpatients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2013</b> , 48, 631-8   | 4.5 | 36 |
| 174 | Coexisting social conditions and health problems among clients seeking treatment for illicit drug use in Finland: the HUUTI study. <i>BMC Public Health</i> , <b>2013</b> , 13, 380  | 4.1 | 13 |
| 173 | Clozapine resistance--augmentation strategies. <i>European Neuropsychopharmacology</i> , <b>2013</b> , 23, 338   | 1.2 | 6  |
| 172 | Mortality among clients seeking treatment for buprenorphine abuse in Finland. <i>Drug and Alcohol Dependence</i> , <b>2013</b> , 133, 391-7  | 4.9 | 10 |
| 171 | AMPA receptors in post-mortem brains of Cloninger type 1 and 2 alcoholics: a whole-hemisphere autoradiography study. <i>Psychiatry Research - Neuroimaging</i> , <b>2013</b> , 214, 429-34   | 2.9 | 14 |
| 170 | mGluR1/5 receptor densities in the brains of alcoholic subjects: a whole-hemisphere autoradiography study. <i>Psychiatry Research - Neuroimaging</i> , <b>2013</b> , 212, 245-50   | 2.9 | 23 |
| 169 | Atypical nucleus accumbens morphology in psychopathy: another limbic piece in the puzzle. <i>International Journal of Law and Psychiatry</i> , <b>2013</b> , 36, 157-67  | 2.6 | 27 |
| 168 | Decreased GABA(A) benzodiazepine binding site densities in postmortem brains of Cloninger type 1 and 2 alcoholics. <i>Alcohol</i> , <b>2013</b> , 47, 103-8  | 2.7 | 12 |
| 167 | Extended-release methylphenidate for treatment of amphetamine/methamphetamine dependence: a randomized, double-blind, placebo-controlled trial. <i>Addiction</i> , <b>2013</b> , 108, 1279-86  | 4.6 | 43 |
| 166 | Cluster-randomized controlled trial of reducing seclusion and restraint in secured care of men with schizophrenia. <i>Psychiatric Services</i> , <b>2013</b> , 64, 850-5   | 3.3 | 82 |
| 165 | Predictors and mediators of add-on mirtazapine-induced cognitive enhancement in schizophrenia--a path model investigation. <i>Neuropharmacology</i> , <b>2013</b> , 64, 248-53   | 5.5 | 7  |
| 164 | Cavum septum pellucidum and psychopathy. <i>British Journal of Psychiatry</i> , <b>2013</b> , 203, 152-3   | 5.4 | 10 |
| 163 | Patient safety culture in two Finnish state-run forensic psychiatric hospitals. <i>Journal of Forensic Nursing</i> , <b>2013</b> , 9, 207-16   | 1.1 | 9  |
| 162 | Relationships between pharmacotherapy-induced metabolic changes and improved psychopathology in schizophrenia: data from a mirtazapine and first-generation antipsychotics combination trial. <i>International Journal of Neuropsychopharmacology</i> , <b>2013</b> , 16, 1661-6 | 5.8 | 3  |
| 161 | Influence of serotonin transporter gene polymorphism (5-HTTLPR polymorphism) on the relation between brain 5-HT transporter binding and heart rate corrected cardiac repolarization interval. <i>PLoS ONE</i> , <b>2013</b> , 8, e50303  | 3.7 | 8  |

|     |  |      |    |
|-----|--|------|----|
| 160 | Rorschach assessment of personality functioning in patients with polycystic lipomembranous osteodysplasia with sclerosing leukoencephalopathy. <i>Acta Neuropsychiatrica</i> , <b>2012</b> , 24, 236-44              | 3.9  | 2  |
| 159 | Exome sequencing followed by large-scale genotyping suggests a limited role for moderately rare risk factors of strong effect in schizophrenia. <i>American Journal of Human Genetics</i> , <b>2012</b> , 91, 303-12 | 11   | 73 |
| 158 | Whole-hemisphere autoradiography of 5-HT <sub>2B</sub> receptor densities in postmortem alcoholic brains. <i>Psychiatry Research - Neuroimaging</i> , <b>2012</b> , 202, 264-70                                      | 2.9  | 5  |
| 157 | Sociodemographic characteristics and drug abuse patterns of treatment-seeking illicit drug abusers in Finland, 1997-2008: the Huuti study. <i>Journal of Addictive Diseases</i> , <b>2012</b> , 31, 350-62           | 1.7  | 28 |
| 156 | Outcome of patients after market withdrawal of thioridazine: a retrospective analysis in a nationwide cohort. <i>Pharmacoeconomics and Drug Safety</i> , <b>2012</b> , 21, 1227-31                                   | 2.6  | 21 |
| 155 | Statin usage and all-cause and disease-specific mortality in a nationwide study. <i>Pharmacoeconomics and Drug Safety</i> , <b>2012</b> , 21, 61-9   | 2.6  | 24 |
| 154 | Reply to Drs. Nauta and van Domburg. <i>Pharmacoeconomics and Drug Safety</i> , <b>2012</b> , 21, 342-342  | 2.6  | 1  |
| 153 | Examining the effectiveness of antipsychotic medication in first-episode psychosis. <i>Journal of Psychopharmacology</i> , <b>2012</b> , 26, 27-32   | 4.6  | 16 |
| 152 | The substance use among forensic psychiatric patients. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2012</b> , 38, 273-7   | 3.7  | 8  |
| 151 | Naltrexone implant for the treatment of polydrug dependence: a randomized controlled trial. <i>American Journal of Psychiatry</i> , <b>2012</b> , 169, 531-6   | 11.9 | 65 |
| 150 | The net effect of smoking on healthcare and welfare costs. A cohort study. <i>BMJ Open</i> , <b>2012</b> , 2,  | 3    | 19 |
| 149 | The place of observational studies in assessing the effectiveness of depot antipsychotics. <i>Schizophrenia Research</i> , <b>2011</b> , 131, 260-1  | 3.6  | 15 |
| 148 | More evidence on proneurocognitive effects of add-on mirtazapine in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2011</b> , 35, 1080-6                                  | 5.5  | 16 |
| 147 | Psychopathy, PCL-R, and MAOA genotype as predictors of violent reconvictions. <i>Psychiatry Research</i> , <b>2011</b> , 185, 382-6  | 9.9  | 36 |
| 146 | Interrelationship between core interventions and core competencies of forensic psychiatric nursing in Finland. <i>Journal of Forensic Nursing</i> , <b>2011</b> , 7, 32-9  | 1.1  | 10 |
| 145 | Cortex and amygdala morphology in psychopathy. <i>Psychiatry Research - Neuroimaging</i> , <b>2011</b> , 193, 85-92  | 2.9  | 92 |
| 144 | Add-on mirtazapine improves depressive symptoms in schizophrenia: a double-blind randomized placebo-controlled study with an open-label extension phase. <i>Human Psychopharmacology</i> , <b>2011</b> , 26, 188-93  | 2.3  | 19 |
| 143 | Group psychoeducation for long-term offender patients with schizophrenia: an exploratory randomised controlled trial. <i>Criminal Behaviour and Mental Health</i> , <b>2011</b> , 21, 163-76                         | 1.4  | 29 |

|     |  |      |     |
|-----|--|------|-----|
| 142 | A nationwide cohort study of oral and depot antipsychotics after first hospitalization for schizophrenia. <i>American Journal of Psychiatry</i> , <b>2011</b> , 168, 603-9   | 11.9 | 439 |
| 141 | Gender differences in brain serotonin transporter availability in panic disorder. <i>Journal of Psychopharmacology</i> , <b>2011</b> , 25, 952-9   | 4.6  | 36  |
| 140 | The intergenerational cycle of criminality--association with psychopathy. <i>Journal of Forensic Sciences</i> , <b>2010</b> , 55, 116-20   | 1.8  | 12  |
| 139 | Serotonin-transporter-linked promoter region polymorphism and serotonin transporter binding in drug-naïve patients with major depression. <i>Psychiatry and Clinical Neurosciences</i> , <b>2010</b> , 64, 387-93                        | 6.2  | 14  |
| 138 | Endogenous cannabinoids in post-mortem brains of Cloninger type 1 and 2 alcoholics. <i>European Neuropsychopharmacology</i> , <b>2010</b> , 20, 245-52   | 1.2  | 21  |
| 137 | Extrapyramidal side-effects and dopamine D(2/3) receptor binding in substantia nigra. <i>Nordic Journal of Psychiatry</i> , <b>2010</b> , 64, 233-8  | 2.3  | 8   |
| 136 | Abnormal hippocampal shape in offenders with psychopathy. <i>Human Brain Mapping</i> , <b>2010</b> , 31, 438-47  | 5.9  | 50  |
| 135 | Effects of add-on mirtazapine on neurocognition in schizophrenia: a double-blind, randomized, placebo-controlled study. <i>International Journal of Neuropsychopharmacology</i> , <b>2010</b> , 13, 433-41                               | 5.8  | 23  |
| 134 | Dopamine transporter binding in females with panic disorder may vary with clinical status. <i>Journal of Psychiatric Research</i> , <b>2010</b> , 44, 56-9   | 5.2  | 16  |
| 133 | Seasonal variation of seclusion incidents from violent and suicidal acts in forensic psychiatric patients. <i>International Journal of Law and Psychiatry</i> , <b>2010</b> , 33, 27-34  | 2.6  | 20  |
| 132 | More evidence on additive antipsychotic effect of adjunctive mirtazapine in schizophrenia: an extension phase of a randomized controlled trial. <i>Human Psychopharmacology</i> , <b>2010</b> , 25, 431-8                                | 2.3  | 18  |
| 131 | Incidence of cancer and statin usage--record linkage study. <i>International Journal of Cancer</i> , <b>2010</b> , 126, 279-84   | 7.5  | 117 |
| 130 | Incidence of cancer and antidepressant medication: record linkage study. <i>International Journal of Cancer</i> , <b>2010</b> , 126, 285-96  | 7.5  | 43  |
| 129 | MAOA alters the effects of heavy drinking and childhood physical abuse on risk for severe impulsive acts of violence among alcoholic violent offenders. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2010</b> , 34, 853-60 | 3.7  | 41  |
| 128 | Altered hemispheric balance of temporal cortex dopamine D(2/3) receptor binding in major depressive disorder. <i>Psychiatry Research - Neuroimaging</i> , <b>2009</b> , 172, 251   | 2.9  | 3   |
| 127 | Antidepressant use and mortality in Finland: a register-linkage study from a nationwide cohort. <i>European Journal of Clinical Pharmacology</i> , <b>2009</b> , 65, 715-20  | 2.8  | 14  |
| 126 | Dopamine D2/3 receptor binding potential and occupancy in midbrain and temporal cortex by haloperidol, olanzapine and clozapine. <i>Psychiatry and Clinical Neurosciences</i> , <b>2009</b> , 63, 529-37                                 | 6.2  | 14  |
| 125 | Effects of MAOA-genotype, alcohol consumption, and aging on violent behavior. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2009</b> , 33, 428-34   | 3.7  | 40  |

|     |   |     |     |
|-----|---|-----|-----|
| 124 | Predicting forensic admission among the mentally ill in a multinational setting: A Bayesian modelling approach. <i>Data and Knowledge Engineering</i> , <b>2009</b> , 68, 1427-1440                                       | 1.5 | 7   |
| 123 | Recidivistic offending and mortality in alcoholic violent offenders: a prospective follow-up study. <i>Psychiatry Research</i> , <b>2009</b> , 168, 18-25   | 9.9 | 17  |
| 122 | Low non-oxidative glucose metabolism and violent offending: an 8-year prospective follow-up study. <i>Psychiatry Research</i> , <b>2009</b> , 168, 26-31  | 9.9 | 14  |
| 121 | Add-on mirtazapine enhances antipsychotic effect of first generation antipsychotics in schizophrenia: a double-blind, randomized, placebo-controlled trial. <i>Schizophrenia Research</i> , <b>2009</b> , 108, 245-51     | 3.6 | 46  |
| 120 | The efficacy of lamotrigine in clozapine-resistant schizophrenia: a systematic review and meta-analysis. <i>Schizophrenia Research</i> , <b>2009</b> , 109, 10-4  | 3.6 | 146 |
| 119 | 11-year follow-up of mortality in patients with schizophrenia: a population-based cohort study (FIN11 study). <i>Lancet, The</i> , <b>2009</b> , 374, 620-7   | 40  | 906 |
| 118 | Cardiac repolarization and striatal dopamine transporter function are interrelated. <i>Nuclear Medicine Communications</i> , <b>2009</b> , 30, 713-7  | 1.6 | 4   |
| 117 | Premorbid personality factors in schizophrenia and bipolar disorder: results from a large cohort study of male conscripts. <i>Journal of Abnormal Psychology</i> , <b>2009</b> , 118, 418-23                              | 7   | 92  |
| 116 | 5-HT(1A) receptors in the frontal cortical brain areas in Cloninger type 1 and 2 alcoholics measured by whole-hemisphere autoradiography. <i>Alcohol and Alcoholism</i> , <b>2009</b> , 44, 2-7                           | 3.5 | 22  |
| 115 | Association of serotonin transporter promoter regulatory region polymorphism and cerebral activity to visual presentation of food. <i>Clinical Physiology and Functional Imaging</i> , <b>2008</b> , 28, 270-6            | 2.4 | 11  |
| 114 | Temporal cortex dopamine D2/3 receptor binding in major depression. <i>Psychiatry and Clinical Neurosciences</i> , <b>2008</b> , 62, 345-8  | 6.2 | 21  |
| 113 | Cortical dopamine D(1) receptors in type 1 and type 2 alcoholics measured with human whole hemisphere autoradiography. <i>Psychiatry Research - Neuroimaging</i> , <b>2008</b> , 162, 1-9                                 | 2.9 | 6   |
| 112 | Brain anatomy of persistent violent offenders: more rather than less. <i>Psychiatry Research - Neuroimaging</i> , <b>2008</b> , 163, 201-12   | 2.9 | 114 |
| 111 | Striatal dopaminergic terminals in type 1 and type 2 alcoholics measured with [3H]dihydrotrabenazine and human whole hemisphere autoradiography. <i>Psychiatry Research - Neuroimaging</i> , <b>2008</b> , 163, 70-5      | 2.9 | 6   |
| 110 | Pharmacotherapy of methamphetamine addiction: an update. <i>Substance Abuse</i> , <b>2008</b> , 29, 31-49   | 3.8 | 89  |
| 109 | Midbrain serotonin and striatum dopamine transporter binding in double depression: a one-year follow-up study. <i>Neuroscience Letters</i> , <b>2008</b> , 441, 291-5   | 3.3 | 35  |
| 108 | Changes in midbrain serotonin transporter availability in atypically depressed subjects after one year of psychotherapy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2008</b> , 32, 229-37 | 5.5 | 47  |
| 107 | Characterization of metabolic syndrome among forensic psychiatric inpatients. <i>Journal of Forensic Psychiatry and Psychology</i> , <b>2008</b> , 19, 33-51  | 0.9 | 11  |

|     |   |      |     |
|-----|---|------|-----|
| 106 | Statins are effective in treating dyslipidemia among psychiatric patients using second-generation antipsychotic agents. <i>Journal of Psychopharmacology</i> , <b>2008</b> , 22, 33-8   | 4.6  | 27  |
| 105 | Autoradiographic characterization of alpha(2C)-adrenoceptors in the human striatum. <i>Synapse</i> , <b>2008</b> , 62, 508-15   | 2.4  | 28  |
| 104 | Association between medication and risk of suicide, attempted suicide and death in nationwide cohort of suicidal patients with schizophrenia. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2008</b> , 17, 686-96                                  | 2.6  | 58  |
| 103 | Correlation between the SERT binding densities in hypothalamus and amygdala in Cloninger type 1 and 2 alcoholics. <i>Alcohol and Alcoholism</i> , <b>2008</b> , 43, 25-30   | 3.5  | 20  |
| 102 | Functional COMT Val158Met polymorphism, risk of acute coronary events and serum homocysteine: the Kuopio ischaemic heart disease risk factor study. <i>PLoS ONE</i> , <b>2007</b> , 2, e181   | 3.7  | 32  |
| 101 | Amygdala serotonin transporters in alcoholics measured by whole hemisphere autoradiography. <i>Synapse</i> , <b>2007</b> , 61, 629-36   | 2.4  | 29  |
| 100 | Reduced midbrain serotonin transporter availability in drug-naïve patients with depression measured by SERT-specific [(123)I] nor-beta-CIT SPECT imaging. <i>Psychiatry Research - Neuroimaging</i> , <b>2007</b> , 154, 125-31                       | 2.9  | 54  |
| 99  | Transmission of violent offending and crime across three generations. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2007</b> , 42, 94-9  | 4.5  | 18  |
| 98  | Body size and violent offending among males in the Northern Finland 1966 birth cohort. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2007</b> , 42, 845-50   | 4.5  | 6   |
| 97  | A Multisite Study of Community Treatment Programs for Mentally Ill Offenders With Major Mental Disorders: Design, Measures, and the Forensic Sample. <i>Criminal Justice and Behavior</i> , <b>2007</b> , 34, 211-228                                 | 1.9  | 11  |
| 96  | Energy substrate metabolism among habitually violent alcoholic offenders having antisocial personality disorder. <i>Psychiatry Research</i> , <b>2007</b> , 150, 287-95   | 9.9  | 21  |
| 95  | Antidepressants and the risk of suicide, attempted suicide, and overall mortality in a nationwide cohort. <i>Archives of General Psychiatry</i> , <b>2006</b> , 63, 1358-67   |      | 179 |
| 94  | Fatal agranulocytosis 4 years after discontinuation of clozapine. <i>American Journal of Psychiatry</i> , <b>2006</b> , 163, 161  | 11.9 | 5   |
| 93  | Visualization of the cortical dopamine transporter in type 1 and 2 alcoholics with human whole hemisphere autoradiography. <i>European Neuropsychopharmacology</i> , <b>2006</b> , 16, 552-60   | 1.2  | 14  |
| 92  | Effectiveness of antipsychotic treatments in a nationwide cohort of patients in community care after first hospitalisation due to schizophrenia and schizoaffective disorder: observational follow-up study. <i>BMJ, The</i> , <b>2006</b> , 333, 224 | 5.9  | 260 |
| 91  | Midbrain binding of [123I]nor-beta-CIT in atypical depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2006</b> , 30, 1251-5   | 5.5  | 39  |
| 90  | Glutamatergic drugs for schizophrenia. <i>The Cochrane Library</i> , <b>2006</b> , CD003730   | 5.2  | 36  |
| 89  | Lower serotonin transporter binding in caudate in alcoholics. <i>Synapse</i> , <b>2006</b> , 59, 144-51   | 2.4  | 31  |

|    |   |      |     |
|----|---|------|-----|
| 88 | Nucleus accumbens serotonin transporters in alcoholics measured by whole-hemisphere autoradiography. <i>Alcohol</i> , <b>2006</b> , 40, 177-84  | 2.7  | 15  |
| 87 | Midbrain dopamine D2/3 receptor binding in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2006</b> , 256, 382-7   | 5.1  | 32  |
| 86 | Glutamatergic drugs for schizophrenia: a systematic review and meta-analysis. <i>Schizophrenia Research</i> , <b>2005</b> , 72, 225-34  | 3.6  | 166 |
| 85 | The consequences of Conduct Disorder for males who develop schizophrenia: associations with criminality, aggressive behavior, substance use, and psychiatric services. <i>Schizophrenia Research</i> , <b>2005</b> , 78, 323-35 | 3.6  | 98  |
| 84 | Striatal dopamine D1 receptors in type 1 and 2 alcoholics measured with human whole hemisphere autoradiography. <i>Brain Research</i> , <b>2005</b> , 1031, 20-9  | 3.7  | 13  |
| 83 | Seasonal variations in [3H]citalopram platelet binding between healthy controls and violent offenders in Finland. <i>Human Psychopharmacology</i> , <b>2005</b> , 20, 467-72  | 2.3  | 13  |
| 82 | Visualisation of the cortical dopamine D3 receptors in alcoholics and controls with human whole-hemisphere autoradiography. <i>Psychopharmacology</i> , <b>2005</b> , 181, 412-3  | 4.7  | 1   |
| 81 | Effects of venlafaxine treatment on clozapine plasma levels in schizophrenic patients. <i>Neuropsychobiology</i> , <b>2005</b> , 51, 173-6  | 4    | 8   |
| 80 | Premorbid intellectual functioning in bipolar disorder and schizophrenia: results from a cohort study of male conscripts. <i>American Journal of Psychiatry</i> , <b>2005</b> , 162, 1904-10                                    | 11.9 | 136 |
| 79 | MRI volumetry of the vermis and the cerebellar hemispheres in men with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , <b>2004</b> , 131, 115-24   | 2.9  | 39  |
| 78 | Reduced brain serotonin transporter binding in patients with panic disorder. <i>Psychiatry Research - Neuroimaging</i> , <b>2004</b> , 132, 173-81  | 2.9  | 54  |
| 77 | Elevated midbrain serotonin transporter availability in mixed mania: a case report. <i>BMC Psychiatry</i> , <b>2004</b> , 4, 27   | 4.2  | 20  |
| 76 | 123I-beta-CIT binding and recovery from depression. A six-month follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2004</b> , 254, 152-5  | 5.1  | 22  |
| 75 | SPECT imaging of serotonin transporter binding in patients with generalized anxiety disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2004</b> , 254, 392-6                                       | 5.1  | 37  |
| 74 | Cortical dopamine D2 receptors in type 1 and 2 alcoholics measured with human whole hemisphere autoradiography. <i>Synapse</i> , <b>2004</b> , 54, 129-37   | 2.4  | 20  |
| 73 | Brain serotonin 1A receptor binding in bulimia nervosa. <i>Biological Psychiatry</i> , <b>2004</b> , 55, 871-3  | 7.9  | 67  |
| 72 | Dopamine and alcoholism: neurobiological basis of ethanol abuse. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2004</b> , 28, 1221-47  | 5.5  | 146 |
| 71 | Distribution of 5-HT <sub>7</sub> receptors in the human brain: a preliminary autoradiographic study using [3H]SB-269970. <i>Neuroscience Letters</i> , <b>2004</b> , 367, 313-6  | 3.3  | 103 |



|    |   |      |     |
|----|---|------|-----|
| 70 | Treatment improves serotonin transporter binding and reduces binge eating. <i>Psychopharmacology</i> , <b>2003</b> , 170, 89-93   | 4.7  | 27  |
| 69 | Dopamine D2 receptors and transporters in type 1 and 2 alcoholics measured with human whole hemisphere autoradiography. <i>Human Brain Mapping</i> , <b>2003</b> , 20, 91-102   | 5.9  | 40  |
| 68 | Different effect of age on dopamine transporters in the dorsal and ventral striatum of controls and alcoholics. <i>Synapse</i> , <b>2003</b> , 48, 205-11   | 2.4  | 25  |
| 67 | Dopamine receptors and transporters in the brain reward circuits of type 1 and 2 alcoholics measured with human whole hemisphere autoradiography. <i>NeuroImage</i> , <b>2003</b> , 19, 145-55  | 7.9  | 34  |
| 66 | Lamotrigine in treatment-resistant schizophrenia: a randomized placebo-controlled crossover trial. <i>Biological Psychiatry</i> , <b>2003</b> , 54, 1241-8  | 7.9  | 142 |
| 65 | The amygdala and schizophrenia: a volumetric magnetic resonance imaging study in first-episode, neuroleptic-naive patients. <i>Biological Psychiatry</i> , <b>2003</b> , 54, 1302-4   | 7.9  | 68  |
| 64 | Is occupation relevant in suicide?. <i>Journal of Affective Disorders</i> , <b>2002</b> , 70, 197-203   | 6.6  | 26  |
| 63 | Seasonal variation in specific methods of suicide: a national register study of 20,234 Finnish people. <i>Journal of Affective Disorders</i> , <b>2002</b> , 71, 51-9   | 6.6  | 68  |
| 62 | Prefrontal volumes in habitually violent subjects with antisocial personality disorder and type 2 alcoholism. <i>Psychiatry Research - Neuroimaging</i> , <b>2002</b> , 114, 95-102   | 2.9  | 87  |
| 61 | Co-eluent effect in partition chromatography. Rhamnose-xylose separation with strong and weak cation-exchangers in aqueous ethanol. <i>Journal of Chromatography A</i> , <b>2002</b> , 982, 69-84                                     | 4.5  | 8   |
| 60 | Use of statistical techniques in studies of suicide seasonality, 1970 to 1997. <i>Suicide and Life-Threatening Behavior</i> , <b>2002</b> , 32, 191-208   | 3.9  | 27  |
| 59 | Serum lipid levels and violence among Finnish male forensic psychiatric patients. <i>Journal of Forensic Psychiatry Psychology</i> , <b>2002</b> , 13, 555-568  |      | 7   |
| 58 | Serotonin transporter distribution and density in the cerebral cortex of alcoholic and nonalcoholic comparison subjects: a whole-hemisphere autoradiography study. <i>American Journal of Psychiatry</i> , <b>2002</b> , 159, 599-606 | 11.9 | 77  |
| 57 | Seclusion treatment measures and serum cholesterol levels among Finnish male forensic psychiatric patients. <i>Journal of Forensic Psychiatry Psychology</i> , <b>2002</b> , 13, 157-165  |      | 6   |
| 56 | A volumetric MRI study of the entorhinal cortex in first episode neuroleptic-naive schizophrenia. <i>Biological Psychiatry</i> , <b>2002</b> , 51, 1005-7   | 7.9  | 67  |
| 55 | Analysis of monoamine oxidase A (MAOA) promoter polymorphism in Finnish male alcoholics. <i>Psychiatry Research</i> , <b>2002</b> , 109, 113-9  | 9.9  | 63  |
| 54 | Cluster C personality disorder has no independent effect on striatal dopamine transporter densities in major depression. <i>Psychopharmacology</i> , <b>2001</b> , 155, 113-4   | 4.7  | 3   |
| 53 | Reduced serotonin transporter binding in binge eating women. <i>Psychopharmacology</i> , <b>2001</b> , 155, 310-4   | 4.7  | 88  |

|    |   |     |     |
|----|---|-----|-----|
| 52 | Free L-tryptophan plasma levels in antisocial violent offenders. <i>Psychopharmacology</i> , <b>2001</b> , 157, 395-400   | 4.7 | 38  |
| 51 | Dopamine Transporter in vitro Binding and in vivo Imaging in the Brain. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2001</b> , 88, 287-293   |     | 10  |
| 50 | SPECT and neuropsychological performance in severe depression treated with ECT. <i>Journal of Affective Disorders</i> , <b>2001</b> , 66, 47-58   | 6.6 | 57  |
| 49 | Mortality of antisocial male criminals. <i>Journal of Forensic Psychiatry Psychology</i> , <b>2001</b> , 12, 677-683  |     | 28  |
| 48 | Effects of ageing on serotonin transporters in healthy females. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2001</b> , 28, 911-3   |     | 26  |
| 47 | Measurement of the striatal dopamine transporter density and heterogeneity in type 1 alcoholics using human whole hemisphere autoradiography. <i>NeuroImage</i> , <b>2001</b> , 14, 87-94   | 7.9 | 41  |
| 46 | Psychopathy and the posterior hippocampus. <i>Behavioural Brain Research</i> , <b>2001</b> , 118, 187-93  | 3.4 | 155 |
| 45 | Characterization of gamma-aminobutyrate type A receptors with atypical coupling between agonist and convulsant binding sites in discrete brain regions. <i>Molecular Brain Research</i> , <b>2001</b> , 86, 168-78                                      |     | 18  |
| 44 | The A1 allele of the D2 dopamine receptor gene is associated with high dopamine transporter density in detoxified alcoholics. <i>Alcohol and Alcoholism</i> , <b>2001</b> , 36, 262-5   | 3.5 | 29  |
| 43 | Suicidal behavior in patients with schizophrenia is related to COMT polymorphism. <i>Psychiatric Genetics</i> , <b>2000</b> , 10, 117-24  | 2.9 | 92  |
| 42 | Lack of association between the functional variant of the catechol-o-methyltransferase (COMT) gene and early-onset alcoholism associated with severe antisocial behavior. <i>American Journal of Medical Genetics Part A</i> , <b>2000</b> , 96, 348-52 |     | 51  |
| 41 | Forensic psychiatric organization in Finland. <i>International Journal of Law and Psychiatry</i> , <b>2000</b> , 23, 541-6  | 2.6 | 56  |
| 40 | Ethanol modulates evoked dopamine release in mouse nucleus accumbens: dependence on social stress and dose. <i>European Journal of Pharmacology</i> , <b>2000</b> , 401, 365-73   | 5.3 | 36  |
| 39 | Metabolism of [ <sup>123</sup> I]epidepride may affect brain dopamine D2 receptor imaging with single-photon emission tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2000</b> , 27, 206-8                           | 8.8 | 4   |
| 38 | Specific binding and laterality of human extrastriatal dopamine D2/D3 receptors in late onset type 1 alcoholic patients. <i>Neuroscience Letters</i> , <b>2000</b> , 292, 57-9  | 3.3 | 29  |
| 37 | Regional cerebral blood flow during exposure to food in obese binge eating women. <i>Psychiatry Research - Neuroimaging</i> , <b>2000</b> , 99, 29-42   | 2.9 | 107 |
| 36 | Association Between the Functional Polymorphism of Catechol-O-Methyltransferase Gene and Alcohol Consumption Among Social Drinkers <b>2000</b> , 24, 135  |     | 3   |
| 35 | Mortality among habitually violent offenders. <i>Forensic Science International</i> , <b>1999</b> , 100, 187-91   | 2.6 | 25  |

|    |  |     |     |
|----|--|-----|-----|
| 34 | Iodine-123 labelled PE2I for dopamine transporter imaging: influence of age in healthy subjects. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>1999</b> , 26, 1486-8  | 8.8 | 7   |
| 33 | Striatal dopamine transporter density in major depression. <i>Psychopharmacology</i> , <b>1999</b> , 144, 282-5  | 4.7 | 138 |
| 32 | Dopamine transporter and D2-receptor density in late-onset alcoholism. <i>Psychopharmacology</i> , <b>1999</b> , 147, 314-8  | 4.7 | 78  |
| 31 | Outcome of different types of long-term antidepressant treatments: a 3-year follow-up study of 14182 patients. <i>Journal of Affective Disorders</i> , <b>1999</b> , 55, 67-71   | 6.6 | 5   |
| 30 | Dopamine transporter availability and depressive symptoms during alcohol withdrawal. <i>Psychiatry Research - Neuroimaging</i> , <b>1999</b> , 90, 153-7   | 2.9 | 53  |
| 29 | Schizophrenia and seasonality of admissions: the northern Finland 1966 birth cohort study. <i>Schizophrenia Research</i> , <b>1999</b> , 35, 183-5   | 3.6 | 6   |
| 28 | Mitchell B. Balter Award--1998. Pindolol and major affective disorders: a three-year follow-up study of 30,485 patients. <i>Journal of Clinical Psychopharmacology</i> , <b>1999</b> , 19, 297-302   | 1.7 | 17  |
| 27 | The incidence and onset-age of hospitalized bipolar affective disorder in Finland. <i>Journal of Affective Disorders</i> , <b>1998</b> , 48, 63-8  | 6.6 | 44  |
| 26 | Secular trends in the rates and seasonality of violent and nonviolent suicide occurrences in Finland during 1980-95. <i>Journal of Affective Disorders</i> , <b>1998</b> , 50, 49-54   | 6.6 | 57  |
| 25 | Increasing homicide rate in Finland accompanied by decreasing seasonality over the period 1957-95. <i>Social Science and Medicine</i> , <b>1998</b> , 47, 1695-8   | 5.1 | 5   |
| 24 | The metabolism of iodine-123 labelled 3-(5-cyclopropyl-1,2,4-oxadiazol-3-yl)-7-iodo-5,6-dihydro-5-methyl-6-oxo-4H-imidazo[1,5-a][1,4]benzodiazepine 1 (NNC 138241) measured in human plasma is only minor. <i>Human Psychopharmacology</i> , <b>1998</b> , 13, 177-182 |     |     |
| 23 | Fentanyl decreases beta-CIT binding to the dopamine transporter. <i>Synapse</i> , <b>1998</b> , 29, 413-5  | 2.4 | 16  |
| 22 | Pharmacokinetics and dosimetry of iodine-123 labelled PE2I in humans, a radioligand for dopamine transporter imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>1998</b> , 25, 531-4  | 8.8 | 35  |
| 21 | Abnormal structure of human striatal dopamine re-uptake sites in habitually violent alcoholic offenders: a fractal analysis. <i>Neuroscience Letters</i> , <b>1998</b> , 253, 195-7  | 3.3 | 38  |
| 20 | Change in monoamine transporter density related to clinical recovery: A case-control study. <i>Nordic Journal of Psychiatry</i> , <b>1998</b> , 52, 39-44  | 2.3 | 54  |
| 19 | Reversal of cerebral asymmetry in schizophrenia measured with magnetoencephalography. <i>Schizophrenia Research</i> , <b>1998</b> , 30, 209-19   | 3.6 | 41  |
| 18 | Single-photon emission tomography imaging of monoamine transporters in impulsive violent behaviour. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>1997</b> , 24, 1253-60  | 8.8 | 84  |
| 17 | Fractal analysis of striatal dopamine re-uptake sites. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>1997</b> , 24, 1085-90   |     | 17  |

|    |   |      |     |
|----|---|------|-----|
| 16 | Initial human studies with single-photon emission tomography using iodine-123 labelled 3-(5-cyclopropyl-1,2,4-oxadiazol-3-yl)-7-iodo-5,6-dihydro-5-methyl-6-oxo-4H-imidazo[1,5-a][1,4]benzodiazepine (NNC 13-8241). <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>1996</b> , 23, 798-803 |      | 8   |
| 15 | Risk of homicidal behavior among discharged forensic psychiatric patients. <i>Forensic Science International</i> , <b>1996</b> , 79, 123-9  | 2.6  | 26  |
| 14 | Iodine-123 labelled N-(2-fluoroethyl)-2 beta-carbomethoxy-3 beta-(4-iodophenyl)nortropine for dopamine transporter imaging in the living human brain. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>1995</b> , 22, 682-6   |      | 29  |
| 13 | Imaging of serotonin and dopamine transporters in the living human brain. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>1995</b> , 22, 346-50  |      | 66  |
| 12 | Lipophilic metabolite of [123I]beta-CIT in human plasma may obstruct quantitation of the dopamine transporter. <i>Synapse</i> , <b>1995</b> , 19, 297-300   | 2.4  | 18  |
| 11 | Altered striatal dopamine re-uptake site densities in habitually violent and non-violent alcoholics. <i>Nature Medicine</i> , <b>1995</b> , 1, 654-7  | 50.5 | 195 |
| 10 | Risk of homicidal behaviour among persons convicted of homicide. <i>Forensic Science International</i> , <b>1995</b> , 72, 43-8   | 2.6  | 18  |
| 9  | Quantitative Risk Assessment of Homicidal Behaviour. <i>Journal of Forensic Psychiatry Psychology</i> , <b>1995</b> , 6, 477-485  |      | 4   |
| 8  | The metabolite pattern of [123I]beta-CIT determined with a gradient HPLC method. <i>Nuclear Medicine and Biology</i> , <b>1995</b> , 22, 971-6  | 2.1  | 10  |
| 7  | Altered cerebral blood flow during hysterical paresthesia. <i>Biological Psychiatry</i> , <b>1995</b> , 37, 134-5   | 7.9  | 121 |
| 6  | Increase in cerebral blood flow of right prefrontal cortex in man during orgasm. <i>Neuroscience Letters</i> , <b>1994</b> , 170, 241-3   | 3.3  | 92  |
| 5  | Eltopazine for aggression in schizophrenia and mental retardation. <i>Lancet, The</i> , <b>1993</b> , 341, 307  | 40   | 24  |
| 4  | Fast decrement with stimulus repetition in ERPs generated by neuronal systems involving somatosensory SI and SII cortices: electric and magnetic evoked response recordings in humans. <i>International Journal of Psychophysiology</i> , <b>1992</b> , 12, 281-8   | 2.9  | 11  |
| 3  | Neuromagnetic mismatch fields to single and paired tones. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1992</b> , 82, 152-4  |      | 54  |
| 2  | Magnetoencephalographic localization of epileptic cortex—impact on surgical treatment. <i>Annals of Neurology</i> , <b>1992</b> , 32, 106-9   | 9.4  | 70  |
| 1  | Molecular characterization of a Y;15 translocation segregating in a family. <i>Human Genetics</i> , <b>1988</b> , 79, 29-35   | 6.3  | 31  |