

Taku Nakashima

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2411498/publications.pdf>

Version: 2024-02-01

60
papers

1,018
citations

394286

19
h-index

477173

29
g-index

60
all docs

60
docs citations

60
times ranked

1803
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparative Study of Circulating MMP-7, CCL18, KL-6, SP-A, and SP-D as Disease Markers of Idiopathic Pulmonary Fibrosis. <i>Disease Markers</i> , 2016, 2016, 1-8.	0.6	91
2	Pre-existing interstitial lung abnormalities are risk factors for immune checkpoint inhibitor-induced interstitial lung disease in non-small cell lung cancer. <i>Respiratory Investigation</i> , 2019, 57, 451-459.	0.9	76
3	Inhibition of Plasminogen Activator Inhibitor-1 Attenuates Transforming Growth Factor- β -Dependent Epithelial Mesenchymal Transition and Differentiation of Fibroblasts to Myofibroblasts. <i>PLoS ONE</i> , 2016, 11, e0148969.	1.1	57
4	FIZZ2/RELM- β Induction and Role in Pulmonary Fibrosis. <i>Journal of Immunology</i> , 2011, 187, 450-461.	0.4	56
5	Bone Marrow CD11c+ Cell-Derived Amphiregulin Promotes Pulmonary Fibrosis. <i>Journal of Immunology</i> , 2016, 197, 303-312.	0.4	45
6	Suppressor of cytokine signaling 1 inhibits pulmonary inflammation and fibrosis. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 121, 1269-1276.	1.5	43
7	Essential role of stem cell factor-Kit signalling pathway in bleomycin-induced pulmonary fibrosis. <i>Journal of Pathology</i> , 2013, 230, 205-214.	2.1	34
8	Nivolumab-induced severe pancytopenia in a patient with lung adenocarcinoma. <i>Lung Cancer</i> , 2018, 119, 21-24.	0.9	34
9	Overproduction of collagen and diminished SOCS1 expression are causally linked in fibroblasts from idiopathic pulmonary fibrosis. <i>Biochemical and Biophysical Research Communications</i> , 2007, 353, 1004-1010.	1.0	30
10	Mesenchymal-Specific Deletion of C/EBP β Suppresses Pulmonary Fibrosis. <i>American Journal of Pathology</i> , 2012, 180, 2257-2267.	1.9	30
11	Serum high-mobility group box 1 is associated with the onset and severity of acute exacerbation of idiopathic pulmonary fibrosis. <i>Respirology</i> , 2020, 25, 275-280.	1.3	30
12	Lung Bone Marrow-derived Hematopoietic Progenitor Cells Enhance Pulmonary Fibrosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013, 188, 976-984.	2.5	25
13	Albumin-globulin ratio is a predictive biomarker of antitumor effect of anti-PD-1 antibody in patients with non-small cell lung cancer. <i>International Journal of Clinical Oncology</i> , 2020, 25, 74-81.	1.0	25
14	A systematic review and meta-analysis assessing adverse event profile and tolerability of nicergoline. <i>BMJ Open</i> , 2014, 4, e005090-e005090.	0.8	23
15	Inhibition of PAI-1 limits chemotherapy resistance in lung cancer through suppressing myofibroblast characteristics of cancer-associated fibroblasts. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 2984-2994.	1.6	23
16	Circulating KL-6/MUC1 as an independent predictor for disseminated intravascular coagulation in acute respiratory distress syndrome. <i>Journal of Internal Medicine</i> , 2008, 263, 432-439.	2.7	22
17	Intratracheal Administration of siRNA Dry Powder Targeting Vascular Endothelial Growth Factor Inhibits Lung Tumor Growth in Mice. <i>Molecular Therapy - Nucleic Acids</i> , 2018, 12, 698-706.	2.3	22
18	High preoperative C-reactive protein level is a risk factor for acute exacerbation of interstitial lung disease after non-pulmonary surgery. <i>Medicine (United States)</i> , 2019, 98, e14296.	0.4	21

#	ARTICLE	IF	CITATIONS
19	Suplatast tosilate protects the lung against hyperoxic lung injury by scavenging hydroxyl radicals. <i>Free Radical Biology and Medicine</i> , 2017, 106, 1-9.	1.3	19
20	IL-12p40 is essential for the down-regulation of airway hyperresponsiveness in a mouse model of bronchial asthma with prolonged antigen exposure. <i>Clinical and Experimental Allergy</i> , 2009, 39, 290-298.	1.4	18
21	Aminopeptidase N/CD13 as a potential therapeutic target in malignant pleural mesothelioma. <i>European Respiratory Journal</i> , 2018, 51, 1701610.	3.1	16
22	Anti-KL-6/MUC1 monoclonal antibody reverses resistance to trastuzumab-mediated antibody-dependent cell-mediated cytotoxicity by capping MUC1. <i>Cancer Letters</i> , 2019, 442, 31-39.	3.2	15
23	Nicergoline Improves Dysphagia by Upregulating Substance P in the Elderly. <i>Medicine (United States)</i> , 2011, 90, 279-283.	0.4	14
24	Histological Quantification of Gene Silencing by Intratracheal Administration of Dry Powdered Small-Interfering RNA/Chitosan Complexes in the Murine Lung. <i>Pharmaceutical Research</i> , 2015, 32, 3877-3885.	1.7	14
25	Clinically remitted childhood asthma is associated with airflow obstruction in middle-aged adults. <i>Respirology</i> , 2017, 22, 86-92.	1.3	14
26	Suplatast tosilate reduces radiation-induced lung injury in mice through suppression of oxidative stress. <i>Free Radical Biology and Medicine</i> , 2019, 136, 52-59.	1.3	14
27	The extent of ground-glass attenuation is a risk factor of chemotherapy-related exacerbation of interstitial lung disease in patients with non-small cell lung cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2018, 81, 131-139.	1.1	14
28	Mucins Carrying Selectin Ligands as Predictive Biomarkers of Disseminated Intravascular Coagulation Complication in ARDS. <i>Chest</i> , 2011, 139, 296-304.	0.4	13
29	C-C Motif Chemokine Ligand 15 May Be a Useful Biomarker for Predicting the Prognosis of Patients with Chronic Hypersensitivity Pneumonitis. <i>Respiration</i> , 2019, 98, 212-220.	1.2	13
30	Chemotherapy-associated Acute Exacerbation of Interstitial Lung Disease Shortens Survival Especially in Small Cell Lung Cancer. <i>Anticancer Research</i> , 2019, 39, 5725-5731.	0.5	13
31	Reduced endogenous secretory RAGE in blood and bronchoalveolar lavage fluid is associated with poor prognosis in idiopathic pulmonary fibrosis. <i>Respiratory Research</i> , 2020, 21, 145.	1.4	13
32	Photochemical generation of the 2,2,6,6-tetramethylpiperidine-1-oxyl (TEMPO) radical from caged nitroxides by near-infrared two-photon irradiation and its cytotoxic effect on lung cancer cells. <i>Beilstein Journal of Organic Chemistry</i> , 2019, 15, 863-873.	1.3	12
33	Extent of pulmonary fibrosis on high-resolution computed tomography is a prognostic factor in patients with pleuroparenchymal fibroelastosis. <i>Respiratory Investigation</i> , 2020, 58, 465-472.	0.9	11
34	Plasminogen activator inhibitor-1 serves an important role in radiation-induced pulmonary fibrosis. <i>Experimental and Therapeutic Medicine</i> , 2018, 16, 3070-3076.	0.8	9
35	Cerebral embolism during edoxaban administration for venous thromboembolism in a patient with lung adenocarcinoma. <i>Medicine (United States)</i> , 2019, 98, e14821.	0.4	9
36	Chronic Intestinal Pseudo-obstruction and Orthostatic Hypotension Associated with Small Cell Lung Cancer that Improved with Tumor Reduction after Chemoradiotherapy. <i>Internal Medicine</i> , 2017, 56, 2627-2631.	0.3	8

#	ARTICLE	IF	CITATIONS
37	<i>AGER</i> rs2070600 polymorphism elevates neutrophil-lymphocyte ratio and mortality in metastatic lung adenocarcinoma. <i>Oncotarget</i> , 2017, 8, 94382-94392.	0.8	8
38	Metastatic Breast Cancer Presenting as Air-space Consolidation on Chest Computed Tomography. <i>Internal Medicine</i> , 2009, 48, 727-731.	0.3	7
39	Performance Status Is a Risk Factor for Depression before the Diagnosis of Lung Cancer Patients. <i>Internal Medicine</i> , 2019, 58, 915-920.	0.3	7
40	Human bone marrow-derived mesenchymal stromal cells cultured in serum-free media demonstrate enhanced antifibrotic abilities via prolonged survival and robust regulatory T cell induction in murine bleomycin-induced pulmonary fibrosis. <i>Stem Cell Research and Therapy</i> , 2021, 12, 506.	2.4	7
41	Serial measurements of KL-6 for monitoring activity and recurrence of interstitial pneumonia with anti-aminoacyl-tRNA synthetase antibody. <i>Medicine (United States)</i> , 2018, 97, e13542.	0.4	6
42	Non-small Cell Lung Cancer Treated by an Anti-programmed Cell Death-1 Antibody without a Flare-up of Preexisting Granulomatosis with Polyangiitis. <i>Internal Medicine</i> , 2019, 58, 3129-3132.	0.3	6
43	Serum high-mobility group box 1 as a predictive marker for cytotoxic chemotherapy-induced lung injury in patients with lung cancer and interstitial lung disease. <i>Respiratory Medicine</i> , 2020, 172, 106131.	1.3	6
44	Chronic Hepatitis C Virus Infection is Associated with More Severe Asthma. <i>Allergology International</i> , 2011, 60, 299-304.	1.4	5
45	MT 95, a fully humanized antibody raised against aminopeptidase N, reduces tumor progression in a mouse model. <i>Cancer Science</i> , 2015, 106, 921-928.	1.7	5
46	Bevacizumab with Single-agent Chemotherapy in Previously Treated Non-squamous Non-small-cell Lung Cancer: Phase II Study. <i>In Vivo</i> , 2018, 32, 1155-1160.	0.6	5
47	Treatment rationale and design of the PROLONG study: safety and efficacy of pembrolizumab as first-line therapy for elderly patients with non-small cell lung cancer. <i>Journal of Thoracic Disease</i> , 2020, 12, 1079-1084.	0.6	5
48	Correlations of forced oscillometric bronchodilator response with airway inflammation and disease duration in asthma. <i>Clinical Respiratory Journal</i> , 2021, 15, 48-55.	0.6	5
49	Antifibrotic effect of lung-resident progenitor cells with high aldehyde dehydrogenase activity. <i>Stem Cell Research and Therapy</i> , 2021, 12, 471.	2.4	4
50	Alternate-day administration of Sildenafil for elderly patients with advanced non-small-cell lung carcinoma: A prospective feasibility study. <i>Molecular and Clinical Oncology</i> , 2018, 9, 539-544.	0.4	3
51	Coexisting TIF1 ³ -positive Primary Pulmonary Lymphoepithelioma-like Carcinoma and Anti-TIF1 ³ Antibody-positive Dermatomyositis. <i>Internal Medicine</i> , 2020, 59, 2553-2558.	0.3	3
52	Pulmonary arteriovenous malformation exhibiting recanalization >10 years after coil embolization. <i>Medicine (United States)</i> , 2020, 99, e18694.	0.4	3
53	Risk factors associated with increased discontinuation rate of trimethoprim-sulfamethoxazole used as a primary prophylaxis for <i>Pneumocystis pneumonia</i> : A retrospective cohort study. <i>Pulmonary Pharmacology and Therapeutics</i> , 2021, 67, 101999.	1.1	3
54	Additional Octreotide Therapy to Sirolimus Achieved a Decrease in Sirolimus-refractory Chylous Effusion Complicated with Lymphangiomyomatosis. <i>Internal Medicine</i> , 2017, 56, 3327-3331.	0.3	2

#	ARTICLE	IF	CITATIONS
55	Clinical utility of CCL15 as a prognostic biomarker for hypersensitivity pneumonitis. , 2019, , .		1
56	Serum high mobility group box 1 is associated with the onset and severity of acute exacerbation of idiopathic pulmonary fibrosis. , 2019, , .		1
57	CS15-5. Recruitment of bone marrow derived CD11c+ and c-Kit+ cells in pulmonary fibrosis. Cytokine, 2011, 56, 104.	1.4	0
58	Concomitant emphysema might increase the false-negative rate of urinary antigen tests in patients with pneumococcal pneumonia: results from a retrospective study. European Journal of Clinical Microbiology and Infectious Diseases, 2021, 40, 871-877.	1.3	0
59	Clinically remitted childhood asthma is a risk factor for airflow obstruction in middle-aged adults. , 2015, , .		0
60	Fine crackles quantitative value can help the diagnosis of interstitial lung diseases “ Clinical utility of the innovative analyzing system of respiratory sounds. , 2019, , .		0