Irene Petersen

List of Publications by Citations

Source: https://exaly.com/author-pdf/2412509/irene-petersen-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 187
papers
 9,708
citations
 47
h-index
 94
g-index

 201
ext. papers
 12,116
ext. citations
 5.6
avg, IF
 6.48
L-index

#	Paper	IF	Citations
187	The REporting of studies Conducted using Observational Routinely-collected health Data (RECORD) statement. <i>PLoS Medicine</i> , 2015 , 12, e1001885	11.6	1647
186	Relative risk of cardiovascular and cancer mortality in people with severe mental illness from the United Kingdom's General Practice Rsearch Database. <i>Archives of General Psychiatry</i> , 2007 , 64, 242-9		451
185	Missing data and multiple imputation in clinical epidemiological research. <i>Clinical Epidemiology</i> , 2017 , 9, 157-166	5.9	340
184	Prediagnostic presentations of Parkinson's disease in primary care: a case-control study. <i>Lancet Neurology, The</i> , 2015 , 14, 57-64	24.1	336
183	Do men consult less than women? An analysis of routinely collected UK general practice data. <i>BMJ Open</i> , 2013 , 3, e003320	3	257
182	Dispersal of adult aquatic insects in catchments of differing land use. <i>Journal of Applied Ecology</i> , 2004 , 41, 934-950	5.8	210
181	The incidence of eating disorders in the UK in 2000-2009: findings from the General Practice Research Database. <i>BMJ Open</i> , 2013 , 3,	3	206
180	Protective effect of antibiotics against serious complications of common respiratory tract infections: retrospective cohort study with the UK General Practice Research Database. <i>BMJ, The</i> , 2007 , 335, 982	5.9	197
179	Trends in incidence, prevalence and prescribing in type 2 diabetes mellitus between 2000 and 2013 in primary care: a retrospective cohort study. <i>BMJ Open</i> , 2016 , 6, e010210	3	173
178	Suicidal behavior and severe neuropsychiatric disorders following glucocorticoid therapy in primary care. <i>American Journal of Psychiatry</i> , 2012 , 169, 491-7	11.9	168
177	Mortality following bacteraemic infection caused by extended spectrum beta-lactamase (ESBL) producing E. coli compared to non-ESBL producing E. coli. <i>Journal of Infection</i> , 2007 , 55, 254-9	18.9	164
176	Self controlled case series methods: an alternative to standard epidemiological study designs. <i>BMJ, The</i> , 2016 , 354, i4515	5.9	160
175	Prevalence of long-term oral glucocorticoid prescriptions in the UK over the past 20 years. <i>Rheumatology</i> , 2011 , 50, 1982-90	3.9	155
174	Survival of people with clinical diagnosis of dementia in primary care: cohort study. <i>BMJ, The</i> , 2010 , 341, c3584	5.9	141
173	Serum bilirubin and risk of respiratory disease and death. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 305, 691-7	27.4	137
172	Emergence and lateral dispersal of adult Plecoptera and Trichoptera from Broadstone Stream, U.K <i>Freshwater Biology</i> , 1999 , 42, 401-416	3.1	135
171	Guillain-Barr Byndrome and preceding infection with campylobacter, influenza and Epstein-Barr virus in the general practice research database. <i>PLoS ONE</i> , 2007 , 2, e344	3.7	129

(2010-2013)

170	Making inferences on treatment effects from real world data: propensity scores, confounding by indication, and other perils for the unwary in observational research. <i>BMJ, The</i> , 2013 , 347, f6409	5.9	127
169	Creating medical and drug code lists to identify cases in primary care databases. Pharmacoepidemiology and Drug Safety, 2009 , 18, 704-7	2.6	126
168	Incidence of maternal and paternal depression in primary care: a cohort study using a primary care database. <i>JAMA Pediatrics</i> , 2010 , 164, 1038-44		124
167	Pregnancy as a major determinant for discontinuation of antidepressants: an analysis of data from The Health Improvement Network. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 979-85	4.6	122
166	The reporting of studies conducted using observational routinely collected health data statement for pharmacoepidemiology (RECORD-PE). <i>BMJ, The</i> , 2018 , 363, k3532	5.9	110
165	Recent trends in the incidence of recorded depression in primary care. <i>British Journal of Psychiatry</i> , 2009 , 195, 520-4	5.4	109
164	Identifying periods of acceptable computer usage in primary care research databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 64-9	2.6	106
163	Prescribing of antipsychotics in UK primary care: a cohort study. <i>BMJ Open</i> , 2014 , 4, e006135	3	103
162	Antibacterial prescribing in primary care. Journal of Antimicrobial Chemotherapy, 2007, 60 Suppl 1, i43-4	17 5.1	101
161	Cardiovascular events as a function of serum bilirubin levels in a large, statin-treated cohort. <i>Circulation</i> , 2012 , 126, 2556-64	16.7	98
160	Trends and patterns of antidepressant use in children and adolescents from five western countries, 2005-2012. <i>European Neuropsychopharmacology</i> , 2016 , 26, 411-9	1.2	94
159	Regression discontinuity designs: an approach to the evaluation of treatment efficacy in primary care using observational data. <i>BMJ, The</i> , 2014 , 349, g5293	5.9	93
158	Cardiovascular risk prediction models for people with severe mental illness: results from the prediction and management of cardiovascular risk in people with severe mental illnesses (PRIMROSE) research program. <i>JAMA Psychiatry</i> , 2015 , 72, 143-51	14.5	93
157	The REporting of Studies Conducted Using Observational Routinely-Collected Health Data (RECORD) Statement: Methods for Arriving at Consensus and Developing Reporting Guidelines. <i>PLoS ONE</i> , 2015 , 10, e0125620	3.7	92
156	Prescribing trends in bipolar disorder: cohort study in the United Kingdom THIN primary care database 1995-2009. <i>PLoS ONE</i> , 2011 , 6, e28725	3.7	89
155	Incidence of Guillain-Barrßyndrome among patients with Campylobacter infection: a general practice research database study. <i>Journal of Infectious Diseases</i> , 2006 , 194, 95-7	7	78
154	Common Infections in Patients Prescribed Systemic Glucocorticoids in Primary Care: A Population-Based Cohort Study. <i>PLoS Medicine</i> , 2016 , 13, e1002024	11.6	77
153	Issues in multiple imputation of missing data for large general practice clinical databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 618-26	2.6	70

152	Trends in depression and antidepressant prescribing in children and adolescents: a cohort study in The Health Improvement Network (THIN). <i>PLoS ONE</i> , 2012 , 7, e33181	3.7	67
151	Panic disorder and risk of new onset coronary heart disease, acute myocardial infarction, and cardiac mortality: cohort study using the general practice research database. <i>European Heart Journal</i> , 2008 , 29, 2981-8	9.5	66
150	Risk of cardiovascular events in people prescribed glucocorticoids with iatrogenic Cushing's syndrome: cohort study. <i>BMJ, The</i> , 2012 , 345, e4928	5.9	61
149	Risks and benefits of psychotropic medication in pregnancy: cohort studies based on UK electronic primary care health records. <i>Health Technology Assessment</i> , 2016 , 20, 1-176	4.4	61
148	Recording of severe mental illness in United Kingdom primary care, 2000-2010. PLoS ONE, 2013, 8, e823	8 65 7	55
147	Trends in sexually transmitted infections in general practice 1990-2000: population based study using data from the UK general practice research database. <i>BMJ, The</i> , 2006 , 332, 332-4	5.9	53
146	Neonatal drug withdrawal syndrome: cross-country comparison using hospital administrative data in England, the USA, Western Australia and Ontario, Canada. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2016 , 101, F26-30	4.7	52
145	Women's perception of risks of adverse fetal pregnancy outcomes: a large-scale multinational survey. <i>BMJ Open</i> , 2015 , 5, e007390	3	49
144	Antiepileptic drugs during pregnancy in primary care: a UK population based study. <i>PLoS ONE</i> , 2012 , 7, e52339	3.7	48
143	A cohort study of trends in the prevalence of pregestational diabetes in pregnancy recorded in UK general practice between 1995 and 2012. <i>BMJ Open</i> , 2016 , 6, e009494	3	48
142	Gilbert's syndrome and the risk of death: a population-based cohort study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 1643-7	4	47
141	Oral antibiotic prescribing during pregnancy in primary care: UK population-based study. <i>Journal of Antimicrobial Chemotherapy</i> , 2010 , 65, 2238-46	5.1	47
140	Clinical and cost-effectiveness of an intervention for reducing cholesterol and cardiovascular risk for people with severe mental illness in English primary care: a cluster randomised controlled trial. Lancet Psychiatry,the, 2018, 5, 145-154	23.3	46
139	Smoker, ex-smoker or non-smoker? The validity of routinely recorded smoking status in UK primary care: a cross-sectional study. <i>BMJ Open</i> , 2014 , 4, e004958	3	46
138	First diagnosis and management of incontinence in older people with and without dementia in primary care: a cohort study using The Health Improvement Network primary care database. <i>PLoS Medicine</i> , 2013 , 10, e1001505	11.6	46
137	Time trends in the prescription of statins for the primary prevention of cardiovascular disease in the United Kingdom: a cohort study using The Health Improvement Network primary care data. <i>Clinical Epidemiology</i> , 2016 , 8, 123-32	5.9	46
136	Serum uric acid and the risk of respiratory disease: a population-based cohort study. <i>Thorax</i> , 2014 , 69, 1021-6	7.3	45
135	Inequalities in the provision of cardiovascular screening to people with severe mental illnesses in primary care: cohort study in the United Kingdom THIN Primary Care Database 2000-2007. Schizophrenia Research, 2011 , 129, 104-10	3.6	45

(2013-2020)

134	Three Quarters of People with SARS-CoV-2 Infection are Asymptomatic: Analysis of English Household Survey Data. <i>Clinical Epidemiology</i> , 2020 , 12, 1039-1043	5.9	45
133	Observational cohort study: deprivation and access to anti-dementia drugs in the UK. <i>Age and Ageing</i> , 2016 , 45, 148-54	3	43
132	Optimising the use of electronic health records to estimate the incidence of rheumatoid arthritis in primary care: what information is hidden in free text?. <i>BMC Medical Research Methodology</i> , 2013 , 13, 105	4.7	42
131	Trends in dementia diagnosis rates in UK ethnic groups: analysis of UK primary care data. <i>Clinical Epidemiology</i> , 2018 , 10, 949-960	5.9	40
130	Discontinuation of antipsychotic medication in pregnancy: a cohort study. <i>Schizophrenia Research</i> , 2014 , 159, 218-25	3.6	40
129	Childhood epilepsy recorded in primary care in the UK. Archives of Disease in Childhood, 2013, 98, 195-20	02 .2	40
128	Sociodemographic variations in the contribution of secondary drug prevention to stroke survival at middle and older ages: cohort study. <i>BMJ, The</i> , 2009 , 338, b1279	5.9	39
127	A multi-national comparison of antipsychotic drug use in children and adolescents, 2005-2012. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2017 , 11, 55	6.8	38
126	Access to cancer screening in people with learning disabilities in the UK: cohort study in the health improvement network, a primary care research database. <i>PLoS ONE</i> , 2012 , 7, e43841	3.7	38
125	Insect dispersal does not limit the biological recovery of streams from acidification. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2007 , 17, 375-383	2.6	37
124	Increasing hospitalizations and general practice prescriptions for community-onset staphylococcal disease, England. <i>Emerging Infectious Diseases</i> , 2008 , 14, 720-6	10.2	36
123	Antibiotic prescribing frequency amongst patients in primary care: a cohort study using electronic health records. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, 1818-1824	5.1	35
122	Application of Multiple Imputation using the Two-Fold Fully Conditional Specification Algorithm in Longitudinal Clinical Data. <i>The Stata Journal</i> , 2014 , 14, 418-431	3.5	35
121	Risk and predictors of fatigue after infectious mononucleosis in a large primary-care cohort. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2006 , 99, 49-55	2.7	35
120	Setting the RECORD straight: developing a guideline for the REporting of studies Conducted using Observational Routinely collected Data. <i>Clinical Epidemiology</i> , 2013 , 5, 29-31	5.9	33
119	Evaluation of two-fold fully conditional specification multiple imputation for longitudinal electronic health record data. <i>Statistics in Medicine</i> , 2014 , 33, 3725-37	2.3	32
118	Helping everyone do better: a call for validation studies of routinely recorded health data. <i>Clinical Epidemiology</i> , 2016 , 8, 49-51	5.9	32
117	Time trends in incidence of Parkinson's disease diagnosis in UK primary care. <i>Journal of Neurology</i> , 2013 , 260, 1351-7	5.5	29

116	Optimising use of electronic health records to describe the presentation of rheumatoid arthritis in primary care: a strategy for developing code lists. <i>PLoS ONE</i> , 2013 , 8, e54878	3.7	29
115	Effectiveness of personalised risk information and taster sessions to increase the uptake of smoking cessation services (Start2quit): a randomised controlled trial. <i>Lancet, The</i> , 2017 , 389, 823-833	40	28
114	Relative incidence of common cancers in people with severe mental illness. Cohort study in the United Kingdom THIN primary care database. <i>Schizophrenia Research</i> , 2013 , 143, 44-9	3.6	28
113	Association between antibiotic prescribing in pregnancy and cerebral palsy or epilepsy in children born at term: a cohort study using the health improvement network. <i>PLoS ONE</i> , 2015 , 10, e0122034	3.7	28
112	Inequalities in receipt of mental and physical healthcare in people with dementia in the UK. <i>Age and Ageing</i> , 2017 , 46, 393-400	3	28
111	Systemic glucocorticoid use in Denmark: a population-based prevalence study. <i>BMJ Open</i> , 2017 , 7, e015	237	27
110	Mortality and medical care after bereavement: a general practice cohort study. PLoS ONE, 2013, 8, e525	6 1 7	27
109	Trends in longer-term survival following an acute myocardial infarction and prescribing of evidenced-based medications in primary care in the UK from 1991: a longitudinal population-based study. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, 770-4	5.1	27
108	Antiepileptic drugs prescribed in pregnancy and prevalence of major congenital malformations: comparative prevalence studies. <i>Clinical Epidemiology</i> , 2017 , 9, 95-103	5.9	26
107	Risks associated with antipsychotic treatment in pregnancy: Comparative cohort studies based on electronic health records. <i>Schizophrenia Research</i> , 2016 , 176, 349-356	3.6	26
106	Application of multiple imputation using the two-fold fully conditional specification algorithm in longitudinal clinical data. <i>The Stata Journal</i> , 2014 , 14, 418-431	3.5	25
105	An algorithm for identification and classification of individuals with type 1 and type 2 diabetes mellitus in a large primary care database. <i>Clinical Epidemiology</i> , 2016 , 8, 373-380	5.9	25
104	Selective serotonin reuptake inhibitors and congenital heart anomalies: comparative cohort studies of women treated before and during pregnancy and their children. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e36-42	4.6	24
103	Effects of extreme temperatures on cardiovascular emergency hospitalizations in a Mediterranean region: a self-controlled case series study. <i>Environmental Health</i> , 2017 , 16, 32	6	23
102	National changes in oral antipsychotic treatment for people with schizophrenia in primary care between 1998 and 2007 in the United Kingdom. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 161-9	2.6	23
101	Ethnic Differences in the Prevalence of Type 2 Diabetes Diagnoses in the UK: Cross-Sectional Analysis of the Health Improvement Network Primary Care Database. <i>Clinical Epidemiology</i> , 2019 , 11, 1081-1088	5.9	23
100	Elevated Vitamin B12 Levels and Cancer Risk in UK Primary Care: A THIN Database Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2019 , 28, 814-821	4	23
99	Monitoring of patients on long-term glucocorticoid therapy: a population-based cohort study. <i>Medicine (United States)</i> , 2015 , 94, e647	1.8	22

(2009-2013)

98	Alcohol consumption screening of newly-registered patients in primary care: a cross-sectional analysis. <i>British Journal of General Practice</i> , 2013 , 63, e706-12	1.6	22
97	Diagnosis and management of polycystic ovary syndrome in the UK (2004-2014): a retrospective cohort study. <i>BMJ Open</i> , 2016 , 6, e012461	3	22
96	Health indicator recording in UK primary care electronic health records: key implications for handling missing data. <i>Clinical Epidemiology</i> , 2019 , 11, 157-167	5.9	21
95	Initiation and duration of selective serotonin reuptake inhibitor prescribing over time: UK cohort study. <i>British Journal of Psychiatry</i> , 2016 , 209, 421-426	5.4	21
94	Metformin and other glucose-lowering drug initiation and rates of community-based antibiotic use and hospital-treated infections in patients with type 2 diabetes: a Danish nationwide population-based cohort study. <i>BMJ Open</i> , 2016 , 6, e011523	3	20
93	Efficacy of lifestyle and psychosocial interventions in reducing cognitive decline in older people: Systematic review. <i>Ageing Research Reviews</i> , 2020 , 62, 101113	12	19
92	A simple approach to improve recording of concerns about child maltreatment in primary care records: developing a quality improvement intervention. <i>British Journal of General Practice</i> , 2012 , 62, e478-86	1.6	19
91	A model based on age, sex, and morbidity to explain variation in UK general practice prescribing: cohort study. <i>BMJ, The</i> , 2008 , 337, a238	5.9	19
90	Fifteen-year nationwide trends in systemic glucocorticoid drug use in Denmark. <i>European Journal of Endocrinology</i> , 2019 , 181, 267-273	6.5	18
89	Living With an Older Person Dying From Cancer, Lung Disease, or Dementia: Health Outcomes From a General Practice Cohort Study. <i>Journal of Pain and Symptom Management</i> , 2016 , 51, 839-48	4.8	17
88	Lithium prescribing during pregnancy: a UK primary care database study. <i>PLoS ONE</i> , 2015 , 10, e0121024	3.7	17
87	Use of long-term antibiotic treatment in COPD patients in the UK: a retrospective cohort study. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2013 , 22, 271-7		17
86	Severe neuropsychiatric outcomes following discontinuation of long-term glucocorticoid therapy: a cohort study. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, e281-6	4.6	17
85	Observational studies of treatment effectiveness: worthwhile or worthless?. <i>Clinical Epidemiology</i> , 2019 , 11, 35-42	5.9	17
84	Variation in recorded child maltreatment concerns in UK primary care records: a cohort study using The Health Improvement Network (THIN) database. <i>PLoS ONE</i> , 2012 , 7, e49808	3.7	16
83	Landmark Models for Optimizing the Use of Repeated Measurements of Risk Factors in Electronic Health Records to Predict Future Disease Risk. <i>American Journal of Epidemiology</i> , 2018 , 187, 1530-1538	3.8	15
82	Recording of Influenza-Like Illness in UK Primary Care 1995-2013: Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0138659	3.7	15
81	Trends in HIV testing and recording of HIV status in the UK primary care setting: a retrospective cohort study 1995-2005. <i>Sexually Transmitted Infections</i> , 2009 , 85, 520-6	2.8	14

80	Population-calibrated multiple imputation for a binary/categorical covariate in categorical regression models. <i>Statistics in Medicine</i> , 2019 , 38, 792-808	2.3	14
79	Effectiveness of live attenuated influenza vaccine in preventing amoxicillin prescribing in preschool children: a self-controlled case series study. <i>Journal of Antimicrobial Chemotherapy</i> , 2018 , 73, 779-786	5.1	13
78	Incidence and prevalence of diabetes and cost of illness analysis of polycystic ovary syndrome: a Bayesian modelling study. <i>Human Reproduction</i> , 2018 , 33, 1299-1306	5.7	13
77	Decisions about the use of psychotropic medication during pregnancy: a qualitative study. <i>BMJ Open</i> , 2016 , 6, e010130	3	13
76	Incidence and recurrence of boils and abscesses within the first year: a cohort study in UK primary care. <i>British Journal of General Practice</i> , 2015 , 65, e668-76	1.6	13
75	Two-stage method to remove population- and individual-level outliers from longitudinal data in a primary care database. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 725-732	2.6	13
74	Effectiveness of sitagliptin compared to sulfonylureas for type 2 diabetes mellitus inadequately controlled on metformin: a systematic review and meta-analysis. <i>BMJ Open</i> , 2017 , 7, e017260	3	12
73	Effects of long-term antipsychotics treatment on body weight: A population-based cohort study. Journal of Psychopharmacology, 2020 , 34, 79-85	4.6	12
72	The RECORD reporting guidelines: meeting the methodological and ethical demands of transparency in research using routinely-collected health data. <i>Clinical Epidemiology</i> , 2016 , 8, 389-392	5.9	12
71	What evidence is there for a delay in diagnostic coding of RA in UK general practice records? An observational study of free text. <i>BMJ Open</i> , 2016 , 6, e010393	3	12
70	Suicide-related events in young people following prescription of SSRIs and other antidepressants: a self-controlled case series analysis. <i>BMJ Open</i> , 2013 , 3, e003247	3	11
69	Recalibrating SARS-CoV-2 Antigen Rapid Lateral Flow Test Relative Sensitivity from Validation Studies to Absolute Sensitivity for Indicating Individuals Shedding Transmissible Virus. <i>Clinical Epidemiology</i> , 2021 , 13, 935-940	5.9	11
68	Factors associated with influenza vaccine uptake during a universal vaccination programme of preschool children in England and Wales: a cohort study. <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, 1082-1087	5.1	10
67	Use of primary care data for detecting impetigo trends, United kingdom, 1995-2010. <i>Emerging Infectious Diseases</i> , 2013 , 19, 1646-8	10.2	10
66	Impact of the introduction and withdrawal of financial incentives on the delivery of alcohol screening and brief advice in English primary health care: an interrupted time-series analysis. <i>Addiction</i> , 2020 , 115, 49-60	4.6	10
65	Hospital Records of Pain, Fatigue, or Circulatory Symptoms in Girls Exposed to Human Papillomavirus Vaccination: Cohort, Self-Controlled Case Series, and Population Time Trend Studies. <i>American Journal of Epidemiology</i> , 2020 , 189, 277-285	3.8	10
64	Depression in individuals who subsequently develop inflammatory bowel disease: a population-based nested case-control study. <i>Gut</i> , 2021 , 70, 1642-1648	19.2	10
63	Evaluating the clinical and cost effectiveness of a behaviour change intervention for lowering cardiovascular disease risk for people with severe mental illnesses in primary care (PRIMROSE study): study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2016 , 17, 80	2.8	9

62	Effectiveness and cost-effectiveness of a cardiovascular risk prediction algorithm for people with severe mental illness (PRIMROSE). <i>BMJ Open</i> , 2017 , 7, e018181	3	9
61	Initiation rates of statin therapy for the primary prevention of cardiovascular disease: an assessment of differences between countries of the UK and between regions within England. <i>BMJ Open</i> , 2015 , 5, e007207	3	9
60	Recording and treatment of premenstrual syndrome in UK general practice: a retrospective cohort study. <i>BMJ Open</i> , 2016 , 6, e010244	3	9
59	Depression, depressive symptoms and treatments in women who have recently given birth: UK cohort study. <i>BMJ Open</i> , 2018 , 8, e022152	3	9
58	Weight change over two years in people prescribed olanzapine, quetiapine and risperidone in UK primary care: Cohort study in THIN, a UK primary care database. <i>Journal of Psychopharmacology</i> , 2018 , 32, 1098-1103	4.6	9
57	Death following partner bereavement: A self-controlled case series analysis. <i>PLoS ONE</i> , 2017 , 12, e0173	8,790	8
56	Emergence of Leuctra nigra (Plecoptera) from a southern English stream. <i>Archiv Fil Hydrobiologie</i> , 2003 , 158, 185-195		8
55	Selective serotonin reuptake inhibitor use and mortality, postoperative complications, and quality of care in hip fracture patients: a Danish nationwide cohort study. <i>Clinical Epidemiology</i> , 2018 , 10, 1053-	1591	8
54	Synthetic Glucocorticoids and Early Variations of Blood Pressure: A Population-Based Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2015 , 100, 2777-83	5.6	7
53	Cost-effectiveness of personal tailored risk information and taster sessions to increase the uptake of the NHS stop smoking services: the Start2quit randomized controlled trial. <i>Addiction</i> , 2018 , 113, 708-	A18	7
52	Backdating of events in electronic primary health care data: should one censor at the date of last data collection. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 378-84	2.6	7
51	Prenatal exposure to selective serotonin reuptake inhibitors and autistic symptoms in young children: another red herring?. <i>British Journal of Psychiatry</i> , 2014 , 205, 105-6	5.4	7
50	Smoking and COVID-19 Infection and Related Mortality: A Prospective Cohort Analysis of UK Biobank Data. <i>Clinical Epidemiology</i> , 2021 , 13, 357-365	5.9	7
49	Extreme diurnal temperature range and cardiovascular emergency hospitalisations in a Mediterranean region. <i>Occupational and Environmental Medicine</i> , 2021 , 78, 62-68	2.1	7
48	The impact of different strategies to handle missing data on both precision and bias in a drug safety study: a multidatabase multinational population-based cohort study. <i>Clinical Epidemiology</i> , 2018 , 10, 643-654	5.9	7
47	Differences in Psychotropic Drug Prescribing Between Ethnic Groups of People with Dementia in the United Kingdom. <i>Clinical Epidemiology</i> , 2020 , 12, 61-71	5.9	6
46	Factors influencing recording of drug misuse in primary care: a qualitative study of GPs in England. <i>British Journal of General Practice</i> , 2018 , 68, e234-e244	1.6	6
45	Primary care consultations and costs among HIV-positive individuals in UK primary care 1995-2005: a cohort study. <i>Sexually Transmitted Infections</i> , 2009 , 85, 543-9	2.8	6

44	Start2quit: a randomised clinical controlled trial to evaluate the effectiveness and cost-effectiveness of using personal tailored risk information and taster sessions to increase the uptake of the NHS Stop Smoking Services. <i>Health Technology Assessment</i> , 2017 , 21, 1-206	4.4	6
43	Role of renal function in cardiovascular risk assessment: A retrospective cohort study in a population with low incidence of coronary heart disease. <i>Preventive Medicine</i> , 2016 , 89, 200-206	4.3	6
42	Clinical indicators of adrenal insufficiency following discontinuation of oral glucocorticoid therapy: A Danish population-based self-controlled case series analysis. <i>PLoS ONE</i> , 2019 , 14, e0212259	3.7	5
41	Impact of Being Eligible for Type 2 Diabetes Treatment on All-Cause Mortality and Cardiovascular Events: Regression Discontinuity Design Study. <i>Clinical Epidemiology</i> , 2020 , 12, 569-577	5.9	5
40	Trends of people using drugs and opioid substitute treatment recorded in England and wales general practice (1994-2012). <i>PLoS ONE</i> , 2015 , 10, e0122626	3.7	5
39	Socio-demographic variation in chest pain incidence and subsequent coronary heart disease in primary care in the United Kingdom. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 566-75	3.9	5
38	Sex ratio and maturity indicate the local dispersal and mortality of adult stoneflies. <i>Freshwater Biology</i> , 2006 , 51, 1543-1551	3.1	5
37	Cigarette smoking as a risk factor for schizophrenia or all non-affective psychoses. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	4
36	Previous treatment in predicting drug-resistant tuberculosis in an area bordering East London, UK. <i>International Journal of Infectious Diseases</i> , 2010 , 14, e717-22	10.5	4
35	Drug-induced orthostatic hypotension: A systematic review and meta-analysis of randomised controlled trials. <i>PLoS Medicine</i> , 2021 , 18, e1003821	11.6	4
34	Selective serotonin reuptake inhibitor use in hip fracture patients: a Danish nationwide prevalence study. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019 , 90, 33-39	4.3	4
33	Impact of Financial Incentives on Alcohol Consumption Recording in Primary Health Care Among Adults with Schizophrenia and Other Psychoses: A Cross-Sectional and Retrospective Cohort Study. <i>Alcohol and Alcoholism</i> , 2017 , 52, 197-205	3.5	3
32	The difference in serotypes between extended-beta-lactamase (ESBL) and non-ESBL-producing E. coli blood culture isolates at a UK district general hospital. <i>Journal of Hospital Infection</i> , 2008 , 68, 367-9	6.9	3
31	Social Inequalities in Life Expectancy and Mortality in People With Dementia in the United Kingdom. <i>Alzheimer Disease and Associated Disorders</i> , 2020 , 34, 254-261	2.5	3
30	Handling Missing Values in Interrupted Time Series Analysis of Longitudinal Individual-Level Data. <i>Clinical Epidemiology</i> , 2020 , 12, 1045-1057	5.9	3
29	Prevalence of lifestyle characteristics in glucocorticoid users and non-users: a Danish population-based cross-sectional study. <i>BMJ Open</i> , 2019 , 9, e030780	3	3
28	Glucocorticoid use and risk of suicide: a Danish population-based case-control study. <i>World Psychiatry</i> , 2021 , 20, 142-143	14.4	3
27	Prescription duration and treatment episodes in oral glucocorticoid users: application of the parametric waiting time distribution. <i>Clinical Epidemiology</i> , 2017 , 9, 591-600	5.9	2

26	Comparative effectiveness of sitagliptin vs sulphonylureas in older people. <i>Age and Ageing</i> , 2019 , 48, 725-732	3	2
25	Selective serotonin reuptake inhibitors and risk for major congenital anomalies. <i>Obstetrics and Gynecology</i> , 2012 , 119, 182-3; author reply 183	4.9	2
24	QRISK validation and evaluation. Bespoke cohort studies needed. <i>BMJ, The</i> , 2009 , 339, b3512	5.9	2
23	Primary care management of cardiovascular risk for people with severe mental illnesses: the Primrose research programme including cluster RCT. <i>Programme Grants for Applied Research</i> , 2019 , 7, 1-98	1.5	2
22	Fatal opioid overdoses during and shortly after hospital admissions in England: A case-crossover study. <i>PLoS Medicine</i> , 2021 , 18, e1003759	11.6	2
21	Hospital variation in the risk of infection after hip fracture surgery: a population-based cohort study including 29,598 patients from 2012-2017. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021 , 92, 215-221	4.3	2
20	How are people with mild cognitive impairment or subjective memory complaints managed in primary care? A systematic review. <i>Family Practice</i> , 2021 , 38, 669-683	1.9	2
19	Monitoring of alcohol consumption in primary care among adults with bipolar disorder: A cross-sectional and retrospective cohort study. <i>Journal of Affective Disorders</i> , 2016 , 198, 83-7	6.6	2
18	Predictive values for different cancers and inflammatory bowel disease of 6 common abdominal symptoms among more than 1.9 million primary care patients in the UK: A cohort study. <i>PLoS Medicine</i> , 2021 , 18, e1003708	11.6	2
17	Antidepressant use during pregnancy and risk of congenital heart defects: A case-time-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1180-1193	2.6	1
16	A re-audit of outcomes in patients with ESBL producing Escherichia coli bacteraemia. <i>Journal of Infection</i> , 2012 , 65, 283-4	18.9	1
15	Searching for Information on the Risks of Combined Hormonal Contraceptives on the Internet: A Qualitative Study Across Six European Countries. <i>Journal of Medical Internet Research</i> , 2019 , 21, e10810	7.6	1
14	Is stratified shielding from covid-19 feasible and ethical?. <i>BMJ, The</i> , 2020 , 370, m2660	5.9	1
13	Recalibrating SARS-CoV-2 antigen rapid lateral flow test relative sensitivity from validation studies to absolute sensitivity for detecting individuals with live virus		1
12	Time trends in the incidence of clinically diagnosed type 2 diabetes and pre-diabetes in the UK 2009-2018: a retrospective cohort study. <i>BMJ Open Diabetes Research and Care</i> , 2021 , 9,	4.5	1
11	Anti-psychotic medication decision making during pregnancy: a co-produced research study. <i>Mental Health Review Journal</i> , 2019 , 24, 69-84	0.9	1
10	Antidepressant medication use in Inflammatory Bowel Disease: a nationally representative population-based study <i>Alimentary Pharmacology and Therapeutics</i> , 2022 ,	6.1	1
9	Time Trends in Incidence of Reported Memory Concerns and Cognitive Decline: A Cohort Study in UK Primary Care <i>Clinical Epidemiology</i> , 2022 , 14, 395-408	5.9	1

8	Postnatal checks and primary care consultations in the year following childbirth: an observational cohort study of 309 573 women in the UK, 2006-2016. <i>BMJ Open</i> , 2020 , 10, e036835	3	О
7	Unicompartmental compared with total knee replacement for patients with multimorbidities: a cohort study using propensity score stratification and inverse probability weighting. <i>Health Technology Assessment</i> , 2021 , 25, 1-126	4.4	О
6	Incident Type 2 Diabetes and Risk of Fracture: A Comparative Cohort Analysis Using U.K. Primary Care Records. <i>Diabetes Care</i> , 2021 , 44, 58-66	14.6	О
5	Infections in temporal proximity to HPV vaccination and adverse effects following vaccination in Denmark: A nationwide register-based cohort study and case-crossover analysis. <i>PLoS Medicine</i> , 2021 , 18, e1003768	11.6	O
4	Cardiovascular outcomes of type 2 diabetic patients treated with DPP-4 inhibitors versus sulphonylureas as add-on to metformin in clinical practice <i>Scientific Reports</i> , 2021 , 11, 23826	4.9	0
3	In utero exposure to glucocorticoids and risk of anxiety and depression in childhood or adolescence <i>Psychoneuroendocrinology</i> , 2022 , 141, 105766	5	O
2	Response to letter regarding article, ardiovascular events as a function of serum bilirubin levels in a large, statin-treated cohort. Circulation, 2013, 127, e861	16.7	
1	Current Practices in Missing Data Handling for Interrupted Time Series Studies Performed on Individual-Level Data: A Scoping Review in Health Research. <i>Clinical Epidemiology</i> , 2021 , 13, 603-613	5.9	