

Na Chen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2413610/na-chen-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

1,057
citations

20
h-index

29
g-index

131
ext. papers

1,348
ext. citations

2.8
avg, IF

4.11
L-index

#	Paper	IF	Citations
92	Highly Sensitive Liquid-Level Sensor Based on Etched Fiber Bragg Grating. <i>IEEE Photonics Technology Letters</i> , 2007 , 19, 1747-1749	2.2	118
91	Passively Q-switched erbium-doped fiber laser using evanescent field interaction with gold-nanosphere based saturable absorber. <i>Optics Express</i> , 2014 , 22, 18537-42	3.3	71
90	Cladding mode resonances of etch-eroded fiber Bragg grating for ambient refractive index sensing. <i>Applied Physics Letters</i> , 2006 , 88, 133902	3.4	51
89	In-Fiber Mach-Zehnder Interferometer Based on Double Cladding Fibers for Refractive Index Sensor. <i>IEEE Sensors Journal</i> , 2011 , 11, 2395-2400	4	49
88	Temperature-Insensitivity Bending Sensor Based on Cladding-Mode Resonance of Special Optical Fiber. <i>IEEE Photonics Technology Letters</i> , 2009 , 21, 76-78	2.2	39
87	Gold Nanoparticles-Modified Tapered Fiber Nanoprobe for Remote SERS Detection. <i>IEEE Photonics Technology Letters</i> , 2014 , 26, 777-780	2.2	38
86	Special optical fiber for temperature sensing based on cladding-mode resonance. <i>Optics Express</i> , 2008 , 16, 12967-72	3.3	36
85	Temperature sensor using an optical fiber coupler with a thin film. <i>Applied Optics</i> , 2008 , 47, 3530-4	1.7	35
84	Surface-enhanced Raman spectroscopy of serum accurately detects prostate cancer in patients with prostate-specific antigen levels of 4-10 ng/mL. <i>International Journal of Nanomedicine</i> , 2017 , 12, 5399-3407 ³¹	7.3	31
83	A Fading-Discrimination Method for Distributed Vibration Sensor Using Coherent Detection of ϕ -OTDR. <i>IEEE Photonics Technology Letters</i> , 2016 , 28, 2752-2755	2.2	28
82	In-series double cladding fibers for simultaneous refractive index and temperature measurement. <i>Optics Express</i> , 2010 , 18, 13072-82	3.3	26
81	Theoretical and experimental study on etched fiber Bragg grating cladding mode resonances for ambient refractive index sensing. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2007 , 24, 439	1.7	26
80	Temperature characteristics of silicon core optical fiber Fabry-Perot interferometer. <i>Optics Letters</i> , 2015 , 40, 1362-5	3	25
79	Radiation-induced photoluminescence enhancement of Bi/Al-codoped silica optical fibers via atomic layer deposition. <i>Optics Express</i> , 2015 , 23, 29004-13	3.3	24
78	SERS detection of expired tetracycline hydrochloride with an optical fiber nano-probe. <i>Analytical Methods</i> , 2015 , 7, 1307-1312	3.2	24
77	A Fiber-Optic Sensor for Acoustic Emission Detection in a High Voltage Cable System. <i>Sensors</i> , 2016 , 16,	3.8	24
76	Evaluation of expressed prostatic secretion and serum using surface-enhanced Raman spectroscopy for the noninvasive detection of prostate cancer, a preliminary study. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2017 , 13, 1051-1059	6	23

75	Raman spectroscopy measurement of levofloxacin lactate in blood using an optical fiber nano-probe. <i>Journal of Raman Spectroscopy</i> , 2015 , 46, 197-201	2.3	23
74	Fabrication of Ag/Au core-shell nanowire as a SERS substrate. <i>Optical Materials</i> , 2013 , 35, 690-692	3.3	23
73	Photoluminescence properties of Bi/Al-codoped silica optical fiber based on atomic layer deposition method. <i>Applied Surface Science</i> , 2015 , 349, 287-291	6.7	21
72	Quasi-Distributed IFPI Sensing System Demultiplexed With FFT-Based Wavelength Tracking Method. <i>IEEE Sensors Journal</i> , 2012 , 12, 2875-2880	4	16
71	Characterization of a high birefringence fibre Bragg grating sensor subjected to non-homogeneous transverse strain fields. <i>Measurement Science and Technology</i> , 2006 , 17, 939-942	2	16
70	Sapphire Fabry-Perot interferometer for high-temperature pressure sensing. <i>Applied Optics</i> , 2020 , 59, 5189-5196	1.7	14
69	CO2 laser annealing of Ge core optical fibers with different laser power. <i>Optical Materials Express</i> , 2019 , 9, 1333	2.6	13
68	The Orbital Angular Momentum Fiber Modes for Magnetic Field Sensing. <i>IEEE Photonics Technology Letters</i> , 2019 , 31, 893-896	2.2	12
67	Deep convolutional neural networks combine Raman spectral signature of serum for prostate cancer bone metastases screening. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2020 , 29, 102245	6	12
66	SERS Taper-Fiber Nanoprobe Modified by Gold Nanoparticles Wrapped with Ultrathin Alumina Film by Atomic Layer Deposition. <i>Sensors</i> , 2017 , 17,	3.8	12
65	Effects of distributed birefringence on fiber Bragg grating under non-uniform transverse load. <i>Optics and Laser Technology</i> , 2008 , 40, 1037-1040	4.2	11
64	Cylindrical vector modes based Mach-Zehnder interferometer with vortex fiber for sensing applications. <i>Applied Physics Letters</i> , 2019 , 115, 051103	3.4	10
63	Cascaded Mach-Zehnder interferometers in crystallized sapphire-derived fiber for temperature-insensitive filters. <i>Optical Materials Express</i> , 2017 , 7, 1406	2.6	10
62	Surface-enhanced Raman spectroscopy before radical prostatectomy predicts biochemical recurrence better than CAPRA-S. <i>International Journal of Nanomedicine</i> , 2019 , 14, 431-440	7.3	9
61	Use of Fiber Bragg Grating Sensors for Determination of a Simply Supported Rectangular Plane Plate Deformation. <i>IEEE Photonics Technology Letters</i> , 2007 , 19, 1242-1244	2.2	9
60	Cladding index modulated fiber grating. <i>Optics Communications</i> , 2006 , 259, 587-591	2	9
59	Surface-enhanced Raman scattering spectra revealing the inter-cultivar differences for Chinese ornamental : a new promising method for plant taxonomy. <i>Plant Methods</i> , 2017 , 13, 92	5.8	8
58	Distinguishing Cancerous Liver Cells Using Surface-Enhanced Raman Spectroscopy. <i>Technology in Cancer Research and Treatment</i> , 2016 , 15, 36-43	2.7	8

57	Highly sensitive liquid level sensor based on etched fiber Bragg grating. <i>Proceedings of SPIE</i> , 2008 ,	1.7	8
56	The image-based analysis and classification of urine sediments using a LeNet-5 neural network. <i>Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization</i> , 2020 , 8, 109-114	0.9	8
55	Sol-gel silica glass-cladding semiconductor-core optical fiber. <i>Materials Today Communications</i> , 2017 , 11, 179-183	2.5	7
54	Distributed Vibration Sensor With Laser Phase-Noise Immunity by Phase-Extraction BOTDR. <i>Photonic Sensors</i> , 2019 , 9, 223-229	2.3	6
53	Segmenting nailfold capillaries using an improved U-net network. <i>Microvascular Research</i> , 2020 , 130, 104011	3.7	6
52	3D Printing Technique-Improved Phase-Sensitive OTDR for Breakdown Discharge Detection of Gas-Insulated Switchgear. <i>Sensors</i> , 2020 , 20,	3.8	6
51	All-Fiber Multiplexing and Transmission of High-Order Circularly Polarized Orbital Angular Momentum Modes With Mode Selective Couplers. <i>IEEE Photonics Journal</i> , 2019 , 11, 1-9	1.8	6
50	Few-mode ring-core quantum dots-doped optical fiber amplifier. <i>Optical Fiber Technology</i> , 2019 , 51, 59-63	3.4	5
49	Fabrication of optical fiber sensor based on double-layer SU-8 diaphragm and the partial discharge detection. <i>Optoelectronics Letters</i> , 2015 , 11, 61-64	0.7	5
48	Four-wave mixing stability in hybrid photonic crystal fibers with two zero-dispersion wavelengths. <i>Optics Express</i> , 2013 , 21, 30859-73	3.3	5
47	Cladding-mode resonance of a double-cladding fiber at a near modal cut-off wavelength for RI sensing. <i>Measurement Science and Technology</i> , 2010 , 21, 094028	2	5
46	Exceeding 50% slope efficiency DBR fiber laser based on a Yb-doped crystal-derived silica fiber with high gain per unit length. <i>Optics Express</i> , 2020 , 28, 23771-23783	3.3	5
45	In vivo Raman measurement of levofloxacin lactate in blood using a nanoparticle-coated optical fiber probe. <i>Biomedical Optics Express</i> , 2016 , 7, 810-5	3.5	5
44	The fabrication of a high-sensitivity surface-enhanced Raman spectra substrate using texturization and electroplating technology. <i>Applied Surface Science</i> , 2019 , 490, 109-116	6.7	4
43	Effects of annealing on the residual stresses distribution and the structural properties of Si core fiber. <i>Optical Fiber Technology</i> , 2018 , 41, 193-199	2.4	4
42	Study of the Verdet constant of the holmium-doped silica fiber. <i>OSA Continuum</i> , 2020 , 3, 1096	1.4	4
41	Raman Spectroscopy Reveals Abnormal Changes in the Urine Composition of Prostate Cancer: An Application of an Intelligent Diagnostic Model with a Deep Learning Algorithm. <i>Advanced Intelligent Systems</i> , 2021 , 3, 2000090	6	4
40	Remote detection of the surface-enhanced Raman spectrum with the optical fiber nanoprobe. <i>Optics and Spectroscopy (English Translation of Optika I Spektroskopiya)</i> , 2014 , 116, 575-578	0.7	3

39	Fiber-optic intrinsic Fabry-Perot interferometric sensors fabricated by femtosecond lasers 2011 ,		3
38	Surface-enhanced Raman scattering sensor based on fused biconical taper zone of optical fiber. <i>Journal of Shanghai University</i> , 2011 , 15, 26-30		3
37	Characteristics of cladding index modulated fiber gratings for ambient refractive index sensing. <i>Optical Fiber Technology</i> , 2009 , 15, 90-94	2.4	3
36	Fabrication of tilted long-period fiber gratings by CO2 laser 2011 ,		3
35	The study of ultrasound and iontophoresis on oxaprozin transdermal penetration using surface-enhanced Raman spectroscopy. <i>Drug Delivery and Translational Research</i> , 2020 , 10, 83-92	6.2	3
34	LED Phototherapy with Gelatin Sponge Promotes Wound Healing in Mice. <i>Photochemistry and Photobiology</i> , 2018 , 94, 179-185	3.6	3
33	Thermal Poling of New Double-Hole Optical Fibers. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 2176	2.6	2
32	Ag Nanoparticles for the Direct Detection of Oxaprozin in the Blood Using Surface-Enhanced Raman Spectroscopy. <i>ACS Applied Nano Materials</i> , 2020 , 3, 5928-5935	5.6	2
31	The dynamic process of laser drawing germanium core optical fiber. <i>Journal of Physics: Conference Series</i> , 2017 , 844, 012058	0.3	2
30	Laser stimulating ST36 with optical fiber induce blood component changes in mice: a Raman spectroscopy study. <i>Journal of Biophotonics</i> , 2018 , 11, e201700262	3.1	2
29	Composition and strain analysis of Si1-xGex core fiber with Raman spectroscopy. <i>AIP Advances</i> , 2018 , 8, 065006	1.5	2
28	Fabrication and sensing characteristics of tilted long-period fiber gratings 2013 ,		2
27	Dynamic temperature monitoring and control with fully distributed fiber Bragg grating sensor 2010 ,		2
26	Surface-enhanced Raman scattering optical fiber sensor using biconical taper fiber 2010 ,		2
25	A Micro-displacement Sensor Based on Cladding Mode Resonance of Optical Special Fiber 2008 ,		2
24	Surface-enhanced Raman spectroscopy of preoperative serum samples predicts Gleason grade group upgrade in biopsy Gleason grade group 1 prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 601.e1-601.e9	2.8	2
23	The effect of laser acupuncture on hypoxia tolerance and inflammation reaction in mice with optical fiber acupuncture needle intra body. <i>Journal of Innovative Optical Health Sciences</i> , 2017 , 10, 1650039	1.3	1
22	Rapid and high-precision quantitative analysis based on substrate rotation-enhanced Raman scattering effect. <i>Journal of Raman Spectroscopy</i> , 2020 , 51, 1278-1285	2.3	1

21	Effect of controlling recrystallization from the melt on the residual stress and structural properties of the Silica-clad Ge core fiber. <i>Optical Fiber Technology</i> , 2017 , 37, 6-10	2.4	1
20	All-fiber power sensor based on silicon-germanium core fiber F-P cavity. <i>Journal of Physics: Conference Series</i> , 2017 , 844, 012036	0.3	1
19	PbS Quantum Dots Filled Photonic Crystal Fiber for All-fiber Amplifier. <i>Journal of Physics: Conference Series</i> , 2017 , 844, 012060	0.3	1
18	Carbon-coated magnetic particles increase tissue temperatures after laser irradiation. <i>Journal of Innovative Optical Health Sciences</i> , 2015 , 08, 1550018	1.2	1
17	In vivo experiments of laser thermotherapy on liver tissue with FBG temperature distribution sensor 2012 ,		1
16	Preparation of gold colloid and its surface-enhanced Raman scattering properties 2011 ,		1
15	Proposal for Second-Harmonic Generation Based on Mode Coupling in Coaxial Optical Fiber. <i>IEEE Photonics Technology Letters</i> , 2009 , 21, 471-473	2.2	1
14	Fiber-optic refractive index sensor based on cladding-mode resonance 2009 ,		1
13	In-fiber Michelson interferometer based on double-cladding fiber for refractive index sensing 2009 ,		1
12	Low-Loss Fiber-Optic Intrinsic Fabry-Perot Micro-Cavity Interferometric Sensor 2008 ,		1
11	Cladding Mode Resonance Based Fiber for Temperature Measurement 2008 ,		1
10	Gold nanoparticles modified double-tapered fiber for SERS detection. <i>Journal of Physics: Conference Series</i> , 2017 , 844, 012055	0.3	0
9	Tapered optical fiber deposited with PbS as an optical fiber amplifier based on atomic layer deposition. <i>Optical Engineering</i> , 2018 , 57, 1	1.1	0
8	Laser-induced self-assembly gold nanoparticles on the silanized surface of a tapered fiber and its application as a SERS probe. <i>Journal of Physics: Conference Series</i> , 2017 , 844, 012054	0.3	
7	Measurement and Imaging of Raman Spectroscopy with Nanoparticles. <i>Frontiers in Nanobiomedical Research</i> , 2017 , 23-37		
6	Characterization of Nb/Al codoped silica fiber by writing long-period gratings with CO2 laser. <i>Optical Fiber Technology</i> , 2013 , 19, 519-522	2.4	
5	Strain Distribution in Silica-Clad Crystalline-Germanium-Core Fiber. <i>Journal of Physics: Conference Series</i> , 2017 , 844, 012059	0.3	
4	Change in refractive index of muscle tissue during laser-induced interstitial thermotherapy. <i>Bio-Medical Materials and Engineering</i> , 2014 , 24, 807-13	1	

- 3 Modified simulated annealing evolutionary algorithm for fully distributed fiber Bragg grating temperature sensing. *Journal of Shanghai University*, **2011**, 15, 58-62
- 2 Monitoring the differentiation of dimethyl sulfoxide-induced human leukemia (HL-60) cells by Raman spectroscopy. *Journal of Raman Spectroscopy*, **2021**, 52, 1086-1094 2.3
- 1 Nailfold Microhemorrhage Segmentation with Modified U-Shape Convolutional Neural Network. *Applied Sciences (Switzerland)*, **2022**, 12, 5068 2.6