## Saeid Baghshahi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/241482/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The relation between particle size and transformation temperature of gibbsite to <i>α</i> LPHA-alumina. Mineral Processing and Extractive Metallurgy: Transactions of the Institute of Mining and Metallurgy, 2022, 131, 111-121.	0.2	1
2	Bi-2223 superconductor ceramics added with cubic-shaped TiO2 nanoparticles: Structural, microstructural, magnetic, and vortex pinning studies. Journal of Alloys and Compounds, 2022, 900, 163201.	5.5	11
3	Synergic effect of additives on the structure and properties of nano strontium hexaferrite synthesized via the gel combustion method. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2022, 278, 115631.	3.5	6
4	The Formation of a New Phase during Crystallization of TiO <sub>2</sub> -Doped Nd <sub>2</sub> O <sub>3</sub> -Al <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> Glasses. Transactions of the Indian Ceramic Society, 2022, 81, 22-29.	1.0	1
5	Impact of functionalized SiC nano-whisker on the flux pinning ability and superconductor features of Bi-2223 ceramics. Ceramics International, 2021, 47, 3706-3712.	4.8	14
6	Kinetic evaluation of YSZ/Al2O3 nanocomposite coatings fabricated by electrophoretic deposition on a nickel-based superalloy. Processing and Application of Ceramics, 2021, 15, 1-10.	0.8	6
7	Effect of Titanium Nitride, Diamond-Like Carbon and Chromium Carbonitride Coatings on the Life Time of an AISI M2 Steel Punch Forming Tool. Journal of Bio- and Tribo-Corrosion, 2021, 7, 1.	2.6	2
8	A New Systematic Approach to the Morphology and Magnetic Properties of Spherical, Cubic, and Rod-like Magnetite Nanoparticles. Journal of Superconductivity and Novel Magnetism, 2021, 34, 1949-1954.	1.8	3
9	Hydrophobic nanocrystalline glazes based on cassiterite for self-cleaning outdoor power grid insulators. Journal of the European Ceramic Society, 2021, 41, 5750-5754.	5.7	8
10	Physical properties and microstructural characterization of copper–ZrO2/YSZ nano-composites produced via double-pressing double-sintering method (DPDS). Journal of Materials Science: Materials in Electronics, 2021, 32, 28307-28320.	2.2	1
11	Deposition of Cu2ZnSnS4 films by doctor blade printing using a one-step microwave heated ink as an absorber layer for solar cells. Ceramics International, 2020, 46, 2325-2331.	4.8	11
12	Effect of Polyaniline on Magnetic and Microwave Absorption Properties in SrFe12O19/Zn0.4Co0.2Ni0.4Fe2O4 Ferrite Nanocomposites. Journal of Inorganic and Organometallic Polymers and Materials, 2020, 30, 4014-4026.	3.7	10
13	Flashâ€photoreduction method to enhance hydrogen photogeneration on Pd@TiO 2. Asia-Pacific Journal of Chemical Engineering, 2020, 15, e2432.	1.5	0
14	Synthesis and characterization of hydrophobic nano-silica thin coatings for outdoor insulators. Processing and Application of Ceramics, 2020, 14, 40-46.	0.8	1
15	Enhancement in the performance of BSCCO (Bi-2223) superconductor with functionalized TiO2 nanorod additive. Ceramics International, 2019, 45, 21878-21886.	4.8	18
16	Modification of doped strontium hexaferrite by MWCNT and PANI for photocatalytic degradation of methylene blue dye. Research on Chemical Intermediates, 2019, 45, 5559-5575.	2.7	7
17	Improving mechanical properties of Mn-added hypoeutectic Al-4Ni alloy by friction stir processing. Transactions of Nonferrous Metals Society of China, 2019, 29, 460-472.	4.2	6
18	Green synthesis of silver nanoparticles using the plant extract of Salvia spinosa grown in vitro and their antibacterial activity assessment. Journal of Nanostructure in Chemistry, 2019, 9, 1-9.	9.1	346

Saeid Baghshahi

#	Article	IF	CITATIONS
19	A novel gel-cast SiC with potential application in turbine hot section: Investigation of the rheological behavior and mechanical properties. Ceramics International, 2019, 45, 15996-16001.	4.8	5
20	Biosynthesis of silver nanoparticles using Ocimum basilicum cultured under controlled conditions for bactericidal application. Materials Science and Engineering C, 2019, 98, 250-255.	7.3	63
21	Enhancement in superconducting properties of Bi2Sr2Ca1Cu2O8+Î, (Bi-2212) by means of boron oxide additive. Physica C: Superconductivity and Its Applications, 2018, 548, 31-39.	1.2	10
22	The influence of heat treatment on the microstructure, flux pinning and magnetic properties of bulk BSCCO samples prepared by sol-gel route. Ceramics International, 2018, 44, 5209-5218.	4.8	18
23	Theoretical and experimental study of PbO-SiO2-Sb2O3 glasses as gamma ray shielding materials. Journal of the Australian Ceramic Society, 2018, 54, 459-465.	1.9	5
24	An investigation on the properties of YSZ/Al <sub>2</sub> O <sub>3</sub> nanocomposite coatings on Inconel by electrophoretic deposition. Journal of Composite Materials, 2018, 52, 81-89.	2.4	5
25	Photodeposition of Pd nanoparticles on TiO2 using sacrificial organic alcohols. Journal of the Australian Ceramic Society, 2018, 54, 383-388.	1.9	7
26	A comparison of the Electrochemical Properties of graphene/Mn3O4 Composites fabricated by two Different Methods. International Journal of Electrochemical Science, 2018, 13, 2462-2473.	1.3	11
27	Investigation of Electrochemical Behavior of Zirconia -Benzotriazole Hybrid Nanostructured Coating Applied on Al 2024 by Sol-Gel Method. Protection of Metals and Physical Chemistry of Surfaces, 2018, 54, 1050-1058.	1.1	2
28	Effect of Partial Substitution of Mn for Ni on Mechanical Properties of Friction Stir Processed Hypoeutectic Al-Ni Alloys. Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science, 2018, 49, 3007-3018.	2.1	9
29	Effect of Al2O3 and Y2O3 on the corrosion behavior of ZrO2â <sup>~</sup> benzotriazole nanostructured coatings applied on AA2024 via a sol–gel method. International Journal of Minerals, Metallurgy and Materials, 2018, 25, 1344-1353.	4.9	4
30	The effect of tantalum substitution on the microstructure and dielectric and piezoelectric properties of Pb0.99(Zr0.95Ti0.05)0.98Nb0.02O3 ceramics. Journal of Materials Science: Materials in Electronics, 2018, 29, 17948-17955.	2.2	1
31	Structural and Magnetic Properties of Sn4+ Doped Strontium Hexaferrites Prepared via Sol–Gel Auto-Combustion Method. IEEE Transactions on Magnetics, 2018, 54, 1-6.	2.1	17
32	Facile and scalable fabrication of graphene/polypyrrole/MnOx/Cu(OH)2 composite for high-performance supercapacitors. Journal of Solid State Electrochemistry, 2018, 22, 3317-3329.	2.5	10
33	Comparison of copper compounds on copper foil as current collector for fabrication of graphene/polypyrrole electrode. Journal of Energy Storage, 2018, 19, 201-212.	8.1	19
34	Synthesis of novel hard/soft ferrite composites particles with improved magnetic properties and exchange coupling. Processing and Application of Ceramics, 2018, 12, 248-256.	0.8	14
35	Suspension medium's impact on the EPD of nano-YSZ on Fecralloy. Surface Engineering, 2017, 33, 310-318.	2.2	11
36	Photodeposition of Pd nanoparticles on TiO 2 utilizing a channel type quartz reactor. Ceramics International, 2017, 43, 9322-9326.	4.8	6

SAEID BAGHSHAHI

#	Article	IF	CITATIONS
37	The effect of lanthanum substitution on ε r and k p aging rates of niobium doped Pb(Zr0.95Ti0.05)O3 ceramics. Journal of the Australian Ceramic Society, 2017, 53, 761-766.	1.9	1
38	Improving the Thermal Shock Resistance of Thermal Barrier Coatings Through Formation of an In Situ YSZ/Al2O3 Composite via Laser Cladding. Journal of Materials Engineering and Performance, 2017, 26, 1890-1899.	2.5	19
39	PZT ceramics prepared through a combined method of B-site precursor and wet mechanically activated calcinate in a planetary ball mill. Ceramics International, 2017, 43, 3873-3878.	4.8	10
40	Preparation, magnetic properties, and photocatalytic performance under natural daylight irradiation of Fe 3 O 4 -ZnO core/shell nanoparticles designed on reduced GO platelet. Materials Science in Semiconductor Processing, 2017, 72, 85-92.	4.0	33
41	Fabrication and characterization of YSZ/Al2O3 nano-composite coatings on Inconel by electrophoretic deposition. Journal of Materials Research, 2017, 32, 3402-3408.	2.6	5
42	The effect of lanthanum substitution on the sintering behavior and the dielectric and piezoelectric properties of niobium doped Pb(Zr0.95Ti0.05)O3 ceramics. Journal of Materials Science: Materials in Electronics, 2017, 28, 4863-4870.	2.2	5
43	Hot corrosion behavior of Al2O3 laser clad plasma sprayed YSZ thermal barrier coatings. Ceramics International, 2016, 42, 17698-17705.	4.8	32
44	The effect of Eu and Dy dopants on the luminescence properties of Sr4Al14O25:Eu2+, Dy3+ phosphorescent nano-pigments prepared by the solution combustion method. Journal of Materials Science: Materials in Electronics, 2016, 27, 12533-12538.	2.2	6
45	Effect of Cu2+ substitution on structural and magnetic properties of Ni–Zn ferrite nanopowders. Journal of Materials Science: Materials in Electronics, 2016, 27, 11447-11456.	2.2	8
46	Synthesis and Characterization of LaCoxFe1-xO3 (0≤â‰⊉) Nano-Crystal Powders by Pechini Type Sol–Gel Method. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 2016, 46, 25-30.	0.6	11
47	Synthesis and Dispersion of Fe <sub>3</sub> O <sub>4</sub> Nanoparticles Using Anionic PEG- <i>g</i> -acrylic Comb Dispersants. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 2016, 46, 861-867.	0.6	2
48	Structure, phase formation, and wetting behavior of BaO–SiO2–B2O3 based glass–ceramics as sealants for solid oxide fuel cells. Ionics, 2014, 20, 55-64.	2.4	26
49	Synthesis of Sr4Al14O25:Eu2+ green emitting luminescent nano-pigment by solution combustion method. Journal of Materials Science: Materials in Electronics, 2014, 25, 4412-4417.	2.2	15
50	Synthesis of Mg2SiO4:Eu3+ by combustion method and investigating its luminescence properties. Journal of Alloys and Compounds, 2013, 555, 62-67.	5.5	34
51	Influence of NaF on Crystallization and Machinability of Mica Glass Ceramics. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 2012, 42, 958-964.	0.6	3
52	Effect of MgO and CaO on Transformation of Andalusite to Mullite. Journal of Materials Engineering and Performance, 2012, 21, 1637-1644.	2.5	9
53	Photoluminescence and microstructural properties of SiO2–ZnO–B2O3 system containing TiO2 and V2O5. Ceramics International, 2012, 38, 1663-1670.	4.8	22
54	Preparation, phase formation and photoluminescence properties of ZnO–SiO2–B2O3 glasses with different ZnO/B2O3 ratios. Optical Materials, 2012, 34, 850-855.	3.6	16

Saeid Baghshahi

#	Article	IF	CITATIONS
55	Effects of nucleation agents on the preparation of transparent glass–ceramics. Journal of the European Ceramic Society, 2012, 32, 2989-2994.	5.7	24
56	Preparation, heat treatment and photoluminescence properties of V-doped ZnO–SiO2–B2O3 glasses. Journal of Luminescence, 2012, 132, 1126-1132.	3.1	19
57	Advantages of Nano Pigments Over Micro Pigments in Obtaining Larger Spectra of Colours in CMYK System. Transactions of the Indian Ceramic Society, 2011, 70, 93-99.	1.0	13
58	Thermal stability of nanostructured aluminum powder synthesized by high-energy milling. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2011, 528, 6702-6707.	5.6	31
59	Microstructural characteristics and grain growth kinetics of Pr6O11 Doped SnO2-based varistors. Solid State Ionics, 2011, 189, 13-18.	2.7	23
60	Utilization of DTA in the Determination of a Crystallization Mechanism in Transparent Glass-Ceramics with a Nanocrystalline Structure. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 2011, 41, 561-570.	0.6	7
61	Effects of alumina and zirconia addition on transformation of andalusite to mullite. Advances in Applied Ceramics, 2009, 108, 389-395.	1.1	23
62	Synthesis of white pearlescent pigments using the surface response method of statistical analysis. Ceramics International, 2008, 34, 2029-2035.	4.8	17
63	Graphite flake carbon composites with a â€~sinterable' microbead matrix. Carbon, 2003, 41, 1593-1603.	10.3	11
64	Surface crystallization of rare-earth aluminosilicate glasses. Journal of Non-Crystalline Solids, 2001, 290, 208-215.	3.1	14
65	Sintering and Thermal Shock Behavior of Yttria-Stabilized Zirconia Coating Deposited by Electrophoretic Method On Inconel 738LC Superalloy. Transactions of the Indian Institute of Metals,	1.5	1