

Yu Ri Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/241493/publications.pdf>

Version: 2024-02-01

48
papers

458
citations

840119

11
h-index

752256

20
g-index

49
all docs

49
docs citations

49
times ranked

759
citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic factors in primary diffuse large B-cell lymphoma of adrenal gland treated with rituximab-CHOP chemotherapy from the Consortium for Improving Survival of Lymphoma (CISL). <i>Journal of Hematology and Oncology</i> , 2012, 5, 49.	6.9	83
2	PERK/NRF2 and autophagy form a resistance mechanism against G9a inhibition in leukemia stem cells. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020, 39, 66.	3.5	39
3	Lymphopenia is an important prognostic factor in peripheral T-cell lymphoma (NOS) treated with anthracycline-containing chemotherapy. <i>Journal of Hematology and Oncology</i> , 2011, 4, 34.	6.9	37
4	Current status of the diagnosis and treatment of hemophagocytic lymphohistiocytosis in adults. <i>Blood Research</i> , 2021, 56, S17-S25.	0.5	37
5	Myeloperoxidase Expression as a Potential Determinant of Parthenolide-Induced Apoptosis in Leukemia Bulk and Leukemia Stem Cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 335, 389-400.	1.3	34
6	Programmed cell death 1 expression is associated with inferior survival in patients with primary central nervous system lymphoma. <i>Oncotarget</i> , 2017, 8, 87317-87328.	0.8	30
7	A new prognostic model using absolute lymphocyte count in patients with primary central nervous system lymphoma. <i>European Journal of Cancer</i> , 2016, 57, 127-135.	1.3	28
8	The Modified Glasgow Prognostic Scores as a Predictor in Diffuse Large B Cell Lymphoma Treated with R-CHOP Regimen. <i>Yonsei Medical Journal</i> , 2014, 55, 1568.	0.9	21
9	The role of radiotherapy in the management of POEMS syndrome. <i>Radiation Oncology</i> , 2014, 9, 265.	1.2	18
10	Monoclonal and polyclonal gammopathy measured by serum free light chain and immunofixation subdivide the clinical outcomes of diffuse large B-cell lymphoma according to molecular classification. <i>Annals of Hematology</i> , 2014, 93, 1867-1877.	0.8	16
11	Lung Transplantation for Bronchiolitis Obliterans after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Yonsei Medical Journal</i> , 2012, 53, 1054.	0.9	12
12	The prognostic role of CD68 and FoxP3 expression in patients with primary central nervous system lymphoma. <i>Annals of Hematology</i> , 2017, 96, 1163-1173.	0.8	12
13	Pretreatment Epstein-Barr virus DNA in whole blood is a prognostic marker in peripheral T-cell lymphoma. <i>Oncotarget</i> , 2017, 8, 92312-92323.	0.8	11
14	Early response to high-dose methotrexate, vincristine, and procarbazine chemotherapy-adapted strategy for primary CNS lymphoma: no consolidation therapy for patients achieving early complete response. <i>Annals of Hematology</i> , 2014, 93, 211-219.	0.8	10
15	The role of upfront autologous stem cell transplantation in high-risk younger patients with primary central nervous system lymphoma. <i>British Journal of Haematology</i> , 2016, 174, 444-453.	1.2	10
16	Treatment Outcomes of Rituximab Plus Hyper-CVAD in Korean Patients with Sporadic Burkitt or Burkitt-like Lymphoma: Results of a Multicenter Analysis. <i>Cancer Research and Treatment</i> , 2015, 47, 173-181.	1.3	10
17	The different roles of molecular classification according to upfront autologous stem cell transplantation in advanced-stage diffuse large B cell lymphoma patients with elevated serum lactate dehydrogenase. <i>Annals of Hematology</i> , 2016, 95, 1491-1501.	0.8	9
18	Xanthogranulomatous Appendicitis Mimicking Residual Burkitt's Lymphoma After Chemotherapy. <i>Annals of Coloproctology</i> , 2016, 32, 83.	0.5	7

#	ARTICLE	IF	CITATIONS
19	Upfront autologous hematopoietic stem cell transplantation for high-risk patients with double-expressor diffuse large B cell lymphoma. <i>Annals of Hematology</i> , 2020, 99, 2149-2157.	0.8	4
20	Early Response to Methotrexate, Vincristine and Procarbazine Chemotherapy-Adapted Strategy for Primary CNS Lymphoma: Omitted Radiotherapy for Patients Achieving Complete Response in Interim Analysis.. <i>Blood</i> , 2012, 120, 2719-2719.	0.6	4
21	Update on the POEMS syndrome. <i>Blood Research</i> , 2022, 57, S27-S31.	0.5	4
22	Clinical outcomes in patients with diffuse large B cell lymphoma with a partial response to first-line R-CHOP chemotherapy: prognostic value of secondary International Prognostic Index scores and Deauville scores. <i>Annals of Hematology</i> , 2017, 96, 1873-1881.	0.8	3
23	Prognostic significance of interventricular septal thickness in patients with AL amyloidosis. <i>Leukemia Research</i> , 2017, 60, 36-43.	0.4	3
24	Predictive Factors of Event-Free Survival at 24 Months in Patients with Peripheral T-Cell Lymphoma: A Retrospective Study. <i>Cancer Research and Treatment</i> , 2022, 54, 613-620.	1.3	2
25	Inhibition of Unc-51-like Kinase 1 (ULK1) with Novel Small Molecular Inhibitor MRT68921 Preferentially Induces Apoptosis and Autophagy in FLT3-ITD- Mutated Acute Myeloid Leukemia. <i>Blood</i> , 2018, 132, 3499-3499.	0.6	2
26	YAP and TAZ in Fibroblastic Reticular Cells Support Hematopoiesis and Retention of Lymphocytes in Lymph Nodes. <i>Blood</i> , 2019, 134, 3595-3595.	0.6	2
27	Real-world data on prognostic value of measurable residual disease assessment by fragment analysis or next-generation sequencing in multiple myeloma. <i>British Journal of Haematology</i> , 2022, , .	1.2	2
28	Bone marrow hypoplasia, isochromosome 8q and deletion of chromosome 6q preceding B-cell lymphoma. <i>Blood Research</i> , 2014, 49, 200.	0.5	1
29	Risk factors for neutropenic fever in non-Hodgkin's lymphoma patients with primary granulocyte colony-stimulating factor prophylaxis. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 1181-1189.	0.7	1
30	Risk Factors For The Development Of Severe Bacterial Infection In Patients With Multiple Myeloma During Chemotherapy With Bortezomib Containing Regimens. <i>Blood</i> , 2013, 122, 5370-5370.	0.6	1
31	Inhibition of NHE1 Induced Apoptosis in Cytarabine Resistant Leukemia Cell Lines and Primary Leukemia Cells from AML Patients, Which Showed Increased Intracellular pH and NHE1 Activity. <i>Blood</i> , 2014, 124, 3614-3614.	0.6	1
32	Multiple Myeloma Mimics Bone Metastasis From a Rectal Adenocarcinoma. <i>Annals of Coloproctology</i> , 2017, 33, 70-73.	0.5	1
33	Delta-Neutrophil Index Is a Useful Indicator for Initiation of Peripheral Blood Stem Cell Collection in Chemo-Mobilized Patients. <i>Blood</i> , 2014, 124, 2457-2457.	0.6	1
34	Endoplasmic Reticulum Stress Signaling Comprises a G9a Inhibitor Tolerance Pathway and PERK Inhibition Increases Anti-Leukemia Activity of G9a Inhibitor in Leukemia Cells and Leukemia Stem-like Cells. <i>Blood</i> , 2018, 132, 1360-1360.	0.6	1
35	Recovery of Specific Subsets of Natural Killer and T Cells Highly Associated with Graft-Versus-Host Disease after Haploidentical Stem Cell Transplantation in Acute Leukemia. <i>Blood</i> , 2018, 132, 4581-4581.	0.6	1
36	Hereditary cancer syndrome-associated pathogenic variants are common in patients with hematologic malignancies subsequent to primary solid cancer. <i>Journal of Cancer</i> , 2021, 12, 4288-4294.	1.2	0

#	ARTICLE	IF	CITATIONS
37	Different roles of surveillance positron emission tomography according to the histologic subtype of non-Hodgkin's lymphoma. Korean Journal of Internal Medicine, 2021, 36, S245-S252.	0.7	0
38	Low Absolute Lymphocyte Count Predicts Chemotherapy Response and Survival In Peripheral T-Cell Lymphoma, NOS. Blood, 2010, 116, 3135-3135.	0.6	0
39	Pretransplant Parathyroid Hormone Level Has No Correlation with Platelet Recovery After Stem Cell. Blood, 2012, 120, 4495-4495.	0.6	0
40	High Dose Etoposide Plus G-CSF As an Effective Mobilization Regimen in Patients with NHL Previously Treated with R-CHOP or CHOP Chemotherapy. Retrospective Multicenter Study. Blood, 2012, 120, 1917-1917.	0.6	0
41	High Serum Level of APRIL Is Related to Increased Risk of Acute Gvhd. Blood, 2012, 120, 4161-4161.	0.6	0
42	The Role Of Modified Glasgow Prognostic Score As Predictor In Diffuse Large B Cell Lymphoma Treated With The R-CHOP Regimen. Blood, 2013, 122, 4307-4307.	0.6	0
43	Clinical Limitations of Surveillance Fluorine 18 Fluorodeoxyglucose Positron Emission Tomography-Computed Tomography According to Histologic Subtypes in Patients with Malignant Lymphoma Who Achieved Complete Remission. Blood, 2014, 124, 1736-1736.	0.6	0
44	The New Prognostic Model Using Whole Blood Epstein-Barr Virus-DNA Positivity and Low Absolute Lymphocyte Count in Patients with Primary Central Nerve System Lymphoma. Blood, 2014, 124, 3014-3014.	0.6	0
45	Upfront Autologous Stem Cell Transplantation Overcome the poor Prognosis of Non-Germinal Center Subtype of diffuse Large B-Cell Lymphoma in Patients with Advanced Stage and Elevated Serum Lactate Dehydrogenase. Blood, 2014, 124, 3998-3998.	0.6	0
46	The Role of MYC and BCL-2 Double Expression the in DLBCL Patients with Advanced Stage and Elevated LDH Who Received Upfront ASCT after R-CHOP. Blood, 2016, 128, 4219-4219.	0.6	0
47	Early CMV Replication-Associated Anti-Leukemia Effect Is Related to the Reconstitution of Specific Subsets of Natural Killer Cells after Haploidentical Stem Cell Transplantation in Acute Leukemia. Blood, 2018, 132, 2128-2128.	0.6	0
48	Changes in Factor VIII:C Activity over 24 Hours Depending on Diluent and Storage Conditions after Dilution. Blood, 2018, 132, 2488-2488.	0.6	0