Young Kim

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2415007/young-kim-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

313
papers

4,716
citations

31
papers

6,032
ext. papers

4.4
avg, IF

54
g-index

5.81
L-index

#	Paper	IF	Citations
313	Liver-directed concurrent chemoradiotherapy versus sorafenib in hepatocellular carcinoma with portal vein tumor thrombus <i>Journal of Clinical Oncology</i> , 2022 , 40, 424-424	2.2	О
312	A Multi-Center, Double-Blind Randomized Controlled Phase III Clinical Trial to Evaluate the Antiviral Activity and Safety of DA-2802 (Tenofovir Disoproxil Orotate) and Viread (Tenofovir Disoproxil Fumarate) in Chronic Hepatitis B Patients <i>Journal of Korean Medical Science</i> , 2022 , 37, e92	4.7	
311	Comparison of FibroScan-Aspartate Aminotransferase (FAST) Score and Other Non-invasive Surrogates in Predicting High-Risk Non-alcoholic Steatohepatitis Criteria <i>Frontiers in Medicine</i> , 2022 , 9, 869190	4.9	O
310	Activated TAZ induces liver cancer in collaboration with EGFR/HER2 signaling pathways <i>BMC Cancer</i> , 2022 , 22, 423	4.8	0
309	Tumor-specific miRNA signatures in combination with CA19-9 for liquid biopsy-based detection of pancreatic cancer. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2022 , 26, S368-S368	1.5	
308	Laparoscopic liver resection versus percutaneous radiofrequency ablation for single small hepatocellular carcinoma (IB cm): Optimal indication based on the tumor size and the level of PIVKA-II. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2022 , 26, S92-S92	1.5	
307	Liver-Directed Concurrent Chemoradiotherapy versus Sorafenib in Hepatocellular Carcinoma with Portal Vein Tumor Thrombosis. <i>Cancers</i> , 2022 , 14, 2396	6.6	O
306	Anti-Cancer Effects of YAP Inhibitor (CA3) in Combination with Sorafenib against Hepatocellular Carcinoma (HCC) in Patient-Derived Multicellular Tumor Spheroid Models (MCTS). <i>Cancers</i> , 2022 , 14, 2733	6.6	1
305	Clinical and survival outcomes after hepatectomy in patients with non-alcoholic fatty liver and hepatitis B-related hepatocellular carcinoma. <i>Hpb</i> , 2021 , 23, 1113-1122	3.8	4
304	Dynamics of liver stiffness-based risk prediction model during antiviral therapy in patients with chronic hepatitis B. <i>European Journal of Gastroenterology and Hepatology</i> , 2021 , 33, 885-893	2.2	3
303	Hepatic Decompensation in Cirrhotic Patients Receiving Antiviral Therapy for Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 1950-1958.e7	6.9	8
302	Pharmacokinetics and safety of evogliptin in hepatically impaired patients. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 2757-2766	3.8	О
301	Direct-Acting Antivirals Improve Treatment Outcomes in Patients with Hepatitis C Virus-Related Hepatocellular Carcinoma Treated with Transarterial Chemoembolization: A Nationwide, Multi-center, Retrospective Cohort Study. <i>Digestive Diseases and Sciences</i> , 2021 , 66, 2427-2438	4	2
300	Predictors of Sarcopenia in an Obese Asian Population. <i>Nutrition and Cancer</i> , 2021 , 1-10	2.8	
299	External validation of CAGE-B and SAGE-B scores for Asian chronic hepatitis B patients with well-controlled viremia by antivirals. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 951-958	3.4	2
298	Negligible risks of hepatocellular carcinoma during biomarker-defined immune-tolerant phase for patients with chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , 2021 , 27, 295-304	6.9	3
297	Treatment efficacy by hepatic arterial infusion chemotherapy vs. sorafenib after liver-directed concurrent chemoradiotherapy for advanced hepatocellular carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 147, 3123-3133	4.9	1

296	Screening, confirmation, and treatment rates of hepatitis C virus infection in a tertiary academic medical center in South Korea. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 2479-24	1 8 5	О
295	Independent Risk Factors for Hepatocellular Carcinoma Recurrence after Direct-Acting Antiviral Therapy in Patients with Chronic Hepatitis C. <i>Gut and Liver</i> , 2021 , 15, 410-419	4.8	2
294	Change in the Recurrence Pattern and Predictors over Time after Complete Cure of Hepatocellular Carcinoma. <i>Gut and Liver</i> , 2021 , 15, 420-429	4.8	1
293	The Prognostic Role of On-Treatment Liver Stiffness for Hepatocellular Carcinoma Development in Patients with Chronic Hepatitis B. <i>Journal of Hepatocellular Carcinoma</i> , 2021 , 8, 467-476	5.3	0
292	Skin diseases in Asian individuals that you do not want to miss: A selection of unique or relatively more common conditions in Asian populations. <i>Clinics in Dermatology</i> , 2021 , 39, 879-886	3	
291	Predictive Performance of CAGE-B and SAGE-B Models in Asian Treatment-Naive Patients Who Started Entecavir for Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	3
290	Clinical Characteristics of Long-Term Survivors After Sorafenib Treatment for Unresectable Hepatocellular Carcinoma: A Korean National Multicenter Retrospective Cohort Study. <i>Journal of Hepatocellular Carcinoma</i> , 2021 , 8, 613-623	5.3	2
289	The efficacies of entecavir and tenofovir in terms of enhancing prognosis after curative treatment of hepatitis B virus-related hepatocellular carcinoma. <i>European Journal of Internal Medicine</i> , 2021 , 89, 48-55	3.9	6
288	Cardiovascular Risk Is Elevated in Lean Subjects with Nonalcoholic Fatty Liver Disease. <i>Gut and Liver</i> , 2021 ,	4.8	4
287	Patterns and Outcomes in Hepatocellular Carcinoma Patients with Portal Vein Invasion: A Multicenter Prospective Cohort Study. <i>Digestive Diseases and Sciences</i> , 2021 , 66, 315-324	4	2
286	Evolution of liver fibrosis and steatosis markers in patients with type 2 diabetes after metformin treatment for 2 years. <i>Journal of Diabetes and Its Complications</i> , 2021 , 35, 107747	3.2	2
285	Validation of risk prediction scores for hepatocellular carcinoma in patients with chronic hepatitis B treated with entecavir or tenofovir. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 95-104	3.4	4
284	Impact of antiviral therapy on risk prediction model for hepatocellular carcinoma development in patients with chronic hepatitis B. <i>Hepatology Research</i> , 2021 , 51, 406-416	5.1	2
283	Lenvatinib is independently associated with the reduced risk of progressive disease when compared with sorafenib in patients with advanced hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 1317-1325	4	9
282	Metabolic activity assessment by F-fluorodeoxyglucose positron emission tomography in patients with hepatocellular carcinoma undergoing Yttrium-90 transarterial radioembolization. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 1679-1684	4	О
281	Prognostic Value of Alpha-Fetoprotein in Patients Who Achieve a Complete Response to Transarterial Chemoembolization for Hepatocellular Carcinoma. <i>Yonsei Medical Journal</i> , 2021 , 62, 12-20	3	1
280	Association Between Curative Treatment after Transarterial Radioembolization and Better Survival Outcomes in Patients with Hepatocellular Carcinoma. <i>Cancer Investigation</i> , 2021 , 39, 274-283	2.1	О
279	Epidemiological and Clinical History of Viral Hepatitis in Korea. <i>Infection and Chemotherapy</i> , 2021 , 53, 159-165	3.9	3

278	Hepatic Steatosis Index in the Detection of Fatty Liver in Patients with Chronic Hepatitis B Receiving Antiviral Therapy. <i>Gut and Liver</i> , 2021 , 15, 117-127	4.8	8
277	Predictors of Complete Response in Patients with Hepatocellular Carcinoma Treated with Trans-Arterial Radioembolization. <i>Current Oncology</i> , 2021 , 28, 965-977	2.8	1
276	Controlled attenuation parameter value and the risk of hepatocellular carcinoma in chronic hepatitis B patients under antiviral therapy. <i>Hepatology International</i> , 2021 , 15, 892-900	8.8	0
275	Risk assessment of hepatocellular carcinoma and liver-related events using ultrasonography and transient elastography in patients with chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 1362-137	·2·4	O
274	YAP/TAZ Suppress Drug Penetration Into Hepatocellular Carcinoma Through Stromal Activation. <i>Hepatology</i> , 2021 , 74, 2605-2621	11.2	5
273	Risk stratification using sarcopenia status among subjects with metabolic dysfunction-associated fatty liver disease. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 , 12, 1168-1178	10.3	6
272	Estimation of Knee Joint Angle Using Textile Capacitive Sensor and Artificial Neural Network Implementing with Three Shoe Types at Two Gait Speeds: A Preliminary Investigation. <i>Sensors</i> , 2021 , 21,	3.8	1
271	No influence of hepatic steatosis on the 3-year outcomes of patients with quiescent chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 1545-1553	3.4	O
270	Impact of tenofovir alafenamide vs. entecavir on hepatocellular carcinoma risk in patients with chronic hepatitis B. <i>Hepatology International</i> , 2021 , 15, 1083-1092	8.8	5
269	Effect of tenofovir alafenamide vs. tenofovir disoproxil fumarate on hepatocellular carcinoma risk in chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 1570-1578	3.4	2
268	Lung and lymph node metastases from hepatocellular carcinoma: Comparison of pathological aspects. <i>Liver International</i> , 2021 ,	7.9	4
267	History and future of hepatitis B virus control in South Korea. <i>Clinical and Molecular Hepatology</i> , 2021 , 27, 620-622	6.9	1
266	Long-term effects of entecavir and tenofovir treatment on the fibrotic burden in patients with chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 ,	4	1
265	Prevalence and Risk Factors of Cardiovascular Disease in Patients with Chronic Hepatitis B. <i>Digestive Diseases and Sciences</i> , 2021 , 1	4	
264	Episodic Detectable Viremia Does Not Affect Prognosis in Untreated Compensated Cirrhosis With Serum Hepatitis B Virus DNA . <i>American Journal of Gastroenterology</i> , 2021 ,	0.7	2
263	Measuring radiation exposure of operators engaged in the yttrium-90 microsphere radioembolization treatment of hepatocellular carcinoma patients. <i>Optik</i> , 2021 , 243, 167392	2.5	
262	Revised Korean Antiviral Guideline Reduces the Hepatitis B-related Hepatocellular Carcinoma Risk in Cirrhotic Patients. <i>Journal of Korean Medical Science</i> , 2021 , 36, e105	4.7	O
261	Association between the severity of liver fibrosis and cardiovascular outcomes in patients with type 2 diabetes. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 1703-1713	4	6

260	Efficacy and safety of ledipasvir/sofosbuvir in 5,028 Mongolian patients infected with genotype 1 hepatitis C virus: A multicenter study. <i>Clinical and Molecular Hepatology</i> , 2021 , 27, 125-135	6.9	1	
259	Risk and Risk Score Performance of Hepatocellular Carcinoma Development in Patients With Hepatitis B Surface Antigen Seroclearance. <i>Clinical and Translational Gastroenterology</i> , 2021 , 12, e00290) ^{4.2}	5	
258	Dickkopf-1 promotes angiogenesis by upregulating VEGF receptor 2-mediated mTOR/p70S6K signaling in hepatocellular carcinoma. <i>American Journal of Cancer Research</i> , 2021 , 11, 4788-4806	4.4		
257	Entecavir and tenofovir on renal function in patients with hepatitis B virus-related hepatocellular carcinoma. <i>Journal of Viral Hepatitis</i> , 2020 , 27, 932-940	3.4	1	
256	Effects of Branched-Chain Amino Acid (BCAA) Supplementation on the Progression of Advanced Liver Disease: A Korean Nationwide, Multicenter, Prospective, Observational, Cohort Study. <i>Nutrients</i> , 2020 , 12,	6.7	9	
255	Extremely low risk of hepatocellular carcinoma development in patients with chronic hepatitis B in immune-tolerant phase. <i>Alimentary Pharmacology and Therapeutics</i> , 2020 , 52, 196-204	6.1	16	
254	High body mass index hinders fibrosis improvement in patients receiving long-term tenofovir therapy in hepatitis B virus-related cirrhosis. <i>Journal of Viral Hepatitis</i> , 2020 , 27, 1119-1126	3.4	2	
253	HKR3 regulates cell cycle through the inhibition of hTERT in hepatocellular carcinoma cell lines. <i>Journal of Cancer</i> , 2020 , 11, 2442-2452	4.5	4	
252	Effects of transarterial chemoembolization on regulatory T cell and its subpopulations in patients with hepatocellular carcinoma. <i>Hepatology International</i> , 2020 , 14, 249-258	8.8	7	
251	Efficacy and Safety of Liver-Directed Concurrent Chemoradiotherapy and Sequential Sorafenib for Advanced Hepatocellular Carcinoma: A Prospective Phase 2 Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 107, 106-115	4	10	
250	A tool to measure the impact of inaction toward elimination of hepatitis C: A case study in Korea. <i>PLoS ONE</i> , 2020 , 15, e0232186	3.7	3	
249	Smart Helmet and Insole Sensors for Near Fall Incidence Recognition during Descent of Stairs. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 2262	2.6	7	
248	Natural History of Untreated HBeAg-Positive Chronic HBV Infection With Persistently Elevated HBV DNA but Normal Alanine Aminotransferase. <i>Clinical and Translational Gastroenterology</i> , 2020 , 11, e00140	4.2	9	
247	Hepatocellular Carcinoma Risk Steadily Persists over Time Despite Long-Term Antiviral Therapy for Hepatitis B: A Multicenter Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 832-837	4	17	
246	Correlation of the grade of hepatic steatosis between controlled attenuation parameter and ultrasound in patients with fatty liver: a multi-center retrospective cohort study. <i>Korean Journal of Internal Medicine</i> , 2020 , 35, 1346-1353	2.5	1	
245	Appraisal of Long-Term Outcomes of Liver-Directed Concurrent Chemoradiotherapy for Hepatocellular Carcinoma with Major Portal Vein Invasion. <i>Journal of Hepatocellular Carcinoma</i> , 2020 , 7, 403-412	5.3	4	
244	Influence of Besifovir Dipivoxil Maleate Combined with L-Carnitine on Hepatic Steatosis in Patients with Chronic Hepatitis B. <i>Journal of Korean Medical Science</i> , 2020 , 35, e104	4.7	2	
243	A survey on transarterial chemoembolization refractoriness and a real-world treatment pattern for hepatocellular carcinoma in Korea. <i>Clinical and Molecular Hepatology</i> , 2020 , 26, 24-32	6.9	17	

242	Serum Wisteria floribunda agglutinin-positive human Mac-2 binding protein level predicts recurrence of hepatitis B virus-related hepatocellular carcinoma after curative resection. <i>Clinical and Molecular Hepatology</i> , 2020 , 26, 33-44	6.9	11
241	Proposal of a New Risk Score for Patients Treated with Transarterial Chemoembolization due to Recurrent Hepatocellular Carcinoma after Curative Resection: A Multicenter Study. <i>Gut and Liver</i> , 2020 , 14, 477-485	4.8	1
240	Sarcopenia Is Independently Associated with the Degree of Liver Fibrosis in Patients with Type 2 Diabetes Mellitus. <i>Gut and Liver</i> , 2020 , 14, 626-635	4.8	10
239	The Modified Response Evaluation Criteria in Solid Tumors (RECIST) Yield a More Accurate Prognoses Than the RECIST 1.1 in Hepatocellular Carcinoma Treated with Transarterial Radioembolization. <i>Gut and Liver</i> , 2020 , 14, 765-774	4.8	8
238	Prevention and management of viral hepatitis in inflammatory bowel disease: a clinical practice guideline by the Korean Association for the Study of Intestinal Diseases. <i>Intestinal Research</i> , 2020 , 18, 18-33	4.1	5
237	Validation of the CAMD Score in Patients With Chronic Hepatitis B Virus Infection Receiving Antiviral Therapy. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 693-699.e1	6.9	16
236	An observational study on long-term renal outcome in patients with chronic hepatitis B treated with tenofovir disoproxil fumarate. <i>Journal of Viral Hepatitis</i> , 2020 , 27, 316-322	3.4	5
235	Establishment and validation of a risk prediction model in patients with hepatocellular carcinoma treated with transarterial radioembolization. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 739-747	2.2	2
234	Retrospective comparison of EASL 2018 and LI-RADS 2018 for the noninvasive diagnosis of hepatocellular carcinoma using magnetic resonance imaging. <i>Hepatology International</i> , 2020 , 14, 70-79	8.8	22
233	Design and validation of risk prediction model for hepatocellular carcinoma development after sustained virological response in patients with chronic hepatitis C. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 378-385	2.2	10
232	Immunopathogenesis of ANCA-Associated Vasculitis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	21
231	Advanced Liver Fibrosis Predicts Unfavorable Long-Term Prognosis in First-Ever Ischemic Stroke or Transient Ischemic Attack. <i>Cerebrovascular Diseases</i> , 2020 , 49, 474-480	3.2	5
230	Hepatocellular Carcinoma Risk According to Regimens for Eradication of Hepatitis C Virus; Interferon or Direct Acting Antivirals. <i>Cancers</i> , 2020 , 12,	6.6	5
229	Association between liver fibrosis and appendicular skeletal muscle mass during antiviral therapy in chronic hepatitis B. <i>Digestive and Liver Disease</i> , 2020 , 52, 1338-1345	3.3	2
228	Liver-directed combined radiotherapy as a bridge to curative surgery in locally advanced hepatocellular carcinoma beyond the Milan criteria. <i>Radiotherapy and Oncology</i> , 2020 , 152, 1-7	5.3	7
227	Community pharmacists' knowledge, perceptions, and practices about topical corticosteroid counseling: A real-world cross-sectional survey and focus group discussions in Korea. <i>PLoS ONE</i> , 2020 , 15, e0236797	3.7	3
226	A multi-centre study of trends in hepatitis B virus-related hepatocellular carcinoma risk over time during long-term entecavir therapy. <i>Journal of Viral Hepatitis</i> , 2020 , 27, 1352-1358	3.4	3
225	Prognosis of Early-Stage Hepatocellular Carcinoma: Comparison between Trans-Arterial Chemoembolization and Radiofrequency Ablation. <i>Cancers</i> , 2020 , 12,	6.6	6

224	Fibrosis-4 index at diagnosis can predict all-cause mortality in patients with rheumatoid arthritis: A retrospective monocentric study. <i>Modern Rheumatology</i> , 2020 , 30, 70-77	3.3	11
223	Dose escalation in radiotherapy for incomplete transarterial chemoembolization of hepatocellular carcinoma. <i>Strahlentherapie Und Onkologie</i> , 2020 , 196, 132-141	4.3	9
222	Cost-effectiveness of increased screening and treatment of chronic hepatitis C in Korea. <i>Current Medical Research and Opinion</i> , 2020 , 36, 993-1002	2.5	3
221	Nonalcoholic Fatty Liver Disease and Sarcopenia Are Independently Associated With Cardiovascular Risk. <i>American Journal of Gastroenterology</i> , 2020 , 115, 584-595	0.7	24
220	A tool to measure the impact of inaction toward elimination of hepatitis C: A case study in Korea 2020 , 15, e0232186		
219	A tool to measure the impact of inaction toward elimination of hepatitis C: A case study in Korea 2020 , 15, e0232186		
218	A tool to measure the impact of inaction toward elimination of hepatitis C: A case study in Korea 2020 , 15, e0232186		
217	A tool to measure the impact of inaction toward elimination of hepatitis C: A case study in Korea 2020 , 15, e0232186		
216	Community pharmacists[knowledge, perceptions, and practices about topical corticosteroid counseling: A real-world cross-sectional survey and focus group discussions in Korea 2020 , 15, e023679	7	
215	Community pharmacists[knowledge, perceptions, and practices about topical corticosteroid counseling: A real-world cross-sectional survey and focus group discussions in Korea 2020 , 15, e023679	7	
214	Community pharmacists[knowledge, perceptions, and practices about topical corticosteroid counseling: A real-world cross-sectional survey and focus group discussions in Korea 2020 , 15, e023679	7	
213	Community pharmacists[knowledge, perceptions, and practices about topical corticosteroid counseling: A real-world cross-sectional survey and focus group discussions in Korea 2020 , 15, e023679	7	
212	Correlation between selected gait variables and emotion using virtual reality. <i>Journal of Ambient Intelligence and Humanized Computing</i> , 2019 , 1	3.7	3
211	Preliminary Clinical Application of Textile Insole Sensor for Hemiparetic Gait Pattern Analysis. <i>Sensors</i> , 2019 , 19,	3.8	13
210	Homeostatic Control of Sebaceous Glands by Innate Lymphoid Cells Regulates Commensal Bacteria Equilibrium. <i>Cell</i> , 2019 , 176, 982-997.e16	56.2	94
209	High Risk of Hepatocellular Carcinoma Development in Fibrotic Liver: Role of the Hippo-YAP/TAZ Signaling Pathway. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	17
208	Staged partial hepatectomy versus transarterial chemoembolization for the treatment of spontaneous hepatocellular carcinoma rupture: a multicenter analysis in Korea. <i>Annals of Surgical Treatment and Research</i> , 2019 , 96, 275-282	2	9
207	Transarterial Chemoembolization in Treatment-NaMe and Recurrent Hepatocellular Carcinoma: A Propensity-Matched Outcome Analysis. <i>Digestive Diseases and Sciences</i> , 2019 , 64, 3660-3668	4	6

206	Progression of Untreated Minimally Active Chronic HBV Infection Compared to Inactive Infection. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 2808-2810.e2	6.9	9
205	Feasibility of dynamic risk assessment for patients with repeated trans-arterial chemoembolization for hepatocellular carcinoma. <i>BMC Cancer</i> , 2019 , 19, 363	4.8	7
204	External validation of the modified PAGE-B score in Asian chronic hepatitis B patients receiving antiviral therapy. <i>Liver International</i> , 2019 , 39, 1624-1630	7.9	22
203	Evaluation of Early Response to Treatment of Hepatocellular Carcinoma with Yttrium-90 Radioembolization Using Quantitative Computed Tomography Analysis. <i>Korean Journal of Radiology</i> , 2019 , 20, 449-458	6.9	6
202	Dose escalation by intensity modulated radiotherapy in liver-directed concurrent chemoradiotherapy for locally advanced BCLC stage C hepatocellular carcinoma. <i>Radiotherapy and Oncology</i> , 2019 , 133, 1-8	5.3	18
201	Predictors of Discordance in the Assessment of Skeletal Muscle Mass between Computed Tomography and Bioimpedance Analysis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	4
200	Development of a New Nomogram Including Neutrophil-to-Lymphocyte Ratio to Predict Survival in Patients with Hepatocellular Carcinoma Undergoing Transarterial Chemoembolization. <i>Cancers</i> , 2019 , 11,	6.6	24
199	Real-world safety evaluation of topical corticosteroid use: A community pharmacy-based, prospective, observational study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019 , 125, 405-413	3.1	2
198	Refractoriness to transarterial chemoembolization in patients with recurrent hepatocellular carcinoma after curative resection. <i>PLoS ONE</i> , 2019 , 14, e0214613	3.7	4
197	A multicenter study of entecavir vs. tenofovir on prognosis of treatment-nalle chronic hepatitis B in South Korea. <i>Journal of Hepatology</i> , 2019 , 71, 456-464	13.4	91
196	Liver Fibrosis, Not Steatosis, Associates with Long-Term Outcomes in Ischaemic Stroke Patients. Cerebrovascular Diseases, 2019 , 47, 32-39	3.2	16
195	Comparison between chronic hepatitis B patients with untreated immune-tolerant phase vs. those with virological response by antivirals. <i>Scientific Reports</i> , 2019 , 9, 2508	4.9	10
194	Alpha-Fetoprotein, Des-Gamma-Carboxy Prothrombin, and Modified RECIST Response as Predictors of Survival after Transarterial Radioembolization for Hepatocellular Carcinoma. <i>Journal of Vascular and Interventional Radiology</i> , 2019 , 30, 1194-1200.e1	2.4	10
193	Development and validation of a prognostic model for patients with hepatocellular carcinoma undergoing radiofrequency ablation. <i>Cancer Medicine</i> , 2019 , 8, 5023-5032	4.8	20
192	Longitudinal assessment of alpha-fetoprotein for early detection of hepatocellular carcinoma in patients with cirrhosis. <i>Scandinavian Journal of Gastroenterology</i> , 2019 , 54, 1283-1290	2.4	8
191	Changes in real-life practice for hepatocellular carcinoma patients in the Republic of Korea over a 12-year period: A nationwide random sample study. <i>PLoS ONE</i> , 2019 , 14, e0223678	3.7	9
190	Failure of hepatocellular carcinoma surveillance: inadequate echogenic window and macronodular parenchyma as potential culprits. <i>Ultrasonography</i> , 2019 , 38, 311-320	4.3	7
189	Influence of hepatic steatosis on the outcomes of patients with chronic hepatitis B treated with entecavir and tenofovir. <i>Clinical and Molecular Hepatology</i> , 2019 , 25, 283-293	6.9	16

188	An integrated analysis of elbasvir/grazoprevir in Korean patients with hepatitis C virus genotype 1b infection. <i>Clinical and Molecular Hepatology</i> , 2019 , 25, 400-407	6.9	3	
187	Clinical and Radiographic Characteristics of Neuro-Behllt's Disease in South Korea. <i>Journal of Clinical Neurology (Korea</i> , 2019 , 15, 429-437	1.7	3	
186	Conditional Survival Estimates Improve Over Time for Patients with Hepatocellular Carcinoma: An Analysis for Nationwide Korea Cancer Registry Database. <i>Cancer Research and Treatment</i> , 2019 , 51, 134	7 ⁵ 1356	₅ 4	
185	Liver Cirrhosis, Not Antiviral Therapy, Predicts Clinical Outcome in Cohorts with Heterogeneous Hepatitis B Viral Status. <i>Gut and Liver</i> , 2019 , 13, 197-205	4.8	9	
184	A Permanent Hair Loss in a Patient with Hypersensitivity to Intralesional Triamcinolone Injection. <i>Annals of Dermatology</i> , 2019 , 31, 217-220	0.4	О	
183	Multicenter Retrospective Risk Assessment of Esophageal Variceal Bleeding in Patients with Cirrhosis: An Acoustic Radiation Force Impulse Elastography-Based Prediction Model. <i>Gut and Liver</i> , 2019 , 13, 206-214	4.8	1	
182	Retrospective analysis of stereotactic body radiation therapy efficacy over radiofrequency ablation for hepatocellular carcinoma. <i>Radiotherapy and Oncology</i> , 2019 , 131, 81-87	5.3	41	
181	Genetically Engineered Mouse Models for Liver Cancer. <i>Cancers</i> , 2019 , 12,	6.6	11	
180	Postoperative Recurrence of Hepatocellular Carcinoma: The Importance of Distinguishing between Intrahepatic Metastasis and Multicentric Occurrence-Response. <i>Clinical Cancer Research</i> , 2019 , 25, 5427	, 12.9	1	
179	Intraindividual Comparison between Gadoxetate-Enhanced Magnetic Resonance Imaging and Dynamic Computed Tomography for Characterizing Focal Hepatic Lesions: A Multicenter, Multireader Study. <i>Korean Journal of Radiology</i> , 2019 , 20, 1616-1626	6.9	16	
178	Prognosis of Untreated Minimally Active Chronic Hepatitis B Patients in Comparison With Virological Responders by Antivirals. <i>Clinical and Translational Gastroenterology</i> , 2019 , 10, e00036	4.2	10	
177	Predictive validation of qualitative fibrosis staging in patients with chronic hepatitis B on antiviral therapy. <i>Scientific Reports</i> , 2019 , 9, 15628	4.9	3	
176	A Model to Predict 1-Month Risk of Transplant or Death in Hepatitis A-Related Acute Liver Failure. <i>Hepatology</i> , 2019 , 70, 621-629	11.2	15	
175	Phase I/II trial of helical IMRT-based stereotactic body radiotherapy for hepatocellular carcinoma. <i>Digestive and Liver Disease</i> , 2019 , 51, 445-451	3.3	19	
174	Multicenter retrospective analysis of the safety and efficacy of regorafenib after progression on sorafenib in Korean patients with hepatocellular carcinoma. <i>Investigational New Drugs</i> , 2019 , 37, 567-57	2 4·3	30	
173	Sorafenib with or without concurrent transarterial chemoembolization in patients with advanced hepatocellular carcinoma: The phase III STAH trial. <i>Journal of Hepatology</i> , 2019 , 70, 684-691	13.4	81	
172	Fibrosis-matched outcomes between chronic hepatitis B patients with drug-induced virological response and inactive carriers. <i>Liver International</i> , 2019 , 39, 81-89	7.9	1	
171	Subclinical but significant liver fibrosis in patients with ANCA-associated vasculitis. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37 Suppl 117, 26-31	2.2	1	

170	Reply to "Radiologic Evaluation of Intrahepatic Cholangiocarcinoma Perineural Invasion". <i>American Journal of Roentgenology</i> , 2018 , 210, W130	5.4	
169	Reproducibility of European Association for the Study of the Liver criteria and modified Response Evaluation Criteria in Solid Tumors in patients treated with sorafenib. <i>Liver International</i> , 2018 , 38, 165.	5-7:863	13
168	Elbasvir/grazoprevir in Asia-Pacific/Russian participants with chronic hepatitis C virus genotype 1, 4, or 6 infection. <i>Hepatology Communications</i> , 2018 , 2, 595-606	6	18
167	Feasibility of a Modified E-PASS and POSSUM System for Postoperative Risk Assessment in Patients with Spinal Disease. <i>World Neurosurgery</i> , 2018 , 112, e95-e102	2.1	
166	Recapitulation of pharmacogenomic data reveals that invalidation of SULF2 enhance sorafenib susceptibility in liver cancer. <i>Oncogene</i> , 2018 , 37, 4443-4454	9.2	9
165	Feasibility of dynamic risk prediction for hepatocellular carcinoma development in patients with chronic hepatitis B. <i>Liver International</i> , 2018 , 38, 676-686	7.9	20
164	Cutaneous Rosai-Dorfman disease of the face with a leonine appearance: successful response to dapsone. <i>European Journal of Dermatology</i> , 2018 , 28, 255-256	0.8	4
163	Randomized, prospective, comparative study on the effects and safety of sorafenib vs. hepatic arterial infusion chemotherapy in patients with advanced hepatocellular carcinoma with portal vein tumor thrombosis. <i>Cancer Chemotherapy and Pharmacology</i> , 2018 , 82, 469-478	3.5	54
162	Combination of Transient Elastography and an Enhanced Liver Fibrosis Test to Assess the Degree of Liver Fibrosis in Patients with Chronic Hepatitis B. <i>Gut and Liver</i> , 2018 , 12, 190-200	4.8	6
161	Daclatasvir Plus Asunaprevir for the Treatment of Patients with Hepatitis C Virus Genotype 1b Infection: Real-World Efficacy, Changes in Liver Stiffness and Fibrosis Markers, and Safety. <i>Gut and Liver</i> , 2018 , 12, 324-330	4.8	6
160	Safety and Efficacy of Transarterial Radioembolization Combined with Chemoembolization for Bilobar Hepatocellular Carcinoma: A Single-Center Retrospective Study. <i>CardioVascular and Interventional Radiology</i> , 2018 , 41, 459-465	2.7	9
159	Switching from tenofovir and nucleoside analogue therapy to tenofovir monotherapy in virologically suppressed chronic hepatitis B patients with antiviral resistance. <i>Journal of Medical Virology</i> , 2018 , 90, 497-502	19.7	5
158	HBsAg-Negative, Anti-HBc-Negative Patients Still Have a Risk of Hepatitis B Virus-Related Hepatitis after Autologous Stem Cell Transplantation for Multiple Myeloma or Malignant Lymphoma. <i>Cancer Research and Treatment</i> , 2018 , 50, 1121-1129	5.2	2
157	Soft-Material-Based Smart Insoles for a Gait Monitoring System. <i>Materials</i> , 2018 , 11,	3.5	13
156	Cutaneous Pseudolymphoma Derived from Ruptured Milia. <i>Annals of Dermatology</i> , 2018 , 30, 725-727	0.4	
155	Concomitant food intake does not affect the efficacy of entecavir in chronic hepatitis B patients with virological response: a randomized, multicenter, noninferiority trial. <i>Drug Design, Development and Therapy</i> , 2018 , 12, 3767-3774	4.4	
154	Stroke Severity in Patients on Non-Vitamin K Antagonist Oral Anticoagulants with a Standard or Insufficient Dose. <i>Thrombosis and Haemostasis</i> , 2018 , 118, 2145-2151	7	7
153	Noncontrast magnetic resonance imaging versus ultrasonography for hepatocellular carcinoma surveillance (MIRACLE-HCC): study protocol for a prospective randomized trial. <i>BMC Cancer</i> , 2018 , 18, 915	4.8	21

152	Centennial History of Yonsei University Dermatology in Korea: 1917 to 2017. <i>Annals of Dermatology</i> , 2018 , 30, 513-521	0.4	1
151	Chronic Hepatitis B Infection Is Significantly Associated with Chronic Kidney Disease: a Population-based, Matched Case-control Study. <i>Journal of Korean Medical Science</i> , 2018 , 33, e264	4.7	8
150	HBsAg-negative and anti-HBc-positive in eosinophilic granulomatosis with polyangiitis: a retrospective pilot study. <i>Rheumatology International</i> , 2018 , 38, 1531-1538	3.6	4
149	Hepatic arterial damage after transarterial chemoembolization for the treatment of hepatocellular carcinoma: comparison of drug-eluting bead and conventional chemoembolization in a retrospective controlled study. <i>Acta Radiologica</i> , 2017 , 58, 131-139	2	24
148	Effect of yttrium-90 radioembolization on outcomes in Asian patients with early to advanced stage hepatocellular carcinoma. <i>Hepatology Research</i> , 2017 , 47, 387-397	5.1	4
147	Liver fibrosis assessed with transient elastography is an independent risk factor for ischemic stroke. <i>Atherosclerosis</i> , 2017 , 260, 156-162	3.1	32
146	Subcirrhotic liver stiffness by FibroScan correlates with lower risk of hepatocellular carcinoma in patients with HBV-related cirrhosis. <i>Hepatology International</i> , 2017 , 11, 268-276	8.8	18
145	Validation of PAGE-B model in Asian chronic hepatitis B patients receiving entecavir or tenofovir. Liver International, 2017 , 37, 1788-1795	7.9	31
144	Prevalence and Predictors of Significant Fibrosis Among Subjects with Transient Elastography-Defined Nonalcoholic Fatty Liver Disease. <i>Digestive Diseases and Sciences</i> , 2017 , 62, 2150-	2458	13
143	Transarterial Radioembolization Versus Concurrent Chemoradiation Therapy for Locally Advanced Hepatocellular Carcinoma: AlPropensity Score Matching Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 99, 396-406	4	12
142	Cross-Sectional Imaging of Intrahepatic Cholangiocarcinoma: Development, Growth, Spread, and Prognosis. <i>American Journal of Roentgenology</i> , 2017 , 209, W64-W75	5.4	37
141	Prognostic factors of sorafenib therapy in hepatocellular carcinoma patients with failure of transarterial chemoembolization. <i>Hepatology International</i> , 2017 , 11, 292-299	8.8	5
140	Improvement of Liver Fibrosis after Long-Term Antiviral Therapy Assessed by Fibroscan in Chronic Hepatitis B Patients With Advanced Fibrosis. <i>American Journal of Gastroenterology</i> , 2017 , 112, 882-891	0.7	33
139	Identification of genetic susceptibility loci for intestinal Behät's disease. <i>Scientific Reports</i> , 2017 , 7, 398.	5 . 9	16
138	Wisteria floribunda agglutinin-positive human Mac-2 binding protein predicts the risk of HBV-related liver cancer development. <i>Liver International</i> , 2017 , 37, 879-887	7.9	29
137	Long non-coding RNA, steroid receptor RNA activator (SRA), induces tumor proliferation and invasion through the NOTCH pathway in cervical cancer cell lines. <i>Oncology Reports</i> , 2017 , 38, 3481-348	8 ^{3.5}	33
136	Paraneoplastic Pemphigus Associated with a Malignant Thymoma: A Case of Persistent and Refractory Oral Ulcerations Following Thymectomy. <i>Annals of Dermatology</i> , 2017 , 29, 219-222	0.4	9
135	Effects of Entecavir and Tenofovir on Renal Function in Patients with Hepatitis B Virus-Related Compensated and Decompensated Cirrhosis. <i>Gut and Liver</i> , 2017 , 11, 828-834	4.8	16

134	Estimating the Cost-Effectiveness of One-Time Screening and Treatment for Hepatitis C in Korea. <i>PLoS ONE</i> , 2017 , 12, e0167770	3.7	23
133	Cancer risk in Korean patients with Behät's disease: A nationwide population-based study. <i>PLoS ONE</i> , 2017 , 12, e0190182	3.7	17
132	Delayed Treatment of Generalized Morphea due to Misdiagnosis as Vitiligo at an Oriental Medical Clinic. <i>Annals of Dermatology</i> , 2017 , 29, 649-650	0.4	2
131	Increased Serum Antibody Titer against HPV-16 Antigen in Patients with Behlet's Disease. <i>Journal of Korean Medical Science</i> , 2017 , 32, 599-604	4.7	2
130	Baracle vs Baraclude for 48 weeks in patients with treatment-nalle chronic hepatitis B: a comparison of efficacy and safety. <i>Drug Design, Development and Therapy</i> , 2017 , 11, 3145-3152	4.4	3
129	Current status and strategies for viral hepatitis control in Korea. <i>Clinical and Molecular Hepatology</i> , 2017 , 23, 189-195	6.9	16
128	Conventional drug-eluting beads transarterial chemoembolization for hepatocellular carcinoma. <i>World Journal of Hepatology</i> , 2017 , 9, 808-814	3.4	56
127	Thyroid fine-needle aspiration biopsy positively correlates with increased diagnosis of thyroid cancer in South Korean patients. <i>BMC Cancer</i> , 2017 , 17, 114	4.8	8
126	Using transient elastography to predict hepatocellular carcinoma recurrence after radiofrequency ablation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1079-1086	4	14
125	Gamma-glutamyl transpeptidase-to-platelet ratio is an independent predictor of hepatitis B virus-related liver cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1221-1229	4	25
124	Conventional versus drug-eluting beads chemoembolization for hepatocellular carcinoma: Emphasis on the impact of tumor size. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 487-496	4	24
123	Intramuscular triamcinolone acetonide: An undervalued option for refractory alopecia areata. <i>Journal of Dermatology</i> , 2017 , 44, 173-179	1.6	6
122	Durability of the virological response after lamivudine discontinuation in lamivudine-resistant patients with a complete virological response after lamivudine and adefovir combination therapy. Journal of Medical Virology, 2017, 89, 85-90	19.7	5
121	Effect of S267F variant of NTCP on the patients with chronic hepatitis B. <i>Scientific Reports</i> , 2017 , 7, 176	34 .9	13
120	Suprabulbar Thinning of Hair in Telogen Effluvium. Yonsei Medical Journal, 2017, 58, 682-683	3	1
119	Thiopurine S-Methyltransferase Polymorphisms in Korean Dermatologic Patients. <i>Annals of Dermatology</i> , 2017 , 29, 529-535	0.4	1
118	Dickkopf-1 induces angiogenesis via VEGF receptor 2 regulation independent of the Wnt signaling pathway. <i>Oncotarget</i> , 2017 , 8, 58974-58984	3.3	12
117	Conditional survival estimate in patients with Barcelona Clinic Liver Cancer stage B/C hepatocellular carcinoma treated with hepatic arterial infusion chemotherapy with/without concurrent radiotherapy. <i>Oncotarget</i> , 2017 , 8, 79914-79926	3.3	5

116	Acute hepatitis A, B and C but not D is still prevalent in Mongolia: a time trend analysis. <i>Clinical and Molecular Hepatology</i> , 2017 , 23, 147-153	6.9	6
115	Current status of and strategies for hepatitis C control in South Korea. <i>Clinical and Molecular Hepatology</i> , 2017 , 23, 212-218	6.9	17
114	Survival Estimates after Stopping Sorafenib in Patients with Hepatocellular Carcinoma: NEXT Score Development and Validation. <i>Gut and Liver</i> , 2017 , 11, 693-701	4.8	4
113	Cilostazol inhibits the expression of hnRNP A2/B1 and cytokines in human dermal microvascular endothelial cells. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35 Suppl 108, 60-66	2.2	
112	Knockdown of HIF-1 and IL-8 induced apoptosis of hepatocellular carcinoma triggers apoptosis of vascular endothelial cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2016 , 21, 85-95	5.4	13
111	Risk prediction for patients with hepatocellular carcinoma undergoing chemoembolization: development of a prediction model. <i>Liver International</i> , 2016 , 36, 92-9	7.9	41
110	Pachydermodactyly: A Benign Cutaneous Condition that May Be Misdiagnosed as a Joint Disorder. Journal of Rheumatology, 2016 , 43, 1615-6	4.1	2
109	Red cell volume distribution width-to-platelet ratio in assessment of liver fibrosis in patients with chronic hepatitis B. <i>Liver International</i> , 2016 , 36, 24-30	7.9	22
108	Development of a transgenic mouse model of hepatocellular carcinoma with a liver fibrosis background. <i>BMC Gastroenterology</i> , 2016 , 16, 13	3	15
107	Cryoablation of Hepatocellular Carcinoma with High-Risk for Percutaneous Ablation: Safety and Efficacy. <i>CardioVascular and Interventional Radiology</i> , 2016 , 39, 1447-54	2.7	24
106	Sarcopenia is associated with significant liver fibrosis independently of obesity and insulin resistance in nonalcoholic fatty liver disease: Nationwide surveys (KNHANES 2008-2011). <i>Hepatology</i> , 2016 , 63, 776-86	11.2	175
105	Addition of tumor multiplicity improves the prognostic performance of the hepatoma arterial-embolization prognostic score. <i>Liver International</i> , 2016 , 36, 100-7	7.9	51
104	Association Between Level of Fibrosis, Rather Than Antiviral Regimen, and Outcomes of Patients With Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 1647-1656.e6	6.9	29
103	Prognostic Significance of III-FDG Uptake in Hepatocellular Carcinoma Treated with Transarterial Chemoembolization or Concurrent Chemoradiotherapy: A Multicenter Retrospective Cohort Study. <i>Journal of Nuclear Medicine</i> , 2016 , 57, 509-16	8.9	33
102	Sorafenib or placebo plus TACE with doxorubicin-eluting beads for intermediate stage HCC: The SPACE trial. <i>Journal of Hepatology</i> , 2016 , 64, 1090-1098	13.4	407
101	Incidence and risk factors of delayed postpolypectomy bleeding in patients with chronic liver disease. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 618-24	2.4	13
100	Clinical outcomes and predictors for relapse after cessation of oral antiviral treatment in chronic hepatitis B patients. <i>Journal of Gastroenterology</i> , 2016 , 51, 830-9	6.9	61
99	Hepatic expression of Sonic Hedgehog induces liver fibrosis and promotes hepatocarcinogenesis in a transgenic mouse model. <i>Journal of Hepatology</i> , 2016 , 64, 618-27	13.4	65

98	Spinal cord involvement in Behät's disease. Multiple Sclerosis Journal, 2016, 22, 960-3	5	20
97	Radioembolization Is a Safe and Effective Treatment for Hepatocellular Carcinoma with Portal Vein Thrombosis: A Propensity Score Analysis. <i>PLoS ONE</i> , 2016 , 11, e0154986	3.7	41
96	Use of Lasers in the Treatment of Alopecia Areata. <i>Medical Lasers</i> , 2016 , 5, 71-76	0.6	3
95	Clinical Benefit of Hepatic Arterial Infusion Concurrent Chemoradiotherapy in Locally Advanced Hepatocellular Carcinoma: A Propensity Score Matching Analysis. <i>Cancer Research and Treatment</i> , 2016 , 48, 190-7	5.2	13
94	Real-Life Experience of Sorafenib Treatment for Hepatocellular Carcinoma in Korea: From GIDEON Data. <i>Cancer Research and Treatment</i> , 2016 , 48, 1243-1252	5.2	17
93	Factors Influencing the Diagnostic Accuracy of Acoustic Radiation Force Impulse Elastography in Patients with Chronic Hepatitis B. <i>Gut and Liver</i> , 2016 , 10, 275-82	4.8	14
92	Predicting Liver-Related Events Using Transient Elastography in Chronic Hepatitis C Patients with Sustained Virological Response. <i>Gut and Liver</i> , 2016 , 10, 429-36	4.8	11
91	Postoperative Treatment of Linear Thyroidectomy Scars with the Pinhole Method Using a 10600-nm Carbon Dioxide Laser. <i>Yonsei Medical Journal</i> , 2016 , 57, 1540-1	3	
90	Diagnosis of hepatitis B. <i>Annals of Translational Medicine</i> , 2016 , 4, 338	3.2	35
89	A Case of Multiple Canaliform Median Raphe Cysts Showing a Mixed Type Lining of Epithelium: A Case Report and Review of the Literature. <i>Annals of Dermatology</i> , 2016 , 28, 398-9	0.4	2
88	The Relationship between Type 2 Diabetes Mellitus and Non-Alcoholic Fatty Liver Disease Measured by Controlled Attenuation Parameter. <i>Yonsei Medical Journal</i> , 2016 , 57, 885-92	3	26
87	Mucocutaneous Telangiectasia as a Diagnostic Clue of Hereditary Hemorrhagic Telangiectasia: An Activin Receptor-Like Kinase-1 Mutation in a Korean Patient. <i>Annals of Dermatology</i> , 2016 , 28, 264-6	0.4	2
86	Clinical Utility of a New Automated Hepatitis C Virus Core Antigen Assay for Prediction of Treatment Response in Patients with Chronic Hepatitis C. <i>Journal of Korean Medical Science</i> , 2016 , 31, 1431-7	4.7	5
85	Prediction of virologic response to tenofovir mono-rescue therapy for multidrug resistant chronic hepatitis B. <i>Journal of Medical Virology</i> , 2016 , 88, 1027-34	19.7	8
84	Subclassification of Barcelona Clinic Liver Cancer B and C hepatocellular carcinoma: A cohort study of the multicenter registry database. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 842-7	4	17
83	Non-Thermal Atmospheric Pressure Plasma Efficiently Promotes the Proliferation of Adipose Tissue-Derived Stem Cells by Activating NO-Response Pathways. <i>Scientific Reports</i> , 2016 , 6, 39298	4.9	27
82	Transarterial Chemoembolization Using Sorafenib in a Rabbit VX2 Liver Tumor Model: Pharmacokinetics and Antitumor Effect. <i>Journal of Vascular and Interventional Radiology</i> , 2016 , 27, 108	6- ² 9 2	6
81	Clinical predictors of silent but substantial liver fibrosis in primary Sjogren's syndrome. <i>Modern Rheumatology</i> , 2016 , 26, 576-82	3.3	2

(2015-2016)

80	Transarterial chemoembolization versus transarterial radioembolization in hepatocellular carcinoma: optimization of selecting treatment modality. <i>Hepatology International</i> , 2016 , 10, 883-892	8.8	24
79	Decreased PD-1 positive blood follicular helper T cells in patients with psoriasis. <i>Archives of Dermatological Research</i> , 2016 , 308, 593-9	3.3	10
78	Assessments of neutrophil to lymphocyte ratio and platelet to lymphocyte ratio in Korean patients with psoriasis vulgaris and psoriatic arthritis. <i>Journal of Dermatology</i> , 2016 , 43, 305-10	1.6	78
77	Outcome of adefovir add-on lamivudine rescue therapy of up to 5 years in patients with lamivudine-resistant chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 241-7	4	7
76	Red blood cell distribution width is increased in patients with psoriasis vulgaris: A retrospective study on 261 patients. <i>Journal of Dermatology</i> , 2015 , 42, 567-71	1.6	15
75	Analysis of miRNA expression patterns in human and mouse hepatocellular carcinoma cells. <i>Hepatology Research</i> , 2015 , 45, 1331-40	5.1	6
74	Prognostic role of magnetic resonance imaging vs. computed tomography for hepatocellular carcinoma undergoing chemoembolization. <i>Liver International</i> , 2015 , 35, 1722-30	7.9	13
73	IL-2/IL-2 antibody immune complex regulates HSV-induced inflammation through induction of IL-2 receptor alpha, beta, and gamma in a mouse model. <i>Immunobiology</i> , 2015 , 220, 1381-92	3.4	6
72	Predictive value of bone scintigraphy for the detection of joint involvement in Behät's disease: Dermatologists' perspectives. <i>European Journal of Dermatology</i> , 2015 , 25, 477-82	0.8	2
71	Factors associated with significant liver fibrosis assessed using transient elastography in general population. <i>World Journal of Gastroenterology</i> , 2015 , 21, 1158-66	5.6	34
70	Increased large unstained cells value in varicella patients: A valuable parameter to aid rapid diagnosis of varicella infection. <i>Journal of Dermatology</i> , 2015 , 42, 795-9	1.6	3
69	Hepatic fibrosis assessed using transient elastography independently associated with coronary artery calcification. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 1536-42	4	17
68	Radioembolization With Yttrium-90 Resin Microspheres in Hepatocellular Carcinoma: A Multicenter Prospective Study. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2015 , 38, 495-501	2.7	31
67	Preventive Effect of Human Acellular Dermal Matrix on Post-thyroidectomy Scars and Adhesions: A Randomized, Double-Blinded, Controlled Trial. <i>Dermatologic Surgery</i> , 2015 , 41, 812-20	1.7	10
66	Complete form of pachydermoperiostosis with SLCO2A1 gene mutation in a Korean family. <i>Journal of Dermatology</i> , 2015 , 42, 655-7	1.6	5
65	Validation of hepatitis B virus-related hepatocellular carcinoma prediction models in the era of antiviral therapy. <i>Hepatology</i> , 2015 , 62, 1757-66	11.2	73
64	The Korean guideline for hepatocellular carcinoma surveillance. <i>Journal of the Korean Medical Association</i> , 2015 , 58, 385	0.5	9
63	Early Efetoprotein response predicts survival in patients with advanced hepatocellular carcinoma treated with sorafenib. <i>Journal of Hepatocellular Carcinoma</i> , 2015 , 2, 39-47	5.3	16

62	Use of transient elastography to predict de novo recurrence after radiofrequency ablation for hepatocellular carcinoma. <i>OncoTargets and Therapy</i> , 2015 , 8, 347-56	4.4	18
61	A novel model to predict esophageal varices in patients with compensated cirrhosis using acoustic radiation force impulse elastography. <i>PLoS ONE</i> , 2015 , 10, e0121009	3.7	24
60	Relationship between Cerebral Microbleeds and Liver Stiffness Determined by Transient Elastography. <i>PLoS ONE</i> , 2015 , 10, e0139227	3.7	13
59	Carpal Tunnel Syndrome in Behët's Disease. <i>Yonsei Medical Journal</i> , 2015 , 56, 1015-20	3	2
58	Serum Dickkopf-1 as a Biomarker for the Diagnosis of Hepatocellular Carcinoma. <i>Yonsei Medical Journal</i> , 2015 , 56, 1296-306	3	25
57	A case of autoimmune hepatitis combined with Graves' disease. <i>Korean journal of gastroenterology</i> = Taehan Sohwagi Hakhoe chi, The, 2015 , 65, 48-51	0.6	4
56	Inter-observer variability of response evaluation criteria for hepatocellular carcinoma treated with chemoembolization. <i>Digestive and Liver Disease</i> , 2015 , 47, 682-8	3.3	5
55	Complete response at first chemoembolization is still the most robust predictor for favorable outcome in hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2015 , 62, 1304-10	13.4	108
54	Increased risk of hepatocellular carcinoma in chronic hepatitis B patients with transient elastography-defined subclinical cirrhosis. <i>Hepatology</i> , 2015 , 61, 1851-9	11.2	100
53	Treatment of Chronic Facial Erythema of Dermatomyositis with Intense Pulsed Light Therapy. Medical Lasers, 2015 , 4, 74-77	0.6	1
52	Peliosis hepatis presenting with massive hepatomegaly in a patient with idiopathic thrombocytopenic purpura. <i>Clinical and Molecular Hepatology</i> , 2015 , 21, 387-92	6.9	7
51	Comparison of the Effects of Telbivudine and Entecavir Treatment on Estimated Glomerular Filtration Rate in Patients with Chronic Hepatitis B. <i>Gut and Liver</i> , 2015 , 9, 776-83	4.8	9
50	Early radiotherapy versus late radiotherapy after incomplete transarterial chemoembolization in hepatocellular carcinoma <i>Journal of Clinical Oncology</i> , 2015 , 33, 459-459	2.2	
49	Disease duration and Medsger's severity score are associated with significant liver fibrosis in patients with systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, S68-74	2.2	4
48	Prognosis of hepatocellular carcinoma patients with extrahepatic metastasis and the controllability of intrahepatic lesions. <i>Clinical and Experimental Metastasis</i> , 2014 , 31, 475-82	4.7	20
47	Chronic granulomatous dermatosis as a presenting sign of a lymphoepithelioid T-cell lymphoma (Lennert lymphoma). <i>European Journal of Dermatology</i> , 2014 , 24, 386-7	0.8	1
46	Prediction of development of liver-related events by transient elastography in hepatitis B patients with complete virological response on antiviral therapy. <i>American Journal of Gastroenterology</i> , 2014 , 109, 1241-9	0.7	89
45	A simple method to visualize the regrowth of white vellus hairs using superficial cryotherapy. <i>European Journal of Dermatology</i> , 2014 , 24, 98	0.8	3

44	A randomized, open-label study comparing low-dose clevudine plus adefovir combination therapy with clevudine monotherapy in naWe chronic hepatitis B patients. <i>Hepatology International</i> , 2014 , 8, 375	- 81 8	7
43	Protease-activated receptor-2 activates NQO-1 via Nrf2 stabilization in keratinocytes. <i>Journal of Dermatological Science</i> , 2014 , 74, 48-55	4.3	11
42	Effective biliary drainage and proper treatment improve outcomes of hepatocellular carcinoma with obstructive jaundice. <i>Gut and Liver</i> , 2014 , 8, 526-35	4.8	9
41	Use of the delta neutrophil index as a prognostic factor of mortality in patients with spontaneous bacterial peritonitis: implications of a simple and useful marker. <i>PLoS ONE</i> , 2014 , 9, e86884	3.7	22
40	Liver stiffness value-based risk estimation of late recurrence after curative resection of hepatocellular carcinoma: development and validation of a predictive model. <i>PLoS ONE</i> , 2014 , 9, e9916	7 ^{3.7}	18
39	Prognostic indicators for acute liver failure development and mortality in patients with hepatitis A: consecutive case analysis. <i>Yonsei Medical Journal</i> , 2014 , 55, 953-9	3	4
38	Clinico-radiological Characteristics of Spontaneous Basal Ganglia Hemorrhage, According to Regional Classification. <i>Journal of Cerebrovascular and Endovascular Neurosurgery</i> , 2014 , 16, 216-24	0.7	6
37	Non-invasive diagnosis of hepatitis B virus-related cirrhosis. <i>World Journal of Gastroenterology</i> , 2014 , 20, 445-59	5.6	22
36	Burst Fractures as a Result of Attempted Suicide by Jumping. <i>Korean Journal of Neurotrauma</i> , 2014 , 10, 70-5	0.7	5
35	Dynamics of the liver stiffness value using transient elastography during the perioperative period in patients with valvular heart disease. <i>PLoS ONE</i> , 2014 , 9, e92795	3.7	15
34	Factors affecting the accuracy of controlled attenuation parameter (CAP) in assessing hepatic steatosis in patients with chronic liver disease. <i>PLoS ONE</i> , 2014 , 9, e98689	3.7	30
33	Silencing of hypoxia-inducible factor-1[Induces anti-tumor effects in hepatoma cell lines under tumor hypoxia. <i>PLoS ONE</i> , 2014 , 9, e103304	3.7	9
32	Rosai-dorfman disease in thoracic spine: a rare case of compression fracture. <i>Korean Journal of Spine</i> , 2014 , 11, 198-201		6
31	Clinical outcomes of transjugular intrahepatic portosystemic shunt for portal hypertension: Korean multicenter real-practice data. <i>Clinical and Molecular Hepatology</i> , 2014 , 20, 18-27	6.9	19
30	Tenofovir disoproxil fumarate monotherapy for nucleos(t)ide-naMe chronic hepatitis B patients in Korea: data from the clinical practice setting in a single-center cohort. <i>Clinical and Molecular Hepatology</i> , 2014 , 20, 261-6	6.9	10
29	Emerging therapies for hepatitis C. <i>Gut and Liver</i> , 2014 , 8, 471-9	4.8	30
28	A Delayed Hepatico-colonic Fistula after Radiofrequency Ablation in Hepatocellular Carcinoma. <i>Korean Journal of Medicine</i> , 2014 , 86, 722	0.5	
27	Development and validation of an electronic medical record-based disease activity index for BehBt's disease. <i>Clinical and Experimental Rheumatology</i> , 2014 , 32, S40-4	2.2	15

26	Combined effects of an antioxidant and caspase inhibitor on the reversal of hepatic fibrosis in rats. Apoptosis: an International Journal on Programmed Cell Death, 2013, 18, 1481-91	5.4	12
25	Non-O1, Non-O139Vibrio choleraeSepticemia after Acupuncture. <i>The Ewha Medical Journal</i> , 2013 , 36, S22	0.1	4
24	Immunopathogenic Role of Herpes Simplex Virus in Behët's Disease. <i>Genetics Research International</i> , 2013 , 2013, 638273	О	16
23	Impact of genital involvement on the sexual lives of vitiligo patients. <i>Journal of Dermatology</i> , 2013 , 40, 1065-7	1.6	13
22	A nationwide seroepidemiology of hepatitis C virus infection in South Korea. <i>Liver International</i> , 2013 , 33, 586-94	7.9	68
21	Quasispecies and pre-existing drug-resistant mutations of hepatitis B virus in patients with chronic hepatitis B. <i>Gut and Liver</i> , 2013 , 7, 329-34	4.8	11
20	Benign Vascular Hepatic Tumor. Korean Journal of Medicine, 2013, 84, 319	0.5	
19	Clinical features and prognosis of hepatocellular carcinoma in Mongolia: a multicentre study. <i>Hepatology International</i> , 2012 , 6, 763-9	8.8	22
18	Epidemiology and surveillance of hepatocellular carcinoma. <i>Liver Cancer</i> , 2012 , 1, 2-14	9.1	124
17	How to improve treatment outcomes for hepatocellular carcinoma of intermediate and advanced stage. <i>Digestive Diseases</i> , 2012 , 30, 598-602	3.2	16
16	Controversies in surveillance and early diagnosis of hepatocellular carcinoma. <i>Oncology</i> , 2011 , 81 Suppl 1, 56-60	3.6	17
15	Adjuvant hepatic arterial infusional chemotherapy with 5-fluorouracil and cisplatin after curative resection of hepatocellular carcinoma. <i>Oncology</i> , 2011 , 81, 184-91	3.6	16
14	Hepatocellular Carcinoma with Bile Duct Tumor Thrombi. <i>Yeungnam University Journal of Medicine</i> , 2011 , 28, 180		1
13	Toll-like receptor polymorphisms are not associated with liver cirrhosis in hepatitis B virus infected Korean patients. <i>Hepato-Gastroenterology</i> , 2010 , 57, 1351-5		4
12	Usefulness of FibroScan for detection of early compensated liver cirrhosis in chronic hepatitis B. <i>Digestive Diseases and Sciences</i> , 2009 , 54, 1758-63	4	115
11	Rescue Monotherapy in Lamivudine-Resistant Hepatitis B e Antigen-Positive Chronic Hepatitis B: Adefovir versus Entecavir. <i>Antiviral Therapy</i> , 2009 , 14, 705-712	1.6	19
10	Clinical course of virologic breakthrough after emergence of YMDD mutations in HBeAg-positive chronic hepatitis B. <i>Intervirology</i> , 2008 , 51, 293-8	2.5	7
9	PIVKA-II is a useful tumor marker for recurrent hepatocellular carcinoma after surgical resection. <i>Oncology</i> , 2007 , 72 Suppl 1, 52-7	3.6	74

LIST OF PUBLICATIONS

8	Anti-hepatitis A virus seroprevalence among patients with chronic viral liver disease in Korea. <i>European Journal of Gastroenterology and Hepatology</i> , 2007 , 19, 923-6	2.2	14
7	Clear cell basal cell carcinoma with sialomucin deposition. <i>Yonsei Medical Journal</i> , 2006 , 47, 870-2	3	2
6	Tuberculous mesenteric lymphadenitis involving the gastric wall: case report. <i>Gastrointestinal Endoscopy</i> , 2005 , 62, 799-802	5.2	4
5	Usefulness of urine strip test in the rapid diagnosis of spontaneous bacterial peritonitis. <i>Liver International</i> , 2005 , 25, 1197-201	7.9	27
4	A Case of Isolated Right Pulmonary Artery Agenesis. <i>Tuberculosis and Respiratory Diseases</i> , 2004 , 57, 489	3.2	
3	A Case of Primary Pericardial Malignant Mesothelioma. <i>Tuberculosis and Respiratory Diseases</i> , 2004 , 57, 599	3.2	
2	Clinical Meaning of INNO-LiPA Test in the Diagnosis of Rifampin Resistant Tuberculosis. <i>Tuberculosis and Respiratory Diseases</i> , 2003 , 55, 344		
1	The Current Status of the Web-sites of Plastic Surgery Clinics in Seoul and the Factors affecting the Page-views. <i>Journal of Korean Society of Medical Informatics</i> , 2003 , 9, 53		