

# Xian-Bin Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2416494/publications.pdf>

Version: 2024-02-01

355  
papers

19,442  
citations

10956

71  
h-index

16127

124  
g-index

362  
all docs

362  
docs citations

362  
times ranked

19484  
citing authors

#	ARTICLE	IF	CITATIONS
1	Finer features for functional microdevices. <i>Nature</i> , 2001, 412, 697-698.	13.7	2,656
2	Direct imprinting of microcircuits on graphene oxides film by femtosecond laser reduction. <i>Nano Today</i> , 2010, 5, 15-20.	6.2	453
3	Designable 3D nanofabrication by femtosecond laser direct writing. <i>Nano Today</i> , 2010, 5, 435-448.	6.2	452
4	Recent developments in superhydrophobic surfaces with unique structural and functional properties. <i>Soft Matter</i> , 2012, 8, 11217.	1.2	342
5	Two-beam-laser interference mediated reduction, patterning and nanostructuring of graphene oxide for the production of a flexible humidity sensing device. <i>Carbon</i> , 2012, 50, 1667-1673.	5.4	290
6	Curvature-Driven Reversible In Situ Switching Between Pinned and Roll-Down Superhydrophobic States for Water Droplet Transportation. <i>Advanced Materials</i> , 2011, 23, 545-549.	11.1	268
7	Two-Photon Photopolymerization and 3D Lithographic Microfabrication. <i>Advances in Polymer Science</i> , 2006, , 169-273.	0.4	261
8	Three-Level Biomimetic Rice-Leaf Surfaces with Controllable Anisotropic Sliding. <i>Advanced Functional Materials</i> , 2011, 21, 2927-2932.	7.8	251
9	Photoreduction of Graphene Oxides: Methods, Properties, and Applications. <i>Advanced Optical Materials</i> , 2014, 2, 10-28.	3.6	235
10	Monolayer II-VI semiconductors: A first-principles prediction. <i>Physical Review B</i> , 2015, 92, .	1.1	226
11	Ferrofluids for Fabrication of Remotely Controllable Micro-Nanomachines by Two-Photon Polymerization. <i>Advanced Materials</i> , 2010, 22, 3204-3207.	11.1	222
12	Bioinspired Graphene Actuators Prepared by Unilateral UV Irradiation of Graphene Oxide Papers. <i>Advanced Functional Materials</i> , 2015, 25, 4548-4557.	7.8	219
13	Moisture-Responsive Graphene Paper Prepared by Self-Controlled Photoreduction. <i>Advanced Materials</i> , 2015, 27, 332-338.	11.1	214
14	Rapid sub-diffraction-limit laser micro/nanoprocessing in a threshold material system. <i>Applied Physics Letters</i> , 2002, 80, 312-314.	1.5	206
15	Multifunctional superparamagnetic iron oxide nanoparticles: design, synthesis and biomedical photonic applications. <i>Nanoscale</i> , 2013, 5, 7664.	2.8	196
16	One order of magnitude faster phase change at reduced power in Ti-Sb-Te. <i>Nature Communications</i> , 2014, 5, 4086.	5.8	195
17	Light-Mediated Manufacture and Manipulation of Actuators. <i>Advanced Materials</i> , 2016, 28, 8328-8343.	11.1	186
18	Efficient and mechanically robust stretchable organic light-emitting devices by a laser-programmable buckling process. <i>Nature Communications</i> , 2016, 7, 11573.	5.8	182

#	ARTICLE	IF	CITATIONS
19	Bioinspired Underwater Superoleophobic Membrane Based on a Graphene Oxide Coated Wire Mesh for Efficient Oil/Water Separation. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 20930-20936.	4.0	177
20	Plasmonic nano-printing: large-area nanoscale energy deposition for efficient surface texturing. <i>Light: Science and Applications</i> , 2017, 6, e17112-e17112.	7.7	177
21	Three-dimensional focal spots related to two-photon excitation. <i>Applied Physics Letters</i> , 2002, 80, 3673-3675.	1.5	163
22	Functional organic single crystals for solid-state laser applications. <i>Laser and Photonics Reviews</i> , 2014, 8, 687-715.	4.4	160
23	Unraveling Bright Molecule-Like State and Dark Intrinsic State in Green-Fluorescence Graphene Quantum Dots via Ultrafast Spectroscopy. <i>Advanced Optical Materials</i> , 2013, 1, 264-271.	3.6	144
24	Recent developments in superhydrophobic graphene and graphene-related materials: from preparation to potential applications. <i>Nanoscale</i> , 2015, 7, 7101-7114.	2.8	144
25	High numerical aperture microlens arrays of close packing. <i>Applied Physics Letters</i> , 2010, 97, .	1.5	143
26	Protein-based soft micro-optics fabricated by femtosecond laser direct writing. <i>Light: Science and Applications</i> , 2014, 3, e129-e129.	7.7	133
27	Ultrathin Metal Films as the Transparent Electrode in ITO-Free Organic Optoelectronic Devices. <i>Advanced Optical Materials</i> , 2019, 7, 1800778.	3.6	133
28	Slow cooling and efficient extraction of C-exciton hot carriers in MoS2 monolayer. <i>Nature Communications</i> , 2017, 8, 13906.	5.8	132
29	Perovskite Single-Crystal Microwire-Array Photodetectors with Performance Stability beyond 1 Year. <i>Advanced Materials</i> , 2020, 32, e2001998.	11.1	130
30	Elastic force analysis of functional polymer submicron oscillators. <i>Applied Physics Letters</i> , 2001, 79, 3173-3175.	1.5	122
31	Phase-Change Superlattice Materials toward Low Power Consumption and High Density Data Storage: Microscopic Picture, Working Principles, and Optimization. <i>Advanced Functional Materials</i> , 2018, 28, 1803380.	7.8	119
32	Bioinspired Fabrication of Superhydrophobic Graphene Films by Two-Beam Laser Interference. <i>Advanced Functional Materials</i> , 2014, 24, 4595-4602.	7.8	118
33	Femtosecond laser programmed artificial musculoskeletal systems. <i>Nature Communications</i> , 2020, 11, 4536.	5.8	117
34	Two-photon laser precision microfabrication and its applications to micro-nano devices and systems. <i>Journal of Lightwave Technology</i> , 2003, 21, 624-633.	2.7	115
35	Magnetic-mesoporous Janus nanoparticles. <i>Chemical Communications</i> , 2011, 47, 1225-1227.	2.2	115
36	Understanding Phase-Change Behaviors of Carbon-Doped Ge <sub>2</sub> Sb <sub>2</sub> Te <sub>5</sub> for Phase-Change Memory Application. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 14207-14214.	4.0	115

#	ARTICLE	IF	CITATIONS
37	Wearable Superhydrophobic Elastomer Skin with Switchable Wettability. <i>Advanced Functional Materials</i> , 2018, 28, 1800625.	7.8	115
38	O-FIB: far-field-induced near-field breakdown for direct nanowriting in an atmospheric environment. <i>Light: Science and Applications</i> , 2020, 9, 41.	7.7	113
39	Bandgap Tailoring and Synchronous Microdevices Patterning of Graphene Oxides. <i>Journal of Physical Chemistry C</i> , 2012, 116, 3594-3599.	1.5	111
40	Aqueous multiphoton lithography with multifunctional silk-centred bio-resists. <i>Nature Communications</i> , 2015, 6, 8612.	5.8	111
41	Deep electron traps and origin of $p$ -type conductivity in the earth-abundant solar-cell material $\text{Cu}_2\text{ZnSnS}_4$ . <i>Applied Physics Letters</i> , 2012, 101, .	1.1	110
42	Direct Laser Writing of Superhydrophobic PDMS Elastomers for Controllable Manipulation via Marangoni Effect. <i>Advanced Functional Materials</i> , 2017, 27, 1702946.	7.8	109
43	Role of Electronic Excitation in the Amorphization of Ge-Sb-Te Alloys. <i>Physical Review Letters</i> , 2011, 107, 015501.	2.9	107
44	Optical Tamm states enhanced broad-band absorption of organic solar cells. <i>Applied Physics Letters</i> , 2012, 101, .	1.5	106
45	Two-photon photopolymerization and diagnosis of three-dimensional microstructures containing fluorescent dyes. <i>Applied Physics Letters</i> , 2001, 79, 1411-1413.	1.5	105
46	Recent Developments in Flexible Organic Light-Emitting Devices. <i>Advanced Materials Technologies</i> , 2019, 4, 1800371.	3.0	104
47	Two-Dimensional Transition Metal Honeycomb Realized: Hf on Ir(111). <i>Nano Letters</i> , 2013, 13, 4671-4674.	4.5	102
48	Silver-Coated Rose Petal: Green, Facile, Low-Cost and Sustainable Fabrication of a SERS Substrate with Unique Superhydrophobicity and High Efficiency. <i>Advanced Optical Materials</i> , 2013, 1, 56-60.	3.6	102
49	Sensitively Humidity-Driven Actuator Based on Photopolymerizable PEG-DA Films. <i>Advanced Materials Interfaces</i> , 2017, 4, 1601002.	1.9	101
50	Perovskite quantum dots for light-emitting devices. <i>Nanoscale</i> , 2019, 11, 19119-19139.	2.8	97
51	Solving Efficiency-Stability Tradeoff in Top-Emitting Organic Light-Emitting Devices by Employing Periodically Corrugated Metallic Cathode. <i>Advanced Materials</i> , 2012, 24, 1187-1191.	11.1	96
52	SERS-Enabled Lab-on-a-Chip Systems. <i>Advanced Optical Materials</i> , 2015, 3, 618-633.	3.6	94
53	Femtosecond laser ionization and fragmentation of molecules for environmental sensing. <i>Laser and Photonics Reviews</i> , 2015, 9, 275-293.	4.4	94
54	Ultrafast optical spectroscopy of surface-modified silicon quantum dots: unraveling the underlying mechanism of the ultrabright and color-tunable photoluminescence. <i>Light: Science and Applications</i> , 2015, 4, e245-e245.	7.7	93

#	ARTICLE	IF	CITATIONS
55	Dual-3D Femtosecond Laser Nanofabrication Enables Dynamic Actuation. ACS Nano, 2019, 13, 4041-4048.	7.3	90
56	Determination of Formation and Ionization Energies of Charged Defects in Two-Dimensional Materials. Physical Review Letters, 2015, 114, 196801.	2.9	89
57	Laser-structured Janus wire mesh for efficient oil-water separation. Nanoscale, 2017, 9, 17933-17938.	2.8	89
58	High performance magnetically controllable microturbines. Lab on A Chip, 2010, 10, 2902.	3.1	87
59	S-Tapered Fiber Sensors for Highly Sensitive Measurement of Refractive Index and Axial Strain. Journal of Lightwave Technology, 2012, 30, 3126-3132.	2.7	86
60	Whispering-gallery mode lasing from patterned molecular single-crystalline microcavity array. Laser and Photonics Reviews, 2013, 7, 281-288.	4.4	85
61	The Role of Trap-assisted Recombination in Luminescent Properties of Organometal Halide CH <sub>3</sub> NH <sub>3</sub> PbBr <sub>3</sub> Perovskite Films and Quantum Dots. Scientific Reports, 2016, 6, 27286.	1.6	85
62	Biomimetic graphene films and their properties. Nanoscale, 2012, 4, 4858.	2.8	84
63	Remote manipulation of micronanomachines containing magnetic nanoparticles. Optics Letters, 2009, 34, 581.	1.7	82
64	Flat Boron: A New Cousin of Graphene. Advanced Materials, 2019, 31, e1900392.	11.1	82
65	Distributed Feedback Lasers Based on Thiophene/Phenylene Co-Oligomer Single Crystals. Advanced Functional Materials, 2012, 22, 33-38.	7.8	81
66	Stretchable Organometal Halide Perovskite Quantum Dot Light-Emitting Diodes. Advanced Materials, 2019, 31, e1807516.	11.1	79
67	Quantum-Confined Superfluidics Enabled Moisture Actuation Based on Unilaterally Structured Graphene Oxide Papers. Advanced Materials, 2019, 31, e1901585.	11.1	78
68	Mechanically robust stretchable organic optoelectronic devices built using a simple and universal stencil-pattern transferring technology. Light: Science and Applications, 2018, 7, 35.	7.7	77
69	Direct Observation of Quantum-Confined Graphene-Like States and Novel Hybrid States in Graphene Oxide by Transient Spectroscopy. Advanced Materials, 2013, 25, 6539-6545.	11.1	74
70	Dry-etching-assisted femtosecond laser machining. Laser and Photonics Reviews, 2017, 11, 1600115.	4.4	73
71	A facile approach for artificial biomimetic surfaces with both superhydrophobicity and iridescence. Soft Matter, 2010, 6, 263-267.	1.2	72
72	New Structural Picture of the $\text{Ge}_2\text{S}_3$ Alloy. Physical Review Letters, 2011, 106, 025501.	1.9	72

#	ARTICLE	IF	CITATIONS
73	Experimental Observation of Toroidal Dipole Modes in All-Dielectric Metasurfaces. <i>Advanced Optical Materials</i> , 2019, 7, 1801166.	3.6	71
74	First-principles calculations of a robust two-dimensional boron honeycomb sandwiching a triangular molybdenum layer. <i>Physical Review B</i> , 2014, 90, .	1.1	70
75	Highly Efficient Three Primary Color Organic Single-Crystal Light-Emitting Devices with Balanced Carrier Injection and Transport. <i>Advanced Functional Materials</i> , 2017, 27, 1604659.	7.8	69
76	Smart Compound Eyes Enable Tunable Imaging. <i>Advanced Functional Materials</i> , 2019, 29, 1903340.	7.8	66
77	Novel Zn-doped SnO <sub>2</sub> hierarchical architectures: synthesis, characterization, and gas sensing properties. <i>CrystEngComm</i> , 2012, 14, 1701-1708.	1.3	65
78	Optical Nanofabrication of Concave Microlens Arrays. <i>Laser and Photonics Reviews</i> , 2019, 13, 1800272.	4.4	65
79	Laser-Mediated Programmable N Doping and Simultaneous Reduction of Graphene Oxides. <i>Advanced Optical Materials</i> , 2014, 2, 120-125.	3.6	64
80	Engineering two-dimensional electronics by semiconductor defects. <i>Nano Today</i> , 2017, 16, 30-45.	6.2	64
81	Miniature End-Capped Fiber Sensor for Refractive Index and Temperature Measurement. <i>IEEE Photonics Technology Letters</i> , 2014, 26, 7-10.	1.3	62
82	Solvent-tunable PDMS microlens fabricated by femtosecond laser direct writing. <i>Journal of Materials Chemistry C</i> , 2015, 3, 1751-1756.	2.7	62
83	Boron based two-dimensional crystals: theoretical design, realization proposal and applications. <i>Nanoscale</i> , 2015, 7, 18863-18871.	2.8	61
84	Two-Dimensional Stretchable Organic Light-Emitting Devices with High Efficiency. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 31166-31171.	4.0	60
85	Rapid Engraving of Artificial Compound Eyes from Curved Sapphire Substrate. <i>Advanced Functional Materials</i> , 2019, 29, 1900037.	7.8	60
86	Photothermal Surface Plasmon Resonance and Interband Transition-Enhanced Nanocomposite Hydrogel Actuators with Hand-Like Dynamic Manipulation. <i>Advanced Optical Materials</i> , 2017, 5, 1700442.	3.6	59
87	100% Fill-Factor Aspheric Microlens Arrays (AMLA) With Sub-20-nm Precision. <i>IEEE Photonics Technology Letters</i> , 2009, 21, 1535-1537.	1.3	58
88	Non-Abelian braiding on photonic chips. <i>Nature Photonics</i> , 2022, 16, 390-395.	15.6	58
89	Flexible and efficient ITO-free semitransparent perovskite solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2016, 157, 660-665.	3.0	57
90	On-chip laser processing for the development of multifunctional microfluidic chips. <i>Laser and Photonics Reviews</i> , 2017, 11, 1600116.	4.4	57

#	ARTICLE	IF	CITATIONS
91	Photoluminescence quenching of inorganic cesium lead halides perovskite quantum dots (CsPbX <sub>3</sub> ) by electron/hole acceptor. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 1920-1926.	1.3	57
92	Enhanced efficiency of organic light-emitting devices with metallic electrodes by integrating periodically corrugated structure. <i>Applied Physics Letters</i> , 2012, 100, .	1.5	54
93	Magnetic/upconversion luminescent mesoparticles of Fe <sub>3</sub> O <sub>4</sub> @LaF <sub>3</sub> :Yb <sup>3+</sup> , Er <sup>3+</sup> for dual-modal bioimaging. <i>Chemical Communications</i> , 2012, 48, 11238.	2.2	54
94	Light manipulation in organic light-emitting devices by integrating micro/nano patterns. <i>Laser and Photonics Reviews</i> , 2017, 11, 1600145.	4.4	54
95	Surface-plasmon enhanced absorption in organic solar cells by employing a periodically corrugated metallic electrode. <i>Applied Physics Letters</i> , 2012, 101, .	1.5	53
96	Clarification of the Molecular Doping Mechanism in Organic Single-Crystalline Semiconductors and their Application in Color-Tunable Light-Emitting Devices. <i>Advanced Materials</i> , 2018, 30, e1801078.	11.1	53
97	Plasmon-enhanced organic and perovskite solar cells with metal nanoparticles. <i>Nanophotonics</i> , 2020, 9, 3111-3133.	2.9	52
98	Reflective Optical Fiber Sensors Based on Tilted Fiber Bragg Gratings Fabricated With Femtosecond Laser. <i>Journal of Lightwave Technology</i> , 2013, 31, 455-460.	2.7	50
99	A simple strategy to realize biomimetic surfaces with controlled anisotropic wetting. <i>Applied Physics Letters</i> , 2010, 96, .	1.5	49
100	On-Chip Catalytic Microreactors for Modern Catalysis Research. <i>ChemCatChem</i> , 2013, 5, 2091-2099.	1.8	48
101	Modulation Doping: A Strategy for 2D Materials Electronics. <i>Nano Letters</i> , 2021, 21, 6298-6303.	4.5	48
102	Arbitrary Shape Designable Microscale Organic Light-Emitting Devices by Using Femtosecond Laser Reduced Graphene Oxide as a Patterned Electrode. <i>ACS Photonics</i> , 2014, 1, 690-695.	3.2	47
103	Bioinspired few-layer graphene prepared by chemical vapor deposition on femtosecond laser-structured Cu foil. <i>Laser and Photonics Reviews</i> , 2016, 10, 441-450.	4.4	46
104	Electric field analyses on monolayer semiconductors: the example of InSe. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 6945-6950.	1.3	46
105	Crystalline Liquid and Rubber-Like Behavior in Cu Nanowires. <i>Nano Letters</i> , 2013, 13, 3812-3816.	4.5	45
106	Hybrid Tamm plasmon-polariton/microcavity modes for white top-emitting organic light-emitting devices. <i>Optica</i> , 2015, 2, 579.	4.8	45
107	Sunlight-Reduced Graphene Oxides as Sensitive Moisture Sensors for Smart Device Design. <i>Advanced Materials Technologies</i> , 2017, 2, 1700045.	3.0	45
108	Direct identification of Mott Hubbard band pattern beyond charge density wave superlattice in monolayer 1T-NbSe <sub>2</sub> . <i>Nature Communications</i> , 2021, 12, 1978.	5.8	45

#	ARTICLE	IF	CITATIONS
109	Grating amplitude effect on electroluminescence enhancement of corrugated organic light-emitting devices. <i>Optics Letters</i> , 2011, 36, 3915.	1.7	44
110	Femtosecond Laser Inscribed Sapphire Fiber Bragg Grating for High Temperature and Strain Sensing. <i>IEEE Nanotechnology Magazine</i> , 2019, 18, 208-211.	1.1	43
111	High-Throughput Screening for Phase-Change Memory Materials. <i>Advanced Functional Materials</i> , 2021, 31, 2009803.	7.8	43
112	Two-dimensional $\text{In}_2\text{Se}_3$ : A rising advanced material for ferroelectric data storage. <i>Information Materials</i> , 2022, 4, .	8.5	43
113	Electron Extraction Dynamics in CdSe and CdSe/CdS/ZnS Quantum Dots Adsorbed with Methyl Viologen. <i>Journal of Physical Chemistry C</i> , 2014, 118, 17240-17246.	1.5	42
114	Origin of high thermal stability of amorphous $\text{Ge}_1\text{Cu}_2\text{Te}_3$ alloy: A significant Cu-bonding reconfiguration modulated by Te lone-pair electrons for crystallization. <i>Acta Materialia</i> , 2015, 90, 88-93.	3.8	42
115	Vacancy Structures and Melting Behavior in Rock-Salt GeSbTe. <i>Scientific Reports</i> , 2016, 6, 25453.	1.6	42
116	High-Color-Rendering and High-Efficiency White Organic Light-Emitting Devices Based on Double-Doped Organic Single Crystals. <i>Advanced Functional Materials</i> , 2019, 29, 1807606.	7.8	42
117	Angle-multiplexed optical printing of biomimetic hierarchical 3D textures. <i>Laser and Photonics Reviews</i> , 2017, 11, 1600187.	4.4	41
118	Flexible perovskite solar cells with ultrathin Au anode and vapour-deposited perovskite film. <i>Solar Energy Materials and Solar Cells</i> , 2017, 169, 8-12.	3.0	41
119	Organic Single-Crystalline Semiconductors for Light-Emitting Applications: Recent Advances and Developments. <i>Laser and Photonics Reviews</i> , 2019, 13, 1900009.	4.4	41
120	Directional Droplet Transport on Functional Surfaces with Superwettabilities. <i>Advanced Materials Interfaces</i> , 2021, 8, 2100043.	1.9	41
121	Matching Photocurrents of Subcells in Double-Junction Organic Solar Cells via Coupling Between Surface Plasmon Polaritons and Microcavity Modes. <i>Advanced Optical Materials</i> , 2013, 1, 809-813.	3.6	40
122	PDMS-Coated S-Tapered Fiber for Highly Sensitive Measurements of Transverse Load and Temperature. <i>IEEE Sensors Journal</i> , 2015, 15, 3429-3435.	2.4	40
123	Dynamics of Strong Coupling between J-Aggregates and Surface Plasmon Polaritons in Subwavelength Hole Arrays. <i>Advanced Functional Materials</i> , 2016, 26, 6198-6205.	7.8	40
124	Biomimetic Graphene Actuators Enabled by Multiresponse Graphene Oxide Paper with Pretailored Reduction Gradient. <i>Advanced Materials Technologies</i> , 2018, 3, 1800258.	3.0	40
125	Graphene as a Transparent and Conductive Electrode for Organic Optoelectronic Devices. <i>Advanced Electronic Materials</i> , 2019, 5, 1900247.	2.6	40
126	Two-photon induced amplified spontaneous emission from needlelike triphenylamine-containing derivative crystals with low threshold. <i>Applied Physics Letters</i> , 2009, 94, 201113.	1.5	39



#	ARTICLE	IF	CITATIONS
127	Impurity doping in $\text{SiO}_2$ formation energies and defect levels from first-principles calculations. Physical Review B, 2010, 82, .		
128	Magnetic colloidosomes fabricated by $\text{Fe}_3\text{O}_4/\text{SiO}_2$ hetero-nanorods. Soft Matter, 2011, 7, 7375.	1.2	39
129	Compact Long-Period Fiber Gratings With Resonance at Second-Order Diffraction. IEEE Photonics Technology Letters, 2012, 24, 1393-1395.	1.3	39
130	High-performance magnetic antimicrobial Janus nanorods decorated with Ag nanoparticles. Journal of Materials Chemistry, 2012, 22, 23741.	6.7	39
131	Sapphire-Based Fresnel Zone Plate Fabricated by Femtosecond Laser Direct Writing and Wet Etching. IEEE Photonics Technology Letters, 2016, 28, 1290-1293.	1.3	39
132	Giant elasticity of photopolymer nanowires. Applied Physics Letters, 2007, 91, .	1.5	38
133	Superhydrophobic SERS Substrates Based on Silver-Coated Reduced Graphene Oxide Gratings Prepared by Two-Beam Laser Interference. ACS Applied Materials & Interfaces, 2015, 7, 27059-27065.	4.0	38
134	A novel two-dimensional $\text{MgB}_6$ crystal: metal-layer stabilized boron kagome lattice. Physical Chemistry Chemical Physics, 2015, 17, 1093-1098.	1.3	38
135	Femtosecond Laser Inscribed Small-Period Long-Period Fiber Gratings With Dual-Parameter Sensing. IEEE Sensors Journal, 2018, 18, 1100-1103.	2.4	38
136	Directional Forces by Momentumless Excitation and Order-to-Order Transition in Peierls-Distorted Solids: The Case of GeTe. Physical Review Letters, 2018, 120, 185701.	2.9	38
137	Liquid-Assisted Femtosecond Laser Precision-Machining of Silica. Nanomaterials, 2018, 8, 287.	1.9	38
138	A light-driven turbine-like micro-rotor and study on its light-to-mechanical power conversion efficiency. Applied Physics Letters, 2012, 101, .	1.5	37
139	Optical force on toroidal nanostructures: Toroidal dipole versus renormalized electric dipole. Physical Review A, 2015, 92, .	1.0	37
140	Protein-Based Three-Dimensional Whispering-Gallery-Mode Micro-Lasers with Stimulus-Responsiveness. Scientific Reports, 2015, 5, 12852.	1.6	37
141	Pneumatic smart surfaces with rapidly switchable dominant and latent superhydrophobicity. NPG Asia Materials, 2018, 10, e470-e470.	3.8	37
142	Mechanical stretch for tunable wetting from topological PDMS film. Soft Matter, 2013, 9, 4236.	1.2	36
143	Template-confined growth of Ruddlesden-Popper perovskite micro-wire arrays for stable polarized photodetectors. Nanoscale, 2019, 11, 18272-18281.	2.8	36
144	Laser-Structured Graphene/Reduced Graphene Oxide Films towards Bio-Inspired Superhydrophobic Surfaces. Bulletin of the Chemical Society of Japan, 2019, 92, 283-289.	2.0	36

#	ARTICLE	IF	CITATIONS
145	Linked Weyl surfaces and Weyl arcs in photonic metamaterials. <i>Science</i> , 2021, 373, 572-576.	6.0	36
146	Hydrogen in ZnO revisited: Bond center versus antibonding site. <i>Physical Review B</i> , 2008, 78, .	1.1	35
147	Self-organization of polymer nanoneedles into large-area ordered flowerlike arrays. <i>Applied Physics Letters</i> , 2009, 95, 091902.	1.5	35
148	Study of Electron-Phonon Coupling Dynamics in Au Nanorods by Transient Depolarization Measurements. <i>Journal of Physical Chemistry C</i> , 2010, 114, 2913-2917.	1.5	35
149	Surface Plasmon-Polariton Mediated Red Emission from Organic Light-Emitting Devices Based on Metallic Electrodes Integrated with Dual-Periodic Corrugation. <i>Scientific Reports</i> , 2014, 4, 7108.	1.6	35
150	Laser fabrication of graphene-based supercapacitors. <i>Photonics Research</i> , 2020, 8, 577.	3.4	35
151	Monitoring Thermal Effect in Femtosecond Laser Interaction With Glass by Fiber Bragg Grating. <i>Journal of Lightwave Technology</i> , 2011, 29, 2126-2130.	2.7	34
152	Dynamics of Strong Coupling between CdSe Quantum Dots and Surface Plasmon Polaritons in Subwavelength Hole Array. <i>Journal of Physical Chemistry Letters</i> , 2016, 7, 4648-4654.	2.1	34
153	Role of electronic excitation in phase-change memory materials: A brief review. <i>Physica Status Solidi (B): Basic Research</i> , 2012, 249, 1861-1866.	0.7	33
154	Anti-reflection resonance in distributed Bragg reflectors-based ultrathin highly absorbing dielectric and its application in solar cells. <i>Applied Physics Letters</i> , 2013, 102, .	1.5	33
155	Unraveling Charge Separation and Transport Mechanisms in Aqueous-Processed Polymer/CdTe Nanocrystal Hybrid Solar Cells. <i>Advanced Energy Materials</i> , 2014, 4, 1301882.	10.2	33
156	Intrinsic Polarization and Tunable Color of Electroluminescence from Organic Single Crystal-based Light-Emitting Devices. <i>Scientific Reports</i> , 2015, 5, 12445.	1.6	33
157	Femtosecond Laser Direct Writing of Plasmonic Ag/Pd Alloy Nanostructures Enables Flexible Integration of Robust SERS Substrates. <i>Advanced Materials Technologies</i> , 2017, 2, 1600270.	3.0	33
158	Native defects and substitutional impurities in two-dimensional monolayer InSe. <i>Nanoscale</i> , 2017, 9, 11619-11624.	2.8	32
159	Nanostructures induced light harvesting enhancement in organic photovoltaics. <i>Nanophotonics</i> , 2017, 7, 371-391.	2.9	32
160	Gradient Assembly of Polymer Nanospheres and Graphene Oxide Sheets for Dual-Responsive Soft Actuators. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 37130-37138.	4.0	32
161	Time-dependent density-functional theory molecular-dynamics study on amorphization of Sc-Sb-Te alloy under optical excitation. <i>Npj Computational Materials</i> , 2020, 6, .	3.5	32
162	A Highly Sensitive Temperature Sensor Based on a Liquid-Sealed S-Tapered Fiber. <i>IEEE Photonics Technology Letters</i> , 2013, 25, 829-832.	1.3	31

#	ARTICLE	IF	CITATIONS
163	Fabrication and Characterization of Organic Single Crystal-Based Light-Emitting Devices with Improved Contact Between the Metallic Electrodes and Crystal. <i>Advanced Functional Materials</i> , 2014, 24, 7085-7092.	7.8	31
164	Infrared Absorption of Femtosecond Laser Textured Silicon Under Vacuum. <i>IEEE Photonics Technology Letters</i> , 2015, 27, 1481-1484.	1.3	31
165	Photonic-Molecule Single-Mode Laser. <i>IEEE Photonics Technology Letters</i> , 2015, 27, 1157-1160.	1.3	31
166	Size-dependent one-photon- and two-photon-pumped amplified spontaneous emission from organometal halide $\text{CH}_3\text{NH}_3\text{PbBr}_3$ perovskite cubic microcrystals. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 2217-2224.	1.3	31
167	Metal-Insulator Transition of $\text{GeSbTe}$ Superlattice: An Electron Counting Model Study. <i>IEEE Nanotechnology Magazine</i> , 2018, 17, 140-146.	1.1	31
168	Band-Gap-Controllable Photonic Crystals Consisting of Magnetic Nanocrystal Clusters in a Solidified Polymer Matrix. <i>Journal of Physical Chemistry C</i> , 2009, 113, 18542-18545.	1.5	30
169	Theoretical characterization of reduction dynamics for graphene oxide by alkaline-earth metals. <i>Carbon</i> , 2013, 52, 122-127.	5.4	30
170	Element-specific amorphization of vacancy-ordered $\text{GeSbTe}$ for ternary-state phase change memory. <i>Acta Materialia</i> , 2017, 136, 242-248.	3.8	30
171	Surface and Interface Engineering of Graphene Oxide Films by Controllable Photoreduction. <i>Chemical Record</i> , 2016, 16, 1244-1255.	2.9	29
172	Cross-wavelength invisibility integrated with various invisibility tactics. <i>Science Advances</i> , 2020, 6, .	4.7	29
173	Enhanced Efficiency and Mechanical Robustness of Flexible Perovskite Solar Cells by Using $\text{HPbI}_3$ Additive. <i>Solar Rrl</i> , 2021, 5, 2000821.	3.1	29
174	Spectral engineering by flexible tunings of optical Tamm states and Fabry-Perot cavity resonance. <i>Optics Letters</i> , 2013, 38, 4382.	1.7	28
175	Customization of Protein Single Nanowires for Optical Biosensing. <i>Small</i> , 2015, 11, 2869-2876.	5.2	28
176	As-grown graphene/copper nanoparticles hybrid nanostructures for enhanced intensity and stability of surface plasmon resonance. <i>Scientific Reports</i> , 2016, 6, 37190.	1.6	28
177	Gold-Hyperdoped Black Silicon With High IR Absorption by Femtosecond Laser Irradiation. <i>IEEE Nanotechnology Magazine</i> , 2017, 16, 502-506.	1.1	28
178	Charged defects in two-dimensional semiconductors of arbitrary thickness and geometry: Formulation and application to few-layer black phosphorus. <i>Physical Review B</i> , 2017, 96, .	1.1	28
179	Direct laser writing defects in holographic lithography-created photonic lattices. <i>Optics Letters</i> , 2005, 30, 881.	1.7	27
180	Programmable assembly of CdTe quantum dots into microstructures by femtosecond laser direct writing. <i>Journal of Materials Chemistry C</i> , 2013, 1, 4699.	2.7	27

#	ARTICLE	IF	CITATIONS
181	Dynamic laser prototyping for biomimetic nanofabrication. <i>Laser and Photonics Reviews</i> , 2014, 8, 882-888.	4.4	27
182	General Rules Governing the Dynamical Encircling of an Arbitrary Number of Exceptional Points. <i>Physical Review Letters</i> , 2021, 127, 253901.	2.9	27
183	Polarization dependent two-photon properties in an organic crystal. <i>Applied Physics Letters</i> , 2010, 97, .	1.5	26
184	Nacre-inspired moisture-responsive graphene actuators with robustness and self-healing properties. <i>Nanoscale</i> , 2019, 11, 20614-20619.	2.8	26
185	Bioinspired Superhydrophobic Surfaces via Laser-Structuring. <i>Frontiers in Chemistry</i> , 2020, 8, 835.	1.8	26
186	Electro-responsive actuators based on graphene. <i>Innovation(China)</i> , 2021, 2, 100168.	5.2	26
187	Rapid production of large-area deep sub-wavelength hybrid structures by femtosecond laser light-field tailoring. <i>Applied Physics Letters</i> , 2014, 104, 031904.	1.5	25
188	Compact Mach-Zehnder Interferometer Based on Tapered Hollow Optical Fiber. <i>IEEE Photonics Technology Letters</i> , 2015, 27, 1277-1280.	1.3	25
189	Hybrid State Dynamics of Dye Molecules and Surface Plasmon Polaritons under Ultrastrong Coupling Regime. <i>Laser and Photonics Reviews</i> , 2018, 12, 1700176.	4.4	25
190	Black Silicon IR Photodiode Supersaturated With Nitrogen by Femtosecond Laser Irradiation. <i>IEEE Sensors Journal</i> , 2018, 18, 3595-3601.	2.4	25
191	Phase Change Memory Process at the Limit: A Proposal for Utilizing Monolayer $\text{Sb}_2\text{Te}_3$ . <i>Advanced Science</i> , 2021, 8, 2004185.	5.6	25
192	Photonic quasicrystals exhibit zero-transmission regions due to translational arrangement of constituent parts. <i>Physical Review B</i> , 2009, 79, .	1.1	24
193	Surface-enhanced Raman scattering substrates of high-density and high-homogeneity hot spots by magneto-metal nanoprobe assembling. <i>Optics Letters</i> , 2010, 35, 3297.	1.7	24
194	Flexible lasers based on the microstructured single-crystalline ultrathin films. <i>Journal of Materials Chemistry</i> , 2012, 22, 24139.	6.7	24
195	Role of the nano amorphous interface in the crystallization of $\text{Sb}_2\text{Te}_3$ towards non-volatile phase change memory: insights from first principles. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 10810.	1.3	24
196	Strong electron-polarized atom chain in amorphous phase-change memory Ge Sb Te alloy. <i>Acta Materialia</i> , 2018, 143, 102-106.	3.8	24
197	Surface plasmon enhanced absorption dynamics of regioregular poly(3-hexylthiophene). <i>Applied Physics Letters</i> , 2011, 98, 251501.	1.5	23
198	Universal Electron Injection Dynamics at Nanointerfaces in Dye-Sensitized Solar Cells. <i>Advanced Functional Materials</i> , 2012, 22, 2783-2791.	7.8	23

#	ARTICLE	IF	CITATIONS
199	Light trapping schemes in organic solar cells: A comparison between optical Tamm states and Fabry-Pérot cavity modes. <i>Organic Electronics</i> , 2013, 14, 1577-1585.	1.4	23
200	Integrated optofluidic-microfluidic twin channels: toward diverse application of lab-on-a-chip systems. <i>Scientific Reports</i> , 2016, 6, 19801.	1.6	23
201	Aluminum-Centered Tetrahedron-Octahedron Transition in Advancing Al-Sb-Te Phase Change Properties. <i>Scientific Reports</i> , 2015, 5, 8548.	1.6	22
202	Enhanced efficiency of organic light-emitting devices with corrugated nanostructures based on soft nano-imprinting lithography. <i>Applied Physics Letters</i> , 2016, 109, .	1.5	22
203	Mask-free construction of three-dimensional silicon structures by dry etching assisted gray-scale femtosecond laser direct writing. <i>Applied Physics Letters</i> , 2017, 110, .	1.5	22
204	Well-Balanced Ambipolar Organic Single Crystals toward Highly Efficient Light-Emitting Devices. <i>Advanced Functional Materials</i> , 2020, 30, 2002422.	7.8	22
205	Unidirectional Lasing From a Spiral-Shaped Microcavity of Dye-Doped Polymers. <i>IEEE Photonics Technology Letters</i> , 2015, 27, 311-314.	1.3	21
206	Light-Responsive Actuators Based on Graphene. <i>Frontiers in Chemistry</i> , 2019, 7, 506.	1.8	21
207	Amplified spontaneous emission in the cyano-substituted oligo(p-phenylenevinylene) organic crystals: Effect of excitation wavelength. <i>Applied Physics Letters</i> , 2010, 96, .	1.5	20
208	Highly Stable On-Chip Embedded Organic Whispering Gallery Mode Lasers. <i>Journal of Lightwave Technology</i> , 2014, 32, 2415-2419.	2.7	20
209	Correlated High-Pressure Phase Sequence of VO <sub>2</sub> under Strong Compression. <i>Journal of Physical Chemistry Letters</i> , 2018, 9, 2388-2393.	2.1	20
210	Microscale-Patterned Graphene Electrodes for Organic Light-Emitting Devices by a Simple Patterning Strategy. <i>Advanced Optical Materials</i> , 2018, 6, 1701348.	3.6	20
211	Laser interference fabrication of large-area functional periodic structure surface. <i>Frontiers of Mechanical Engineering</i> , 2018, 13, 493-503.	2.5	20
212	Femtosecond laser fabrication of 3D templates for mass production of artificial compound eyes. Nami Jishu Yu Jingmi Gongcheng/Nanotechnology and Precision Engineering, 2019, 2, 110-117.	1.7	20
213	Excitation to defect-bound band edge states in two-dimensional semiconductors and its effect on carrier transport. <i>Npj Computational Materials</i> , 2019, 5, .	3.5	20
214	Highly flexible inverted organic solar cells with improved performance by using an ultrasmooth Ag cathode. <i>Applied Physics Letters</i> , 2012, 101, 133303.	1.5	19
215	Rapid Fabrication of Large-Area Periodic Structures by Multiple Exposure of Two-Beam Interference. <i>Journal of Lightwave Technology</i> , 2013, 31, 276-281.	2.7	19
216	Fabrication of Black Silicon With Thermostable Infrared Absorption by Femtosecond Laser. <i>IEEE Photonics Journal</i> , 2016, 8, 1-9.	1.0	19

#	ARTICLE	IF	CITATIONS
217	Simultaneous identification of multi-combustion-intermediates of alkanol-air flames by femtosecond filament excitation for combustion sensing. <i>Scientific Reports</i> , 2016, 6, 27340.	1.6	19
218	Free-Form Micro-Optics Out of Crystals: Femtosecond Laser 3D Sculpturing. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	19
219	Coexistence of bulk and surface polaritons in a magnetic-semiconductor superlattice influenced by a transverse magnetic field. <i>Journal of Applied Physics</i> , 2017, 121, 103102.	1.1	18
220	On-Chip Polarization Rotators. <i>Advanced Optical Materials</i> , 2019, 7, 1900129.	3.6	18
221	Curved Photodetectors Based on Perovskite Microwire Arrays via In Situ Conformal Nanoimprinting. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	18
222	Growth and property characterizations of photonic crystal structures consisting of colloidal microparticles. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2000, 17, 476.	0.9	17
223	Compact Long-Period Fiber Gratings Based on Periodic Microchannels. <i>IEEE Photonics Technology Letters</i> , 2013, 25, 111-114.	1.3	17
224	Point-by-Point Dip Coated Long-Period Gratings in Microfibers. <i>IEEE Photonics Technology Letters</i> , 2014, 26, 2503-2506.	1.3	17
225	Preparation of a $\text{Fe}_3\text{O}_4$ -Au-GO nanocomposite for simultaneous treatment of oil/water separation and dye decomposition. <i>Nanoscale</i> , 2016, 8, 17451-17457.	2.8	17
226	Stretchable PEG-DA Hydrogel-Based Whispering-Gallery-Mode Microlaser with Humidity Responsiveness. <i>Journal of Lightwave Technology</i> , 2018, 36, 819-824.	2.7	17
227	Dynamics of Strongly Coupled Hybrid States by Transient Absorption Spectroscopy. <i>Advanced Functional Materials</i> , 2018, 28, 1801761.	7.8	17
228	Light-Driven Magnetic Encoding for Hybrid Magnetic Micromachines. <i>Nano Letters</i> , 2021, 21, 1628-1635.	4.5	17
229	Role of $\text{Fe}_3\text{O}_4$ as a Dopant in Improving the Hole Injection and Transport of Organic Light-Emitting Devices. <i>IEEE Journal of Quantum Electronics</i> , 2011, 47, 591-596.	1.0	16
230	Flame treatment of graphene oxides: cost-effective production of nanoporous graphene electrode for Lithium-ion batteries. <i>Scientific Reports</i> , 2015, 5, 17522.	1.6	16
231	Hybrid Refractive-Diffractive Optical Vortex Microlens. <i>IEEE Photonics Technology Letters</i> , 2016, 28, 2299-2302.	1.3	16
232	NIR Photodetector Based on Nanosecond Laser-Modified Silicon. <i>IEEE Transactions on Electron Devices</i> , 2018, 65, 4905-4909.	1.6	16
233	Recent Progress of Lithographic Microfabrication by the TPA-Induced Photopolymerization. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2004, 17, 385-392.	0.1	15
234	Surface plasmon-enhanced amplified spontaneous emission from organic single crystals by integrating graphene/copper nanoparticle hybrid nanostructures. <i>Nanoscale</i> , 2017, 9, 19353-19359.	2.8	15

#	ARTICLE	IF	CITATIONS
235	Electrical properties and structural transition of $\text{Ge}_2\text{Sb}_2\text{Te}_5$ adjusted by rare-earth element $\text{Gd}$ for nonvolatile phase-change memory. <i>Journal of Applied Physics</i> , 2018, 124, .	1.1	15
236	Sub-bandgap photo-response of non-doped black-silicon fabricated by nanosecond laser irradiation. <i>Optics Letters</i> , 2018, 43, 1710.	1.7	15
237	Ultrafast Spectroscopic Study of Insulator-Semiconductor-Semimetal Transitions in Graphene Oxide and Its Reduced Derivatives. <i>Journal of Physical Chemistry C</i> , 2019, 123, 22550-22555.	1.5	15
238	Layer-Dependent Electron Transfer and Recombination Processes in $\text{MoS}_2/\text{WSe}_2$ Multilayer Heterostructures. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 9649-9655.	2.1	15
239	Lithographic Microfabrication by Using Two-Photon Absorbing Phenylenevinylene Derivative. <i>Molecular Crystals and Liquid Crystals</i> , 2004, 424, 35-41.	0.4	14
240	Stability Improved Stretchable Metallic Gratings With Tunable Grating Period in Submicron Scale. <i>Journal of Lightwave Technology</i> , 2015, 33, 3327-3331.	2.7	14
241	Silicon-Based Suspended Structure Fabricated by Femtosecond Laser Direct Writing and Wet Etching. <i>IEEE Photonics Technology Letters</i> , 2016, 28, 1605-1608.	1.3	14
242	Laser-induced color centers in crystals. <i>Optics and Laser Technology</i> , 2022, 146, 107527.	2.2	14
243	Sub-Bandgap Photo-Response of Chromium Hyperdoped Black Silicon Photodetector Fabricated by Femtosecond Laser Pulses. <i>IEEE Sensors Journal</i> , 2021, 21, 25695-25702.	2.4	14
244	Improved hole injection and transport of organic light-emitting devices with an efficient p-doped hole-injection layer. <i>Applied Physics Letters</i> , 2009, 95, 263303.	1.5	13
245	Distributed feedback lasing from thin organic crystal based on active waveguide grating structures. <i>Organic Electronics</i> , 2012, 13, 1602-1605.	1.4	13
246	Organic Crystals: Fabrication and Characterization of Organic Single Crystal-Based Light-Emitting Devices with Improved Contact Between the Metallic Electrodes and Crystal ( <i>Adv. Funct. Mater.</i> )	1.0	13
247	Femtosecond Laser Direct Writing Assisted Nonequilibrium Doped Silicon $n^+p$ Photodiodes for Light Sensing. <i>IEEE Sensors Journal</i> , 2015, 15, 4259-4263.	2.4	13
248	The Optical and Electrical Properties of Co-Doped Black Silicon Textured by a Femtosecond Laser and Its Application to Infrared Light Sensing. <i>IEEE Sensors Journal</i> , 2016, 16, 5227-5231.	2.4	13
249	Kraft Mesh Origami for Efficient Oil-Water Separation. <i>Langmuir</i> , 2019, 35, 815-823.	1.6	13
250	Mexican-hat potential energy surface in two-dimensional III <sub>2</sub> -VI <sub>3</sub> materials and the importance of entropy barrier in ultrafast reversible ferroelectric phase change. <i>Applied Physics Reviews</i> , 2021, 8, .	5.5	13
251	Three-dimensional micronanofabrication via two-photon-excited photoisomerization. <i>Applied Physics Letters</i> , 2009, 95, 083118.	1.5	12
252	Two-Photon Absorption and Spectral-Narrowed Light Source. <i>IEEE Journal of Quantum Electronics</i> , 2010, 46, 1775-1781.	1.0	12

#	ARTICLE	IF	CITATIONS
253	Surface modification of nanostructured ZnS by femtosecond laser pulsing. Applied Surface Science, 2014, 293, 332-335.	3.1	12
254	Multimode Coherent Hybrid States: Ultrafast Investigation of Double Rabi Splitting between Surface Plasmons and Sulforhodamine 101 Dyes. Advanced Optical Materials, 2017, 5, 1600857.	3.6	12
255	Flexible Efficient Top-Emitting Organic Light-Emitting Devices on a Silk Substrate. IEEE Photonics Journal, 2017, 9, 1-6.	1.0	12
256	Investigating the dynamics of excitons in monolayer WSe <sub>2</sub> before and after organic super acid treatment. Nanoscale, 2018, 10, 9346-9352.	2.8	12
257	Distinct outcomes by dynamically encircling an exceptional point along homotopic loops. Physical Review A, 2019, 99, .	1.0	12
258	Surface nanostructuring <i>via</i> femtosecond lasers. Physical Chemistry Chemical Physics, 2019, 21, 24262-24268.	1.3	12
259	High Curvature Concave“Convex Microlens. IEEE Photonics Technology Letters, 2015, 27, 2465-2468.	1.3	11
260	Observation of robust charge transfer under strain engineering in two-dimensional MoS <sub>2</sub> -WSe <sub>2</sub> heterostructures. Nanoscale, 2021, 13, 14081-14088.	2.8	11
261	High-resolution <i>in situ</i> patterning of perovskite quantum dots <i>via</i> femtosecond laser direct writing. Nanoscale, 2022, 14, 1174-1178.	2.8	11
262	Direct Observation of Room-Temperature Intravalley Coherent Coupling Processes in Monolayer MoS <sub>2</sub> . Laser and Photonics Reviews, 2022, 16, .	4.4	11
263	Strongly Localized Evanescent Optical Tamm States at Metal-DBR Interface. Journal of Lightwave Technology, 2013, 31, 1654-1659.	2.7	10
264	Laser Fabrication of Bioinspired Graphene Surfaces With Superwettability. Frontiers in Chemistry, 2020, 8, 525.	1.8	10
265	Polarization Independent Quantum Devices With Ultra-Low Birefringence Glass Waveguides. Journal of Lightwave Technology, 2021, 39, 1451-1457.	2.7	10
266	Many-particle induced band renormalization processes in few- and mono-layer MoS <sub>2</sub> . Nanotechnology, 2021, 32, 135208.	1.3	10
267	Broad-Bandwidth Micro-Diffractive Optical Elements. Laser and Photonics Reviews, 2022, 16, .	4.4	10
268	Fabrication of photopolymer hierarchical micronanostructures by coupling electrospinning and photolithography for SERS substrates. Macromolecular Research, 2013, 21, 306-310.	1.0	9
269	Measurement of Two-Photon Absorption Cross Section of Metal Ions by a Mass Sedimentation Approach. Scientific Reports, 2016, 5, 17712.	1.6	9
270	Optical subpicosecond nonvolatile switching and electron-phonon coupling in ferroelectric materials. Physical Review B, 2020, 102, .	1.1	9



#	ARTICLE	IF	CITATIONS
271	Parallel-Integrated Sapphire Fiber Bragg Gratings Probe Sensor for High Temperature Sensing. IEEE Sensors Journal, 2022, 22, 5703-5708.	2.4	9
272	One-pot preparation of novel asymmetric structure nanoparticles and its application in catalysis. RSC Advances, 2014, 4, 43586-43589.	1.7	8
273	Simultaneous Femtosecond Laser Doping and Surface Texturing for Implanting Applications. Advanced Materials Interfaces, 2015, 2, 1500058.	1.9	8
274	Sapphire-Based Dammann Gratings for UV Beam Splitting. IEEE Photonics Journal, 2016, 8, 1-8.	1.0	8
275	Micro-buried spiral zone plate in a lithium niobate crystal. Applied Physics Letters, 2017, 110, 041102.	1.5	8
276	Sulfur-Doped Silicon Photodiode by Ion Implantation and Femtosecond Laser Annealing. IEEE Sensors Journal, 2017, 17, 2367-2371.	2.4	8
277	Axially controllable multiple orbital angular momentum beam generator. Applied Physics Letters, 2020, 117, .	1.5	8
278	Two-Photon Polymerization Nanomanufacturing Based on the Definitionâ€“Reinforcementâ€“Solidification (DRS) Strategy. Journal of Lightwave Technology, 2021, 39, 2091-2098.	2.7	8
279	Highly transparent and conductive metal oxide/metal/polymer composite electrodes for high-efficiency flexible organic light-emitting devices. Nanophotonics, 2020, 9, 3567-3573.	2.9	8
280	FDTD Study on the Invisibility Performance of Two-Dimensional Cylindrical Cloak With Off-Plane Incidence. Journal of Lightwave Technology, 2012, 30, 1835-1842.	2.7	7
281	Evidence of concerted inversion for the photon-induced molecular switching of azobenzene using rotation-free azobenzene derivatives. Journal of Materials Chemistry C, 2013, 1, 5244.	2.7	7
282	The mystical interlinks: Mechanics, religion or optics?. Science China: Physics, Mechanics and Astronomy, 2016, 59, 1.	2.0	7
283	Giant lattice expansion by quantum stress and universal atomic forces in semiconductors under instant ultrafast laser excitation. Physical Chemistry Chemical Physics, 2017, 19, 24735-24741.	1.3	7
284	Microâ€“Nanoâ€“Texturing Inner Surfaces of Smallâ€“Caliber High Aspect Ratio and Superhydrophobic Artificial Vessels using Femtosecond Laser Filamenting Pulses. Advanced Materials Interfaces, 2018, 5, 1801148.	1.9	7
285	Unconventional phase transition of phase-change-memory materials for optical data storage*. Chinese Physics B, 2019, 28, 104202.	0.7	7
286	Shapeâ€“Designable and Sizeâ€“Tunable Organicâ€“Inorganic Hybrid Perovskite Microâ€“Ring Resonator Arrays. Advanced Materials Technologies, 2020, 5, 2000051.	3.0	7
287	Strain at Native $\text{SiO}_2/\text{Si}(111)$ Interface Characterized by Strain-Scanning Second-Harmonic Generation. IEEE Journal of Quantum Electronics, 2011, 47, 55-59.	1.0	6
288	Improved Performance of ITO-Free Organic Solar Cells Using a Low-Workfunction and Periodically Corrugated Metallic Cathode. IEEE Photonics Journal, 2012, 4, 1737-1743.	1.0	6

#	ARTICLE	IF	CITATIONS
289	Intense Femtosecond Laser-Mediated Electrical Discharge Enables Preparation of Amorphous Nickel Phosphide Nanoparticles. <i>Langmuir</i> , 2018, 34, 5712-5718.	1.6	6
290	Non-phase-separated 2D Bâ€“Câ€“N alloys <i>via</i> molecule-like carbon doping in 2D BN: atomic structures and optoelectronic properties. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 23106-23111.	1.3	6
291	Actuators: Quantum-Confined-Superfluidics-Enabled Moisture Actuation Based on Unilaterally Structured Graphene Oxide Papers ( <i>Adv. Mater.</i> 32/2019). <i>Advanced Materials</i> , 2019, 31, 1970231.	11.1	6
292	Stretchable Textiles with Superwettabilities for Tunable Oilâ€“Water Separation. <i>ChemNanoMat</i> , 2020, 6, 1111-1118.	1.5	6
293	Metallic Graphene Nanoribbons. <i>Nano-Micro Letters</i> , 2021, 13, 53.	14.4	6
294	Multicoating Nanoarchitectonics for Facile Preparation of Multi-Responsive Paper Actuators. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 27242-27250.	4.0	6
295	TWO-PHOTON ABSORBING PHENYLENEVINYLENE DERIVATIVE HAVING SILYLOXY MOIETIES IN DONOR UNITS. <i>Journal of Nonlinear Optical Physics and Materials</i> , 2004, 13, 467-474.	1.1	5
296	Biomimetics: Bioinspired Fabrication of Superhydrophobic Graphene Films by Two-Beam Laser Interference ( <i>Adv. Funct. Mater.</i> 29/2014). <i>Advanced Functional Materials</i> , 2014, 24, 4720-4720.	7.8	5
297	The Infrared Photodiode of Textured Silicon Irradiated Under Mixed Gas by Femtosecond Laser. <i>IEEE Sensors Journal</i> , 2016, , 1-1.	2.4	5
298	Possible n/p-type conductivity of two-dimensional graphene oxide by boron and nitrogen doping: Evaluated via constrained excitation. <i>Applied Physics Letters</i> , 2016, 109, 203113.	1.5	5
299	Dispersion peculiarities of hybrid modes in a circular waveguide filled by a composite gyroelectromagnetic medium. <i>Journal of Electromagnetic Waves and Applications</i> , 2017, 31, 350-362.	1.0	5
300	Transient Depolarization Spectroscopic Study on Electronic Structure and Fluorescence Origin of Graphene Oxide. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 1483-1489.	2.1	5
301	Nucleation Dynamics of Phaseâ€“Change Memory Materials: Atomic Motion and Property Evolution. <i>Physica Status Solidi - Rapid Research Letters</i> , 2021, 15, 2000441.	1.2	5
302	Capillary Force-Induced Printing of Stretchable and Mechanically Stable Silver Nanowire Electrodes With Highly Ordered Alignment For Ultra-Flexible Organic Light-Emitting Devices. <i>IEEE Nanotechnology Magazine</i> , 2021, 20, 99-103.	1.1	5
303	Doping in the two-dimensional limit: $p$ -type defects in monolayer ZnO. <i>Physical Review B</i> , 2022, 105, .	1.3	5
304	Stretchable Organic Lightâ€“Emitting Devices with Invisible Orderly Wrinkles by using a Transferâ€“Free Technique. <i>Advanced Materials Technologies</i> , 2022, 7, .	3.0	5
305	The atomic and electronic structure of amorphous BP4. <i>Journal of Alloys and Compounds</i> , 2012, 545, 144-147.	2.8	4
306	Top down fabrication of organic nanocrystals by femtosecond laser induced transfer method. <i>CrystEngComm</i> , 2012, 14, 4596.	1.3	4

#	ARTICLE	IF	CITATIONS
307	Role of hydrogen in the growth of boron nitride: Cubic phase versus hexagonal phase. Computational Materials Science, 2014, 82, 310-313.	1.4	4
308	Protein-Based Multi-Mode Interference Optical Micro-Splitters. IEEE Photonics Technology Letters, 2016, 28, 629-632.	1.3	4
309	Properties of conical microstructures formed on silicon surfaces via nanosecond laser ablation under vacuum. Optical and Quantum Electronics, 2016, 48, 1.	1.5	4
310	Stability enhancement of the metastable cubic Sb <sub>2</sub> Te <sub>3</sub> in superlattice-like films. Materials Letters, 2019, 243, 153-156.	1.3	4
311	Nanoscale amorphous interfaces in phase-change memory materials: structure, properties and design. Journal Physics D: Applied Physics, 2020, 53, 114002.	1.3	4
312	Electronic structure evolution and exciton energy shifting dynamics in WSe <sub>2</sub> : from monolayer to bulk. Journal Physics D: Applied Physics, 2021, 54, 354002.	1.3	4
313	Evaluation of Charged Defect Energy in Two-Dimensional Semiconductors for Nanoelectronics: The WLZ Extrapolation Method. Annalen Der Physik, 2020, 532, 1900318.	0.9	4
314	Exceptional point protected robust on-chip optical logic gates. Exploration, 2022, 2, .	5.4	4
315	Spin-Valley Depolarization in van der Waals Heterostructures. Journal of Physical Chemistry Letters, 2022, 13, 5501-5507.	2.1	4
316	Slide Fastener Reduction of Graphene-Oxide Edges by Calcium: Insight from Ab Initio Molecular Dynamics. ChemPhysChem, 2014, 15, 2707-2711.	1.0	3
317	Exploring long-wave infrared transmitting materials with A <sub>x</sub> B <sub>y</sub> form: First-principles gene-like studies. Scientific Reports, 2016, 6, 21912.	1.6	3
318	Aplanatic Zone Plate Embedded in Sapphire. IEEE Photonics Technology Letters, 2018, 30, 509-512.	1.3	3
319	High-Order-Tilted Fiber Bragg Gratings With Superposed Refractive Index Modulation. IEEE Photonics Journal, 2018, 10, 1-8.	1.0	3
320	Quantum Dot LEDs: Stretchable Organometal Halide Perovskite Quantum Dot Light-Emitting Diodes (Adv. Tj ETQq0 0 0 rgBT /C 11.1 8)	11.1	8
321	Atomic-scale observation of strain-induced local amorphization in face-centered cubic metals. Scripta Materialia, 2022, 212, 114553.	2.6	3
322	Tapered and Tip-Grounded Waveguide Electrooptical Microsensors. IEEE Photonics Journal, 2011, 3, 57-63.	1.0	2
323	Truncated Lorch-window method revealing the off-octahedral Ge in nanocrystalline Ge <sub>2</sub> Sb <sub>2</sub> Te <sub>5</sub> . Physica Status Solidi (B): Basic Research, 2012, 249, 1914-1918.	0.7	2
324	Enhanced Performance of Perovskite Light-Emitting Devices With Improved Perovskite Crystallization. IEEE Photonics Journal, 2017, 9, 1-8.	1.0	2

#	ARTICLE	IF	CITATIONS
325	Electronic excitation induced hydrogen-bond adjustment and lattice control in organic-inorganic hybrid cubic perovskites: a fixed occupation molecular dynamics study. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 26164-26168.	1.3	2
326	Femtosecond transient absorption spectroscopic study on the electronic structures of graphene oxides, graphene oxide nanoribbons and graphene quantum dots. <i>Optical Materials Express</i> , 2021, 11, 3486.	1.6	2
327	Two-Photon Laser Micro-Nano Fabrication; Understanding from Single-Voxel Level. <i>Materials Research Society Symposia Proceedings</i> , 2002, 758, 461.	0.1	1
328	Micro/nanofabrication of two and three dimensional structures by two-photon polymerization. , 0, , .		1
329	Anomalous Electro-Optic Effect in Polar Liquid Films. <i>IEEE Journal of Quantum Electronics</i> , 2012, 48, 1310-1313.	1.0	1
330	Liu <i>et al.</i> Reply. <i>Physical Review Letters</i> , 2012, 108, .	2.9	1
331	Organic Single Crystalline Lasers: Distributed Feedback Lasers Based on Thiophene/Phenylene Co-Oligomer Single Crystals ( <i>Adv. Funct. Mater.</i> 1/2012). <i>Advanced Functional Materials</i> , 2012, 22, 32-32.	7.8	1
332	Precise measurement of weak strain by second-harmonic generation from silicon (111) surface. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2013, 30, 1200.	0.9	1
333	Eliminating Angular Dispersion in Microcavity by Employing Metamaterials With Hyperbolic Dispersion as Reflectors. <i>IEEE Journal of Quantum Electronics</i> , 2014, 50, 348-353.	1.0	1
334	Strong Coupling: Dynamics of Strong Coupling between J-Aggregates and Surface Plasmon Polaritons in Subwavelength Hole Arrays ( <i>Adv. Funct. Mater.</i> 34/2016). <i>Advanced Functional Materials</i> , 2016, 26, 6197-6197.	7.8	1
335	Study of textured ZnS irradiated by femtosecond laser pulses. <i>Optical and Quantum Electronics</i> , 2016, 48, 1.	1.5	1
336	Plasmon-Photon Coupled Modes Lasing in a Silver-Coated Hemisphere. <i>IEEE Photonics Technology Letters</i> , 2016, 28, 351-354.	1.3	1
337	Femtosecond Laser Writing: Femtosecond Laser Direct Writing of Plasmonic Ag/Pd Alloy Nanostructures Enables Flexible Integration of Robust SERS Substrates ( <i>Adv. Mater. Technol.</i> 6/2017). <i>Advanced Materials Technologies</i> , 2017, 2, .	3.0	1
338	Control of single-mode operation in a circular waveguide filled by a longitudinally magnetized gyroelectromagnetic medium. <i>Journal of Electromagnetic Waves and Applications</i> , 2017, 31, 1265-1276.	1.0	1
339	Nanofabrications using a laser collimated and focused neutral chromium atom beam. , 0, , .		0
340	High-reproducibility and high-fidelity two-photon photopolymerization of 3D photonic crystals. , 0, , .		0
341	Femtosecond laser-induced two-photon polymerization: A new avenue towards microoptics and micromechanics. , 2009, , .		0
342	Robust optical fiber grating achieved by femtosecond laser exposure. , 2010, , .		0

#	ARTICLE	IF	CITATIONS
343	The study on strain-induced second-harmonic generation in Si(111) surface and native SiO <sub>2</sub> /Si(111) interface. , 2010, , .		0
344	Excited State Dynamics of 2-MPT-Derived Fluorescent Molecular Switches. IEEE Journal of Quantum Electronics, 2011, 47, 1163-1170.	1.0	0
345	Electronic Excitation Induced Solid-State Amorphization in Ge-Sb-Te Alloy. Materials Research Society Symposia Proceedings, 2011, 1370, 77.	0.1	0
346	Laser nanofabrication: Applications in micro-optics, micro-electronics, micromachines, and microfluidics. , 2011, , .		0
347	SERS Substrates: Silver-Coated Rose Petal: Green, Facile, Low-Cost and Sustainable Fabrication of a SERS Substrate with Unique Superhydrophobicity and High Efficiency (Advanced Optical Materials 1/2013). Advanced Optical Materials, 2013, 1, 55-55.	3.6	0
348	Regular arrays of triangular microstructure formed on silicon (111) surface via ultrafast laser irradiation in KOH solution. Surface and Interface Analysis, 2013, 45, 1667-1672.	0.8	0
349	Time-Resolved Spectroscopic Study of the Aggregation-Induced Emission Mechanism. , 2013, , 337-355.		0
350	Origin of high data retention for Ge <sub>1</sub> Cu <sub>2</sub> Te <sub>3</sub> phase-change memory. , 2015, , .		0
351	Graphene: Moisture-Responsive Graphene Paper Prepared by Self-Controlled Photoreduction (Adv.) Tj ETQq1 1 0.784314 rgBT <sub>0</sub> /Overl	11.1	0
352	Study on optical and electrical properties of gold-doped silicon fabricated by femtosecond laser. Optical and Quantum Electronics, 2017, 49, 1.	1.5	0
353	Erratum to "Metal-Insulator Transition of Ge-Sb-Te Superlattice: An Electron Counting Model Study" [Jan 18 140-146]. IEEE Nanotechnology Magazine, 2018, 17, 614-614.	1.1	0
354	Orbital-selective electronic excitation in phase-change memory materials: a brief review. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2021, .	0.3	0
355	Creation of a Micro-Nanoworld with Photons. Seikei-Kakou, 2005, 17, 524-527.	0.0	0