
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2416899/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Clinical Implication of Genetic Testing in Dilated Cardiomyopathy. International Journal of Heart Failure, 2022, 4, 1.	0.9	2
2	The current status and outcomes of in-hospital P2Y12 receptor inhibitor switching in Korean patients with acute myocardial infarction. Korean Journal of Internal Medicine, 2022, , .	0.7	1
3	Elevated On-Treatment Diastolic Blood Pressure and Cardiovascular Outcomes in the Presence of Achieved Systolic Blood Pressure Targets. Korean Circulation Journal, 2022, 52, 460.	0.7	3
4	Prognostic Impact and Predictors of New-Onset Atrial Fibrillation in Heart Failure. Life, 2022, 12, 579.	1.1	1
5	Successful extracorporeal membrane oxygenation treatment of catecholamine-induced cardiomyopathy-associated pheochromocytoma. Acute and Critical Care, 2022, , .	0.6	1
6	Virtual management of hypertension: lessons from the COVID-19 pandemic–International Society of Hypertension position paper endorsed by the World Hypertension League and European Society of Hypertension. Journal of Hypertension, 2022, 40, 1435-1448.	0.3	22
7	Impact of Cardiac Troponin Elevation on Mortality of Patients with Acute Heart Failure: Insights from the Korea Acute Heart Failure (KorAHF) Registry. Journal of Clinical Medicine, 2022, 11, 2800.	1.0	0
8	Simultaneous Occurrence of Immune-Mediated Thrombocytopenia and Myocarditis After mRNA-1273 COVID-19 Vaccination: A Case Report. Journal of Korean Medical Science, 2022, 37, .	1.1	2
9	Effect of beta-blocker therapy in patients with or without left ventricular systolic dysfunction after acute myocardial infarction. European Heart Journal - Cardiovascular Pharmacotherapy, 2021, 7, 475-482.	1.4	27
10	Variation in treatment strategy for non-ST segment elevation myocardial infarction: A multilevel methodological approach. International Journal of Cardiology, 2021, 328, 35-39.	0.8	1
11	Prognostic value of novel neutrophil-to-hemoglobin and lymphocyte score in patients with acute myocardial infarction. European Journal of Inflammation, 2021, 19, 205873922110390.	0.2	2
12	Suboptimal Management Status of Younger Hypertensive Population in Korea. Korean Circulation Journal, 2021, 51, 598.	0.7	8
13	Evaluation of Adherence to Guideline for Heart Failure with Reduced Ejection Fraction in Heart Failure with Preserved Ejection Fraction and with or without Atrial Fibrillation. Journal of Korean Medical Science, 2021, 36, e252.	1.1	1
14	2021 Korean Society of Myocardial Infarction Expert Consensus Document on Revascularization for Acute Myocardial Infarction. Korean Circulation Journal, 2021, 51, 289.	0.7	11
15	Antihypertensive Drugs and the Risk of Cancer: A Nationwide Cohort Study. Journal of Clinical Medicine, 2021, 10, 771.	1.0	16
16	Derivation and validation of a combined in-hospital mortality and bleeding risk model in acute myocardial infarction. IJC Heart and Vasculature, 2021, 33, 100732.	0.6	2
17	Lack of prognostic significance for major adverse cardiac events of soluble suppression of tumorigenicity 2 levels in patients with ST-segment elevation myocardial infarction. Cardiology Journal, 2021, 28, 244-254.	0.5	3
18	May Measurement Month 2019: an analysis of blood pressure screening results from Korea. European Heart Journal Supplements, 2021, 23, 889-891.	0.0	3

#	Article	IF	CITATIONS
19	Immediate Compared With Delayed Percutaneous Coronary Intervention for Patients With ST-Segment–Elevation Myocardial Infarction Presenting ≥12 Hours After Symptom Onset Is Not Associated With Improved Clinical Outcome. Circulation: Cardiovascular Interventions, 2021, 14, e009863.	1.4	5
20	Predicting survival in heart failure: a risk score based on machine-learning and change point algorithm. Clinical Research in Cardiology, 2021, 110, 1321-1333.	1.5	4
21	Economic Burden of Heart Failure in Asian Countries with Different Healthcare Systems. Korean Circulation Journal, 2021, 51, 681.	0.7	12
22	Assessment of the conventional radial artery with optical coherent tomography after the snuffbox approach. Cardiology Journal, 2021, 28, 849-854.	0.5	4
23	Intravascular modalityâ€guided versus angiographyâ€guided percutaneous coronary intervention in acute myocardial infarction. Catheterization and Cardiovascular Interventions, 2020, 95, 696-703.	0.7	25
24	Dual antiplatelet therapy beyond 12 months versus for 12 months after drug-eluting stents for acute myocardial infarction. Journal of Cardiology, 2020, 75, 66-73.	0.8	9
25	Blood pressure levels and cardiovascular risk according to age in patients with diabetes mellitus: a nationwide population-based cohort study. Cardiovascular Diabetology, 2020, 19, 181.	2.7	8
26	The U-shaped association between achieved blood pressure and risk of cardiovascular events and mortality in elderly and younger patients. Journal of Hypertension, 2020, 38, 1559-1566.	0.3	5
27	Guideline-directed therapy at discharge in patients with heart failure and atrial fibrillation. Heart, 2020, 106, 292-298.	1.2	12
28	Guideline-directed medical therapy in elderly patients with heart failure with reduced ejection fraction: a cohort study. BMJ Open, 2020, 10, e030514.	0.8	31
29	Management and Prognosis of Heart Failure in Octogenarians: Final Report from the KorAHF Registry. Journal of Clinical Medicine, 2020, 9, 501.	1.0	5
30	One-year efficacy and safety of everolimus-eluting bioresorbable scaffolds in the setting of acute myocardial infarction. PLoS ONE, 2020, 15, e0235673.	1.1	1
31	Clinical Impact of Atypical Chest Pain and Diabetes Mellitus in Patients with Acute Myocardial Infarction from Prospective KAMIR-NIH Registry. Journal of Clinical Medicine, 2020, 9, 505.	1.0	6
32	Clopidogrel versus Aspirin after Dual Antiplatelet Therapy in Acute Myocardial Infarction Patients Undergoing Drug-Eluting Stenting. Korean Circulation Journal, 2020, 50, 120.	0.7	12
33	Admission Hyperglycemia as a Predictor of Mortality in Acute Heart Failure: Comparison between the Diabetics and Non-Diabetics. Journal of Clinical Medicine, 2020, 9, 149.	1.0	13
34	Updated Reasons and Clinical Implications of New Korean Hypertension Guidelines for Cardiologists. Korean Circulation Journal, 2020, 50, 476.	0.7	11
35	2020 Korean Society of Myocardial Infarction Expert Consensus Document on Pharmacotherapy for Acute Myocardial Infarction. Korean Circulation Journal, 2020, 50, 845.	0.7	16
36	Prognostic Value of QRS Duration among Patients with Cardiogenic Shock Complicating Acute Heart Failure: Data from the Korean Acute Heart Failure (KorAHF) Registry. International Journal of Heart Failure, 2020, 2, 121.	0.9	1

#	Article	IF	CITATIONS
37	Beta-blocker Therapy at Discharge in Patients with Acute Heart Failure and Atrial Fibrillation. Journal of Korean Medical Science, 2020, 35, e278.	1.1	4
38	Optical Coherent Tomographic (OCT) Finding of Radial Arterial Recanalization. Korean Circulation Journal, 2020, 50, 1045.	0.7	0
39	One-Year Clinical Outcomes between Single- versus Multi-Staged PCI for ST Elevation Myocardial Infarction with Multi-Vessel Coronary Artery Disease: from Korea Acute Myocardial Infarction Registry-National Institute of Health (KAMIR-NIH). Korean Circulation Journal, 2020, 50, 220.	0.7	5
40	The Impact of Body Mass Index on the Prognostic Value of N-Terminal proB-Type Natriuretic Peptide in Patients with Heart Failure: an Analysis from the Korean Heart Failure (KorHF) Registry. International Journal of Heart Failure, 2020, 2, 45.	0.9	4
41	Implantable Cardioverter-defibrillator Utilization and Its Outcomes in Korea: Data from Korean Acute Heart Failure Registry. Journal of Korean Medical Science, 2020, 35, e397.	1.1	2
42	Angiotensin-Converting Enzyme Inhibitors Provide Better Long-Term Survival Benefits to Patients With AMI Than Angiotensin II Receptor Blockers After Survival Hospital Discharge. Journal of Cardiovascular Pharmacology and Therapeutics, 2019, 24, 120-129.	1.0	14
43	Prognosis and Predictors of Mortality in Patients Suffering Myocardial Infarction With Nonâ€Obstructive Coronary Arteries. Journal of the American Heart Association, 2019, 8, e011990.	1.6	96
44	Artificial intelligence algorithm for predicting mortality of patients with acute heart failure. PLoS ONE, 2019, 14, e0219302.	1.1	84
45	Usefulness of Calculation of Cardiovascular Risk Factors to Predict Outcomes in Patients With Acute Myocardial Infarction. American Journal of Cardiology, 2019, 124, 857-863.	0.7	3
46	Comparison of 24-Hour Ambulatory Central Blood Pressure Reduction Efficacy Between Fixed Amlodipine or Up-Titrated Hydrochlorothiazide Plus Losartan: The K-Central Study. American Journal of Hypertension, 2019, 32, 992-1002.	1.0	4
47	Risk Scoring System for Prognosis Estimation of Multivessel Disease Among Patients with ST-Segment Elevation Myocardial Infarction. International Heart Journal, 2019, 60, 708-714.	0.5	10
48	Prognostic Implications of Doorâ€ŧoâ€Balloon Time and Onsetâ€ŧoâ€Door Time on Mortality in Patients With ST‣egment–Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention. Journal of the American Heart Association, 2019, 8, e012188.	1.6	115
49	Predictors of In-Hospital Mortality in Korean Patients with Acute Myocardial Infarction. Chonnam Medical Journal, 2019, 55, 40.	0.5	11
50	Characteristics, Outcomes, and Treatment of Heart Failure With Improved Ejection Fraction. Journal of the American Heart Association, 2019, 8, e011077.	1.6	61
51	Beta-Blockers in Patients with Heart Failure with Preserved Ejection Fraction: Results from The Korea Acute Heart Failure (KorAHF) Registry. Korean Circulation Journal, 2019, 49, 238.	0.7	12
52	Clinical Significance and Therapeutic Implication of Nocturnal Hypertension: Relationship between Nighttime Blood Pressure and Quality of Sleep. Korean Circulation Journal, 2019, 49, 818.	0.7	16
53	The association of smoothness index of central blood pressure with ambulatory carotid femoral pulse wave velocity after 20-week treatment with losartan in combination with amlodipine versus hydrochlorothiazide. Journal of Hypertension, 2019, 37, 2490-2497.	0.3	2
54	Immediate multivessel intervention versus culprit-vessel intervention only in patients with ST-elevation myocardial infarction and multivessel coronary disease. Coronary Artery Disease, 2019, 30, 95-102.	0.3	1

#	Article	IF	CITATIONS
55	Comparison of 1-year clinical outcomes between prasugrel and ticagrelor versus clopidogrel in type 2 diabetes patients with acute myocardial infarction underwent successful percutaneous coronary intervention. Medicine (United States), 2019, 98, e14833.	0.4	17
56	Comparison of Longâ€Term Clinical Outcome Between Multivessel Percutaneous Coronary Intervention Versus Infarctâ€Related Artery–Only Revascularization for Patients With STâ€Segment–Elevation Myocardial Infarction With Cardiogenic Shock. Journal of the American Heart Association, 2019, 8, e013870.	1.6	18
57	Radial Versus Femoral Access With or Without Vascular Closure Device in Patients With Acute Myocardial Infarction. American Journal of Cardiology, 2019, 123, 742-749.	0.7	9
58	Association of potent P2Y12 blockers with ischemic and bleeding outcomes in non-ST-segment elevation myocardial infarction. Journal of Cardiology, 2019, 73, 142-150.	0.8	6
59	Prognostic Impact of Î <sup>2</sup> -Blocker Dose After Acute Myocardial Infarction. Circulation Journal, 2019, 83, 410-417.	0.7	32
60	Risk prediction for 30-day heart failure-specific readmission or death after discharge: Data from the Korean Acute Heart Failure (KorAHF) registry. Journal of Cardiology, 2019, 73, 108-113.	0.8	35
61	Prognostic Effect of Guideline-Directed Therapy Is More Noticeable Early in the Course of Heart Failure. Journal of Korean Medical Science, 2019, 34, e133.	1.1	11
62	Real-World Eligibility for Sacubitril/Valsartan in Heart Failure with Reduced Ejection Fraction Patients in Korea: Data from the Korean Acute Heart Failure (KorAHF) Registry. International Journal of Heart Failure, 2019, 1, 57.	0.9	13
63	Clinical characteristics and outcomes in acute myocardial infarction patients with versus without any cardiovascular risk factors. Korean Journal of Internal Medicine, 2019, 34, 1040-1049.	0.7	9
64	Current status of acute myocardial infarction in Korea. Korean Journal of Internal Medicine, 2019, 34, 1-10.	0.7	91
65	Current status and therapeutic considerations of hypertension in the elderly. Korean Journal of Internal Medicine, 2019, 34, 687-695.	0.7	38
66	Comparison of short-term clinical outcomes between Resolute Onyx zotarolimus-eluting stents and everolimus-eluting stent in patients with acute myocardial infarction: Results from the Korea Acute Myocardial infarction Registry (KAMIR). Cardiology Journal, 2019, 26, 469-476.	0.5	8
67	Prognostic Implication of Ventricular Conduction Disturbance Pattern in Hospitalized Patients with Acute Heart Failure Syndrome. Korean Circulation Journal, 2019, 49, 602.	0.7	5
68	Intensity of Statin Treatment in Korean Patients with Acute Myocardial Infarction and Very Low LDL Cholesterol. Journal of Lipid and Atherosclerosis, 2019, 8, 208.	1.1	2
69	Effects of angiotensin receptor blocker at discharge in patients with heart failure with reduced ejection fraction: Korean Acute Heart Failure (KorAHF) registry. International Journal of Cardiology, 2018, 257, 168-176.	0.8	10
70	Effects of Statin Intensity on Clinical Outcome in Acute Myocardial Infarction Patients. Circulation Journal, 2018, 82, 1112-1120.	0.7	18
71	Multivessel Percutaneous Coronary Intervention in Patients With ST-Segment Elevation Myocardial Infarction With Cardiogenic Shock. Journal of the American College of Cardiology, 2018, 71, 844-856.	1.2	77
72	Results of a 10-Year Experience in Korea Using Drug-Eluting Stents During Percutaneous Coronary Intervention for Acute Myocardial Infarction (from the Korea Acute Myocardial Infarction Registry). American Journal of Cardiology, 2018, 122, 365-373.	0.7	12

#	Article	IF	CITATIONS
73	Predictors and Prognostic Value of Worsening Renal Function During Admission in HFpEF Versus HFrEF: Data From the KorAHF (Korean Acute Heart Failure) Registry. Journal of the American Heart Association, 2018, 7, .	1.6	32
74	Door-to-balloon time and cardiac mortality in acute myocardial infarction by total occlusion of the left circumflex artery. Coronary Artery Disease, 2018, 29, 409-415.	0.3	1
75	Third-Generation P2Y12 Inhibitors in East Asian Acute Myocardial Infarction Patients: A Nationwide Prospective Multicentre Study. Thrombosis and Haemostasis, 2018, 118, 591-600.	1.8	50
76	Validation of the MAGGIC (Meta-Analysis Global Group in Chronic Heart Failure) heart failure risk score and the effect of adding natriuretic peptide for predicting mortality after discharge in hospitalized patients with heart failure. PLoS ONE, 2018, 13, e0206380.	1.1	40
77	Korea hypertension fact sheet 2018. Clinical Hypertension, 2018, 24, 13.	0.7	108
78	Effects of Bisoprolol Are Comparable with Carvedilol in Secondary Prevention of Acute Myocardial Infarction in Patients Undergoing Percutaneous Coronary Intervention. Chonnam Medical Journal, 2018, 54, 121.	0.5	2
79	Utility of GRACE and ACUITY-HORIZONS risk scores to guide dual antiplatelet therapy in Korean patients with acute myocardial infarction undergoing drug-eluting stenting. Journal of Cardiology, 2018, 72, 411-419.	0.8	5
80	Prognostic Significance of Left Axis Deviation in Acute Heart Failure Patients with Left Bundle branch block: an Analysis from the Korean Acute Heart Failure (KorAHF) Registry. Korean Circulation Journal, 2018, 48, 1002.	0.7	4
81	β-arrestin2 Affects Cardiac Progenitor Cell Survival through Cell Mobility and Tube Formation in Severe Hypoxia. Korean Circulation Journal, 2018, 48, 296.	0.7	8
82	Long-term Prognosis and Clinical Characteristics of Patients with Newly Diagnosed Diabetes Mellitus Detected after First Acute Myocardial Infarction: from KAMIR-NIH Registry. Korean Circulation Journal, 2018, 48, 134.	0.7	9
83	Effect of Pitavastatin Compared with Atorvastatin andRosuvastatin on New-Onset Diabetes Mellitus in PatientsWith Acute Myocardial Infarction. American Journal of Cardiology, 2018, 122, 922-928.	0.7	23
84	Bursting Fracture of Balloon-Expandable Stent and Pseudoaneurysm Formation in the Left Common Iliac Artery and Endovascular Treatment With Graft Stent. Vascular and Endovascular Surgery, 2018, 52, 556-560.	0.3	1
85	Clinical Outcomes of Elderly Patients with Non ST-Segment Elevation Myocardial Infarction Undergoing Coronary Artery Bypass Surgery. Chonnam Medical Journal, 2018, 54, 41.	0.5	1
86	Effect of renin-angiotensin system blockade in patients with severe renal insufficiency and heart failure. International Journal of Cardiology, 2018, 266, 180-186.	0.8	6
87	Prognostic significance of non-chest pain symptoms in patients with non-ST-segment elevation myocardial infarction. Korean Journal of Internal Medicine, 2018, 33, 1111-1118.	0.7	9
88	Manual thrombus aspiration during primary percutaneous coronary intervention: Impact of total ischemic time. Journal of Cardiology, 2017, 69, 428-435.	0.8	10
89	Clinical impacts of inhibition of renin–angiotensin system in patients with acute ST-segment elevation myocardial infarction who underwent successful late percutaneous coronary intervention. Journal of Cardiology, 2017, 69, 216-221.	0.8	10
90	The beneficial prognostic value of hemoconcentration is negatively affected by hyponatremia in acute decompensated heart failure: Data from the Korean Heart Failure (KorHF) Registry. Journal of Cardiology, 2017, 69, 790-796.	0.8	10

#	Article	IF	CITATIONS
91	Benefits of Statin Therapy in Patients With Acute Myocardial Infarction With Serum Low-Density Lipoprotein Cholesterol ≤50Âmg/dl. American Journal of Cardiology, 2017, 120, 174-180.	0.7	6
92	Benefit of Vasodilating βâ€Blockers in Patients With Acute Myocardial Infarction After Percutaneous Coronary Intervention: Nationwide Multicenter Cohort Study. Journal of the American Heart Association, 2017, 6, .	1.6	10
93	Reverse J-Curve Relationship Between On-Treatment Blood Pressure and Mortality in Patients With Heart Failure. JACC: Heart Failure, 2017, 5, 810-819.	1.9	68
94	Relationship between time to treatment and mortality among patients undergoing primary percutaneous coronary intervention according to Korea Acute Myocardial Infarction Registry. Journal of Cardiology, 2017, 69, 377-382.	0.8	27
95	Relation of Renal Function with Left Ventricular Systolic Function and NT-proBNP Level and Its Prognostic Implication in Heart Failure with Preserved versus Reduced Ejection Fraction: an analysis from the Korean Heart Failure (KorHF) Registry. Korean Circulation Journal, 2017, 47, 727.	0.7	10
96	Clinical Characteristics and Outcome of Acute Heart Failure in Korea: Results from the Korean Acute Heart Failure Registry (KorAHF). Korean Circulation Journal, 2017, 47, 341.	0.7	131
97	Comparison of effects between calcium channel blocker and diuretics in combination with angiotensin II receptor blocker on 24-h central blood pressure and vascular hemodynamic parameters in hypertensive patients: study design for a multicenter, double-blinded, active-controlled, phase 4, randomized trial. Clinical Hypertension. 2017. 23. 18.	0.7	6
98	Atrial Fibrillation on Admission Is Related With Higher Mortality in ST-Segment Elevation Myocardial Infarction Patients. International Heart Journal, 2017, 58, 486-494.	0.5	17
99	The Effect of Cilostazol on the Angiographic Outcome of Drug-Eluting Coronary Stents Angiographic Analysis of the CILON-T (Influence of CILostazol-Based Triple Antiplatelet Therapy ON Ischemi) Tj ETQq1 1 0.784 853-860.	814 rg BT /0	Overlock 10
100	Korean Guidelines for Diagnosis and Management of Chronic Heart Failure. Korean Circulation Journal, 2017, 47, 555.	0.7	56
101	Differential Clinical Implications of High-Degree Atrioventricular Block Complicating ST-Segment Elevation Myocardial Infarction according to the Location of Infarction in the Era of Primary Percutaneous Coronary Intervention. Korean Circulation Journal, 2016, 46, 315.	0.7	16
102	Angiotensin II type 1 receptor blockers as a first choice in patients with acute myocardial infarction. Korean Journal of Internal Medicine, 2016, 31, 267-276.	0.7	11
103	Epidemiology of Heart Failure in Korea: Present and Future. Korean Circulation Journal, 2016, 46, 658.	0.7	109
104	Differential Benefit of Statin in Secondary Prevention of Acute Myocardial Infarction according to the Level of Triglyceride and High Density Lipoprotein Cholesterol. Korean Circulation Journal, 2016, 46, 324.	0.7	10
105	Incidence and Risk Factors for Atrial Fibrillation in Korea: the National Health Insurance Service Database (2002–2010). Korean Circulation Journal, 2016, 46, 515.	0.7	48
106	Multicenter Cohort Study of Acute Myocardial Infarction in Korea – Interim Analysis of the Korea Acute Myocardial Infarction Registry-National Institutes of Health Registry –. Circulation Journal, 2016, 80, 1427-1436.	0.7	166
107	Pharmacoinvasive Strategy Versus Primary Percutaneous Coronary Intervention in Patients With ST-Segment–Elevation Myocardial Infarction. Circulation: Cardiovascular Interventions, 2016, 9, .	1.4	41
108	Clinical outcome of statin plus ezetimibe versus high-intensity statin therapy in patients with acute myocardial infarction propensity-score matching analysis. International Journal of Cardiology, 2016, 225, 50-59.	0.8	16

#	Article	IF	CITATIONS
109	Twoâ€Year Safety and Efficacy of Biodegradable Polymer Drugâ€Eluting Stent Versus Secondâ€Generation Durable Polymer Drugâ€Eluting Stent in Patients With Acute Myocardial Infarction: Data from the Korea Acute Myocardial Infarction Registry ( <scp>KAMIR</scp> ). Clinical Cardiology, 2016, 39, 276-284.	0.7	4
110	Clinical impact of immediate invasive strategy in patients with non-ST-segment elevation myocardial infarction. International Journal of Cardiology, 2016, 221, 937-943.	0.8	9
111	Clinical outcomes of the intra-aortic balloon pump for resuscitated patients with acute myocardial infarction complicated by cardiac arrest. Journal of Cardiology, 2016, 67, 57-63.	0.8	8
112	Benefit of statin therapy in patients with coronary spasm-induced acute myocardial infarction. Journal of Cardiology, 2016, 68, 7-12.	0.8	22
113	The Association of Family History of Premature Cardiovascular Disease or Diabetes Mellitus on the Occurrence of Gestational Hypertensive Disease and Diabetes. PLoS ONE, 2016, 11, e0167528.	1.1	10
114	Impact of Smoking on Clinical Outcomes in Female Patients with Acute Myocardial Infarction. Korean Circulation Journal, 2015, 45, 22.	0.7	11
115	The Prognostic Value of the Left Ventricular Ejection Fraction Is Dependent upon the Severity of Mitral Regurgitation in Patients with Acute Myocardial Infarction. Journal of Korean Medical Science, 2015, 30, 903.	1.1	4
116	Clinical Characteristics and Outcomes of Acute ST-Segment Elevation Myocardial Infarction in Younger Korean Adults. Korean Circulation Journal, 2015, 45, 275.	0.7	18
117	The Role of Genetic Risk Score in Predicting the Risk of Hypertension in the Korean population: Korean Genome and Epidemiology Study. PLoS ONE, 2015, 10, e0131603.	1.1	28
118	Impact of low level of high-density lipoprotein-cholesterol sampled in overnight fasting state on the clinical outcomes in patients with acute myocardial infarction (difference between ST-segment and) Tj ETQq0 0	0 r <b>g₿₹</b> /0\	verl <b>øo</b> k 10 Tf 5
119	Clinical benefit of spironolactone in patients with acute decompensated heart failure and severe renal dysfunction: Data from the Korean Heart Failure Registry. American Heart Journal, 2015, 169, 713-720.e3.	1.2	11
120	Prognostic Factors in Hospitalization for Heart Failure in Asia. Heart Failure Clinics, 2015, 11, 543-550.	1.0	7
121	Comparison of Resolute zotarolimus-eluting stents versus everolimus-eluting stents in patients with metabolic syndrome and acute myocardial infarction. International Journal of Cardiology, 2015, 199, 53-62.	0.8	7
122	Prognostic value of NT-proBNP in heart failure with preserved versus reduced EF. Heart, 2015, 101, 1881-1888.	1.2	113
123	Temporal trends and in-hospital outcomes of primary percutaneous coronary intervention in nonagenarians with ST-segment elevation myocardial infarction. Korean Journal of Internal Medicine, 2015, 30, 821-828.	0.7	16
124	Comparison of clinical outcomes between culprit vessel only and multivessel percutaneous coronary intervention for ST-segment elevation myocardial infarction patients with multivessel coronary diseases. Journal of Geriatric Cardiology, 2015, 12, 208-17.	0.2	11
125	Characteristics, In-Hospital and Long-Term Clinical Outcomes of Nonagenarian Compared with Octogenarian Acute Myocardial Infarction Patients. Journal of Korean Medical Science, 2014, 29, 527.	1.1	11
126	Trends in Hospitalized Acute Myocardial Infarction Patients with Heart Failure in Korea at 1998 and 2008. Journal of Korean Medical Science, 2014, 29, 544.	1.1	6

#	Article	IF	CITATIONS
127	Comparison of second-generation drug-eluting versus bare-metal stents in octogenarian patients with ST-segment elevation myocardial infarction. International Journal of Cardiology, 2014, 177, 1081-1084.	0.8	6
128	A multicentre cohort study of acute heart failure syndromes in Korea: rationale, design, and interim observations of the Korean Acute Heart Failure ( <scp>KorAHF</scp> ) registry. European Journal of Heart Failure, 2014, 16, 700-708.	2.9	145
129	CHA2DS2-VASc scoring system as an initial method for screening high-risk patients in acute myocardial infarction. International Journal of Cardiology, 2014, 174, 777-780.	0.8	7
130	Regulation of MMP/TIMP by HUVEC transplantation attenuates ventricular remodeling in response to myocardial infarction. Life Sciences, 2014, 101, 15-26.	2.0	15
131	One-year clinical impact of cardiac arrest in patients with first onset acute ST-segment elevation myocardial infarction. International Journal of Cardiology, 2014, 175, 147-153.	0.8	7
132	Influence of Second- and Third-Degree Heart Block on 30-Day Outcome Following Acute Myocardial Infarction in the Drug-Eluting Stent Era. American Journal of Cardiology, 2014, 114, 1658-1662.	0.7	30
133	Current Trend of Acute Myocardial Infarction in Korea (from the Korea Acute Myocardial Infarction) Tj ETQq1 1 0	.784314 r 0.7	gBT/Overloci
134	Hypoglycemia at Admission in Patients With Acute Myocardial Infarction Predicts a Higher 30-Day Mortality in Patients With Poorly Controlled Type 2 Diabetes Than in Well-Controlled Patients. Diabetes Care, 2014, 37, 2366-2373.	4.3	38
135	Impact of high admission blood pressure without history of hypertension on clinical outcomes of patients with acute myocardial infarction: From Korea Acute Myocardial Infarction Registry. International Journal of Cardiology, 2014, 172, e54-e58.	0.8	7
136	Clinical outcomes of everolimus- and zotarolimus-eluting stents in patients with acute myocardial infarction for small coronary artery disease. Journal of Cardiology, 2014, 63, 409-417.	0.8	6
137	Clinical impact of early intervention in octogenarians with non-ST-elevation myocardial infarction. International Journal of Cardiology, 2014, 172, 462-464.	0.8	7
138	Impact of Patients' Arrival Time on the Care and In-Hospital Mortality in Patients With Non-ST-Elevation Myocardial Infarction. American Journal of Cardiology, 2014, 113, 262-269.	0.7	8
139	Comparative assessment of angiotensin ii type 1 receptor blockers in the treatment of acute myocardial infarction: surmountable vs. insurmountable antagonist. International Journal of Cardiology, 2014, 170, 291-297.	0.8	18
140	Comparison of zotarolimus- and everolimus-eluting stents in patients with ST-elevation myocardial infarction and chronic kidney disease undergoing primary percutaneous coronary intervention. Journal of Cardiology, 2014, 64, 273-278.	0.8	9
141	Comparing High-Intensity Versus Low-to Moderate-Intensity Statin Therapy in Korean Patients with Acute Myocardial Infarction. Journal of Lipid and Atherosclerosis, 2014, 3, 97.	1.1	6
142	The scientific achievements of the decades in Korean Acute Myocardial Infarction Registry. Korean Journal of Internal Medicine, 2014, 29, 703.	0.7	19
143	The Influence of Admission Hypoglycemia on Clinical Outcomes in Acute Myocardial Infarction Patients with Diabetes Mellitus. Korean Journal of Medicine, 2014, 87, 565.	0.1	1
144	Impact of statin usage patterns on outcomes after percutaneous coronary intervention in acute myocardial infarction: Korea Working Group on Myocardial Infarction registry (KorMI) study. Journal of Geriatric Cardiology, 2014, 11, 93-9.	0.2	5

#	Article	IF	CITATIONS
145	Different impact of mitral regurgitation on clinical outcomes according to timing of percutaneous coronary intervention in patients with non-ST segment elevation myocardial infarction. International Journal of Cardiology, 2013, 168, 4872-4874.	0.8	5
146	QRS Prolongation in the Prediction of Clinical Cardiac Events in Patients with Acute Heart Failure: Analysis of Data from the Korean Acute Heart Failure Registry. Cardiology, 2013, 125, 96-103.	0.6	10
147	Differential Prognostic Impacts of Diabetes over Time Course after Acute Myocardial Infarction. Journal of Korean Medical Science, 2013, 28, 1749.	1.1	9
148	New Horizons of Acute Myocardial Infarction: From the Korea Acute Myocardial Infarction Registry. Journal of Korean Medical Science, 2013, 28, 173.	1.1	18
149	Treatment Performance Measures Affect Clinical Outcomes in Patients With Acute Systolic Heart Failure. Circulation Journal, 2012, 76, 1151-1158.	0.7	53
150	Clinical implication of right bundle branch block in hospitalized patients with acute heart failure: Data from the Korean Heart Failure (KorHF) Registry. International Journal of Cardiology, 2012, 157, 416-418.	0.8	13
151	Clinical impact of thrombus aspiration during primary percutaneous coronary intervention: Results from Korea Acute Myocardial Infarction Registry. Journal of Cardiology, 2012, 59, 249-257.	0.8	22
152	Benefit of Early Statin Therapy in Patients With Acute Myocardial Infarction Who Have Extremely Low Low-Density Lipoprotein Cholesterol. Journal of the American College of Cardiology, 2011, 58, 1664-1671.	1.2	99
153	Are patients with angiographically near-normal coronary arteries who present as acute myocardial infarction actually safe?. International Journal of Cardiology, 2011, 146, 207-212.	0.8	129
154	What is optimal revascularization strategy in patients with multivessel coronary artery disease in non-ST-elevation myocardial infarction? Multivessel or culprit-only revascularization. International Journal of Cardiology, 2011, 153, 148-153.	0.8	49
155	Effectiveness of Drug-Eluting Stents versus Bare-Metal Stents in Large Coronary Arteries in Patients with Acute Myocardial Infarction. Journal of Korean Medical Science, 2011, 26, 521.	1.1	23
156	Characteristics, Outcomes and Predictors of Long-Term Mortality for Patients Hospitalized for Acute Heart Failure: A Report From the Korean Heart Failure Registry. Korean Circulation Journal, 2011, 41, 363.	0.7	105
157	Paclitaxel- Versus Sirolimus-Eluting Stents for Treatment of ST-Segment Elevation Myocardial Infarction. JACC: Cardiovascular Interventions, 2010, 3, 498-506.	1.1	23
158	Low-Density Lipoprotein Cholesterol Level in Patients With Acute Myocardial Infarction Having Percutaneous Coronary Intervention (the Cholesterol Paradox). American Journal of Cardiology, 2010, 106, 1061-1068.	0.7	62
159	Expression Pattern of the Thioredoxin System in Human Endothelial Progenitor Cells and Endothelial Cells Under Hypoxic Injury. Korean Circulation Journal, 2010, 40, 651.	0.7	12
160	Response to Letter Regarding Article, "Triple Versus Dual Antiplatelet Therapy in Patients With Acute ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention― Circulation, 2010, 121, .	1.6	0
161	Suboptimal use of evidence-based medical therapy in patients with acute myocardial infarction from the Korea Acute Myocardial Infarction Registry: Prescription rate, predictors, and prognostic value. American Heart Journal, 2010, 159, 1012-1019.	1.2	46
162	Triple Versus Dual Antiplatelet Therapy in Patients With Acute ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. Circulation, 2009, 119, 3207-3214.	1.6	434

#	Article	IF	CITATIONS
163	Safety and Benefit of Early Elective Percutaneous Coronary Intervention After Successful Thrombolytic Therapy for Acute Myocardial Infarction. American Journal of Cardiology, 2009, 103, 1333-1338.	0.7	12
164	Gender differences of success rate of percutaneous coronary intervention and short term cardiac events in Korea Acute Myocardial Infarction Registry. International Journal of Cardiology, 2008, 130, 227-234.	0.8	53
165	Effects of cardiac patches engineered with bone marrow-derived mononuclear cells and PGCL scaffolds in a rat myocardial infarction model. Biomaterials, 2007, 28, 641-649.	5.7	121
166	Plasma Thioredoxin Level and Its Correlation to Myocardial Damage in Patients with Acute Myocardial Infarction who Underwent Successful Primary Angioplasty. Korean Circulation Journal, 2006, 36, 39.	0.7	2
167	Perivascular Delivery of Paclitaxel with F-127 Pluronic Gel Inhibits Neointimal Hyperplasia in a Rat Carotid Artery Injury Model. Korean Circulation Journal, 2005, 35, 221.	0.7	6
168	The Plasma Level of N-terminal Pro B-type Natriuretic Peptide(NT-proBNP) for Severity of Coronary Artery Stenosis and Early Risk Stratification in Patients with Non ST Elevation Acute Coronary Syndrome. Sunhwan'gi, 2004, 34, 133.	0.3	4
169	Effects of Pressure Overload and its Recovery on Vascular Reactivity and Remodeling of the Rat Carotid Artery. Sunhwan'gi, 2003, 33, 936.	0.3	0
170	Development Brief of Embedded Computing Technology for Mobile Wi reless Biotelemetry. Journal of Korean Society of Medical Informatics, 2003, 9, 1.	0.3	1
171	A Case of Acute Myocardial Infarction Associated with Myocardial Bridge Treated by Primary Coronary Stenting. Sunhwan'gi, 2002, 32, 517.	0.3	2
172	Transition of May Measurement Month to an online hypertension awareness campaign in Korea during the COVID-19 pandemic. European Heart Journal Digital Health, 0, , .	0.7	0