

Harpreet Kaur

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2417257/publications.pdf>

Version: 2024-02-01

55

papers

573

citations

623734

14

h-index

794594

19

g-index

55

all docs

55

docs citations

55

times ranked

256

citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A synopsis of the species of <i>Myxobolus</i> BÄ¼tschli, 1882 (Myxozoa: Bivalvulida) parasitising Indian fishes and a revised dichotomous key to myxosporean genera. <i>Systematic Parasitology</i> , 2012, 81, 17-37. | 1.1 | 49 |
| 2 | Morphological and molecular characterization of <i>Henneguya bicaudi</i> n. sp. (Myxosporea:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td (Parasitology Research, 2015, 114, 4161-4167. | 1.6 | 30 |
| 3 | Evaluation of the immunoprophylactic potential of a killed vaccine candidate in combination with different adjuvants against murine visceral leishmaniasis. <i>Parasitology International</i> , 2015, 64, 70-78. | 1.3 | 23 |
| 4 | Two new species of <i>Myxobolus</i> (Myxozoa: Myxosporea: Bivalvulida) from freshwater fishes of Punjab wetlands (India). <i>Journal of Parasitic Diseases</i> , 2011, 35, 33-41. | 1.0 | 21 |
| 5 | One new myxosporean species, <i>Myxobolus slendrii</i> sp. nov., and one known species, <i>M. punjabensis</i> Gupta and Khera, 1989, infecting freshwater fishes in wetlands of Punjab, India. <i>Parasitology Research</i> , 2010, 106, 1043-1047. | 1.6 | 20 |
| 6 | Studies on the protective efficacy of freeze thawed promastigote antigen of <i>Leishmania donovani</i> along with various adjuvants against visceral leishmaniasis infection in mice. <i>Immunobiology</i> , 2015, 220, 1031-1038. | 1.9 | 20 |
| 7 | Prevalence, site and tissue preference of myxozoan parasites infecting gills of cultured fish in Punjab (India). <i>Diseases of Aquatic Organisms</i> , 2016, 118, 129-137. | 1.0 | 20 |
| 8 | <i>Myxobolus nanokiensis</i> sp. nov. (Myxozoa: Bivalvulidae), a new pathogenic myxosporean parasite causing haemorrhagic gill disease in cultured Indian major carp fish, <i>Labeo rohita</i> (Hamilton 1822) in Punjab, India. <i>Journal of Parasitic Diseases</i> , 2015, 39, 405-413. | 1.0 | 19 |
| 9 | A new pathogen, <i>Myxobolus holzerae</i> (Myxosporea: Myxozoa) causing severe gill disease in an Indian major carp <i>Labeo rohita</i> in a cold water wetland, Punjab (India). <i>Microbial Pathogenesis</i> , 2017, 111, 244-251. | 2.9 | 19 |
| 10 | A new myxosporean species <i>Myxobolus sclerii</i> sp. nov. and one known species <i>M. stomum</i> Ali et al. 2003 from two Indian major carp fishes. <i>Journal of Parasitic Diseases</i> , 2010, 34, 33-39. | 1.0 | 18 |
| 11 | Two new species of <i>Myxobolus</i> (Myxozoa: Myxosporea: Bivalvulida) infecting Indian freshwater fishes in Punjab Wetlands (India). <i>Parasitology Research</i> , 2011, 108, 1075-1082. | 1.6 | 18 |
| 12 | Myxozoan Infestation in Freshwater Fishes in Wetlands and Aquaculture in Punjab (India). <i>Advances in Animal and Veterinary Sciences</i> , 2014, 2, 488-502. | 0.2 | 18 |
| 13 | Two new and two already known species of genus <i>Thelohanellus</i> Kudo, 1933 (Myxozoa: Myxosporea:) Tj ETQq1 1 0.784314 rgBT /Overlock 2014, 38, 49-60. | 1.0 | 17 |
| 14 | <i>Myxobolus harikensis</i> sp. nov. (Myxozoa: Myxobolidae) infecting fins of <i>Cirrhina mrigala</i> (Ham.) an Indian major carp in Harike Wetland, Punjab (India). <i>Parasitology Research</i> , 2011, 109, 1699-1705. | 1.6 | 15 |
| 15 | Morphological and molecular characterization of <i>Myxobolus puntiusii</i> n. sp. (Cnidaria: Myxosporea) infecting <i>Puntius sophore</i> Hamilton, 1822 from Ranjit Sagar Wetland, Punjab (India). <i>Turkish Journal of Zoology</i> , 2017, 41, 791-799. | 0.9 | 15 |
| 16 | Two new species of <i>Myxobolus</i> (Myxozoa: Myxosporea: Bivalvulida) infecting an Indian major carp in Ropar and Kanjali wetlands (Punjab). <i>Journal of Parasitic Diseases</i> , 2011, 35, 23-32. | 1.0 | 14 |
| 17 | Gill Disease Caused by <i>Thelohanellus bifurcata</i> Basu and Halder, 1999 a Pathogenic Myxozoan Parasite in Cultured Indian Carp, <i>Labeo rohita</i> (Hamilton, 1822) in Punjab, India. <i>Journal of Animal Health and Production</i> , 2014, 2, 19-24. | 0.2 | 13 |
| 18 | Genetic relatedness provides support for a species complex of myxosporeans infecting the Indian major carp, <i>Labeo rohita</i> . <i>Animal Biology</i> , 2015, 65, 337-347. | 1.0 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Molecular identification of a new myxozoan, <i>Myxobolus dermiscalis</i> n. sp. (Myxosporea) infecting scales of <i>Labeo rohita</i> Hamilton in Harike Wetland, Punjab (India). International Journal for Parasitology: Parasites and Wildlife, 2016, 5, 139-144. | 1.5 | 12 |
| 20 | Two new and one already known species of the genus <i>Thelohanellus</i> (Myxozoa: Myxosporea:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70785-93. | 1.5 | 11 |
| 21 | <i>Myxobolus chushi</i> n. sp. (Myxozoa:Myxosporea) parasitizing <i>Schizothorax niger</i> (Heckel), a native cyprinid fish from Wular Lake in Kashmir Himalayas. Parasitology International, 2017, 66, 272-278. | 1.3 | 11 |
| 22 | <i>Myxobolus okamurae</i> sp. nov. (Myxosporea: Myxozoa) causing severe gill myxoboliosis in the cyprinid <i>Labeo bata</i> in a cold water wetland, Punjab (India). Microbial Pathogenesis, 2018, 115, 86-92. | 2.9 | 11 |
| 23 | First record of myxozoan parasites from fresh water fishes of Jammu and Kashmir and their pathogenecity. Microbial Pathogenesis, 2017, 105, 138-144. | 2.9 | 10 |
| 24 | A report on two new myxozoan parasites infecting gills of fingerlings of Indian major carps cultured in nursery ponds in Punjab (India). Journal of Parasitic Diseases, 2017, 41, 987-996. | 1.0 | 10 |
| 25 | 18S and 28S rDNA identity and phylogeny of two novel myxosporeans infecting gills of cyprinid carps inhabiting a cold water wetland in northern India. Microbial Pathogenesis, 2018, 120, 97-108. | 2.9 | 10 |
| 26 | Two new species of <i>Myxobolus</i> (Myxozoa: Myxosporea: Bivalvulida) infecting an Indian major carp and a cat fish in wetlands of Punjab, India. Journal of Parasitic Diseases, 2011, 35, 169-176. | 1.0 | 9 |
| 27 | One new Myxosporean species, <i>Triangula cirrhini</i> sp. nov., and one known species, <i>T. ludhianae</i> (syn. M.) Tj ETQq1 1 0.784314 rgBT /Owetland of Punjab. Animal Biology, 2012, 62, 129-139. | 1.0 | 8 |
| 28 | Morphological, histopathological and molecular characterization of <i>Thelohanellus theinensis</i> n. sp. (Cnidaria: Myxosporea) infecting an Indian major carp, <i>Labeo bata</i> in a cold water wetland in Punjab (India). Journal of Parasitic Diseases, 2017, 41, 629-638. | 1.0 | 8 |
| 29 | Prevalence, site and tissue preference of myxozoan parasites infecting gills of cultured fingerlings of Indian major carps in District Fatehgarh Sahib, Punjab (India). Journal of Parasitic Diseases, 2018, 42, 559-569. | 1.0 | 8 |
| 30 | <i>Myxobolus himalayaensis</i> sp. nov. (Cnidaria: Myxozoa) parasiting <i>Schizothorax richardsonii</i> (Cyprinidae: Schizothoracinae) from River Poonch in North West Himalaya, India. Aquaculture Reports, 2019, 14, 100192. | 1.7 | 8 |
| 31 | Species diversity of the genus <i>Thelohanellus</i> Kudo, 1933 (Myxozoa: Bivalvulida) parasitizing fishes in Indian subcontinent. Journal of Parasitic Diseases, 2017, 41, 305-312. | 1.0 | 7 |
| 32 | Reproductive drugs and environmental contamination: quantum, impact assessment and control strategies. Environmental Science and Pollution Research, 2018, 25, 25822-25839. | 5.3 | 7 |
| 33 | Morphological and Molecular Characterization of a New Myxozoan, <i>Myxobolus grassi</i> sp. nov. (Myxosporea), Infecting the Grass Carp, <i>Ctenopharyngodon idella</i> in the Gomti River, India. Pathogens, 2022, 11, 303. | 2.8 | 7 |
| 34 | Morphological, histopathological and molecular characterization of <i>Thelohanellus pathankotensis</i> n. sp. (Cnidaria: Myxosporea: Myxozoa) infecting an Indian minor carp, <i>Labeo dero</i> Hamilton, 1822 from a cold water wetland in Punjab (India). Zootaxa, 2017, 4353, 161-173. | 0.5 | 6 |
| 35 | <i>Thelohanellus gabri</i> sp. nov. (Myxosporea: Myxozoa) infecting gill filaments of a Cyprinid fish <i>Crossocheilus latius</i> (Hamilton, 1822) inhabiting a cold water wetland in Punjab (India). Parasitology Research, 2018, 117, 2715-2723. | 1.6 | 6 |
| 36 | Morphological and Histopathological Description of <i>Myxobolus Adlardi</i> N. SP. (Cnidaria:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Water Wetland in Punjab (India). Bulletin of Pure & Applied Sciences - Zoology, 2016, 35a, 39. | 0.1 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Histological location of myxosporean plasmodia in fish tissue with Lunaâ€™s method. Parasitology Research, 2016, 115, 3705-3707. | 1.6 | 5 |
| 38 | Myxidium tictoi n. sp., a myxozoan parasite infecting kidney of fresh water barb Puntius ticto (Hamilton, 1822) from river Gomti, Lucknow (U.P). Journal of Parasitic Diseases, 2020, 44, 126-130. | 1.0 | 5 |
| 39 | Two new species of Myxobolus (Cnidaria: Myxosporea) infecting freshwater fishes of Ranjit Sagar Wetland, Punjab, India. Microbial Pathogenesis, 2020, 147, 104421. | 2.9 | 5 |
| 40 | Morphological, histopathological and molecular characterization of <i>Myxobolus szekelyianus</i> n. sp. (Cnidaria: Myxosporea: Myxobolidae) causing acute gill disease in <i>Schizothorax esocinus</i> (Heckel, 1838) from River Jhelum of Kashmir Himalayan region, India. Aquaculture Research, 2021, 52, 6537-6549. | 1.8 | 5 |
| 41 | Molecular and phylogenetic characterization of Qadri, 1962 (Cnidaria, Myxosporea, Bivalvulida) infecting the fin of Indian minor carp (Hamilton, 1822). Molecular Biology Research Communications, 2017, 6, 13-21. | 0.3 | 5 |
| 42 | < i>Mxyobolus vascularis</i> N. Sp. (cnidaria: myxozoa: myxosporea), a New Parasite Infecting Fingerlings of Indian Major Carps in Aquaculture in Punjab, India. Bulletin of Pure & Applied Sciences - Zoology, 2017, 36a, 57. | 0.1 | 4 |
| 43 | Morphological and Morphometrical Characterization of Meloidogyne incognita from Different Host Plants in Four Districts of Punjab, India. Journal of Nematology, 2013, 45, 122-7. | 0.9 | 4 |
| 44 | Immunoprophylactic Potential of a Cocktail of Three Low Molecular Weight Antigens of along with Various Adjuvants Against Experimental Visceral leishmaniasis. Iranian Journal of Parasitology, 2018, 13, 11-23. | 0.6 | 4 |
| 45 | First record of protozoan parasites in cyprinid fish, Schizothorax niger Heckel, 1838 from Dal lake in Kashmir Himalayas with study on their pathogenesis. Microbial Pathogenesis, 2016, 93, 100-104. | 2.9 | 3 |
| 46 | Molecular analysis of a novel species, Gangesia punjabensis (Family: Proteocephalidae, Subfamily:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 of Parasitic Diseases, 2017, 41, 888-898. | 1.0 | 3 |
| 47 | Redescription and Histopathology of Two Species of Myxozoans Infecting Gills of Fingerlings of Indian Major Carps. Journal of Fisheressciencescom, 2017, 11, . | 0.2 | 3 |
| 48 | First record of the genus Hennegoides Lom, Tonguthai and DykovÃ¡, 1991 from Punjab (India) infecting the catfish, Sperata seenghala (Sykes, 1839). International Journal for Parasitology: Parasites and Wildlife, 2021, 14, 7-12. | 1.5 | 3 |
| 49 | Phylogenetic analysis of Pallisentis nagpurensis (Acanthocephala: Quadrigyridae) infecting snakehead murrel Channa striata in Himachal Pradesh, India. Journal of Parasitic Diseases, 2021, 45, 797-805. | 1.0 | 2 |
| 50 | Molecular phylogenetics reveals a species complex pattern of closely related members of genus Thelohanellus (Cnidaria: Myxosporea) from the Indian subcontinent. Microbial Pathogenesis, 2021, 150, 104690. | 2.9 | 1 |
| 51 | Prevalence of reproductive drugs usage in humans and animals: A pilot study in Patiala city of India. Saudi Journal of Biological Sciences, 2021, 28, 3727-3734. | 3.8 | 1 |
| 52 | Myxobolus bouixi Fomena, Folefack and Tang II, 2007 (Cnidaria: Myxosporea) infection in a freshwater fish Garra gotyla inhabiting the Ranjit Sagar Wetland in Punjab, India. Advances in Applied Research, 2017, 9, 83. | 0.1 | 1 |
| 53 | A report on two Myxobolids (Cnidaria: Myxozoa) infecting freshwater fishes in Ranjit Sagar Wetland of Punjab (India). Invertis Journal of Science & Technology, 2018, 11, 12. | 0.0 | 1 |
| 54 | Prevalence of myxozoan parasites in freshwater fishes of Ranjit Sagar Wetland, Punjab (India). Invertis Journal of Science & Technology, 2018, 11, 18. | 0.0 | 1 |

ARTICLE

IF

CITATIONS

55

Morphological and molecular description of *Pallisentis roparensis* n. sp. (Acanthocephala: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50
International Journal for Parasitology: Parasites and Wildlife, 2021, 16, 244-254.

1.5

1