

Balaji R Jagirdar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2417502/publications.pdf>

Version: 2024-02-01

63
papers

2,063
citations

304743

22
h-index

243625

44
g-index

66
all docs

66
docs citations

66
times ranked

2475
citing authors

#	ARTICLE	IF	CITATIONS
1	Controlled exchange bias behavior of manganese nanoparticles. <i>Journal of Magnetism and Magnetic Materials</i> , 2022, 559, 169504.	2.3	4
2	Air-stable magnetic cobalt-iron (Co ₇ Fe ₃) bimetallic alloy nanostructures via co-digestive ripening of cobalt and iron colloids. <i>Journal of Alloys and Compounds</i> , 2020, 816, 152632.	5.5	11
3	Digestive-Ripening-Facilitated Nanoengineering of Diverse Bimetallic Nanostructures. <i>Langmuir</i> , 2019, 35, 6493-6505.	3.5	11
4	Air-Stable Carbon-Fe Based Magnetic Nanostructures. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 1374-1383.	2.0	3
5	Hydrogenation of CO ₂ , carbonyl and imine substrates catalyzed by [IrH ₃ (PhPNHP)] complex. <i>Journal of Organometallic Chemistry</i> , 2019, 883, 25-34.	1.8	7
6	Monodisperse Colloidal Metal Nanoparticles to Core-Shell Structures and Alloy Nanosystems via Digestive Ripening in Conjunction with Solvated Metal Atom Dispersion: A Mechanistic Study. <i>Journal of Physical Chemistry C</i> , 2018, 122, 10559-10574.	3.1	17
7	Effect of the Crystallographic Phase of Ruthenium Nanosponges on Arene and Substituted-Arene Hydrogenation Activity. <i>ChemCatChem</i> , 2018, 10, 3086-3095.	3.7	17
8	A capping agent dissolution method for the synthesis of metal nanosponges and their catalytic activity towards nitroarene reduction under mild conditions. <i>Dalton Transactions</i> , 2018, 47, 17401-17411.	3.3	10
9	Temperature-dependent elongation of the H-H bond in dihydrogen complexes of Ru(II) bearing an NHC ligand: Effect of the NHC and trans ligands. <i>Inorganica Chimica Acta</i> , 2018, 483, 411-424.	2.4	3
10	Synthesis and Mechanism of Formation of Metal Nanosponges and their Catalytic and Hydrogen Sorption Properties. <i>ChemistrySelect</i> , 2018, 3, 7184-7194.	1.5	5
11	Au/CdS Nanocomposite through Digestive Ripening of Au and CdS Nanoparticles and Its Photocatalytic Activity. <i>ChemistrySelect</i> , 2018, 3, 6638-6646.	1.5	7
12	Homobimetallic hydride and dihydrogen complexes of ruthenium bearing N-heterocyclic carbene ligands. <i>Journal of Organometallic Chemistry</i> , 2017, 830, 203-211.	1.8	4
13	Approaches to Sigma Complexes via Displacement of Agostic Interactions: An Experimental and Theoretical Investigation. <i>Organometallics</i> , 2017, 36, 2736-2745.	2.3	13
14	Synthesis of mesoporous iridium nanosponge: a highly active, thermally stable and efficient olefin hydrogenation catalyst. <i>Dalton Transactions</i> , 2017, 46, 11431-11439.	3.3	10
15	A journey from bulk brass to nanobrass: A comprehensive study showing structural evolution of various Cu/Zn bimetallic nanophases from the vaporization of brass. <i>Journal of Alloys and Compounds</i> , 2017, 694, 581-595.	5.5	22
16	Colloidal europium nanoparticles via a solvated metal atom dispersion approach and their surface enhanced Raman scattering studies. <i>Journal of Colloid and Interface Science</i> , 2016, 476, 177-183.	9.4	13
17	Morphological Evolution in Air-Stable Metallic Iron Nanostructures and Their Magnetic Study. <i>Journal of Physical Chemistry C</i> , 2015, 119, 665-674.	3.1	9
18	Implication of a η^5 -Methane Complex en Route to Elimination of Methane from a Ruthenium Complex: An Experimental and Theoretical Investigation. <i>Organometallics</i> , 2015, 34, 1245-1254.	2.3	10

#	ARTICLE	IF	CITATIONS
19	From (Au ₅ Sn + AuSn) physical mixture to phase pure AuSn and Au ₅ Sn intermetallic nanocrystals with tailored morphology: digestive ripening assisted approach. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 11381-11389.	2.8	35
20	Dynamics of H-atom exchange in stable cis-dihydrogen/hydride complexes of ruthenium(ii) bearing phosphine and N [−] N bidentate ligands. <i>Dalton Transactions</i> , 2014, 43, 4726.	3.3	8
21	Contrasting reactivity behaviour of the [RuHCl(CO)(PNP)] complex with electrophilic reagents XOTf (X = H, CH ₃ , Me ₃ Si). <i>Dalton Transactions</i> , 2014, 43, 14625-14635.	3.3	6
22	Synthesis, characterization and reactivity studies of electrophilic ruthenium(ⁱⁱ) complexes: a study of H ₂ activation and labilization. <i>Dalton Transactions</i> , 2014, 43, 13410-13423.	3.3	2
23	Size Modulation of Colloidal Au Nanoparticles via Digestive Ripening in Conjunction with a Solvated Metal Atom Dispersion Method: An Insight Into Mechanism. <i>Journal of Physical Chemistry C</i> , 2014, 118, 18214-18225.	3.1	30
24	Digestive ripening facilitated atomic diffusion at nanosize regime: Case of AuIn ₂ and Ag ₃ In intermetallic nanoparticles. <i>Journal of Alloys and Compounds</i> , 2014, 610, 35-44.	5.5	16
25	Bimetallic core-shell nanocomposites using weak reducing agent and their transformation to alloy nanostructures. <i>Dalton Transactions</i> , 2013, 42, 7147.	3.3	39
26	Carbonization of solvent and capping agent based enhancement in the stabilization of cobalt nanoparticles and their magnetic study. <i>Journal of Materials Chemistry</i> , 2012, 22, 20671.	6.7	25
27	Monodispersity and stability: case of ultrafine aluminium nanoparticles ($\leq 5\text{ nm}$) synthesized by the solvated metal atom dispersion approach. <i>Journal of Materials Chemistry</i> , 2012, 22, 9058.	6.7	30
28	Digestive ripening: a synthetic method par excellence for core-shell, alloy, and composite nanostructured materials. <i>Journal of Chemical Sciences</i> , 2012, 124, 1175-1180.	1.5	15
29	Metal and Alloy Nanoparticles by Amine-Borane Reduction of Metal Salts by Solid-Phase Synthesis: Atom Economy and Green Process. <i>Inorganic Chemistry</i> , 2012, 51, 13023-13033.	4.0	46
30	Colloidal calcium nanoparticles: digestive ripening in the presence of a capping agent and coalescence of particles under an electron beam. <i>RSC Advances</i> , 2012, 2, 259-263.	3.6	17
31	Nanocatalysis and Prospects of Green Chemistry. <i>ChemSusChem</i> , 2012, 5, 65-75.	6.8	193
32	A homobimetallic complex of chromium(0) with a σ -borane component. <i>Dalton Transactions</i> , 2011, 40, 10592.	3.3	7
33	Photolysis of arene chromium tricarbonyl complexes in presence of amine-boranes: Observation of σ -borane complexes in solution. <i>Inorganica Chimica Acta</i> , 2011, 372, 200-205.	2.4	20
34	Chemical Synthesis of Metal Nanoparticles Using Amine-Boranes. <i>ChemSusChem</i> , 2011, 4, 317-324.	6.8	49
35	Hydrolysis of Ammonia Borane as a Hydrogen Source: Fundamental Issues and Potential Solutions Towards Implementation. <i>ChemSusChem</i> , 2011, 4, 1731-1739.	6.8	158
36	Synthesis and characterization of Pd(0), PdS, and Pd@PdO core-shell nanoparticles by solventless thermolysis of a Pd-thiolate cluster. <i>Journal of Solid State Chemistry</i> , 2010, 183, 2059-2067.	2.9	34

#	ARTICLE	IF	CITATIONS
37	Reactivity studies of highly electrophilic ruthenium complexes. <i>Inorganica Chimica Acta</i> , 2010, 363, 3017-3022.	2.4	3
38	Dehydrogenation of ammonia borane in fluoro alcohols. <i>International Journal of Hydrogen Energy</i> , 2010, 35, 10819-10825.	7.1	14
39	Nature of hydrogen atom trapped inside palladium lattice. <i>International Journal of Hydrogen Energy</i> , 2010, 35, 6804-6811.	7.1	29
40	Metal Nanoparticles via the Atom-Economy Green Approach. <i>Inorganic Chemistry</i> , 2010, 49, 3965-3967.	4.0	40
41	Magnesium/Copper Nanocomposite through Digestive Ripening. <i>Chemistry - an Asian Journal</i> , 2009, 4, 835-838.	3.3	8
42	Highly Monodisperse Colloidal Magnesium Nanoparticles by Room Temperature Digestive Ripening. <i>Inorganic Chemistry</i> , 2009, 48, 4524-4529.	4.0	88
43	Cu ²⁺ -induced room temperature hydrogen release from ammonia borane. <i>Energy and Environmental Science</i> , 2009, 2, 1274.	30.8	77
44	Co ₂ B, Ni ₃ B and CoNiB nanocomposites catalyzed ammonia borane methanolysis for hydrogen generation. <i>Physical Chemistry Chemical Physics</i> , 2009, 11, 770-775.	2.8	91
45	Organometallic Access to Intermetallic Cu ₂ (E = Al, Ga) and Cu _{1-x} Al _x Phases. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 3330-3339.	2.0	19
46	Synthesis of Cu@ZnO Core-Shell Nanocomposite through Digestive Ripening of Cu and Zn Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2008, 112, 4042-4048.	3.1	59
47	Au@Pd Core-Shell Nanoparticles through Digestive Ripening. <i>Journal of Physical Chemistry C</i> , 2008, 112, 10089-10094.	3.1	60
48	Nanostructured Cu and Cu@Cu ₂ O core shell catalysts for hydrogen generation from ammonia borane. <i>Physical Chemistry Chemical Physics</i> , 2008, 10, 5870.	2.8	243
49	First Row Transition Metal Ion-Assisted Ammonia Borane Hydrolysis for Hydrogen Generation. <i>Inorganic Chemistry</i> , 2008, 47, 7424-7429.	4.0	201
50	Influence of the Electronics of the Phosphine Ligands on the H-H Bond Elongation in Dihydrogen Complexes. <i>Inorganic Chemistry</i> , 2008, 47, 548-557.	4.0	17
51	Heterolytic Activation of H-X (X = H, Si, B, and C) Bonds: An Experimental and Theoretical Investigation. <i>Journal of the American Chemical Society</i> , 2007, 129, 5587-5596.	13.7	51
52	Tris(pyrazolyl)methane Sulfonate Complexes of Iridium: Catalytic Hydrogenation of 3,3-Dimethyl-1-butene. <i>Organometallics</i> , 2007, 26, 6307-6311.	2.3	12
53	Synthesis and Characterization of New Dicationic Dihydrogen Complexes of Ruthenium. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2007, 37, 677-684.	0.6	3
54	16-Electron Elongated Dihydrogen Complex Stabilized by Agostic Interaction. <i>Inorganic Chemistry</i> , 2006, 45, 7047-7049.	4.0	7

#	ARTICLE	IF	CITATIONS
55	Snapshots of the "breaking" of the H-H bond in the oxidative addition of H ₂ to a metal centre. <i>Journal of Chemical Sciences</i> , 2006, 118, 579-582.	1.5	1
56	Dynamics of acis-Dihydrogen/Hydride Complex of Iridium. <i>Inorganic Chemistry</i> , 2005, 44, 6203-6210.	4.0	23
57	Highly Electrophilic, 16-Electron [Ru(P(OMe)(OH) ₂ (dppe) ₂] ²⁺ Complex Turns H ₂ (g) into a Strong Acid and Splits a Si-H Bond Heterolytically. Synthesis and Structure of the Novel Phosphorous Acid Complex [Ru(P(OH) ₃ (dppe) ₂] ²⁺ . <i>Inorganic Chemistry</i> , 2005, 44, 4145-4147.	4.0	20
58	Novel double dealkylation of trialkylphosphite in the presence of an acid: synthesis and characterization of a 16-electron ruthenium complex bearing P(OH) ₂ (OMe) ligand. <i>Inorganic Chemistry Communication</i> , 2004, 7, 654-656.	3.9	11
59	Trans → Cis Isomerization of trans-[(dppm) ₂ Ru(H)(L)] [BF ₄] (L = P(OR) ₃) Complexes: Preparation of cis-[(dppm) ₂ Ru(η ² -H ₂)(L)] [BF ₄] ₂ . <i>Inorganic Chemistry</i> , 2003, 42, 187-197.	4.0	18
60	Influence of the Cone Angles and the σ-Acceptor Properties of Phosphorus-Containing Ligands in the Chemistry of Dihydrogen Complexes of Ruthenium. <i>Organometallics</i> , 2000, 19, 4506-4517.	2.3	31
61	Observation of a Large Coupling of a Bound Dihydrogen Ligand to Phosphorus Ligands in trans-[(dppe) ₂ Ru(η ² -H ₂)(PF(OMe) ₂)] [BF ₄] ₂ Complex. <i>Inorganic Chemistry</i> , 2000, 39, 5404-5406.	4.0	9
62	Transition metal complexes and catalysis. <i>Resonance</i> , 1999, 4, 63-81.	0.3	8
63	Synthesis, chemistry, and structures of mono-η ⁶ -arene complexes of chromium(II) bearing trichlorosilyl and carbon monoxide ligands. <i>Organometallics</i> , 1992, 11, 1043-1050.	2.3	14