

Claude Bouchard

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2417645/publications.pdf>

Version: 2024-02-01

738
papers

76,408
citations

668

122
h-index

932

240
g-index

779
all docs

779
docs citations

779
times ranked

58032
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of Bariatric Surgery on Mortality in Swedish Obese Subjects. <i>New England Journal of Medicine</i> , 2007, 357, 741-752.	27.0	4,094
2	Lifestyle, Diabetes, and Cardiovascular Risk Factors 10 Years after Bariatric Surgery. <i>New England Journal of Medicine</i> , 2004, 351, 2683-2693.	27.0	4,023
3	Genetic studies of body mass index yield new insights for obesity biology. <i>Nature</i> , 2015, 518, 197-206.	27.8	3,823
4	Defining the role of common variation in the genomic and biological architecture of adult human height. <i>Nature Genetics</i> , 2014, 46, 1173-1186.	21.4	1,818
5	Waist circumference and abdominal sagittal diameter: Best simple anthropometric indexes of abdominal visceral adipose tissue accumulation and related cardiovascular risk in men and women. <i>American Journal of Cardiology</i> , 1994, 73, 460-468.	1.6	1,744
6	Growth, Maturation, and Physical Activity. , 2004, , .		1,432
7	Bariatric Surgery and Long-term Cardiovascular Events. <i>JAMA - Journal of the American Medical Association</i> , 2012, 307, 56.	7.4	1,341
8	New genetic loci link adipose and insulin biology to body fat distribution. <i>Nature</i> , 2015, 518, 187-196.	27.8	1,328
9	Sitting Time and Mortality from All Causes, Cardiovascular Disease, and Cancer. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 998-1005.	0.4	1,257
10	The Response to Long-Term Overfeeding in Identical Twins. <i>New England Journal of Medicine</i> , 1990, 322, 1477-1482.	27.0	1,160
11	The Human Obesity Gene Map: The 2005 Update. <i>Obesity</i> , 2006, 14, 529-644.	3.0	962
12	Trends over 5 Decades in U.S. Occupation-Related Physical Activity and Their Associations with Obesity. <i>PLoS ONE</i> , 2011, 6, e19657.	2.5	927
13	Association of Bariatric Surgery With Long-term Remission of Type 2 Diabetes and With Microvascular and Macrovascular Complications. <i>JAMA - Journal of the American Medical Association</i> , 2014, 311, 2297.	7.4	849
14	A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycaemic traits and insulin resistance. <i>Nature Genetics</i> , 2012, 44, 659-669.	21.4	762
15	Familial aggregation of $\dot{V}E_{\max}^2$ response to exercise training: results from the HERITAGE Family Study. <i>Journal of Applied Physiology</i> , 1999, 87, 1003-1008.	2.5	731
16	Biological interpretation of genome-wide association studies using predicted gene functions. <i>Nature Communications</i> , 2015, 6, 5890.	12.8	706
17	Bariatric Surgery and Prevention of Type 2 Diabetes in Swedish Obese Subjects. <i>New England Journal of Medicine</i> , 2012, 367, 695-704.	27.0	698
18	Individual differences in response to regular physical activity. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, S446-S451.	0.4	693

#	ARTICLE	IF	CITATIONS
19	Effects of bariatric surgery on cancer incidence in obese patients in Sweden (Swedish Obese Subjects) Tj ETQq1 1 0.784314 rgBT /Overl 10.7 659	10.7	659
20	Î ² -Aminoisobutyric Acid Induces Browning of White Fat and Hepatic Î ² -Oxidation and Is Inversely Correlated with Cardiometabolic Risk Factors. <i>Cell Metabolism</i> , 2014, 19, 96-108.	16.2	489
21	Physical Activity Attenuates the Influence of FTO Variants on Obesity Risk: A Meta-Analysis of 218,166 Adults and 19,268 Children. <i>PLoS Medicine</i> , 2011, 8, e1001116.	8.4	446
22	Genetic and Nongenetic Determinants of Regional Fat Distribution. <i>Endocrine Reviews</i> , 1993, 14, 72-93.	20.1	436
23	Waist and hip circumferences have independent and opposite effects on cardiovascular disease risk factors: the Quebec Family Study. <i>American Journal of Clinical Nutrition</i> , 2001, 74, 315-321.	4.7	432
24	The Relationship of Waist Circumference and BMI to Visceral, Subcutaneous, and Total Body Fat: Sex and Race Differences. <i>Obesity</i> , 2011, 19, 402-408.	3.0	421
25	Short Sleep Duration is Associated with Reduced Leptin Levels and Increased Adiposity: Results from the QuÃ©bec Family Study. <i>Obesity</i> , 2007, 15, 253-261.	3.0	420
26	The Human Gene Map for Performance and Health-Related Fitness Phenotypes. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 34-72.	0.4	409
27	Familial resemblance for ??VO ₂ max in the sedentary state: the HERITAGE family study. <i>Medicine and Science in Sports and Exercise</i> , 1998, 30, 252-258.	0.4	400
28	The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , 2021, 600, 675-679.	27.8	353
29	Body Mass Index, Waist Circumference, and Clustering of Cardiovascular Disease Risk Factors in a Biracial Sample of Children and Adolescents. <i>Pediatrics</i> , 2004, 114, e198-e205.	2.1	347
30	Understanding the Cellular and Molecular Mechanisms of Physical Activity-Induced Health Benefits. <i>Cell Metabolism</i> , 2015, 22, 4-11.	16.2	345
31	Genomic predictors of the maximal O ₂ uptake response to standardized exercise training programs. <i>Journal of Applied Physiology</i> , 2011, 110, 1160-1170.	2.5	344
32	Assessment of adipose tissue distribution by computed axial tomography in obese women: association with body density and anthropometric measurements. <i>British Journal of Nutrition</i> , 1989, 61, 139-148.	2.3	341
33	Race, Visceral Adipose Tissue, Plasma Lipids, and Lipoprotein Lipase Activity in Men and Women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, 1932-1938.	2.4	340
34	The prediction of abdominal visceral fat level from body composition and anthropometry: ROC analysis. <i>International Journal of Obesity</i> , 1999, 23, 801-809.	3.4	331
35	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. <i>PLoS Genetics</i> , 2015, 11, e1005378.	3.5	331
36	The Human Gene Map for Performance and Health-Related Fitness Phenotypes. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 1863-1888.	0.4	323

#	ARTICLE	IF	CITATIONS
37	The Association Between Sleep Duration and Weight Gain in Adults: A 6-Year Prospective Study from the Quebec Family Study. <i>Sleep</i> , 2008, 31, 517-523.	1.1	319
38	Effects of Exercise Training on Glucose Homeostasis: The HERITAGE Family Study. <i>Diabetes Care</i> , 2005, 28, 108-114.	8.6	310
39	Targeting the Metabolic Syndrome with Exercise: Evidence from the HERITAGE Family Study. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 1703-1709.	0.4	298
40	Using molecular classification to predict gains in maximal aerobic capacity following endurance exercise training in humans. <i>Journal of Applied Physiology</i> , 2010, 108, 1487-1496.	2.5	296
41	Adverse Metabolic Response to Regular Exercise: Is It a Rare or Common Occurrence?. <i>PLoS ONE</i> , 2012, 7, e37887.	2.5	294
42	GENETIC AND ENVIRONMENTAL INFLUENCES ON LEVEL OF HABITUAL PHYSICAL ACTIVITY AND EXERCISE PARTICIPATION. <i>American Journal of Epidemiology</i> , 1989, 129, 1012-1022.	3.4	292
43	Identification of heart rate-associated loci and their effects on cardiac conduction and rhythm disorders. <i>Nature Genetics</i> , 2013, 45, 621-631.	21.4	282
44	Impact of exercise intensity on body fatness and skeletal muscle metabolism. <i>Metabolism: Clinical and Experimental</i> , 1994, 43, 814-818.	3.4	273
45	Calcium intake, body composition, and lipoprotein-lipid concentrations in adults. <i>American Journal of Clinical Nutrition</i> , 2003, 77, 1448-1452.	4.7	265
46	Plasma protein patterns as comprehensive indicators of health. <i>Nature Medicine</i> , 2019, 25, 1851-1857.	30.7	261
47	The Response to Exercise with Constant Energy Intake in Identical Twins. <i>Obesity</i> , 1994, 2, 400-410.	4.0	260
48	Effects of Endurance Exercise Training on Plasma HDL Cholesterol Levels Depend on Levels of Triglycerides. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001, 21, 1226-1232.	2.4	256
49	Aerobic performance in brothers, dizygotic and monozygotic twins. <i>Medicine and Science in Sports and Exercise</i> , 1986, 18, 639-646.	0.4	250
50	The Human Obesity Gene Map: The 2003 Update. <i>Obesity</i> , 2004, 12, 369-439.	4.0	247
51	The Human Obesity Gene Map: The 2004 Update. <i>Obesity</i> , 2005, 13, 381-490.	4.0	245
52	New loci for body fat percentage reveal link between adiposity and cardiometabolic disease risk. <i>Nature Communications</i> , 2016, 7, 10495.	12.8	245
53	Aims, design, and measurement protocol. <i>Medicine and Science in Sports and Exercise</i> , 1995, 27, 721-729.	0.4	242
54	Combined Influence of Body Mass Index and Waist Circumference on Coronary Artery Disease Risk Factors Among Children and Adolescents. <i>Pediatrics</i> , 2005, 115, 1623-1630.	2.1	239

#	ARTICLE	IF	CITATIONS
55	Genetic determinism of fiber type proportion in human skeletal muscle. <i>FASEB Journal</i> , 1995, 9, 1091-1095.	0.5	238
56	Physical Activity, Fitness, and Health. <i>Medicine and Science in Sports and Exercise</i> , 1994, 26, 119.	0.4	234
57	Evidence for a regional component of body fatness in the association with serum lipids in men and women. <i>Metabolism: Clinical and Experimental</i> , 1985, 34, 967-973.	3.4	225
58	Genome-Wide Linkage Analysis of Systolic and Diastolic Blood Pressure. <i>Circulation</i> , 2000, 102, 1956-1963.	1.6	225
59	Linkage Between Markers in the Vicinity of the Uncoupling Protein 2 Gene and Resting Metabolic Rate in Humans. <i>Human Molecular Genetics</i> , 1997, 6, 1887-1889.	2.9	223
60	Meta-analysis identifies common and rare variants influencing blood pressure and overlapping with metabolic trait loci. <i>Nature Genetics</i> , 2016, 48, 1162-1170.	21.4	223
61	Stability of indicators of the metabolic syndrome from childhood and adolescence to young adulthood. <i>Journal of Clinical Epidemiology</i> , 2001, 54, 190-195.	5.0	222
62	Prevalence of Risk Factors for Metabolic Syndrome in Adolescents. <i>JAMA Pediatrics</i> , 2009, 163, 371.	3.0	222
63	Maintaining a High Physical Activity Level Over 20 Years and Weight Gain. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 2603.	7.4	222
64	Acute and chronic effects of exercise on leptin levels in humans. <i>Journal of Applied Physiology</i> , 1997, 83, 5-10.	2.5	220
65	Profiles of sedentary behavior in children and adolescents: The US National Health and Nutrition Examination Survey, 2001-2006. <i>Pediatric Obesity</i> , 2009, 4, 353-359.	3.2	210
66	A Glucocorticoid Receptor Gene Marker Is Associated with Abdominal Obesity, Leptin, and Dysregulation of the Hypothalamic-Pituitary-Adrenal Axis. <i>Obesity</i> , 2000, 8, 211-218.	4.0	209
67	A transcriptional map of the impact of endurance exercise training on skeletal muscle phenotype. <i>Journal of Applied Physiology</i> , 2011, 110, 46-59.	2.5	209
68	Identification of an obesity quantitative trait locus on mouse chromosome 2 and evidence of linkage to body fat and insulin on the human homologous region 20q. <i>Journal of Clinical Investigation</i> , 1997, 100, 1240-1247.	8.2	208
69	Genetic Variants of <i>FTO</i> Influence Adiposity, Insulin Sensitivity, Leptin Levels, and Resting Metabolic Rate in the Quebec Family Study. <i>Diabetes</i> , 2008, 57, 1147-1150.	0.6	206
70	Less Sitting, More Physical Activity, or Higher Fitness?. <i>Mayo Clinic Proceedings</i> , 2015, 90, 1533-1540.	3.0	204
71	Stromelysin-1 and Interleukin-6 Gene Promoter Polymorphisms Are Determinants of Asymptomatic Carotid Artery Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, 2657-2662.	2.4	202
72	Utility of Childhood BMI in the Prediction of Adulthood Disease: Comparison of National and International References. <i>Obesity</i> , 2005, 13, 1106-1115.	4.0	201

#	ARTICLE	IF	CITATIONS
73	Why do individuals not lose more weight from an exercise intervention at a defined dose? An energy balance analysis. <i>Obesity Reviews</i> , 2012, 13, 835-847.	6.5	201
74	Age, sex, race, initial fitness, and response to training: the HERITAGE Family Study. <i>Journal of Applied Physiology</i> , 2001, 90, 1770-1776.	2.5	200
75	Racial differences in abdominal depot-specific adiposity in white and African American adults. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 7-15.	4.7	194
76	RAPID COMMUNICATIONS: Mutations in the Preproghrelin/Ghrelin Gene Associated with Obesity in Humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 3996-3999.	3.6	193
77	The Use of Anthropometric and Dual-Energy X-ray Absorptiometry (DXA) Measures to Estimate Total Abdominal and Abdominal Visceral Fat in Men and Women. <i>Obesity</i> , 1999, 7, 256-264.	4.0	188
78	The Human Obesity Gene Map: The 2002 Update. <i>Obesity</i> , 2003, 11, 313-367.	4.0	188
79	No association between the angiotensin-converting enzyme ID polymorphism and elite endurance athlete status. <i>Journal of Applied Physiology</i> , 2000, 88, 1571-1575.	2.5	185
80	Gender Difference in Postprandial Lipemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 2448-2455.	2.4	184
81	Sleep duration as a risk factor for the development of type 2 diabetes or impaired glucose tolerance: Analyses of the Quebec Family Study. <i>Sleep Medicine</i> , 2009, 10, 919-924.	1.6	183
82	Contribution of Body Fatness and Adipose Tissue Distribution to the Age Variation in Plasma Steroid Hormone Concentrations in Men: The HERITAGE Family Study*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 1026-1031.	3.6	179
83	Genetics of Obesity. <i>Annual Review of Nutrition</i> , 1993, 13, 337-354.	10.1	177
84	Genomic scan for maximal oxygen uptake and its response to training in the HERITAGE Family Study. <i>Journal of Applied Physiology</i> , 2000, 88, 551-559.	2.5	177
85	Directional dominance on stature and cognition in diverse human populations. <i>Nature</i> , 2015, 523, 459-462.	27.8	173
86	Sex differences in inflammatory markers: what is the contribution of visceral adiposity?. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1307-1314.	4.7	172
87	Abdominal Visceral Fat is Associated with a BclI Restriction Fragment Length Polymorphism at the Glucocorticoid Receptor Gene Locus. <i>Obesity</i> , 1997, 5, 186-192.	4.0	169
88	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. <i>Nature Communications</i> , 2017, 8, 14977.	12.8	169
89	Effect of exercise training on plasma levels of C-reactive protein in healthy adults: the HERITAGE Family Study. <i>European Heart Journal</i> , 2005, 26, 2018-2025.	2.2	167
90	Linkage and Association Studies between the Melanocortin Receptors 4 and 5 Genes and Obesity-Related Phenotypes in the Québec Family Study. <i>Molecular Medicine</i> , 1997, 3, 663-673.	4.4	164

#	ARTICLE	IF	CITATIONS
91	Testosterone, Sex Hormone-Binding Globulin and the Metabolic Syndrome in Men: An Individual Participant Data Meta-Analysis of Observational Studies. PLoS ONE, 2014, 9, e100409.	2.5	162
92	Precision exercise medicine: understanding exercise response variability. British Journal of Sports Medicine, 2019, 53, 1141-1153.	6.7	162
93	Physical activity, genetic, and nutritional considerations in childhood weight management. Medicine and Science in Sports and Exercise, 1998, 30, 2-10.	0.4	161
94	Molecular Networks of Human Muscle Adaptation to Exercise and Age. PLoS Genetics, 2013, 9, e1003389.	3.5	160
95	Genome-wide physical activity interactions in adiposity – A meta-analysis of 200,452 adults. PLoS Genetics, 2017, 13, e1006528.	3.5	158
96	Exercise and Obesity. Obesity, 1993, 1, 133-147.	4.0	157
97	Role of Ghrelin Polymorphisms in Obesity Based on Three Different Studies. Obesity, 2002, 10, 782-791.	4.0	157
98	Genome-wide meta-analysis uncovers novel loci influencing circulating leptin levels. Nature Communications, 2016, 7, 10494.	12.8	153
99	Leisure Time Sedentary Behavior, Occupational/Domestic Physical Activity, and Metabolic Syndrome in U.S. Men and Women. Metabolic Syndrome and Related Disorders, 2009, 7, 529-536.	1.3	149
100	Assessment, prevalence, and cardiovascular benefits of physical activity and fitness in youth. Medicine and Science in Sports and Exercise, 1992, 24, 237-247.	0.4	147
101	Familial Resemblance of Plasma Lipids, Lipoproteins and Postheparin Lipoprotein and Hepatic Lipases in the HERITAGE Family Study. Arteriosclerosis, Thrombosis, and Vascular Biology, 1997, 17, 3263-3269.	2.4	147
102	Alterations in body weight and composition consequent to 20 wk of endurance training: the HERITAGE Family Study. American Journal of Clinical Nutrition, 1999, 70, 346-352.	4.7	146
103	A Genome-Wide Scan for Abdominal Fat Assessed by Computed Tomography in the Québec Family Study. Diabetes, 2001, 50, 614-621.	0.6	145
104	FTO genetic variants, dietary intake and body mass index: insights from 177 330 individuals. Human Molecular Genetics, 2014, 23, 6961-6972.	2.9	143
105	Genetic Influences on the Response of Body Fat and Fat Distribution to Positive and Negative Energy Balances in Human Identical Twins. Journal of Nutrition, 1997, 127, 943S-947S.	2.9	142
106	Familial aggregation of physical activity levels in the Québec family study. Medicine and Science in Sports and Exercise, 2002, 34, 1137-1142.	0.4	142
107	Abdominal Visceral Fat and Fasting Insulin Are Important Predictors of 24-Hour GH Release Independent of Age, Gender, and Other Physiological Factors. Journal of Clinical Endocrinology and Metabolism, 2001, 86, 3845-3852.	3.6	140
108	Genomics and Genetics in the Biology of Adaptation to Exercise. , 2011, 1, 1603-1648.		140

#	ARTICLE	IF	CITATIONS
109	Blood lipid response to 20 weeks of supervised exercise in a large biracial population: The HERITAGE family study. <i>Metabolism: Clinical and Experimental</i> , 2000, 49, 513-520.	3.4	138
110	Gene-Environment Interactions in the Etiology of Obesity: Defining the Fundamentals. <i>Obesity</i> , 2008, 16, S5-S10.	3.0	137
111	Familial resemblance in energy intake: contribution of genetic and environmental factors. <i>American Journal of Clinical Nutrition</i> , 1988, 47, 629-635.	4.7	136
112	Plasma Ghrelin Concentration and Energy Balance: Overfeeding and Negative Energy Balance Studies in Twins. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 4547-4547.	3.6	136
113	The reproducibility of a three-day dietary record. <i>Nutrition Research</i> , 1983, 3, 819-830.	2.9	134
114	The Human Obesity Gene Map: The 2001 Update. <i>Obesity</i> , 2002, 10, 196-243.	4.0	134
115	Original Article Underweight, overweight and obesity. <i>Journal of Clinical Epidemiology</i> , 2001, 54, 916-920.	5.0	133
116	Evidence for the existence of adaptive thermogenesis during weight loss. <i>British Journal of Nutrition</i> , 2001, 85, 715-723.	2.3	130
117	Aerobic fitness, body mass index, and CVD risk factors among adolescents: the Qu�bec family study. <i>International Journal of Obesity</i> , 2005, 29, 1077-1083.	3.4	130
118	Volume of Exercise and Fitness Nonresponse in Sedentary, Postmenopausal Women. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 539-545.	0.4	129
119	Modifications in food-group consumption are related to long-term body-weight changes. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 29-37.	4.7	128
120	Effects of Aerobic Physical Exercise on Inflammation and Atherosclerosis in Men: The DNASCO Study. <i>Annals of Internal Medicine</i> , 2004, 140, 1007.	3.9	128
121	The Trp64Arg mutation of the beta3 adrenergic receptor gene has no effect on obesity phenotypes in the Qu�bec Family Study and Swedish Obese Subjects cohorts.. <i>Journal of Clinical Investigation</i> , 1996, 98, 2086-2093.	8.2	128
122	Gene-diet interactions in obesity. <i>American Journal of Clinical Nutrition</i> , 2000, 72, 1285s-1290s.	4.7	127
123	Genomic predictors of trainability. <i>Experimental Physiology</i> , 2012, 97, 347-352.	2.0	127
124	Polygenic Type 2 Diabetes Prediction at the Limit of Common Variant Detection. <i>Diabetes</i> , 2014, 63, 2172-2182.	0.6	127
125	Risk Factors for Adult Overweight and Obesity in the Quebec Family Study: Have We Been Barking Up the Wrong Tree?. <i>Obesity</i> , 2009, 17, 1964-1970.	3.0	125
126	Heredity and Body Fat. <i>Annual Review of Nutrition</i> , 1988, 8, 259-277.	10.1	124

#	ARTICLE	IF	CITATIONS
127	Acetylcholinesterase/paraoxonase genotype and expression predict anxiety scores in Health, Risk Factors, Exercise Training, and Genetics study. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 5512-5517.	7.1	124
128	Contribution of age and declining androgen levels to features of the metabolic syndrome in men. Metabolism: Clinical and Experimental, 2005, 54, 1034-1040.	3.4	124
129	The Human Obesity Gene Map: The 1999 Update. Obesity, 2000, 8, 89-117.	4.0	123
130	Genetics of the metabolic syndrome. Applied Physiology, Nutrition and Metabolism, 2007, 32, 89-114.	1.9	123
131	A Large-Scale Multi-ancestry Genome-wide Study Accounting for Smoking Behavior Identifies Multiple Significant Loci for Blood Pressure. American Journal of Human Genetics, 2018, 102, 375-400.	6.2	123
132	Genetics of Food Intake and Eating Behavior Phenotypes in Humans. Annual Review of Nutrition, 2006, 26, 413-434.	10.1	121
133	Familial resemblance for abdominal visceral fat: the HERITAGE family study. International Journal of Obesity, 1997, 21, 1024-1031.	3.4	119
134	Associations between the Leptin Receptor Gene and Adiposity in Middle-Aged Caucasian Males from the HERITAGE Family Study1. Journal of Clinical Endocrinology and Metabolism, 2000, 85, 29-34.	3.6	118
135	Heart rate and blood pressure changes with endurance training: The HERITAGE Family Study. Medicine and Science in Sports and Exercise, 2001, 33, 107-116.	0.4	118
136	Visceral Adipose Tissue Accumulation, Cardiorespiratory Fitness, and Features of the Metabolic Syndrome. Archives of Internal Medicine, 2007, 167, 1518.	3.8	118
137	Physical Activity, Physical Fitness, and Coronary Heart Disease Risk Factors in Youth: The Québec Family Study. Preventive Medicine, 1999, 29, 555-562.	3.4	117
138	Melanocortin 4 Receptor Sequence Variations Are Seldom a Cause of Human Obesity: The Swedish Obese Subjects, the HERITAGE Family Study, and a Memphis Cohort. Journal of Clinical Endocrinology and Metabolism, 2002, 87, 4442-4446.	3.6	116
139	Association of Fitness in Young Adulthood With Survival and Cardiovascular Risk. JAMA Internal Medicine, 2016, 176, 87.	5.1	115
140	Genome-Wide Linkage Scan for the Metabolic Syndrome in the HERITAGE Family Study. Journal of Clinical Endocrinology and Metabolism, 2003, 88, 5935-5943.	3.6	114
141	Direct-to-consumer genetic testing for predicting sports performance and talent identification: Consensus statement. British Journal of Sports Medicine, 2015, 49, 1486-1491.	6.7	113
142	Angiotensin-converting enzyme ID polymorphism and fitness phenotype in the HERITAGE Family Study. Journal of Applied Physiology, 2000, 88, 1029-1035.	2.5	112
143	Novel loci associated with usual sleep duration: the CHARGE Consortium Genome-Wide Association Study. Molecular Psychiatry, 2015, 20, 1232-1239.	7.9	112
144	Multi-ancestry genome-wide gene-smoking interaction study of 387,272 individuals identifies new loci associated with serum lipids. Nature Genetics, 2019, 51, 636-648.	21.4	112

#	ARTICLE	IF	CITATIONS
145	Associations between the Leptin Receptor Gene and Adiposity in Middle-Aged Caucasian Males from the HERITAGE Family Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 29-34.	3.6	112
146	Advances in Exercise, Fitness, and Performance Genomics. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 835-846.	0.4	111
147	Genome-wide search for genes related to the fat-free body mass in the QuÃ©bec family study. <i>Metabolism: Clinical and Experimental</i> , 2000, 49, 203-207.	3.4	109
148	Calcium Intake Is Associated with Adiposity in Black and White Men and White Women of the HERITAGE Family Study. <i>Journal of Nutrition</i> , 2004, 134, 1772-1778.	2.9	109
149	Gene-Age Interactions in Blood Pressure Regulation: A Large-Scale Investigation with the CHARGE, Global BPgen, and ICBP Consortia. <i>American Journal of Human Genetics</i> , 2014, 95, 24-38.	6.2	109
150	A dopamine D2 receptor gene polymorphism and physical activity in two family studies. <i>Physiology and Behavior</i> , 2003, 78, 751-757.	2.1	108
151	Adaptation to a standardized training program and changes in fitness in a large, heterogeneous population: the HERITAGE Family Study. <i>Medicine and Science in Sports and Exercise</i> , 2000, 32, 157.	0.4	107
152	Hypertension in Obesity and the Leptin Receptor Gene Locus1. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 3126-3131.	3.6	107
153	Fitness Alters the Associations of BMI and Waist Circumference with Total and Abdominal Fat. <i>Obesity</i> , 2004, 12, 525-537.	4.0	106
154	Are There Genetic Paths Common to Obesity, Cardiovascular Disease Outcomes, and Cardiovascular Risk Factors?. <i>Circulation Research</i> , 2015, 116, 909-922.	4.5	106
155	Is body fat loss a determinant factor in the improvement of carbohydrate and lipid metabolism following aerobic exercise training in obese women?. <i>Metabolism: Clinical and Experimental</i> , 1992, 41, 1249-1256.	3.4	105
156	Linkages and associations between the leptin receptor (LEPR) gene and human body composition in the QuÃ©bec Family Study. <i>International Journal of Obesity</i> , 1999, 23, 278-286.	3.4	104
157	A Genomewide Linkage Scan for Abdominal Subcutaneous and Visceral Fat in Black and White Families: The HERITAGE Family Study. <i>Diabetes</i> , 2002, 51, 848-855.	0.6	103
158	Melanocortin-4 receptor gene and physical activity in the QuÃ©bec Family Study. <i>International Journal of Obesity</i> , 2005, 29, 420-428.	3.4	101
159	Childhood obesity: are genetic differences involved?. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1494S-1501S.	4.7	101
160	Genomic scan for genes affecting body composition before and after training in Caucasians from HERITAGE. <i>Journal of Applied Physiology</i> , 2001, 90, 1777-1787.	2.5	100
161	Familial aggregation of abdominal visceral fat level: Results from the Quebec family study. <i>Metabolism: Clinical and Experimental</i> , 1996, 45, 378-382.	3.4	99
162	A polymorphism of the 5â€™-flanking region of the glucocorticoid receptor gene locus is associated with basal cortisol secretion in men. <i>Metabolism: Clinical and Experimental</i> , 2000, 49, 1197-1199.	3.4	98

#	ARTICLE	IF	CITATIONS
163	The Human Obesity Gene Map: The 2000 Update. <i>Obesity</i> , 2001, 9, 135-169.	4.0	97
164	Endurance training-induced changes in insulin sensitivity and gene expression. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005, 288, E1168-E1178.	3.5	96
165	An evolving scientific basis for the prevention and treatment of pediatric obesity. <i>International Journal of Obesity</i> , 2014, 38, 887-905.	3.4	96
166	No Evidence of a Common DNA Variant Profile Specific to World Class Endurance Athletes. <i>PLoS ONE</i> , 2016, 11, e0147330.	2.5	96
167	Athlome Project Consortium: a concerted effort to discover genomic and other "omic" markers of athletic performance. <i>Physiological Genomics</i> , 2016, 48, 183-190.	2.3	96
168	The Association between Short Sleep Duration and Weight Gain Is Dependent on Disinhibited Eating Behavior in Adults. <i>Sleep</i> , 2011, 34, 1291-1297.	1.1	95
169	Competing targets of microRNA-608 affect anxiety and hypertension. <i>Human Molecular Genetics</i> , 2014, 23, 4569-4580.	2.9	95
170	Genotype-controlled changes in body composition and fat morphology following overfeeding in twins. <i>American Journal of Clinical Nutrition</i> , 1986, 43, 723-731.	4.7	94
171	Genetic and environmental sources of variation in physical fitness. <i>Annals of Human Biology</i> , 1987, 14, 425-434.	1.0	94
172	Novel genetic associations for blood pressure identified via gene-alcohol interaction in up to 570K individuals across multiple ancestries. <i>PLoS ONE</i> , 2018, 13, e0198166.	2.5	94
173	Heredity and muscle adaptation to endurance training. <i>Medicine and Science in Sports and Exercise</i> , 1986, 18, 690-696.	0.4	93
174	Hypertension in Obesity and the Leptin Receptor Gene Locus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 3126-3131.	3.6	93
175	Relationships between endogenous steroid hormone, sex hormone-binding globulin and lipoprotein levels in men: contribution of visceral obesity, insulin levels and other metabolic variables. <i>Atherosclerosis</i> , 1997, 133, 235-244.	0.8	92
176	Ethnic-specific BMI and Waist Circumference Thresholds. <i>Obesity</i> , 2011, 19, 1272-1278.	3.0	92
177	Anthropometric Correlates of Total Body Fat, Abdominal Adiposity, and Cardiovascular Disease Risk Factors in a Biracial Sample of Men and Women. <i>Mayo Clinic Proceedings</i> , 2012, 87, 452-460.	3.0	92
178	Genomewide Linkage Scan of Resting Blood Pressure. <i>Hypertension</i> , 2002, 39, 1037-1043.	2.7	91
179	Association between insulin secretion, insulin sensitivity and type 2 diabetes susceptibility variants identified in genome-wide association studies. <i>Acta Diabetologica</i> , 2009, 46, 217-226.	2.5	91
180	Associations of markers in 11 obesity candidate genes with maximal weight loss and weight regain in the SOS bariatric surgery cases. <i>International Journal of Obesity</i> , 2011, 35, 676-683.	3.4	90

#	ARTICLE	IF	CITATIONS
181	NOS3 Glu298Asp Genotype and Blood Pressure Response to Endurance Training. Hypertension, 2000, 36, 885-889.	2.7	87
182	Genomic and transcriptomic predictors of response levels to endurance exercise training. Journal of Physiology, 2017, 595, 2931-2939.	2.9	87
183	The Human Obesity Gene Map: The 1997 Update. Obesity, 1998, 6, 76-92.	4.0	86
184	A Polymorphism in the Human Agouti-Related Protein Is Associated with Late-Onset Obesity. Journal of Clinical Endocrinology and Metabolism, 2002, 87, 4198-4202.	3.6	86
185	Short sleep duration as a risk factor for the development of the metabolic syndrome in adults. Preventive Medicine, 2013, 57, 872-877.	3.4	85
186	Multiancestry Genome-Wide Association Study of Lipid Levels Incorporating Gene-Alcohol Interactions. American Journal of Epidemiology, 2019, 188, 1033-1054.	3.4	85
187	Familial aggregation of body mass index and subcutaneous fat measures in the longitudinal Quiçá family study. , 1999, 16, 316-334.		84
188	Associations of autozygosity with a broad range of human phenotypes. Nature Communications, 2019, 10, 4957.	12.8	84
189	Reproducibility of maximal exercise test data in the HERITAGE Family Study. Medicine and Science in Sports and Exercise, 1999, 31, 1623.	0.4	84
190	Current Status of the Human Obesity Gene Map. Obesity, 1996, 4, 81-90.	4.0	83
191	Interactions among the α 2-, α 2-, and α 3-adrenergic receptor genes and obesity-related phenotypes in the Quebec Family Study. Metabolism: Clinical and Experimental, 2000, 49, 1063-1070.	3.4	83
192	Mutations in the adiponectin gene in lean and obese subjects from the Swedish obese subjects cohort. Metabolism: Clinical and Experimental, 2003, 52, 881-884.	3.4	83
193	Neuromedin α : a strong candidate gene linking eating behaviors and susceptibility to obesity. American Journal of Clinical Nutrition, 2004, 80, 1478-1486.	4.7	83
194	Convergence between biological, behavioural and genetic determinants of obesity. Nature Reviews Genetics, 2017, 18, 731-748.	16.3	83
195	Human genomics and obesity: finding appropriate drug targets. European Journal of Pharmacology, 2000, 410, 131-145.	3.5	82
196	GENETICS OF PHYSIOLOGICAL FITNESS AND MOTOR PERFORMANCE. Exercise and Sport Sciences Reviews, 1983, 11, 306.	3.0	81
197	Muscle-specific creatine kinase gene polymorphism and $\dot{V}O_{2max}$ in the HERITAGE Family Study. Medicine and Science in Sports and Exercise, 1997, 29, 1311-1317.	0.4	81
198	Physical activity and health-related fitness in youth: amultivariate analysis. Medicine and Science in Sports and Exercise, 1998, 30, 709-714.	0.4	81

#	ARTICLE	IF	CITATIONS
199	Association and linkage between an insulin-like growth FACTOR-1 GENE polymorphism and fat free mass in the HERITAGE Family Study. <i>International Journal of Obesity</i> , 1999, 23, 929-935.	3.4	80
200	Biological/Genetic Regulation of Physical Activity Level. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 863-873.	0.4	80
201	The human gene map for performance and health-related fitness phenotypes. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 855-867.	0.4	79
202	Greater than predicted decrease in energy expenditure during exercise after body weight loss in obese men. <i>Clinical Science</i> , 2003, 105, 89-95.	4.3	78
203	Familial Resemblance in Maximal Heart Rate, Blood Lactate and Aerobic Power. <i>Human Heredity</i> , 1985, 35, 182-189.	0.8	77
204	The Effects of Exercise-Training on Energy Balance and Adipose Tissue Morphology and Metabolism. <i>Sports Medicine</i> , 1985, 2, 223-233.	6.5	77
205	Obesity in Adulthood " The Importance of Childhood and Parental Obesity. <i>New England Journal of Medicine</i> , 1997, 337, 926-927.	27.0	77
206	Changes in blood lipids consequent to aerobic exercise training related to changes in body fatness and aerobic fitness. <i>Metabolism: Clinical and Experimental</i> , 2001, 50, 841-848.	3.4	77
207	Common Polymorphisms in the Promoter of the Visfatin Gene (PBEF1) Influence Plasma Insulin Levels in a French-Canadian Population. <i>Diabetes</i> , 2006, 55, 2896-2902.	0.6	76
208	Cardiorespiratory fitness and cognitive function in middle age. <i>Neurology</i> , 2014, 82, 1339-1346.	1.1	76
209	Longer sleep duration associates with lower adiposity gain in adult short sleepers. <i>International Journal of Obesity</i> , 2012, 36, 752-756.	3.4	74
210	A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. <i>Nature Communications</i> , 2016, 7, 13357.	12.8	74
211	Genome-wide association studies suggest sex-specific loci associated with abdominal and visceral fat. <i>International Journal of Obesity</i> , 2016, 40, 662-674.	3.4	74
212	Genome-Wide Linkage Scan for Physical Activity Levels in the Quebec Family Study. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 1355-1359.	0.4	73
213	Genes, exercise, growth, and the sedentary, obese child. <i>Journal of Applied Physiology</i> , 2008, 105, 988-1001.	2.5	73
214	Effects of Long-Term Averaging of Quantitative Blood Pressure Traits on the Detection of Genetic Associations. <i>American Journal of Human Genetics</i> , 2014, 95, 49-65.	6.2	73
215	Age-related differences in inflammatory markers in men: contribution of visceral adiposity. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 1452-1458.	3.4	72
216	The Pediatric Obesity Epidemic Continues Unabated in Bogalusa, Louisiana. <i>Pediatrics</i> , 2010, 125, 900-905.	2.1	72

#	ARTICLE	IF	CITATIONS
217	The effects of exercise on the lipoprotein subclass profile: A meta-analysis of 10 interventions. <i>Atherosclerosis</i> , 2015, 243, 364-372.	0.8	72
218	Leptin and Leptin Receptor Gene Polymorphisms and Changes in Glucose Homeostasis in Response to Regular Exercise in Nondiabetic Individuals. <i>Diabetes</i> , 2004, 53, 1603-1608.	0.6	71
219	Findings from the Quebec Family Study on the Etiology of Obesity: Genetics and Environmental Highlights. <i>Current Obesity Reports</i> , 2014, 3, 54-66.	8.4	71
220	Genetics of Obesity: What We Have Learned Over Decades of Research. <i>Obesity</i> , 2021, 29, 802-820.	3.0	71
221	The Human Obesity Gene Map: The 1998 Update. <i>Obesity</i> , 1999, 7, 111-129.	4.0	70
222	Genetic Factors in Obesity. <i>Medical Clinics of North America</i> , 1989, 73, 67-81.	2.5	69
223	Overfeeding in identical twins: 5-year postoverfeeding results. <i>Metabolism: Clinical and Experimental</i> , 1996, 45, 1042-1050.	3.4	69
224	AGT M235T and ACE ID polymorphisms and exercise blood pressure in the HERITAGE Family Study. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000, 279, H368-H374.	3.2	69
225	Familial aggregation of submaximal aerobic performance in the HERITAGE Family study. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 597-604.	0.4	69
226	Adropin: An endocrine link between the biological clock and cholesterol homeostasis. <i>Molecular Metabolism</i> , 2018, 8, 51-64.	6.5	69
227	Endurance exercise training has a minimal effect on resting heart rate: the HERITAGE study. <i>Medicine and Science in Sports and Exercise</i> , 1996, 28, 829-835.	0.4	69
228	RAPID COMMUNICATIONS: Mutations in the Preproghrelin/Ghrelin Gene Associated with Obesity in Humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 3996-3999.	3.6	69
229	Television viewing, physical activity, and health-related fitness of youth in the QuÃ©bec family study. <i>Journal of Adolescent Health</i> , 1998, 23, 318-325.	2.5	68
230	Tsp509I polymorphism in exon 2 of the glucocorticoid receptor gene in relation to obesity and cortisol secretion: cohort study. <i>BMJ: British Medical Journal</i> , 2001, 322, 652-653.	2.3	68
231	Heritability of HR and BP response to exercise training in the HERITAGE Family Study. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 972-979.	0.4	67
232	Cardiorespiratory Fitness, BMI, and Risk of Hypertension. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 1687-1692.	0.4	67
233	Physical Inactivity and Low Fitness Deserve More Attention to Alter Cancer Risk and Prognosis. <i>Cancer Prevention Research</i> , 2015, 8, 105-110.	1.5	67
234	Clinical utility of visceral adipose tissue for the identification of cardiometabolic risk in white and African American adults. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 480-486.	4.7	66

#	ARTICLE	IF	CITATIONS
235	Familial aggregation in physical fitness, coronary heart disease risk factors, and pulmonary function measurements. <i>Preventive Medicine</i> , 1987, 16, 607-615.	3.4	65
236	Clustering of metabolic abnormalities in obese individuals: the role of genetic factors. <i>Annals of Medicine</i> , 2001, 33, 79-90.	3.8	65
237	Exploration of myostatin polymorphisms and the angiotensin-converting enzyme insertion/deletion genotype in responses of human muscle to strength training. <i>European Journal of Applied Physiology</i> , 2004, 92, 267-74.	2.5	65
238	The effects of exercise training on abdominal visceral fat, body composition, and indicators of the metabolic syndrome in postmenopausal women with and without estrogen replacement therapy: The HERITAGE family study. <i>Metabolism: Clinical and Experimental</i> , 2004, 53, 1192-1196.	3.4	65
239	Short sleep duration is associated with greater alcohol consumption in adults. <i>Appetite</i> , 2012, 59, 650-655.	3.7	65
240	Mitochondrial DNA sequence polymorphism, VO2max, and response to endurance training. <i>Medicine and Science in Sports and Exercise</i> , 1991, 23, 1777-185.	0.4	64
241	A genome-wide linkage scan for dietary energy and nutrient intakes: the Health, Risk Factors, Exercise Training, and Genetics (HERITAGE) Family Study. <i>American Journal of Clinical Nutrition</i> , 2004, 79, 881-886.	4.7	64
242	Advances in Exercise, Fitness, and Performance Genomics in 2010. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 743-752.	0.4	64
243	Heredity and Endurance Performance. <i>Sports Medicine</i> , 1984, 1, 38-64.	6.5	63
244	Prediction of physical activity and physical work capacity (PWC150) in young adulthood from childhood and adolescence with consideration of parental measures. <i>American Journal of Human Biology</i> , 2001, 13, 190-196.	1.6	63
245	The utility of the international child and adolescent overweight guidelines for predicting coronary heart disease risk factors. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 456-462.	5.0	63
246	Interactions among the glucocorticoid receptor, lipoprotein lipase and adrenergic receptor genes and abdominal fat in the Québec Family Study. <i>International Journal of Obesity</i> , 2001, 25, 1332-1339.	3.4	62
247	Meta-Analysis of the INSIG2 Association with Obesity Including 74,345 Individuals: Does Heterogeneity of Estimates Relate to Study Design?. <i>PLoS Genetics</i> , 2009, 5, e1000694.	3.5	62
248	Multi-ancestry sleep-by-SNP interaction analysis in 126,926 individuals reveals lipid loci stratified by sleep duration. <i>Nature Communications</i> , 2019, 10, 5121.	12.8	62
249	DNA variation in the genes of the Na,K-adenosine triphosphatase and its relation with resting metabolic rate, respiratory quotient, and body fat.. <i>Journal of Clinical Investigation</i> , 1994, 93, 838-843.	8.2	62
250	Relationships between body fatness, adipose tissue distribution and blood pressure in men and women*1. <i>Journal of Clinical Epidemiology</i> , 1988, 41, 889-897.	5.0	61
251	An Exploratory Investigation of Genetic Linkage with Body Composition and Fatness Phenotypes: The Québec Family Study. <i>Obesity</i> , 1994, 2, 213-219.	4.0	61
252	Seven-year stability of physical activity and musculoskeletal fitness in the Canadian population. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 1905-1911.	0.4	61

#	ARTICLE	IF	CITATIONS
253	A novel interaction between dietary composition and insulin secretion: effects on weight gain in the Quebec Family Study. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 303-309.	4.7	61
254	Genotype-Environment Interaction in Human Obesity. <i>Nutrition Reviews</i> , 1999, 57, 31-38.	5.8	61
255	Improvements in glucose homeostasis in response to regular exercise are influenced by the PPARC Pro12Ala variant: results from the HERITAGE Family Study. <i>Diabetologia</i> , 2010, 53, 679-689.	6.3	61
256	Template to improve glycemic control without reducing adiposity or dietary fat. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011, 300, E779-E789.	3.5	61
257	Physical Activity and Health: Atherosclerotic, Metabolic, and Hypertensive Diseases. <i>Research Quarterly for Exercise and Sport</i> , 1995, 66, 268-275.	1.4	60
258	Familial Aggregation of Blood Lipid Response to Exercise Training in the Health, Risk Factors, Exercise Training, and Genetics (HERITAGE) Family Study. <i>Circulation</i> , 2002, 105, 1904-1908.	1.6	60
259	5-HT _{2A} Receptor Gene Promoter Polymorphism in Relation to Abdominal Obesity and Cortisol. <i>Obesity</i> , 2002, 10, 585-589.	4.0	60
260	Genome-wide linkage scan reveals multiple susceptibility loci influencing lipid and lipoprotein levels in the Québec Family Study. <i>Journal of Lipid Research</i> , 2004, 45, 419-426.	4.2	60
261	The Three-Factor Eating Questionnaire and BMI in adolescents: results from the Québec Family Study. <i>British Journal of Nutrition</i> , 2010, 104, 1074-1079.	2.3	60
262	Cardiovascular risk factors in a French-Canadian population: resolution of genetic and familial environmental effects on blood pressure by using extensive information on environmental correlates. <i>American Journal of Human Genetics</i> , 1989, 45, 240-51.	6.2	60
263	Cardiac output and stroke volume changes with endurance training: The HERITAGE Family Study. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 99-106.	0.4	59
264	Heart rate recovery after maximal exercise is associated with acetylcholine receptor M2 (CHRM2) gene polymorphism. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 291, H459-H466.	3.2	59
265	Association between a β ₂ -adrenergic receptor polymorphism and elite endurance performance. <i>Metabolism: Clinical and Experimental</i> , 2007, 56, 1649-1651.	3.4	59
266	Linkage between a muscle-specific CK gene marker and $\dot{V}O_{2max}$ in the HERITAGE Family Study. <i>Medicine and Science in Sports and Exercise</i> , 1999, 31, 698-701.	0.4	59
267	Genetic aspects of susceptibility to obesity and related dyslipidemias. <i>Molecular and Cellular Biochemistry</i> , 1992, 113, 151-69.	3.1	58
268	Do elevated levels of abdominal visceral adipose tissue contribute to age-related differences in plasma lipoprotein concentrations in men?. <i>Atherosclerosis</i> , 1995, 118, 155-164.	0.8	58
269	Seven-year stability of indicators of obesity and adipose tissue distribution in the Canadian population. <i>American Journal of Clinical Nutrition</i> , 1999, 69, 1123-1129.	4.7	58
270	Influence of caffeine on the resting metabolic rate of exercise-trained and inactive subjects. <i>Medicine and Science in Sports and Exercise</i> , 1985, 17, 689-694.	0.4	57

#	ARTICLE	IF	CITATIONS
271	Role of genetic factors in childhood obesity and in susceptibility to dietary variations. <i>Annals of Medicine</i> , 1999, 31, 19-25.	3.8	57
272	Relationship of changes in maximal and submaximal aerobic fitness to changes in cardiovascular disease and non[ndash]insulin-dependent diabetes mellitus risk factors with endurance training: The HERITAGE Family Study. <i>Metabolism: Clinical and Experimental</i> , 2001, 50, 1255-1263.	3.4	57
273	Effect of Endothelin 1 Genotype on Blood Pressure Is Dependent on Physical Activity or Fitness Levels. <i>Hypertension</i> , 2007, 50, 1120-1125.	2.7	57
274	Positional identification of variants of Adams16 linked to inherited hypertension. <i>Human Molecular Genetics</i> , 2009, 18, 2825-2838.	2.9	57
275	Personalized Preventive Medicine: Genetics and the Response to Regular Exercise in Preventive Interventions. <i>Progress in Cardiovascular Diseases</i> , 2015, 57, 337-346.	3.1	57
276	Familial Clustering of Insulin and Abdominal Visceral Fat: The HERITAGE Family Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998, 83, 4239-4245.	3.6	57
277	Abdominal Visceral Fat and Fasting Insulin Are Important Predictors of 24-Hour GH Release Independent of Age, Gender, and Other Physiological Factors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 3845-3852.	3.6	57
278	Suggestive Linkages Between Markers on Human 1p32â€p22 and Body Fat and Insulin Levels in the QuÃ©bec Family Study. <i>Obesity</i> , 1997, 5, 115-121.	4.0	56
279	Familial Resemblance in Eating Behaviors in Men and Women from the Quebec Family Study. <i>Obesity</i> , 2005, 13, 1624-1629.	4.0	56
280	Replication of 6 Obesity Genes in a Meta-Analysis of Genome-Wide Association Studies from Diverse Ancestries. <i>PLoS ONE</i> , 2014, 9, e96149.	2.5	56
281	The Human Gene Map for Performance and Health-Related Fitness Phenotypes: The 2002 Update. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 1248-1264.	0.4	55
282	Advances in Exercise, Fitness, and Performance Genomics in 2011. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 809-817.	0.4	55
283	DNA Polymorphisms in the β - and β Adrenoceptor Genes and Regional Fat Distribution in Humans: Association and Linkage Studies. <i>Obesity</i> , 1995, 3, 249-255.	4.0	54
284	Fasting Insulin Levels Influence Plasma Leptin Levels Independently from the Contribution of Adiposity: Evidence from Both a Cross-Sectional and an Intervention Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 4231-4237.	3.6	54
285	G protein β 3 polymorphism and hemodynamic and body composition phenotypes in the HERITAGE Family Study. <i>Physiological Genomics</i> , 2002, 8, 151-157.	2.3	54
286	Uncoupling protein 3 gene is associated with body composition changes with training in HERITAGE study. <i>Journal of Applied Physiology</i> , 2002, 92, 1111-1118.	2.5	54
287	Spouse Resemblance in Body Mass Index: Effects on Adult Obesity Prevalence in the Offspring Generation. <i>American Journal of Epidemiology</i> , 2006, 165, 101-108.	3.4	54
288	Dynamic model predicting overweight, obesity, and extreme obesity prevalence trends. <i>Obesity</i> , 2014, 22, 590-597.	3.0	54

#	ARTICLE	IF	CITATIONS
289	Exercise genomicsâ€”a paradigm shift is needed: a commentary: TableÂ1. British Journal of Sports Medicine, 2015, 49, 1492-1496.	6.7	54
290	Genetic Aspects of Obesity. Annals of the New York Academy of Sciences, 1993, 699, 26-35.	3.8	53
291	The Alpha2-Adrenergic Receptor Gene and Body Fat Content and Distribution: The HERITAGE Family Study. Molecular Medicine, 2002, 8, 88-94.	4.4	53
292	Adiponectin and adiponectin receptor gene variants in relation to resting metabolic rate, respiratory quotient, and adiposity-related phenotypes in the QuÃ©bec Family Study. American Journal of Clinical Nutrition, 2007, 85, 26-34.	4.7	53
293	A common haplotype and the Pro582Ser polymorphism of the hypoxia-inducible factor-1Î± (<i>HIF1A</i>) gene in elite endurance athletes. Journal of Applied Physiology, 2010, 108, 1497-1500.	2.5	53
294	Abdominal obesity and mortality: The Pennington Center Longitudinal Study. Nutrition and Diabetes, 2012, 2, e42-e42.	3.2	53
295	Genetics of Human Obesity: Recent Results from Linkage Studies. Journal of Nutrition, 1997, 127, 1887S-1890S.	2.9	52
296	Familial Risk of Obesity and Central Adipose Tissue Distribution in the General Canadian Population. American Journal of Epidemiology, 1999, 149, 933-942.	3.4	52
297	Plasma adrenal, gonadal, and conjugated steroids following long-term exercise-induced negative energy balance in identical twins. Metabolism: Clinical and Experimental, 1999, 48, 1120-1127.	3.4	52
298	Long-Term Adiposity Changes Are Related to a Glucocorticoid Receptor Polymorphism in Young Females. Journal of Clinical Endocrinology and Metabolism, 2003, 88, 3141-3145.	3.6	52
299	Risk Factors for Adult Overweight and Obesity: The Importance of Looking Beyond the â€”Big Twoâ€™. Obesity Facts, 2010, 3, 2-2.	3.4	52
300	Can a weight loss of one pound a week be achieved with a 3500-kcal deficit? Commentary on a commonly accepted rule. International Journal of Obesity, 2013, 37, 1611-1613.	3.4	52
301	Change in sleep duration and visceral fat accumulation over 6 years in adults. Obesity, 2014, 22, E9-12.	3.0	52
302	Advances in Exercise, Fitness, and Performance Genomics in 2015. Medicine and Science in Sports and Exercise, 2016, 48, 1906-1916.	0.4	52
303	The biology of human overfeeding: A systematic review. Obesity Reviews, 2020, 21, e13040.	6.5	52
304	Monitoring high-intensity endurance exercise with heart rate and thresholds. Medicine and Science in Sports and Exercise, 1997, 29, 125-132.	0.4	52
305	Cardiovascular risk factors in a french canadian population: Resolution of genetic and familial environmental effects on blood pressure using twins, adoptees, and extensive information on environmental correlates. Genetic Epidemiology, 1989, 6, 571-588.	1.3	51
306	Familial Clustering of Insulin and Abdominal Visceral Fat: The HERITAGE Family Study1. Journal of Clinical Endocrinology and Metabolism, 1998, 83, 4239-4245.	3.6	51

#	ARTICLE	IF	CITATIONS
307	Familial resemblance in fatness and fat distribution. , 2000, 12, 395-404.		51
308	Genomic Scan for Exercise Blood Pressure in the Health, Risk Factors, Exercise Training and Genetics (HERITAGE) Family Study. Hypertension, 2001, 38, 30-37.	2.7	51
309	Low Cardiorespiratory Fitness Levels and Elevated Blood Pressure. Hypertension, 2009, 54, 91-97.	2.7	51
310	The Human Obesity Gene Map: The 1996 Update. Obesity, 1997, 5, 49-61.	4.0	50
311	Skeletal muscle characteristics predict body fat gain in response to overfeeding in never-obese young men. Metabolism: Clinical and Experimental, 2002, 51, 451-456.	3.4	50
312	Peroxisome proliferator-activated receptor- γ polymorphisms are associated with physical performance and plasma lipids: the HERITAGE Family Study. American Journal of Physiology - Heart and Circulatory Physiology, 2007, 292, H2498-H2505.	3.2	50
313	Body Composition, Cardiorespiratory Fitness, and Low-Grade Inflammation in Middle-Aged Men and Women. American Journal of Cardiology, 2009, 104, 240-246.	1.6	50
314	Is it Time to Change the Way We Report and Discuss Weight Loss?. Obesity, 2009, 17, 619-621.	3.0	50
315	Defining the genetic architecture of the predisposition to obesity: a challenging but not insurmountable task. American Journal of Clinical Nutrition, 2010, 91, 5-6.	4.7	50
316	Advances in Exercise, Fitness, and Performance Genomics in 2012. Medicine and Science in Sports and Exercise, 2013, 45, 824-831.	0.4	50
317	Familial aggregation of resting blood pressure and heart rate in a sedentary population The heritage family study. American Journal of Hypertension, 1999, 12, 264-270.	2.0	49
318	No association between resting metabolic rate or respiratory exchange ratio and subsequent changes in body mass and fatness: 5½ year follow-up of the Québec Family Study. European Journal of Clinical Nutrition, 2000, 54, 610-614.	2.9	49
319	Fitness, fatness, and estimated coronary heart disease risk: the HERITAGE Family Study. Medicine and Science in Sports and Exercise, 2001, 33, 585-590.	0.4	49
320	The T111I mutation in the EL gene modulates the impact of dietary fat on the HDL profile in women. Journal of Lipid Research, 2003, 44, 1902-1908.	4.2	49
321	The Human Gene Map for Performance and Health-Related Fitness Phenotypes: The 2003 Update. Medicine and Science in Sports and Exercise, 2004, 36, 1451-1469.	0.4	49
322	Gene-Physical Activity Interactions: Overview of Human Studies. Obesity, 2008, 16, S47-50.	3.0	49
323	Overcoming Barriers to Progress in Exercise Genomics. Exercise and Sport Sciences Reviews, 2011, 39, 212-217.	3.0	49
324	Cardiorespiratory fitness and brain volume and white matter integrity. Neurology, 2015, 84, 2347-2353.	1.1	49

#	ARTICLE	IF	CITATIONS
325	Muscle-specific creatine kinase gene polymorphisms in elite endurance athletes and sedentary controls. <i>Medicine and Science in Sports and Exercise</i> , 1997, 29, 1444-1447.	0.4	49
326	Plasma post-heparin lipase activities in the HERITAGE family study: the reproducibility, gender differences, and associations with lipoprotein levels. <i>Clinical Biochemistry</i> , 1999, 32, 157-165.	1.9	48
327	The human gene map for performance and health-related fitness phenotypes: the 2001 update. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 1219-1233.	0.4	48
328	FTO Genotype Is Associated With Exercise Training-induced Changes in Body Composition. <i>Obesity</i> , 2010, 18, 322-326.	3.0	48
329	An Empirical Comparison of Meta-analysis and Mega-analysis of Individual Participant Data for Identifying Gene-Environment Interactions. <i>Genetic Epidemiology</i> , 2014, 38, 369-378.	1.3	48
330	The Lipoprotein Lipase Hin dIII Polymorphism Modulates Plasma Triglyceride Levels in Visceral Obesity. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 15, 714-720.	2.4	48
331	Aging Per Se Does Not Influence Glucose Homeostasis: In vivo and in vitro evidence. <i>Diabetes Care</i> , 2003, 26, 480-484.	8.6	47
332	Heart Rate versus % $\dot{V}O_2$ max: Age, Sex, Race, Initial Fitness, and Training Response???HERITAGE. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 1908-1913.	0.4	47
333	Association of apolipoprotein E polymorphism with blood lipids and maximal oxygen uptake in the sedentary state and after exercise training in the HERITAGE family study. <i>Metabolism: Clinical and Experimental</i> , 2004, 53, 108-116.	3.4	47
334	Adiponectin polymorphisms, adiposity and insulin metabolism: HERITAGE family study and Oulu diabetic study. <i>Annals of Medicine</i> , 2005, 37, 141-150.	3.8	47
335	Measured maximal heart rates compared to commonly used age-based prediction equations in the heritage family study. <i>American Journal of Human Biology</i> , 2013, 25, 695-701.	1.6	47
336	Effect of dietary adherence on the body weight plateau: a mathematical model incorporating intermittent compliance with energy intake prescription , ,. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 787-795.	4.7	47
337	Introductory comments for the consensus on physical activity and obesity. <i>Medicine and Science in Sports and Exercise</i> , 1999, 31, S498.	0.4	47
338	Mitochondrial DNA sequence polymorphism, $\dot{V}O_2$ max, and response to endurance training. <i>Medicine and Science in Sports and Exercise</i> , 1993, 25, 766-774.	0.4	46
339	A polymorphism in the alpha2a-adrenoceptor gene and endurance athlete status. <i>Medicine and Science in Sports and Exercise</i> , 2000, 32, 1709-1712.	0.4	46
340	Leptin Levels, Leptin Receptor Gene Polymorphisms, and Energy Metabolism in Women. <i>Obesity</i> , 2002, 10, 394-400.	4.0	46
341	Eating behaviours, dietary profile and body composition according to dieting history in men and women of the Québec Family Study. <i>British Journal of Nutrition</i> , 2004, 91, 997-1004.	2.3	46
342	Skeletal Muscle Metabolism and Body Fat Content in Men and Women. <i>Obesity</i> , 1995, 3, 23-29.	4.0	45

#	ARTICLE	IF	CITATIONS
343	Familial correlations in the Québec family study: cross-trait familial resemblance for body fat with plasma glucose and insulin. <i>Diabetologia</i> , 1996, 39, 1357-1364.	6.3	45
344	Glucose Metabolism in Identical Twins Discordant for Obesity. The Critical Role of Visceral Fat. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 383-387.	3.6	45
345	A Genome-Wide Linkage Scan for Steroids and SHBG Levels in Black and White Families: The HERITAGE Family Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 3708-3720.	3.6	45
346	The Pro12Ala PPAR γ 2 gene missense mutation is associated with obesity and insulin resistance in Swedish middle-aged men. <i>Diabetes/Metabolism Research and Reviews</i> , 2003, 19, 159-163.	4.0	45
347	Integrative pathway analysis of a genome-wide association study of $\dot{V}O_2$ max response to exercise training. <i>Journal of Applied Physiology</i> , 2013, 115, 1343-1359.	2.5	45
348	Plasma glucose, insulin, and glucagon before and after long-term overfeeding in identical twins. <i>Metabolism: Clinical and Experimental</i> , 1995, 44, 96-105.	3.4	44
349	Exercise and energy intake: Effect of substrate oxidation. <i>Physiology and Behavior</i> , 1995, 57, 995-1000.	2.1	44
350	Trp64Arg mutation in β 3-adrenoceptor gene of doubtful significance for obesity and insulin resistance. <i>Lancet</i> , 1996, 348, 698-699.	13.7	44
351	Is adiposity at normal body weight relevant for cardiovascular disease risk?. <i>International Journal of Obesity</i> , 2002, 26, 176-183.	3.4	44
352	Impact of abdominal visceral fat, growth hormone, fitness, and insulin on lipids and lipoproteins in older adults. <i>Metabolism: Clinical and Experimental</i> , 2003, 52, 73-80.	3.4	44
353	Association of Lipin 1 Gene Polymorphisms with Measures of Energy and Glucose Metabolism. <i>Obesity</i> , 2007, 15, 2723-2732.	3.0	44
354	Seven to Eight Hours of Sleep a Night Is Associated with a Lower Prevalence of the Metabolic Syndrome and Reduced Overall Cardiometabolic Risk in Adults. <i>PLoS ONE</i> , 2013, 8, e72832.	2.5	44
355	Genome-wide meta-analysis of macronutrient intake of 91,114 European ancestry participants from the cohorts for heart and aging research in genomic epidemiology consortium. <i>Molecular Psychiatry</i> , 2019, 24, 1920-1932.	7.9	44
356	The Effects of Regular Exercise on Circulating Cardiovascular-related MicroRNAs. <i>Scientific Reports</i> , 2019, 9, 7527.	3.3	44
357	Body composition by DEXA in older adults: accuracy and influence of scan mode. <i>Medicine and Science in Sports and Exercise</i> , 1997, 29, 560-567.	0.4	44
358	Population Evaluations of Health Related Fitness From Perceptions of Physical Activity and Fitness. <i>Applied Physiology, Nutrition, and Metabolism</i> , 1994, 19, 151-173.	1.7	43
359	Segregation Analysis of Abdominal Visceral Fat: The HERITAGE Family Study. <i>Obesity</i> , 1997, 5, 417-424.	4.0	43
360	Increased Abdominal Obesity, Insulin and Glucose Levels in Nondiabetic Subjects with a T29C Polymorphism of the Transforming Growth Factor- β 1 Gene. <i>Hormone Research in Paediatrics</i> , 2003, 59, 191-194.	1.8	43

#	ARTICLE	IF	CITATIONS
361	Two ethnic-specific polymorphisms in the human Agouti-related protein gene are associated with macronutrient intake. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 1097-1101.	4.7	43
362	Multivitamin and dietary supplements, body weight and appetite: results from a cross-sectional and a randomised double-blind placebo-controlled study. <i>British Journal of Nutrition</i> , 2008, 99, 1157-1167.	2.3	43
363	Trunk Versus Extremity Adiposity and Cardiometabolic Risk Factors in White and African American Adults. <i>Diabetes Care</i> , 2011, 34, 1415-1418.	8.6	43
364	Plasma Ghrelin Concentration and Energy Balance: Overfeeding and Negative Energy Balance Studies in Twins. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 4547-4547.	3.6	43
365	Heredity and Trainability of Aerobic and Anaerobic Performances. <i>Sports Medicine</i> , 1988, 5, 69-73.	6.5	42
366	The effect of prior exercise and caffeine ingestion on metabolic rate and hormones in young adult males. <i>Canadian Journal of Physiology and Pharmacology</i> , 1989, 67, 10-16.	1.4	42
367	Familial aggregation of obesity, candidate genes and quantitative trait loci. <i>Current Opinion in Lipidology</i> , 1997, 8, 205-211.	2.7	42
368	The Na ⁺ -K ⁺ -ATPase β 2 gene and trainability of cardiorespiratory endurance: the HERITAGE Family Study. <i>Journal of Applied Physiology</i> , 2000, 88, 346-351.	2.5	42
369	The small, dense LDL phenotype as a correlate of postprandial lipemia in men. <i>Atherosclerosis</i> , 2000, 153, 423-432.	0.8	42
370	Familial resemblance for free androgens and androgen glucuronides in sedentary black and white individuals: the HERITAGE Family Study. <i>Health, Risk Factors, Exercise Training and Genetics. Journal of Endocrinology</i> , 2001, 170, 485-492.	2.6	42
371	Effects of β 2-Adrenergic Receptor Gene Variants on Adiposity: The HERITAGE Family Study. <i>Obesity</i> , 2003, 11, 612-618.	4.0	42
372	Can Obesity Be Prevented?. <i>Nutrition Reviews</i> , 2009, 54, S125-S130.	5.8	42
373	Genetics of obesity: advances from rodent studies. <i>Trends in Genetics</i> , 1996, 12, 441-444.	6.7	41
374	Regular Exercise, Plasminogen Activator Inhibitor-1 (PAI-1) Activity and the 4G/5G Promoter Polymorphism in the PAI-1 Gene. <i>Thrombosis and Haemostasis</i> , 1999, 82, 1117-1120.	3.4	41
375	Familial Aggregation of Amount and Distribution of Subcutaneous Fat and Their Responses to Exercise Training in the HERITAGE Family Study. <i>Obesity</i> , 2000, 8, 140-150.	4.0	41
376	Familial Risk of Overweight and Obesity in the Canadian Population using the WHO/NIH Criteria. <i>Obesity</i> , 2000, 8, 194-197.	4.0	41
377	A Quantitative Trait Locus on 7q31 for the Changes in Plasma Insulin in Response to Exercise Training: The HERITAGE Family Study. <i>Diabetes</i> , 2003, 52, 1583-1587.	0.6	41
378	Human resistin gene polymorphism is associated with visceral obesity and fasting and oral glucose stimulated C-peptide in the Quebec Family Study. <i>Journal of Endocrinological Investigation</i> , 2004, 27, 1003-1009.	3.3	41

#	ARTICLE	IF	CITATIONS
379	ACTN3R577X and other polymorphisms are not associated with elite endurance athlete status in the Genathlete study. <i>Journal of Sports Sciences</i> , 2010, 28, 1355-1359.	2.0	41
380	Association between olfactory receptor genes, eating behavior traits and adiposity: Results from the Quebec Family Study. <i>Physiology and Behavior</i> , 2012, 105, 772-776.	2.1	41
381	Reproducibility of cardiovascular, respiratory, and metabolic responses to submaximal exercise: The HERITAGE Family Study. <i>Medicine and Science in Sports and Exercise</i> , 1998, 30, 259-265.	0.4	41
382	Plasma Adrenal, Gonadal, and Conjugated Steroids before and after Long Term Overfeeding in Identical Twins1. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998, 83, 3277-3284.	3.6	40
383	Genetic variation at the lipoprotein lipase locus and plasma lipoprotein and insulin levels in the Quebec Family Study. <i>Atherosclerosis</i> , 2001, 158, 199-206.	0.8	40
384	Familial Resemblance of 7-Year Changes in Body Mass and Adiposity. <i>Obesity</i> , 2002, 10, 507-517.	4.0	40
385	Increased Abdominal Obesity in Subjects with a Mutation in the 5-HT _{2A} Receptor Gene Promoter. <i>Annals of the New York Academy of Sciences</i> , 2002, 967, 571-575.	3.8	40
386	Glucose homeostasis predicts weight gain: prospective and clinical evidence. <i>Diabetes/Metabolism Research and Reviews</i> , 2008, 24, 123-129.	4.0	40
387	Clinical utility and reproducibility of visceral adipose tissue measurements derived from dual-energy X-ray absorptiometry in white and African American adults. <i>Obesity</i> , 2013, 21, 2221-2224.	3.0	40
388	Inhibition of Food Intake by Inhibitors of Fatty Acid Synthase. <i>New England Journal of Medicine</i> , 2000, 343, 1888-1889.	27.0	39
389	Polymorphism in exon 6 of the dopamine D2 receptor gene (DRD2) is associated with elevated blood pressure and personality disorders in men. <i>Journal of Human Hypertension</i> , 2001, 15, 553-558.	2.2	39
390	Energy balance and body-weight stability: impact of gene-environment interactions. <i>British Journal of Nutrition</i> , 2004, 92, S63-S66.	2.3	39
391	Longitudinal Examination of Age-Predicted Symptom-Limited Exercise Maximum HR. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 1519-1527.	0.4	39
392	The role of eating behavior traits in mediating genetic susceptibility to obesity. <i>American Journal of Clinical Nutrition</i> , 2018, 108, 445-452.	4.7	39
393	Whole Genome Sequence Analysis of the Plasma Proteome in Black Adults Provides Novel Insights Into Cardiovascular Disease. <i>Circulation</i> , 2022, 145, 357-370.	1.6	39
394	Fatness and fat patterning among athletes at the Montreal Olympic Games, 1976. <i>Medicine and Science in Sports and Exercise</i> , 1982, 14, 445-452.	0.4	38
395	Reproducibility of Resting Blood Pressure and Heart Rate Measurements. <i>Annals of Epidemiology</i> , 2000, 10, 271-277.	1.9	38
396	Race differences in the response of postheparin plasma lipoprotein lipase and hepatic lipase activities to endurance exercise training in men. <i>Atherosclerosis</i> , 2001, 159, 399-406.	0.8	38

#	ARTICLE	IF	CITATIONS
397	Evidence of LPL gene-exercise interaction for body fat and LPL activity: the HERITAGE Family Study. <i>Journal of Applied Physiology</i> , 2001, 91, 1334-1340.	2.5	38
398	Physical Training and Changes in Regional Adipose Tissue Distribution. <i>Acta Medica Scandinavica</i> , 1987, 222, 205-212.	0.0	38
399	Contributions of Cardiorespiratory Fitness and Visceral Adiposity to Six-Year Changes in Cardiometabolic Risk Markers in Apparently Healthy Men and Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 1462-1468.	3.6	38
400	Advances in Exercise, Fitness, and Performance Genomics in 2014. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 1105-1112.	0.4	38
401	LDL triglycerides, hepatic lipase activity, and coronary artery disease: An epidemiologic and Mendelian randomization study. <i>Atherosclerosis</i> , 2019, 282, 37-44.	0.8	38
402	Is Weight Fluctuation a Risk Factor?. <i>New England Journal of Medicine</i> , 1991, 324, 1887-1889.	27.0	37
403	DNA polymorphism in the uncoupling protein 1 (UCP1) gene has no effect on obesity related phenotypes in the Swedish Obese Subjects cohorts. <i>International Journal of Obesity</i> , 1998, 22, 500-505.	3.4	37
404	Physical exercise and blood pressure with reference to the angiotensinogen M235T polymorphism. <i>Physiological Genomics</i> , 2002, 10, 71-77.	2.3	37
405	Evidence for a Major Quantitative Trait Locus on Chromosome 17q21 Affecting Low-Density Lipoprotein Peak Particle Diameter. <i>Circulation</i> , 2003, 107, 2361-2368.	1.6	37
406	Ethnic Differences in Self-reported and Measured Obesity. <i>Obesity</i> , 2009, 17, 571-577.	3.0	37
407	Heritability of submaximal exercise heart rate response to exercise training is accounted for by nine SNPs. <i>Journal of Applied Physiology</i> , 2012, 112, 892-897.	2.5	37
408	The Importance of Waist Circumference and BMI for Mortality Risk in Diabetic Adults. <i>Diabetes Care</i> , 2013, 36, 3128-3130.	8.6	37
409	Association of Dimethylguanidino Valeric Acid With Partial Resistance to Metabolic Health Benefits of Regular Exercise. <i>JAMA Cardiology</i> , 2019, 4, 636.	6.1	37
410	Muscle genetic variants and relationship with performance and trainability. <i>Medicine and Science in Sports and Exercise</i> , 1989, 21, 71-78.	0.4	36
411	Heredity and the path to overweight and obesity. <i>Medicine and Science in Sports and Exercise</i> , 1991, 23, 285-291.	0.4	36
412	Somatotype and cardiovascular risk factors in healthy adults. <i>American Journal of Human Biology</i> , 1997, 9, 11-19.	1.6	36
413	Evidence for at Least Two Major Loci Influencing Human Fatness. <i>American Journal of Human Genetics</i> , 1998, 63, 831-838.	6.2	36
414	Genetics of abdominal visceral fat levels. , 1999, 11, 225-235.		36

#	ARTICLE	IF	CITATIONS
415	Body Fat, Resting and Exercise Blood Pressure and the Angiotensinogen M235T Polymorphism: The Heritage Family Study. <i>Obesity</i> , 1999, 7, 423-430.	4.0	36
416	The hormone-sensitive lipase gene and body composition: the HERITAGE Family Study. <i>International Journal of Obesity</i> , 2002, 26, 220-227.	3.4	36
417	Menopause, estrogen, and training effects on exercise hemodynamics: the HERITAGE study. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 74-82.	0.4	36
418	Polymorphisms in the leptin and leptin receptor genes in relation to resting metabolic rate and respiratory quotient in the Québec Family Study. <i>International Journal of Obesity</i> , 2006, 30, 183-190.	3.4	36
419	Human plasma proteomic profiles indicative of cardiorespiratory fitness. <i>Nature Metabolism</i> , 2021, 3, 786-797.	11.9	36
420	The association between vigorous physical activities and fat deposition in male adolescents. <i>Medicine and Science in Sports and Exercise</i> , 2000, 32, 392.	0.4	35
421	Familial resemblance in ventilatory threshold: the HERITAGE Family Study. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 1832-1840.	0.4	35
422	Familial lipoprotein lipase-activity deficiency: Study of total body fatness and subcutaneous fat tissue distribution. <i>Metabolism: Clinical and Experimental</i> , 1989, 38, 1005-1009.	3.4	34
423	Androstane-3 α ,17 β -Diol Glucuronide as a Steroid Correlate of Visceral Obesity in Men*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 1528-1534.	3.6	34
424	Linkage and association studies of the lipoprotein lipase gene with postheparin plasma lipase activities, body fat, and plasma lipid and lipoprotein concentrations : The HERITAGE family study. <i>Metabolism: Clinical and Experimental</i> , 2000, 49, 432-439.	3.4	34
425	Sex differences in the relationships of abdominal fat to cardiovascular disease risk among normal-weight white subjects. <i>International Journal of Obesity</i> , 2004, 28, 320-323.	3.4	34
426	Physical Fitness and the Metabolic Syndrome in Adults From the Quebec Family Study. <i>Applied Physiology, Nutrition, and Metabolism</i> , 2005, 30, 140-156.	1.7	34
427	Non Linear Weight Gain with Long Term Overfeeding in Man. <i>Obesity</i> , 1993, 1, 179-185.	4.0	33
428	Familial Clustering of Abdominal Visceral Fat and Total Fat Mass: The Québec Family Study. <i>Obesity</i> , 1996, 4, 253-261.	4.0	33
429	Association Between Uncoupling Protein 3 Gene and Obesity-Related Phenotypes in the Québec Family Study. <i>Molecular Medicine</i> , 2001, 7, 433-441.	4.4	33
430	Performance of Genotype Imputations Using Data from the 1000 Genomes Project. <i>Human Heredity</i> , 2012, 73, 18-25.	0.8	33
431	Fundamentals of Nutrigenetics and Nutrigenomics. <i>Progress in Molecular Biology and Translational Science</i> , 2012, 108, 1-15.	1.7	33
432	Major Gene Influence on the Propensity to Store Fat in Trunk Versus Extremity Depots: Evidence From the Québec Family Study. <i>Obesity</i> , 1995, 3, 1-8.	4.0	32

#	ARTICLE	IF	CITATIONS
433	Genome-wide linkage scan for exercise stroke volume and cardiac output in the HERITAGE Family Study. <i>Physiological Genomics</i> , 2002, 10, 57-62.	2.3	32
434	Hepatic Lipase Gene Variant -514C>T Is Associated With Lipoprotein and Insulin Sensitivity Response to Regular Exercise: The HERITAGE Family Study. <i>Diabetes</i> , 2005, 54, 2251-2255.	0.6	32
435	Where is the beef? Waist circumference is more highly correlated with BMI and total body fat than with abdominal visceral fat in children. <i>International Journal of Obesity</i> , 2014, 38, 753-754.	3.4	32
436	Three mitochondrial DNA restriction polymorphisms in elite endurance athletes and sedentary controls. <i>Medicine and Science in Sports and Exercise</i> , 1998, 30, 687-690.	0.4	32
437	Heredity and changes in body composition and adipose tissue metabolism after short-term exercise-training. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1987, 56, 398-402.	1.2	31
438	A genetic study of sex hormone-binding globulin measured before and after a 20-week endurance exercise training program: The HERITAGE Family Study. <i>Metabolism: Clinical and Experimental</i> , 2000, 49, 1014-1020.	3.4	31
439	Familial Resemblance for Muscle Phenotypes in the HERITAGE Family Study. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 1360-1366.	0.4	31
440	Association of <i>OSBPL11</i> Gene Polymorphisms With Cardiovascular Disease Risk Factors in Obesity. <i>Obesity</i> , 2009, 17, 1466-1472.	3.0	31
441	A multi-ancestry genome-wide study incorporating gene-smoking interactions identifies multiple new loci for pulse pressure and mean arterial pressure. <i>Human Molecular Genetics</i> , 2019, 28, 2615-2633.	2.9	31
442	Association of skeletal muscle and serum metabolites with maximum power output gains in response to continuous endurance or high-intensity interval training programs: The TIMES study – A randomized controlled trial. <i>PLoS ONE</i> , 2019, 14, e0212115.	2.5	31
443	Fat Gain in Female Swimmers. <i>Physiology and Behavior</i> , 1997, 61, 811-817.	2.1	30
444	Complex Segregation Analysis of Blood Pressure and Heart Rate Measured before and after a 20-Week Endurance Exercise Training Program: the Heritage Family Study. <i>American Journal of Hypertension</i> , 2000, 13, 488-497.	2.0	30
445	Plasma Leptin Response to an Epinephrine Infusion in Lean and Obese Women. <i>Obesity</i> , 2002, 10, 6-13.	4.0	30
446	Meta-Analysis of Genome-Wide Scans for Blood Pressure in African American and Nigerian SamplesThe National Heart, Lung, and Blood Institute GeneLink Project. <i>American Journal of Hypertension</i> , 2006, 19, 270-274.	2.0	30
447	A Major Haplotype Block at the Rho-Associated Kinase 2 Locus Is Associated with a Lower Risk of Hypertension in a Recessive Manner: The HYPGENE Study. <i>Hypertension Research</i> , 2008, 31, 1651-1657.	2.7	30
448	Insulin Resistance, Low Cardiorespiratory Fitness, and Increased Exercise Blood Pressure. <i>Hypertension</i> , 2011, 58, 1036-1042.	2.7	30
449	Relevance of omental pericellular adipose tissue collagen in the pathophysiology of human abdominal obesity and related cardiometabolic risk. <i>International Journal of Obesity</i> , 2016, 40, 1823-1831.	3.4	30
450	Acute effects of endurance exercise on human adipose tissue metabolism. <i>Metabolism: Clinical and Experimental</i> , 1987, 36, 480-485.	3.4	29

#	ARTICLE	IF	CITATIONS
451	Computed tomography-measured trunk fat and plasma lipoprotein levels in nonobese women. <i>Metabolism: Clinical and Experimental</i> , 1989, 38, 1244-1250.	3.4	29
452	Maximal anaerobic performance of the knee extensor muscles during growth. <i>Medicine and Science in Sports and Exercise</i> , 1991, 23, 1083-1089.	0.4	29
453	Cross-Trait Familial Resemblance for Body Fat and Blood Lipids: Familial Correlations in the Quebec Family Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 3270-3277.	2.4	29
454	Titin is a candidate gene for stroke volume response to endurance training: the HERITAGE Family Study. <i>Physiological Genomics</i> , 2003, 15, 27-33.	2.3	29
455	Pleiotropic QTL on chromosome 19q13 for triglycerides and adiposity: The HERITAGE family study. <i>Atherosclerosis</i> , 2006, 185, 426-432.	0.8	29
456	Quantitative Trait Locus on 15q for a Metabolic Syndrome Variable Derived from Factor Analysis*. <i>Obesity</i> , 2007, 15, 544-550.	3.0	29
457	Association of GWAS-Based Candidate Genes with HDL-Cholesterol Levels before and after Bariatric Surgery in the Swedish Obese Subjects Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E953-E957.	3.6	29
458	A variant in the <i>LRRFIP1</i> gene is associated with adiposity and inflammation. <i>Obesity</i> , 2013, 21, 185-192.	3.0	29
459	Sedentary Behaviour, Visceral Fat Accumulation and Cardiometabolic Risk in Adults: A 6-Year Longitudinal Study from the Quebec Family Study. <i>PLoS ONE</i> , 2013, 8, e54225.	2.5	29
460	Plasma steroids, body composition, and fat distribution: effects of age, sex, and exercise training. <i>International Journal of Obesity</i> , 2018, 42, 1366-1377.	3.4	29
461	Stability of Adiposity Phenotypes from Childhood and Adolescence into Young Adulthood with Contribution of Parental Measures. <i>Obesity</i> , 2001, 9, 394-400.	4.0	28
462	Effect of regular exercise on homocysteine concentrations: the HERITAGE Family Study. <i>European Journal of Applied Physiology</i> , 2006, 98, 394-401.	2.5	28
463	The TNF- α G-308A polymorphism is associated with C-reactive protein levels: The HERITAGE Family Study. <i>Vascular Pharmacology</i> , 2006, 44, 377-383.	2.1	28
464	Muscle adiposity and body fat distribution in type 1 and type 2 diabetes: varying relationships according to diabetes type. <i>International Journal of Obesity</i> , 2006, 30, 1721-1728.	3.4	28
465	Protein intake and the incidence of pre-diabetes and diabetes in 4 population-based studies: the PREVIEW project. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 1310-1318.	4.7	28
466	Apolipoprotein E polymorphism and the relationships of physical fitness to plasma lipoprotein-lipid levels in men and women. <i>Medicine and Science in Sports and Exercise</i> , 1999, 31, 692-697.	0.4	28
467	Age at menarche, family size, and birth order in athletes at the Montreal Olympic Games, 1976. <i>Medicine and Science in Sports and Exercise</i> , 1979, 11, 354-358.	0.4	27
468	Segregation Analysis of Body Mass Index in an Unselected French-Canadian Sample: The Québec Family Study. <i>Obesity</i> , 1993, 1, 288-294.	4.0	27

#	ARTICLE	IF	CITATIONS
469	The Peroxisome Proliferator-Activated Receptor α 1 L162V Mutation Is Associated with Reduced Adiposity. <i>Obesity</i> , 2003, 11, 809-816.	4.0	27
470	Invited Commentary: Physical Activity, Mortality, and Genetics. <i>American Journal of Epidemiology</i> , 2007, 166, 260-262.	3.4	27
471	Evidence of Interaction between Type 2 Diabetes Susceptibility Genes and Dietary Fat Intake for Adiposity and Glucose Homeostasis-Related Phenotypes. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2009, 2, 225-234.	1.3	27
472	Lipogenesis and lipoprotein lipase in human adipose tissue: reproducibility of measurements and relationships with fat cell size. <i>Canadian Journal of Physiology and Pharmacology</i> , 1984, 62, 1448-1452.	1.4	26
473	Principal Components of Fitness: Relationship to Physical Activity and Lifestyle. <i>Applied Physiology, Nutrition, and Metabolism</i> , 1994, 19, 200-214.	1.7	26
474	Polymorphism in exon 4 of the human 3β -hydroxysteroid dehydrogenase type I gene (HSD3B1) and blood pressure. <i>Biochemical and Biophysical Research Communications</i> , 2002, 293, 629-632.	2.1	26
475	Genomic scan of glucose and insulin metabolism phenotypes: The HERITAGE Family Study. <i>Metabolism: Clinical and Experimental</i> , 2003, 52, 246-253.	3.4	26
476	Compendium of genome-wide scans of lipid-related phenotypes. <i>Journal of Lipid Research</i> , 2004, 45, 2174-2184.	4.2	26
477	Effects of cholesterol ester transfer protein (CETP) gene on adiposity in response to long-term overfeeding. <i>Atherosclerosis</i> , 2008, 196, 455-460.	0.8	26
478	Anthropometric markers of obesity and mortality in white and African American adults: The pennington center longitudinal study. <i>Obesity</i> , 2013, 21, 1070-1075.	3.0	26
479	Inheritance of Human Muscle Enzyme Adaptation to Isokinetic Strength Training. <i>Human Heredity</i> , 1986, 36, 341-347.	0.8	25
480	Genetics of obesity and human energy metabolism. <i>Proceedings of the Nutrition Society</i> , 1991, 50, 139-147.	1.0	25
481	The genetics of obesity: from genetic epidemiology to molecular markers. <i>Trends in Molecular Medicine</i> , 1995, 1, 45-50.	2.6	25
482	Spousal Resemblance and Risk of 7-Year Increases in Obesity and Central Adiposity in the Canadian Population. <i>Obesity</i> , 1999, 7, 545-551.	4.0	25
483	A polymorphism in the regulatory region of the corticotropin-releasing hormone gene in relation to cortisol secretion, obesity, and gene-gene interaction. <i>Metabolism: Clinical and Experimental</i> , 2001, 50, 1059-1062.	3.4	25
484	Plasminogen-activator inhibitor-1 polymorphisms are associated with obesity and fat distribution in the Quebec Family Study: evidence of interactions with menopause. <i>Menopause</i> , 2005, 12, 136-143.	2.0	25
485	Resting metabolic rate and respiratory quotient: results from a genome-wide scan in the Quebec Family Study. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 1527-1533.	4.7	25
486	KIF5B gene sequence variation and response of cardiac stroke volume to regular exercise. <i>Physiological Genomics</i> , 2009, 36, 79-88.	2.3	25

#	ARTICLE	IF	CITATIONS
487	CREB1 Is a Strong Genetic Predictor of the Variation in Exercise Heart Rate Response to Regular Exercise. <i>Circulation: Cardiovascular Genetics</i> , 2010, 3, 294-299.	5.1	25
488	Advances in Exercise, Fitness, and Performance Genomics in 2013. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 851-859.	0.4	25
489	Metabolic Heterogeneity Underlying Postprandial Lipemia among Men with Low Fasting High Density Lipoprotein Cholesterol Concentrations ^{>1</sup>. <i>Journal of Clinical Endocrinology and Metabolism</i>, 2000, 85, 4575-4582.}	3.6	24
490	A Quantitative Trait Locus for Body Fat on Chromosome 1q43 in French Canadians: Linkage and Association Studies. <i>Obesity</i> , 2006, 14, 1605-1615.	3.0	24
491	Endothelial nitric oxide synthase gene polymorphism and elite endurance athlete status: the Genathlete study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2008, 18, 485-490.	2.9	24
492	Genetic Factors in the Regulation of Adipose Tissue Distribution. <i>Acta Medica Scandinavica</i> , 2009, 222, 135-141.	0.0	24
493	Phosphoinositide cycle gene polymorphisms affect the plasma lipid profile in the Quebec Family Study. <i>Molecular Genetics and Metabolism</i> , 2009, 97, 149-154.	1.1	24
494	GAD2 gene sequence variations are associated with eating behaviors and weight gain in women from the Quebec family study. <i>Physiology and Behavior</i> , 2009, 98, 505-510.	2.1	24
495	Interaction between Common Genetic Variants and Total Fat Intake on Low-Density Lipoprotein Peak Particle Diameter: A Genome-Wide Association Study. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2015, 8, 44-53.	1.3	24
496	Linkage and Association of the Sodium Potassium-Adenosine Triphosphatase $\hat{A}2$ and $\hat{A}1$ Genes with Respiratory Quotient and Resting Metabolic Rate in the Quebec Family Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 2093-2097.	3.6	24
497	Submaximal working capacity, heart size and body size in boys 8?18 years. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1977, 36, 115-126.	1.2	23
498	Genetic influences on energy expenditure in humans. <i>Critical Reviews in Food Science and Nutrition</i> , 1993, 33, 345-350.	10.3	23
499	Serum Lipids, Lipoproteins, and Lipid Metabolizing Enzymes in Identical Twins Discordant for Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998, 83, 2792-2799.	3.6	23
500	Protein Tyrosine Phosphatase 1B Variant Associated with Fat Distribution and Insulin Metabolism. <i>Obesity</i> , 2005, 13, 829-834.	4.0	23
501	CETP genotypes and HDL-cholesterol phenotypes in the HERITAGE Family Study. <i>Physiological Genomics</i> , 2007, 31, 25-31.	2.3	23
502	Associations between glucose tolerance, insulin sensitivity and insulin secretion phenotypes and polymorphisms in adiponectin and adiponectin receptor genes in the Quebec Family Study. <i>Diabetic Medicine</i> , 2008, 25, 400-406.	2.3	23
503	The MspI polymorphism of the apolipoprotein A-II gene as a modulator of the dyslipidemic state found in visceral obesity. <i>Atherosclerosis</i> , 1997, 128, 183-190.	0.8	22
504	The Influence of Anatomical Boundaries, Age, and Sex on the Assessment of Abdominal Visceral Fat. <i>Obesity</i> , 1997, 5, 395-401.	4.0	22

#	ARTICLE	IF	CITATIONS
505	Somatotype and indicators of metabolic fitness in youth. , 1998, 10, 341-350.		22
506	Linkage and Association of the Sodium Potassium-Adenosine Triphosphatase β 2 and β 1 Genes with Respiratory Quotient and Resting Metabolic Rate in the Quebec Family Study1. Journal of Clinical Endocrinology and Metabolism, 1999, 84, 2093-2097.	3.6	22
507	TGF- β 1 gene-race interactions for resting and exercise blood pressure in the HERITAGE Family Study. Journal of Applied Physiology, 2001, 91, 1808-1813.	2.5	22
508	Race and Sex Similarities in Exercise-Induced Changes in Blood Lipids and Fatness. Medicine and Science in Sports and Exercise, 2004, 36, 1610-1615.	0.4	22
509	Severe obesity is associated with novel single nucleotide polymorphisms of the ESR1 and PPAR β locus in Han Chinese. American Journal of Clinical Nutrition, 2009, 90, 255-262.	4.7	22
510	The Role of Eif6 in Skeletal Muscle Homeostasis Revealed by Endurance Training Co-expression Networks. Cell Reports, 2017, 21, 1507-1520.	6.4	22
511	Genetic Pleiotropy for Resting Metabolic Rate with Fat-Free Mass and Fat Mass: The Quebec Family Study. Obesity, 1996, 4, 125-131.	4.0	21
512	Plasma high-density lipoprotein cholesterol but not apolipoprotein A-I is a good correlate of the visceral obesity-insulin resistance dyslipidemic syndrome. Metabolism: Clinical and Experimental, 1996, 45, 882-888.	3.4	21
513	Total body fat and abdominal visceral fat response to exercise training in the HERITAGE family study: Evidence for major locus but no multifactorial effects. Metabolism: Clinical and Experimental, 1999, 48, 1278-1286.	3.4	21
514	Genetic Variability in Responses to Caloric Restriction in Animals and in Regulation of Metabolism and Obesity in Humans. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2001, 56, 55-65.	3.6	21
515	Decreased Fasting and Oral Glucose Stimulated C-peptide in Nondiabetic Subjects With Sequence Variants in the Sulfonylurea Receptor 1 Gene. Diabetes, 2001, 50, 697-702.	0.6	21
516	G-308A Polymorphism of the Tumor Necrosis Factor α Gene Promoter and Salivary Cortisol Secretion1. Journal of Clinical Endocrinology and Metabolism, 2001, 86, 2178-2180.	3.6	21
517	Genes, Fat Intake, and Cardiovascular Disease Risk Factors in the Quebec Family Study. Obesity, 2007, 15, 2336-2347.	3.0	21
518	Predictors of body composition and body energy changes in response to chronic overfeeding. International Journal of Obesity, 2014, 38, 236-242.	3.4	21
519	Lack of relationship between changes in adiposity and plasma lipids following endurance training. Atherosclerosis, 1985, 54, 135-143.	0.8	20
520	Relation Between <i>BglII</i> Polymorphism in β -Hydroxysteroid Dehydrogenase Gene and Adipose Tissue Distribution in Humans. Obesity, 1994, 2, 444-449.	4.0	20
521	Segregation Analysis of Body Mass Index in a Large Sample Selected for Obesity: The Swedish Obese Subjects Study. Obesity, 1999, 7, 246-255.	4.0	20
522	The RsaI Polymorphism in the α -Fibrinogen Gene and Response of Plasma Fibrinogen to Physical Training. Thrombosis and Haemostasis, 2000, 83, 803-806.	3.4	20

#	ARTICLE	IF	CITATIONS
523	Contribution of several candidate gene polymorphisms in the determination of adiposity changes: results from the Québec Family Study. <i>International Journal of Obesity</i> , 2007, 31, 891-899.	3.4	20
524	Gene–Nutrition and Gene–Physical Activity Interactions in the Etiology of Obesity. <i>Obesity</i> , 2008, 16, S2-4.	3.0	20
525	Evidence of a quantitative trait locus for energy and macronutrient intakes on chromosome 3q27.3: the Québec Family Study. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1142-1148.	4.7	20
526	Lack of Correspondence Among Measures Identifying the Obese. <i>American Journal of Preventive Medicine</i> , 1991, 7, 107-111.	3.0	19
527	Na ⁺ -K ⁺ -ATPase β 2-gene and skeletal muscle characteristics in response to long-term overfeeding. <i>Journal of Applied Physiology</i> , 2003, 94, 1870-1874.	2.5	19
528	Effects of long-term overfeeding on plasma lipoprotein levels in identical twins. <i>Atherosclerosis</i> , 2004, 173, 277-283.	0.8	19
529	Genome-wide linkage scan for submaximal exercise heart rate in the HERITAGE family study. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 293, H3366-H3371.	3.2	19
530	Functional identification of the promoter of SLC4A5, a gene associated with cardiovascular and metabolic phenotypes in the HERITAGE Family Study. <i>European Journal of Human Genetics</i> , 2009, 17, 1481-1489.	2.8	19
531	Neurotensin in the nucleus accumbens reverses dopamine supersensitivity evoked by antipsychotic treatment. <i>Neuropharmacology</i> , 2017, 123, 10-21.	4.1	19
532	The alpha 2-adrenergic receptor gene and body fat content and distribution: the HERITAGE Family Study. <i>Molecular Medicine</i> , 2002, 8, 88-94.	4.4	19
533	Genotype-influenced changes in serum HDL cholesterol after short-term overfeeding in man: Association with plasma insulin and triglyceride levels. <i>Metabolism: Clinical and Experimental</i> , 1987, 36, 363-368.	3.4	18
534	Relationship Between Lipid Peroxidation and Plasma Fibrinogen in Middle-Aged Men. <i>Thrombosis Research</i> , 2000, 99, 453-459.	1.7	18
535	Race differences in the pattern of familial aggregation for dehydroepiandrosterone sulfate and its responsiveness to training in the HERITAGE Family Study. <i>Metabolism: Clinical and Experimental</i> , 2001, 50, 916-920.	3.4	18
536	Heritability of LDL peak particle diameter in the Quebec Family Study. <i>Genetic Epidemiology</i> , 2003, 25, 375-381.	1.3	18
537	Evidence of QTLs on chromosomes 13q and 14q for triglycerides before and after 20 weeks of exercise training: The HERITAGE Family Study. <i>Atherosclerosis</i> , 2005, 182, 349-360.	0.8	18
538	Ethnic Differences in Body Composition and Other Markers of Cardiovascular Disease Risk: Study in Matched Haitian and White Subjects from Quebec. <i>Obesity</i> , 2006, 14, 1019-1027.	3.0	18
539	Fine mapping of a QTL on chromosome 13 for submaximal exercise capacity training response: the HERITAGE Family Study. <i>European Journal of Applied Physiology</i> , 2012, 112, 2969-2978.	2.5	18
540	An Empirical Comparison of Joint and Stratified Frameworks for Studying G \times E Interactions: Systolic Blood Pressure and Smoking in the CHARGE Gene–Lifestyle Interactions Working Group. <i>Genetic Epidemiology</i> , 2016, 40, 404-415.	1.3	18

#	ARTICLE	IF	CITATIONS
541	DNA Sequence Variations Contribute to Variability in Fitness and Trainability. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 1781-1785.	0.4	18
542	Exploring the underlying biology of intrinsic cardiorespiratory fitness through integrative analysis of genomic variants and muscle gene expression profiling. <i>Journal of Applied Physiology</i> , 2019, 126, 1292-1314.	2.5	18
543	Advances in selected areas of human work physiology. <i>American Journal of Physical Anthropology</i> , 1981, 24, 1-36.	2.1	17
544	Effect of the amount of body fat on the age-associated increase in serum cholesterol. <i>Preventive Medicine</i> , 1988, 17, 423-431.	3.4	17
545	Physical Activity and Coronary Heart Disease Risk Factors during Childhood and Adolescence. <i>Exercise and Sport Sciences Reviews</i> , 1990, 18, 243-262.	3.0	17
546	Familial resemblance in somatotype. <i>American Journal of Human Biology</i> , 1993, 5, 265-272.	1.6	17
547	Changes in Plasma Electrolytes and Muscle Substrates During Short-Term Maximal Exercise in Humans. <i>Applied Physiology, Nutrition, and Metabolism</i> , 1995, 20, 89-101.	1.7	17
548	Etiology of Massive Obesity: Role of Genetic Factors. <i>World Journal of Surgery</i> , 1998, 22, 907-912.	1.6	17
549	Familial risk ratios for high and low physical fitness levels in the Canadian population. <i>Medicine and Science in Sports and Exercise</i> , 2000, 32, 614-619.	0.4	17
550	A genetic study of cortisol measured before and after endurance training: The HERITAGE Family Study. <i>Metabolism: Clinical and Experimental</i> , 2002, 51, 360-365.	3.4	17
551	Lack of association between the uncoupling protein-2 Ala55Val gene polymorphism and phenotypic features of the Metabolic Syndrome. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2002, 1588, 103-105.	3.8	17
552	Pleiotropic QTL on Chromosome 12q23-q24 Influences Triglyceride and High-Density Lipoprotein Cholesterol Levels: The HERITAGE Family Study. <i>Human Biology</i> , 2006, 78, 317-327.	0.2	17
553	Predicting Adult Body Mass Index-Specific Metabolic Risk From Childhood. <i>Metabolic Syndrome and Related Disorders</i> , 2010, 8, 165-172.	1.3	17
554	Gene-educational attainment interactions in a multi-ancestry genome-wide meta-analysis identify novel blood pressure loci. <i>Molecular Psychiatry</i> , 2020, 26, 2111-2125.	7.9	17
555	HRR and $\dot{V}E_{TM}O_2R$ Fractions Are Not Equivalent: Is It Time to Rethink Aerobic Exercise Prescription Methods?. <i>Medicine and Science in Sports and Exercise</i> , 2021, 53, 174-182.	0.4	17
556	Physical Activity, Fibrinogen Plasma Level and Gene Polymorphisms in Postmenopausal Women. <i>Thrombosis and Haemostasis</i> , 1997, 78, 840-844.	3.4	17
557	Small, Dense LDL Particle Concentration Correlates with Plasminogen Activator Inhibitor Type-1 (PAI-1) Activity. <i>Thrombosis and Haemostasis</i> , 1997, 78, 1495-1499.	3.4	17
558	Genetic and nongenetic determinants of regional fat distribution. , 1993, 14, 72-93.		17

#	ARTICLE	IF	CITATIONS
559	Visceral adipose tissue and low-density lipoprotein particle size in middle-aged versus young men. <i>Metabolism: Clinical and Experimental</i> , 1999, 48, 1322-1327.	3.4	16
560	Major gene effects on exercise ventilatory threshold: the HERITAGE Family Study. <i>Journal of Applied Physiology</i> , 2002, 93, 1000-1006.	2.5	16
561	Evidence of QTLs on chromosomes 1q42 and 8q24 for LDL-cholesterol and apoB levels in the HERITAGE Family Study. <i>Journal of Lipid Research</i> , 2005, 46, 281-286.	4.2	16
562	Evidence for Interaction betweenPPARGPro12Ala andPPARGC1AGly482Ser Polymorphisms in Determining Type 2 Diabetes Intermediate Phenotypes in Overweight Subjects. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2009, 117, 455-459.	1.2	16
563	Ethnic Differences in Subcutaneous Adiposity and Waist Girth in Children and Adolescents. <i>Obesity</i> , 2009, 17, 2075-2081.	3.0	16
564	Workplace standing time and the incidence of obesity and type 2 diabetes: a longitudinal study in adults. <i>BMC Public Health</i> , 2015, 15, 111.	2.9	16
565	Association between Mitochondrial DNA Sequence Variants and V̇ TM O ₂ max Trainability. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 2303-2309.	0.4	16
566	Relationships between skeletal maturity and submaximal working capacity in boys 8 to 18 years. <i>Medicine and Science in Sports and Exercise</i> , 1976, 8, 186-190.	0.4	15
567	Skeletal age and submaximal working capacity in boys. <i>Annals of Human Biology</i> , 1978, 5, 75-78.	1.0	15
568	A Major Gene for Resting Metabolic Rate Unassociated with Body Composition: Results from the QuÃ©bec Family Study. <i>Obesity</i> , 1996, 4, 441-449.	4.0	15
569	Segregation Analysis of Apolipoproteins A-1 and B-100 Measured Before and After an Exercise Training Program. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, 807-814.	2.4	15
570	The Trp64Arg Polymorphism of the Î²3â€œAdrenergic Receptor Gene Is Not Associated with Trainingâ€œInduced Changes in Body Composition: The HERITAGE Family Study. <i>Obesity</i> , 2001, 9, 337-341.	4.0	15
571	Associations between USF1 gene variants and cardiovascular risk factors in the Quebec Family Study. <i>Clinical Genetics</i> , 2007, 71, 245-253.	2.0	15
572	Polygenic Risk, Fitness, and Obesity in the Coronary Artery Risk Development in Young Adults (CARDIA) Study. <i>JAMA Cardiology</i> , 2020, 5, 263.	6.1	15
573	Anaerobic performances in Black and White subjects. <i>Medicine and Science in Sports and Exercise</i> , 1990, 22, 508-511.	0.4	14
574	Polymorphisms in exon 3 of the proopiomelanocortin gene in relation to serum leptin, salivary cortisol, and obesity in Swedish men. <i>Metabolism: Clinical and Experimental</i> , 2002, 51, 642-644.	3.4	14
575	Estimated daily energy expenditure and blood lipids in adolescents: the QuÃ©bec family study. <i>Journal of Adolescent Health</i> , 2003, 33, 147-153.	2.5	14
576	Effects of long-term negative energy balance with exercise on plasma lipid and lipoprotein levels in identical twins. <i>Atherosclerosis</i> , 2004, 172, 127-133.	0.8	14

#	ARTICLE	IF	CITATIONS
577	Detection of a major gene effect for LDL peak particle diameter and association with apolipoprotein H gene haplotype. <i>Atherosclerosis</i> , 2005, 182, 231-239.	0.8	14
578	BMI-Specific Waist Circumference Thresholds to Discriminate Elevated Cardiometabolic Risk in White and African American Adults. <i>Obesity Facts</i> , 2013, 6, 317-324.	3.4	14
579	Genomic and transcriptomic predictors of triglyceride response to regular exercise. <i>British Journal of Sports Medicine</i> , 2015, 49, 1524-1531.	6.7	14
580	Is the Response of Plasma Glucose and Insulin to Short-term Exercise-Training Genetically Determined?. <i>Hormone and Metabolic Research</i> , 1987, 19, 65-67.	1.5	13
581	Genes and body fat. <i>American Journal of Human Biology</i> , 1993, 5, 425-432.	1.6	13
582	Familial aggregation of subcutaneous fat patterning: Principal components of skinfolds in the QuÃ©bec family study. <i>American Journal of Human Biology</i> , 1996, 8, 535-542.	1.6	13
583	How Obesity Develops: Insights from the New Biology. <i>Endocrine</i> , 2000, 13, 143-154.	2.2	13
584	Genetics and Blood Pressure Response to Exercise, and Its Interactions With Adiposity. <i>Preventive Cardiology</i> , 2002, 5, 138-144.	1.1	13
585	Haplotypes in the phospholipid transfer protein gene are associated with obesity-related phenotypes: the QuÃ©bec Family Study. <i>International Journal of Obesity</i> , 2005, 29, 1338-1345.	3.4	13
586	Quantitative trait locus on chromosome 20q13 for plasma levels of C-reactive protein in healthy whites: the HERITAGE Family Study. <i>Physiological Genomics</i> , 2006, 27, 103-107.	2.3	13
587	Evidence of Linkage and Association with Body Fatness and Abdominal Fat on Chromosome 15q26. <i>Obesity</i> , 2007, 15, 2061-2070.	3.0	13
588	Acetylcholine receptor M2 gene variants, heart rate recovery, and risk of cardiac death after an acute myocardial infarction. <i>Annals of Medicine</i> , 2009, 41, 197-207.	3.8	13
589	Abdominal adiposity depots are correlates of adverse cardiometabolic risk factors in Caucasian and African-American adults. <i>Nutrition and Diabetes</i> , 2011, 1, e2-e2.	3.2	13
590	Gene-Exercise Interactions. <i>Progress in Molecular Biology and Translational Science</i> , 2012, 108, 447-460.	1.7	13
591	Multi-ancestry genome-wide gene-sleep interactions identify novel loci for blood pressure. <i>Molecular Psychiatry</i> , 2021, 26, 6293-6304.	7.9	13
592	Linkage of the Na,K-ATPase β 2 and β 1 genes with resting and exercise heart rate and blood pressure. <i>Journal of Hypertension</i> , 1999, 17, 339-349.	0.5	12
593	Familiality of triglyceride and LPL response to exercise training: the HERITAGE Study. <i>Medicine and Science in Sports and Exercise</i> , 2000, 32, 1438-1444.	0.4	12
594	Interactions among the glucocorticoid receptor, lipoprotein lipase, and adrenergic receptor genes and plasma insulin and lipid levels in the Quebec Family Study. <i>Metabolism: Clinical and Experimental</i> , 2001, 50, 246-252.	3.4	12

#	ARTICLE	IF	CITATIONS
595	Angiogenin gene-race interaction for resting and exercise BP phenotypes: the HERITAGE Family Study. <i>Journal of Applied Physiology</i> , 2001, 90, 1232-1238.	2.5	12
596	Meta-analysis of genome-wide linkage studies for quantitative lipid traits in African Americans. <i>Human Molecular Genetics</i> , 2005, 14, 3955-3962.	2.9	12
597	Common Genetic and Environmental Effects on Lipid Phenotypes: The HERITAGE Family Study. <i>Human Heredity</i> , 2005, 59, 34-40.	0.8	12
598	Influences of the phosphatidylcholine transfer protein gene variants on the LDL peak particle size. <i>Atherosclerosis</i> , 2007, 195, 297-302.	0.8	12
599	Fasting plasma total ghrelin concentrations in monozygotic twins discordant for obesity. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 174-179.	3.4	12
600	Effects of regular endurance exercise on GlycA: Combined analysis of 14 exercise interventions. <i>Atherosclerosis</i> , 2018, 277, 1-6.	0.8	12
601	Absence of linkage between $\dot{V}O_2$ max and its response to training with markers spanning chromosome 22. <i>Medicine and Science in Sports and Exercise</i> , 1997, 29, 1448-1453.	0.4	12
602	Fat balance and ageing: results from the QuÃ©bec Family Study. <i>British Journal of Nutrition</i> , 1998, 79, 413-418.	2.3	11
603	Physical Activity and Pulmonary Function in Youth: The QuÃ©bec Family Study. <i>Pediatric Exercise Science</i> , 1999, 11, 208-217.	1.0	11
604	Familial Resemblance for Plasma Leptin: Sample Homogeneity across Adiposity and Ethnic Groups. <i>Obesity</i> , 2002, 10, 351-360.	4.0	11
605	Genome-wide linkage analysis for circulating levels of adipokines and C-reactive protein in the Quebec family study (QFS). <i>Journal of Human Genetics</i> , 2008, 53, 629-636.	2.3	11
606	Mid-Thigh Subcutaneous Adipose Tissue and Glucose Tolerance in the Quebec Family Study. <i>Obesity Facts</i> , 2008, 1, 310-318.	3.4	11
607	Association of Single-Nucleotide Polymorphisms From 17 Candidate Genes With Baseline Symptom-Limited Exercise Test Duration and Decrease in Duration Over 20 Years. <i>Circulation: Cardiovascular Genetics</i> , 2010, 3, 531-538.	5.1	11
608	Combining genetic markers and clinical risk factors improves the risk assessment of impaired glucose metabolism. <i>Annals of Medicine</i> , 2010, 42, 196-206.	3.8	11
609	Single nucleotide polymorphisms in the myostatin (<i>MSTN</i>) and muscle creatine kinase (<i>CKM</i>) genes are not associated with elite endurance performance. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2011, 21, 841-845.	2.9	11
610	Fat mass modifies the association of fat-free mass with symptom-limited treadmill duration in the Coronary Artery Risk Development in Young Adults (CARDIA) Study. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 385-391.	4.7	11
611	Parental eating behavior traits are related to offspring BMI in the QuÃ©bec Family Study. <i>International Journal of Obesity</i> , 2013, 37, 1422-1426.	3.4	11
612	Cross-sectional associations of acylation stimulating protein (ASP) and adipose tissue gene expression with estradiol and progesterone in pre- and postmenopausal women. <i>Clinical Endocrinology</i> , 2014, 81, 736-745.	2.4	11

#	ARTICLE	IF	CITATIONS
613	A study of some potential correlates of the hypotensive effects of prolonged submaximal exercise in normotensive men. <i>Canadian Journal of Physiology and Pharmacology</i> , 1992, 70, 53-59.	1.4	10
614	A New Approach to the Interpretation of Canadian Home Fitness Test Scores. <i>Applied Physiology, Nutrition, and Metabolism</i> , 1993, 18, 304-316.	1.7	10
615	Systolic blood pressure during submaximal exercise: An important correlate of cardiovascular disease risk factors in normotensive obese women. <i>Metabolism: Clinical and Experimental</i> , 1994, 43, 18-23.	3.4	10
616	Relationship between changes in physical activity and plasma insulin during a 2.5-year follow-up study. <i>Metabolism: Clinical and Experimental</i> , 1997, 46, 1418-1423.	3.4	10
617	Combined effects of PPAR α P12A and PPAR α L162V polymorphisms on glucose and insulin homeostasis: the Qu \acute{e} bec Family Study. <i>Journal of Human Genetics</i> , 2003, 48, 614-621.	2.3	10
618	Association between a Variant at the GABA α 6 Receptor Subunit Gene, Abdominal Obesity, and Cortisol Secretion. <i>Annals of the New York Academy of Sciences</i> , 2002, 967, 566-570.	3.8	10
619	Long-Term Programming of Body Size. <i>Nutrition Reviews</i> , 2009, 54, S8-S16.	5.8	10
620	Interaction between HNF4A polymorphisms and physical activity in relation to type 2 diabetes-related traits: Results from the Quebec Family Study. <i>Diabetes Research and Clinical Practice</i> , 2009, 84, 211-218.	2.8	10
621	Interactions between Dietary Fat Intake and FASN Genetic Variation Influence LDL Peak Particle Diameter. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2011, 4, 137-145.	1.3	10
622	Consistency of fat mass \leftrightarrow fat-free mass relationship across ethnicity and sex groups. <i>British Journal of Nutrition</i> , 2011, 105, 1272-1276.	2.3	10
623	Opposite modulation of brain stimulation reward by NMDA and AMPA receptors in the ventral tegmental area. <i>Frontiers in Systems Neuroscience</i> , 2013, 7, 57.	2.5	10
624	C3 Polymorphism Influences Circulating Levels of C3, ASP and Lipids in Schizophrenic Patients. <i>Neurochemical Research</i> , 2015, 40, 906-914.	3.3	10
625	World-class athletic performance and genetic endowment. <i>Nature Metabolism</i> , 2020, 2, 796-798.	11.9	10
626	Smoking-by-genotype interaction in type 2 diabetes risk and fasting glucose. <i>PLoS ONE</i> , 2020, 15, e0230815.	2.5	10
627	Genetics of Obesity in Humans: Current Issues. <i>Novartis Foundation Symposium</i> , 1996, 201, 108-117.	1.1	10
628	Variation in Plasma Fibrinogen over One Year: Relationships with Genetic Polymorphisms and Non-genetic Factors. <i>Thrombosis and Haemostasis</i> , 1997, 77, 0884-0889.	3.4	10
629	Cross-trait familial resemblance for resting blood pressure and body composition and fat distribution: The HERITAGE family study. , 2000, 12, 32-41.		9
630	7-Year Stability of Blood Pressure in the Canadian Population. <i>Preventive Medicine</i> , 2000, 31, 403-409.	3.4	9

#	ARTICLE	IF	CITATIONS
631	Physical Activity, Aerobic Fitness, and Seven-Year Changes in Adiposity in the Canadian Population. <i>Applied Physiology, Nutrition, and Metabolism</i> , 2002, 27, 449-462.	1.7	9
632	Human Variation in Body Mass: Evidence for a Role of the Genes. <i>Nutrition Reviews</i> , 2009, 55, S21-S27.	5.8	9
633	LIPE C-60G influences the effects of physical activity on body fat and plasma lipid concentrations: the Quebec Family Study. <i>Human Genomics</i> , 2009, 3, 157.	2.9	9
634	Adaptation to Acute and Regular Exercise. <i>Progress in Molecular Biology and Translational Science</i> , 2015, 135, 1-15.	1.7	9
635	Physical activity, fitness, and plasma fibrinogen with reference to fibrinogen genotypes. <i>Medicine and Science in Sports and Exercise</i> , 1996, 28, 1165-1170.	0.4	9
636	Accuracy of prediction equations to estimate submaximal $\dot{V}O_2$ during cycle ergometry: The HERITAGE Family Study. <i>Medicine and Science in Sports and Exercise</i> , 1999, 31, 183-188.	0.4	9
637	Lack of genetic polymorphism in human skeletal muscle enzymes of the tricarboxylic acid cycle. <i>Human Genetics</i> , 1987, 77, 200-200.	3.8	8
638	Correlates of plasma very-low-density lipoprotein concentration and composition in premenopausal women. <i>Metabolism: Clinical and Experimental</i> , 1990, 39, 577-583.	3.4	8
639	Major gene effect on subcutaneous fat distribution in a sedentary population and its response to exercise training: The HERITAGE Family Study. <i>American Journal of Human Biology</i> , 2000, 12, 600-609.	1.6	8
640	SNP-by-fitness and SNP-by-BMI interactions from seven candidate genes and incident hypertension after 20 years of follow-up: the CARDIA Fitness Study. <i>Journal of Human Hypertension</i> , 2011, 25, 509-518.	2.2	8
641	Fitness Change Effects on Midlife Metabolic Outcomes. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 967-973.	0.4	8
642	Dietary Mediators of the Genetic Susceptibility to Obesity—Results from the Quebec Family Study. <i>Journal of Nutrition</i> , 2022, 152, 49-58.	2.9	8
643	Regular exercise and patterns of response across multiple cardiometabolic traits: the HERITAGE family study. <i>British Journal of Sports Medicine</i> , 2022, 56, 95-100.	6.7	8
644	Physical activity in the prevention and treatment of obesity and its comorbidities. <i>Medicine and Science in Sports and Exercise</i> , 1999, 31, S497.	0.4	8
645	Absence of charge variants in human skeletal muscle enzymes of the glycolytic pathway. <i>Human Genetics</i> , 1988, 78, 100-100.	3.8	7
646	Reproducibility of the HERITAGE Family Study intervention protocol: Drift over time. <i>Annals of Epidemiology</i> , 1997, 7, 452-462.	1.9	7
647	A genetic study of dehydroepiandrosterone sulfate measured before and after a 20-week endurance exercise training program: The HERITAGE Family Study. <i>Metabolism: Clinical and Experimental</i> , 2000, 49, 298-304.	3.4	7
648	Population differences in the pattern of familial aggregation for sex hormone-binding globulin and its response to exercise training: The HERITAGE family study. <i>American Journal of Human Biology</i> , 2001, 13, 832-837.	1.6	7

#	ARTICLE	IF	CITATIONS
649	Apolipoprotein AI and AI:AI containing lipoproteins in white men and women of the HERITAGE Family study: associations with metabolic risk profile variables. <i>Metabolism: Clinical and Experimental</i> , 2003, 52, 1530-1536.	3.4	7
650	Effect of Exercise Training on In Vitro LDL Oxidation and Free Radical Induced Hemolysis: The HERITAGE Family Study. <i>Antioxidants and Redox Signaling</i> , 2007, 9, 123-130.	5.4	7
651	Studying Gene Behavior Interactions: Summary of Recommendations. <i>Obesity</i> , 2008, 16, S95-6.	3.0	7
652	Fine Mapping of the Insulin-Induced Gene 2 Identifies a Variant Associated With LDL Cholesterol and Total Apolipoprotein B Levels. <i>Circulation: Cardiovascular Genetics</i> , 2010, 3, 454-461.	5.1	7
653	Energy intake and physical fitness in children and adults of both sexes. <i>Nutrition Research</i> , 1984, 4, 363-370.	2.9	6
654	Fitness and risk factors for coronary disease. <i>Journal of Clinical Epidemiology</i> , 1990, 43, 1005-1007.	5.0	6
655	Principal components analysis of morphological measures in the QuÃ©bec family study: Familial correlations. , 1997, 9, 725-733.		6
656	Cardiac dimensions, physical activity, and submaximal working capacity in youth of the QuÃ©bec Family Study. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 2000, 81, 40-46.	1.2	6
657	Genome-wide linkage scan to detect loci influencing levels of dehydroepiandrosterones in the HERITAGE Family Study. <i>Metabolism: Clinical and Experimental</i> , 2001, 50, 1315-1322.	3.4	6
658	Familial Resemblance for Muscle Phenotypes: The HERITAGE Family Study. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, 2017.	0.4	6
659	Past dieting is related to rigid control and disinhibition in adolescents from the QuÃ©bec Family Study. <i>British Journal of Nutrition</i> , 2012, 108, 1976-1979.	2.3	6
660	Commonality versus specificity among adiposity traits in normal-weight and moderately overweight adults. <i>International Journal of Obesity</i> , 2014, 38, 719-723.	3.4	6
661	Detection of a MspI restriction fragment length polymorphism for the human sex hormone-binding globulin (SHBG) gene. <i>Human Genetics</i> , 1994, 93, 84.	3.8	5
662	Race differences in reproducibilities: The HERITAGE family study. , 1997, 9, 415-424.		5
663	A mitochondrial DNA D-loop polymorphism and obesity in three cohorts of women. <i>International Journal of Obesity</i> , 1999, 23, 666-668.	3.4	5
664	Evidence of Pleiotropic Loci for Fasting Insulin, Total Fat Mass, and Abdominal Visceral Fat in a Sedentary Population: The HERITAGE Family Study. <i>Obesity</i> , 2000, 8, 151-159.	4.0	5
665	Genetics, physical activity, fitness and health: What does the future hold?. <i>Perspectives in Public Health</i> , 2004, 124, 14-15.	0.4	5
666	ASSOCIATION BETWEEN Î¼ OPIOID RECEPTOR 1 102T>C POLYMORPHISM AND INTERMEDIATE TYPE 2 DIABETES PHENOTYPES: RESULTS FROM THE QUEBEC FAMILY STUDY (QFS). <i>Clinical and Experimental Pharmacology and Physiology</i> , 2008, 35, 1018-1022.	1.9	5

#	ARTICLE	IF	CITATIONS
667	Investigation of LRP8 gene in 1p31 QTL linked to LDL peak particle diameter in the Quebec family study. <i>Molecular Genetics and Metabolism</i> , 2011, 102, 448-452.	1.1	5
668	Subclinical Atherosclerosis and Metabolic Risk: Role of Body Mass Index and Waist Circumference. <i>Metabolic Syndrome and Related Disorders</i> , 2011, 9, 119-125.	1.3	5
669	Changes in Uric Acid Levels following Bariatric Surgery Are Not Associated with SLC2A9 Variants in the Swedish Obese Subjects Study. <i>PLoS ONE</i> , 2012, 7, e51658.	2.5	5
670	Cohabitation, activity level, and energy intake in parent-child resemblance for selected biological traits. <i>American Journal of Human Biology</i> , 1989, 1, 209-215.	1.6	4
671	Genetics of Obesity and Its Prevention. <i>World Review of Nutrition and Dietetics</i> , 1993, 72, 68-77.	0.3	4
672	Familial risk of high blood pressure in the Canadian population. <i>American Journal of Human Biology</i> , 2001, 13, 620-625.	1.6	4
673	Lack of pleiotropic genetic effects between adiposity and sex hormone-binding globulin concentrations before and after 20 weeks of exercise training: The HERITAGE family study. <i>Metabolism: Clinical and Experimental</i> , 2003, 52, 35-41.	3.4	4
674	Myeloperoxidase gene sequence variations are associated with low-density-lipoprotein characteristics. <i>Journal of Human Genetics</i> , 2008, 53, 439-446.	2.3	4
675	Response to "Why is the 3500 kcal per pound weight loss rule wrong?" TM . <i>International Journal of Obesity</i> , 2013, 37, 1614-1615.	3.4	4
676	Estimating genetic effect sizes under joint disease-endophenotype models in presence of gene-environment interactions. <i>Frontiers in Genetics</i> , 2015, 6, 248.	2.3	4
677	Familial aggregation of body mass index and subcutaneous fat measures in the longitudinal QuÃ©bec family study. <i>Genetic Epidemiology</i> , 1999, 16, 316-334.	1.3	4
678	A Variant in the LRRFIP1 Gene Is Associated With Adiposity and Inflammation. <i>Obesity</i> , 0, , .	3.0	4
679	Heterogeneity among populations for familial aggregation of blood pressure. <i>American Journal of Human Biology</i> , 1991, 3, 515-523.	1.6	3
680	Long-term stability of body mass and physique. <i>Nutrition</i> , 1997, 13, 573-575.	2.4	3
681	Genetics of the Metabolic Syndrome. , 2005, , 401-450.		3
682	Genetic Predictors of Exercise Training Response. <i>Current Cardiovascular Risk Reports</i> , 2011, 5, 368-372.	2.0	3
683	Plasma Steroids are Not Associated with Resting and Exercise Blood Pressure. <i>International Journal of Sports Medicine</i> , 2018, 39, 967-971.	1.7	3
684	The Challenge of Stratifying Obesity: Attempts in the Quebec Family Study. <i>Frontiers in Genetics</i> , 2019, 10, 994.	2.3	3

#	ARTICLE	IF	CITATIONS
685	Genomics and transcriptomics landscapes associated to changes in insulin sensitivity in response to endurance exercise training. <i>Scientific Reports</i> , 2021, 11, 23314.	3.3	3
686	Familial Resemblance in Catecholamine Changes to Cold Stress and Maximal Exercise. <i>Human Heredity</i> , 1983, 33, 170-178.	0.8	2
687	EcoRI restriction fragment length polymorphism in human glycogen synthase gene. <i>Human Genetics</i> , 1993, 92, 632-632.	3.8	2
688	MC4R Marker Associated with Stature in Children and Young Adults: A Longitudinal Study. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2005, 18, 859-63.	0.9	2
689	Etiology of Obesity. , 2007, , 18-28.		2
690	Time to Move On. <i>Obesity</i> , 2007, 15, 797-797.	3.0	2
691	Genetics and Genomics of Obesity. <i>Progress in Molecular Biology and Translational Science</i> , 2010, 94, 1-8.	1.7	2
692	L'Épidémiologie génétique et la génétique moléculaire de l'obésité : les enseignements de l'étude des familles de Québec.. <i>Medicine/Sciences</i> , 1998, 14, 914.	0.2	2
693	Adenosine deaminase, adenylate kinase and acid phosphatase polymorphism in a French-Canadian population. <i>Human Genetics</i> , 1987, 75, 188-188.	3.8	1
694	Response. <i>American Journal of Human Biology</i> , 1998, 10, 280-281.	1.6	1
695	Evidence of a major locus for lipoprotein lipase (LPL) activity in addition to a pleiotropic locus for both LPL and fasting insulin: results from the HERITAGE Family Study. <i>Atherosclerosis</i> , 1999, 144, 393-401.	0.8	1
696	Pleiotropic Relationships between Cortisol Levels and Adiposity: The HERITAGE Family Study. <i>Obesity</i> , 2002, 10, 1222-1231.	4.0	1
697	Genetics and Obesity: What Does It Mean to the Clinician?. <i>Obesity Management</i> , 2005, 1, 100-104.	0.2	1
698	Genetic Determinants of Physical Performance. , 0, , 179-201.		1
699	Preface. <i>Progress in Molecular Biology and Translational Science</i> , 2010, 94, xiii.	1.7	1
700	Preface. <i>Progress in Molecular Biology and Translational Science</i> , 2012, 108, xv.	1.7	1
701	The Challenging Chase for Nutrigenetic Predictors of Metabolic Responses to Dietary Interventions. <i>Diabetes Care</i> , 2013, 36, 3379-3381.	8.6	1
702	Preface. <i>Progress in Molecular Biology and Translational Science</i> , 2015, 135, xix-xx.	1.7	1

#	ARTICLE	IF	CITATIONS
703	Can Weight Control and Regular Physical Activity Increase Survival in CHD Patients?. Journal of the American College of Cardiology, 2018, 71, 1102-1104.	2.8	1
704	9p21.3 Coronary Artery Disease Locus Identifies Patients With Treatment Benefit From Bariatric Surgery in the Nonrandomized Prospective Controlled Swedish Obese Subjects Study. Circulation Genomic and Precision Medicine, 2020, 13, 460-465.	3.6	1
705	The study of human variability became a passion. European Journal of Clinical Nutrition, 2021, , .	2.9	1
706	Human Obesities. Developments in Cardiovascular Medicine, 1994, , 189-202.	0.1	1
707	Genetics of Energy Expenditure in Humans. , 2020, , 135-145.		1
708	Effect of Regular Aerobic Exercise on Plasma Homocysteine Concentrations. Medicine and Science in Sports and Exercise, 2004, 36, S188-S189.	0.4	1
709	Kcnj11 Gene Polymorphism And Endurance Performance Status In Hispanics. Medicine and Science in Sports and Exercise, 2005, 37, S165.	0.4	1
710	Sex and Performance: Nature versus Nurture. , 2019, , 416-430.		1
711	Genetics of Obesity: Family Studies. , 2020, , 79-92.		1
712	Adaptation to Maximal Effort. Acta Geneticae Medicae Et Gemellologiae, 1986, 35, 119-120.	0.2	0
713	Genetic Aspects of Human Obesities. Frontiers in Diabetes, 1992, 11, 28-36.	0.4	0
714	Is body fat loss a determinant factor in the improvement of carbohydrate and lipid metabolism following aerobic exercise training In obese women?. Medicine and Science in Sports and Exercise, 1992, 24, S18.	0.4	0
715	Adaptation to Positive and Negative Energy Balance in Humans: The Role of the Genotype. , 1991, , 201-213.		0
716	Nuclear-encoded subunits of human cytochrome c oxidase: SstI restriction fragment length polymorphism. Human Genetics, 1994, 93, 347-348.	3.8	0
717	Relationships of physical fitness, fatness, and lifestyle indicators with blood iron in children and adults. American Journal of Human Biology, 1995, 7, 631-641.	1.6	0
718	Physical Activity and Obesity: Lessons from the HERITAGE Family Study. Obesity Management, 2008, 4, 1-3.	0.2	0
719	SNPs from 17 Genes and Symptom-limited Exercise Test Duration Over 20 years: The Cardia Fitness Study. Medicine and Science in Sports and Exercise, 2010, 42, 89.	0.4	0
720	Locus on Chromosome 2q37 Is Associated With Hemodynamic Training Responses: The Heritage Family Study. Medicine and Science in Sports and Exercise, 2010, 42, 799.	0.4	0

#	ARTICLE	IF	CITATIONS
721	Erratum to "Interaction between HNF4A polymorphisms and physical activity in relation to type 2 diabetes-related traits: Results from the Quebec Family Study" [Diabetes Res. Clin. Pract. 84 (2009) 211-218]. Diabetes Research and Clinical Practice, 2010, 90, 126.	2.8	0
722	Positional identification of variants of Adamts16 linked to inherited hypertension. Human Molecular Genetics, 2011, 20, 4297-4297.	2.9	0
723	Prevalence Of Vo2max Low Response Across Nine Aerobic Exercise Interventions. Medicine and Science in Sports and Exercise, 2017, 49, 838.	0.4	0
724	Genetics of Energy and Nutrient Intake. , 2001, , .		0
725	Association Between CKMM Genotype and Endurance Performance Level in Hispanic Marathon Runners. Medicine and Science in Sports and Exercise, 2004, 36, S260.	0.4	0
726	Evaluation of ACSM Guidelines on Prescribing Exercise Intensity for "Quite Unfit". Medicine and Science in Sports and Exercise, 2004, 36, S3.	0.4	0
727	%Heart Rate Reserve Is Better Related to %VO2max Than to %VO2 reserve. Medicine and Science in Sports and Exercise, 2004, 36, S3.	0.4	0
728	Endurance Exercise Training and High-Molecular Weight Adiponectin: the HERITAGE Family Study. Medicine and Science in Sports and Exercise, 2008, 40, S290-S291.	0.4	0
729	Energy Expenditure during Exercise Training and Changes in Body Composition. Medicine and Science in Sports and Exercise, 2008, 40, S112.	0.4	0
730	Individual Responses to Physical Activity. , 2008, , 77-99.		0
731	Etiología de la obesidad. , 2009, , 18-28.		0
732	Defining the Genetic Basis of Obesity: Challenges and Opportunities. , 1995, , 219-224.		0
733	Plasma Steroids and Cardiorespiratory Fitness Response to Regular Exercise. Research and Perspectives in Endocrine Interactions, 2017, , 25-42.	0.2	0
734	The Human Genome, Physical Activity, Fitness, and Health. Kinesiology Review, 2022, 11, 36-42.	0.6	0
735	Smoking-by-genotype interaction in type 2 diabetes risk and fasting glucose. , 2020, 15, e0230815.		0
736	Smoking-by-genotype interaction in type 2 diabetes risk and fasting glucose. , 2020, 15, e0230815.		0
737	Smoking-by-genotype interaction in type 2 diabetes risk and fasting glucose. , 2020, 15, e0230815.		0
738	Smoking-by-genotype interaction in type 2 diabetes risk and fasting glucose. , 2020, 15, e0230815.		0