

# Xishi Tai

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2418459/publications.pdf>

Version: 2024-02-01

108  
papers

803  
citations

516561

16  
h-index

642610

23  
g-index

108  
all docs

108  
docs citations

108  
times ranked

536  
citing authors

#	ARTICLE	IF	CITATIONS
1	A novel Mn-Cu bimetallic complex for enhanced chemodynamic therapy with simultaneous glutathione depletion. <i>Chemical Communications</i> , 2019, 55, 12956-12959.	2.2	75
2	Bimetallic Au-Ni alloy nanoparticles in a metal-organic framework (MIL-101) as efficient heterogeneous catalysts for selective oxidation of benzyl alcohol into benzaldehyde. <i>Journal of Alloys and Compounds</i> , 2019, 790, 326-336.	2.8	44
3	Bimetallic Gold-Silver Nanoparticles Supported on Zeolitic Imidazolate Framework-8 as Highly Active Heterogeneous Catalysts for Selective Oxidation of Benzyl Alcohol into Benzaldehyde. <i>Polymers</i> , 2018, 10, 1089.	2.0	30
4	Supported Au/MIL-53(Al): a reusable green solid catalyst for the three-component coupling reaction of aldehyde, alkyne, and amine. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2016, 119, 335-348.	0.8	28
5	Synthesis, post-modification and catalytic properties of metal-organic framework NH <sub>2</sub> -MIL-53(Al). <i>Chemical Research in Chinese Universities</i> , 2017, 33, 231-238.	1.3	27
6	Au <sup>3+</sup> /Au <sup>0</sup> Supported on Chromium(III) Terephthalate Metal Organic Framework (MIL-101) as an Efficient Heterogeneous Catalyst for Three-Component Coupling Synthesis of Propargylamines. <i>Materials</i> , 2017, 10, 99.	1.3	24
7	Suppressing the surface passivation of Pt-Mo nanowires via constructing Mo-Se coordination for boosting HER performance. <i>Nano Research</i> , 2021, 14, 2659-2665.	5.8	24
8	Synthesis, structural characterization and antitumor activity of a Ca(II) coordination polymer based on 4-formyl-1,3-benzenedisulfonate-2-furoic acid hydrazide ligands. <i>Crystallography Reports</i> , 2017, 62, 242-245.	0.1	22
9	Synthesis, Crystal Structure and Antitumor Activity of Ca(II) Coordination Polymer Based on 1,5-Naphthalenedisulfonate. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2013, 23, 1354-1357.	1.9	19
10	Synthesis and Crystal Structure of a 1D Chained Coordination Polymer Constructed from Ca <sup>2+</sup> and 2-[(E)-(2-Furoylhydrazono)methyl]benzenesulfonate. <i>Crystals</i> , 2015, 5, 458-465.	1.0	19
11	Synthesis, Crystal Structure and Luminescent Property of Mg(II) Complex with N-Benzenesulphonyl-L-Leucine and 1,10-Phenanthroline. <i>Materials</i> , 2012, 5, 558-565.	1.3	18
12	Gold and silver nanoparticles supported on metal-organic frameworks: a highly active catalyst for three-component coupling reaction. <i>Chemical Research in Chinese Universities</i> , 2016, 32, 443-450.	1.3	18
13	Anchorage of Au <sup>3+</sup> into Modified Isoreticular Metal-Organic Framework-3 as a Heterogeneous Catalyst for the Synthesis of Propargylamines. <i>Scientific Reports</i> , 2017, 7, 12709.	1.6	17
14	Heterogeneous Bimetallic Cu-Ni Nanoparticle-Supported Catalysts in the Selective Oxidation of Benzyl Alcohol to Benzaldehyde. <i>Catalysts</i> , 2019, 9, 538.	1.6	17
15	Crystal structure of diaqua-bis(1/4 2-6-phenylpyridine-2-carboxylate- $\cdot$ 3N,O:O)-bis(6-phenylpyridine-2-carboxylate- $\cdot$ 2N,O)lead(II) $\cdot$ N,N-dimethylformamide $\cdot$ water (1/2/4), C <sub>54</sub> H <sub>58</sub> N <sub>6</sub> O <sub>16</sub> Pb <sub>2</sub> . <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2021, .	0.1	17
16	The crystal structure of bis(6-phenylpyridine-2-carboxylate- $\cdot$ 2) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 152 Td (<i>N</i>,<i>i>,<i>i>O	0.1	16
17	C <sub>34</sub> H <sub>26</sub> N <sub>4</sub> O <sub>5</sub> Zn. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2021, 236, 1297-1299.	0.1	16
17	The crystal structure of [(phenantroline- $\cdot$ 2 N,N $\cdot$ 2)-bis(6-phenylpyridine-2-carboxylate- $\cdot$ 2) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 152 Td (<i>N</i>,<i>i>,<i>i>O	0.1	16
18	Synthesis, Crystal Structure of Tetra-Nuclear Macrocyclic Cu(II) Complex Material and Its Application as Catalysts for A3 Coupling Reaction. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2014, 24, 1014-1020.	1.9	15

#	ARTICLE	IF	CITATIONS
19	Bimetallic Au-Pd alloy nanoparticles supported on MIL-101(Cr) as highly efficient catalysts for selective hydrogenation of 1,3-butadiene. RSC Advances, 2020, 10, 33417-33427.	1.7	15
20	The crystal structure of bis(6-phenylpyridine-2-carboxylato- $\lambda^2$ -N,O)copper(II), $C_{24}H_{16}N_2O_4Cu$ . Zeitschrift Fur Kristallographie - New Crystal Structures, 2021, 236, 1251-1253.	0.1	15
21	Synthesis, Structural Characterization, and Antitumor Activity of a Ca(II) Coordination Polymer Based on 1,6-Naphthalenedisulfonate and 4,4'-Bipyridyl. Materials, 2013, 6, 3547-3555.	1.3	14
22	Synthesis, crystal structure, and antibacterial activity of magnesium(II) coordination polymers formed by hydrogen bonding. Research on Chemical Intermediates, 2015, 41, 3471-3478.	1.3	12
23	Synthesis, crystal structure and antitumor activity of a dinuclear calcium complex based on 1,5-naphthalenedisulfonate and 2,2'-bipyridine ligands. Research on Chemical Intermediates, 2015, 41, 4339-4347.	1.3	12
24	Synthesis, Crystal Structure and Spectroscopic Analysis of a New Sodium Coordination Polymer. Open Chemistry, 2016, 14, 274-278.	1.0	11
25	Au-Pt bimetallic nanoparticle catalysts supported on UiO-67 for selective 1,3-butadiene hydrogenation. Journal of the Taiwan Institute of Chemical Engineers, 2020, 114, 220-227.	2.7	11
26	A New 1D Chained Coordination Polymer: Synthesis, Crystal Structure, Antitumor Activity and Luminescent Property. Crystals, 2015, 5, 608-616.	1.0	10
27	Bis(ethanol- $\lambda^2$ -O)-bis(6-aminopicolinato- $\lambda^2$ -N,O)magnesium(II), $C_{16}H_{22}O_6N_4Mg$ . Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 289-290.	0.1	10
28	2-Hydroxy-N-[1-(3-methylpyrazin-2-yl)ethylidene]benzohydrazide. Acta Crystallographica Section E: Structure Reports Online, 2008, 64, o707-o707.	0.2	10
29	Synthesis, Crystal Structure and Luminescent Property of Cd (II) Complex with N-Benzenesulphonyl-L-leucine. Materials, 2012, 5, 1626-1634.	1.3	9
30	Synthesis, Crystal Structure, and Cytotoxic Activity of a Novel Eight-Coordinated Dinuclear Ca(II)-Schiff Base Complex. Crystals, 2016, 6, 109.	1.0	9
31	A Ca(II) Coordination Polymer of 2-Carboxybenzaldehyde: Synthesis, Crystal Structure, and Catalytic Activity in Oxidation of Benzyl Alcohol. Crystals, 2018, 8, 150.	1.0	9
32	The crystal structure of [(2,2'-bipyridine- $\lambda^2$ -N,N')Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 237 Td ( $\lambda^2$ -N,N')-bis(6-phenyl- $\lambda^2$ -N,O)cobalt(II) complex. Zeitschrift Fur Kristallographie - New Crystal Structures, 2022, 237, 225-227.	0.1	9
33	Synthesis, spectral characterization, and luminescence properties of a cup-like ligand and its magnesium(II) complex. Research on Chemical Intermediates, 2014, 40, 2075-2082.	1.3	8
34	Synthesis, Crystal Structure, and Luminescent Property of a Cd(II) Coordination Polymer with a N-Nicotinoylglycine Ligand. Crystals, 2017, 7, 33.	1.0	8
35	The crystal structure of bis(ethanol- $\lambda^2$ -O)-bis(6-aminopicolinato- $\lambda^2$ -N,N')Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 10 Zeitschrift Fur Kristallographie - New Crystal Structures, 2021, 236, 551-552.	0.1	8
36	The crystal structure of diaqua-bis(6-aminopicolinato- $\lambda^2$ -N,O)magnesium(II), $C_{12}H_{14}O_6N_4Mg$ . Zeitschrift Fur Kristallographie - New Crystal Structures, 2020, 235, 605-606.	0.1	8

#	ARTICLE	IF	CITATIONS
37	The crystal structure of <i>catena</i> -poly[(1 <sup>4</sup> -2-((3-bromo-2-oxido-benzylidene)amino)acetato-1 <sup>9</sup> ) <sub>4</sub> ] Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 71 C <sub>12</sub> H <sub>13</sub> N <sub>2</sub> O <sub>4</sub> BrZn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2020, 235, 601-607.	0.1	8
38	The crystal structure of <i>catena</i> -poly[(m <sup>2</sup> -4,4'-bipyridine-1 <sup>9</sup> ) <sub>2</sub> ] Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 71 C <sub>34</sub> H <sub>24</sub> N <sub>4</sub> O <sub>4</sub> Zn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2022, 237, 305-307.	0.1	8
39	Synthesis, Crystal Structure and Antibacterial Activity of Mg(II) Complex [Mg(H <sub>2</sub> O) <sub>6</sub> ](4-amino-3-methylbenzenesulfonate) <sub>2</sub> . Crystals, 2015, 5, 294-301.	1.0	7
40	The Synthesis and Crystal Structure of Two New Hydrazone Compounds. Crystals, 2016, 6, 57.	1.0	7
41	Synthesis, Crystal Structures, and Magnetic Properties of Three Cobalt(II) Coordination Polymers Constructed from 3,5-Pyridinedicarboxylic Acid or 3,4-Pyridinedicarboxylic Acid Ligands. Crystals, 2019, 9, 166.	1.0	7
42	Efficient and selective reduction of 1 <sup>±</sup> -pinene to <i>cis</i> -pinane by NaBH <sub>4</sub> using NiCl <sub>2</sub> ·6H <sub>2</sub> O/PEG-800/ethanol as the catalytic system. Synthetic Communications, 2019, 49, 672-678.	1.1	7
43	Synthesis, Crystal Structure of Mg(II) Complex Material and its Application as Catalysts for A3 Coupling Reaction. Open Materials Science Journal, 2015, 9, 1-5.	0.2	7
44	Synthesis, Crystal Structure and Catalytic Activity of a 1D Chained Ca(II) Coordination Polymer with 3,5-Bis(4-pyridylmethoxy)benzoate Ligand. Crystals, 2017, 7, 72.	1.0	6
45	Crystal Growth and Spectroscopic Investigations of Tm <sup>3+</sup> :Li <sub>3</sub> Ba <sub>2</sub> Gd <sub>3</sub> (MoO <sub>4</sub> ) <sub>8</sub> Crystal. Materials, 2014, 7, 496-507.	1.3	5
46	A Multifunctional 3D Supermolecular Co Coordination Polymer With Potential for CO <sub>2</sub> Adsorption, Antibacterial Activity, and Selective Sensing of Fe <sup>3+</sup> /Cr <sup>3+</sup> Ions and TNP. Frontiers in Chemistry, 2021, 9, 678993.	1.8	5
47	Two 3-D Metal Organic Frameworks Based on Pyridine Carboxylic Acid Ligands with Magnetism Properties and Photoluminescence. Science of Advanced Materials, 2019, 11, 332-337.	0.1	5
48	Hierarchical Co(OH) <sub>2</sub> Dendrite Enriched with Oxygen Vacancies for Promoted Electrocatalytic Oxygen Evolution Reaction. Polymers, 2022, 14, 1510.	2.0	5
49	Synthesis, Structural Characterization of a New Ni(II) Complex and Its Catalytic Activity for Oxidation of Benzyl Alcohol. Bulletin of Chemical Reaction Engineering and Catalysis, 2022, 17, 375-382.	0.5	5
50	N <sup>±</sup> -(3-Ethoxy-2-hydroxybenzylidene)benzenesulfonohydrazide. Acta Crystallographica Section E: Structure Reports Online, 2008, 64, o750-o750.	0.2	4
51	The crystal structure ( <i>E</i> )-4-methyl-N <sup>±</sup> -(2-nitrobenzylidene)benzenesulfonohydrazide, C <sub>14</sub> H <sub>13</sub> N <sub>3</sub> O <sub>4</sub> S. Zeitschrift Fur Kristallographie - New Crystal Structures, 2017, 232, 1031-1032.	0.1	4
52	The crystal structure of ( <i>E</i> )-N <sup>±</sup> -((2-hydroxynaphthalen-1-yl)methylene)-2-phenylacetohydrazide, C <sub>19</sub> H <sub>16</sub> O <sub>2</sub> N <sub>2</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2019, 234, 723-724.	0.1	4
53	Crystal Structure and Catalytic Activity of Poly[bis(3-bromo-2-hydroxybenzaldehyde)-2-aminopyrimidinemagnesium(II)] for Hydrogenation of 1,3-Butadiene. Bulletin of Chemical Reaction Engineering and Catalysis, 2021, 16, 260-266.	0.5	4
54	The crystal structure of <i>trans</i> -tetraqua-bis(4-acetylphenoxyacetato-1 <sup>9</sup> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td Kristallographie - New Crystal Structures, 2021, 236, 45-46.	0.1	4

#	ARTICLE	IF	CITATIONS
55	Synthesis, Crystal Structure and Catalytic Activity of Tri-Nuclear Zn(II) Complex Based on 6-Phenylpyridine-2-carboxylic Acid and Bis(4-pyridyl)amine Ligands. Bulletin of Chemical Reaction Engineering and Catalysis, 2022, 17, 394-402.	0.5	4
56	Synthesis and Crystal Structure of 2-(2,3,4-Trimethoxy-6-Methylbenzylideneamino)phenol. Journal of Chemical Crystallography, 2009, 39, 708-710.	0.5	3
57	Raney Ni as Recyclable and Selective Catalyst for the Reduction of Î±-Pinene to cis-Pinane with NaBH <sub>4</sub> at Room Temperature. ChemistrySelect, 2019, 4, 10506-10509.	0.7	3
58	The crystal structure of catena-poly[di-aqua-bis(2,2'-((2-(2-phenylacetyl)hydrazineylidene)methyl)benzoato-Î² <sup>2</sup> )-N,N'-bis(6-phenylpyridine-2-carboxylato-Î² <sup>2</sup> )-N,O)-bis(1-H-pyrazol-3-ylamine-Î² <sup>2</sup> )-Mn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2021, 236, 843-844.	0.1	3
59	The crystal structure of 2,2'-bipyridine-Î² <sup>2</sup> -N,N'-bis(6-phenylpyridine-2-carboxylato-Î² <sup>2</sup> )-N,O)-bis(1-H-pyrazol-3-ylamine-Î² <sup>2</sup> )-Mn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2021, 236, 843-844.	0.1	3
60	The crystal structure of poly[di-aqua-bis(2,2'-((2-(2-carbamothioylhydrazineylidene)methyl)phenoxy)acetato-Î² <sup>3</sup> )-N,N'-bis(6-phenylpyridine-2-carboxylato-Î² <sup>2</sup> )-N,O)-bis(1-H-pyrazol-3-ylamine-Î² <sup>2</sup> )-Mn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2022, 237, 277-279.	0.1	3
61	MIL-100(Fe) Supported Pt~Co Nanoparticles as Active and Selective Heterogeneous Catalysts for Hydrogenation of 1,3-Butadiene. ChemistryOpen, 2022, 11, e202100288.	0.9	3
62	The crystal structure of [(2,2'-bipyridine-k <sup>2</sup> )-N,N'-bis(6-phenylpyridine-2-carboxylato-Î² <sup>2</sup> )-N,O)-bis(1-H-pyrazol-3-ylamine-Î² <sup>2</sup> )-Mn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2022, 237, 285-287.	0.1	3
63	Synthesis, Structural Characterization and Fluorescent Property of Cd(II) Coordination Polymer Based on N-nicotinoylglycine Ligand. Crystallography Reports, 2022, 67, 209-213.	0.1	3
64	The crystal structure of (2,2'-bipyridine-Î² <sup>2</sup> )-N,N'-bis(6-phenylpyridine-2-carboxylato-Î² <sup>2</sup> )-N,O)-bis(1-H-pyrazol-3-ylamine-Î² <sup>2</sup> )-Mn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2022, 237, 627-630.	0.1	3
65	Synthesis, crystal structure, and electrochemical properties of the complex of Cu(II) with 3-ethoxysalicylaldehyde-N,N-bis(3-aminopropyl)methylamine. Research on Chemical Intermediates, 2015, 41, 785-792.	1.3	2
66	Synthesis, Crystal Structure and Catalytic Activity of a Novel Ba(II) Complex with Pyridine-2-Carboxaldehyde-2-Phenylacetic Acid Hydrazone Ligand. Crystals, 2017, 7, 305.	1.0	2
67	(3,3)-Connected Three-dimensional Supramolecular Metal Organic Polyhedral Based on Nanometresized Ligand with Magnetism Properties. Chemical Research in Chinese Universities, 2018, 34, 723-726.	1.3	2
68	The crystal structure of (E)-Nâ€²-(pyridin-2-ylmethylene)pyrazine-2-carbohydrazide, C <sub>11</sub> H <sub>9</sub> N <sub>5</sub> O. Zeitschrift Fur Kristallographie - New Crystal Structures, 2018, 233, 121-122.	0.1	2
69	The crystal structure of (E)-2-(2-((2-picolinoylhydrazono)methyl)phenoxy)acetic acid dihydrate, C <sub>15</sub> H <sub>17</sub> N <sub>3</sub> O <sub>6</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2021, 236, 315-316.	0.1	2
70	The crystal structure of tetrakis(6-phenylpyridine-2-carboxylato-Î² <sup>2</sup> )-N,O)-bis(1-H-pyrazol-3-ylamine-Î² <sup>2</sup> )-Mn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2022, 237, 421-423.	0.1	2
71	Comparative Study of Pd~Ni Bimetallic Catalysts Supported on UiO-66 and UiO-66-NH <sub>2</sub> in Selective 1,3-Butadiene Hydrogenation. Nanomaterials, 2022, 12, 1484.	1.9	2
72	The crystal structure of di-aqua-bis(6-phenylpyridine-2-carboxylato-Î² <sup>2</sup> )-N,O) manganese(II) â€” dimethylformamide (1/2/1), C <sub>27</sub> H <sub>31</sub> N <sub>3</sub> O <sub>9</sub> Mn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2022, .	0.1	2





#	ARTICLE	IF	CITATIONS
91	The crystal structure of phenantroline- $\hat{\rho}$ <sup>2</sup> <i>N,N</i>- $\hat{\alpha}$ <sup>2</sup> -bis(6-phenylpyridine-2-carboxylato- $\hat{\rho}$ <sup>2</sup> ) <i>N,O</i>copper(II), C <sub>36</sub> H <sub>24</sub> N <sub>4</sub> O <sub>4</sub> Cu. Zeitschrift Fur Kristallographie - New Crystal Structures, 2022, 237, 573-575.	0.1	1
92	The crystal structure of [(1,10-phenantroline- $\hat{\rho}$ <sup>2</sup> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 712 Td (<i>N</i>,<i>N</i>- $\hat{\alpha}$ <sup>2</sup> )-bis(6- monohydrate, C <sub>36</sub> H <sub>26</sub> N <sub>4</sub> O <sub>5</sub> Mn. Zeitschrift Fur Kristallographie - New Crystal Structures, 2022, .	0.1	1
93	4-(Diethylamino)salicylaldehyde phenylsulfonylhydrazone. Acta Crystallographica Section E: Structure Reports Online, 2008, 64, o865-o865.	0.2	0
94	Crystal Structure of N'-(2-Acetyl-3-methylpyrazine)-4-toluene-sulfonylhydrazide. X-ray Structure Analysis Online, 2009, 25, 17-18.	0.1	0
95	Hexaaquamagnesium bis{4-[(5-bromo-2-hydroxybenzylidene)amino]benzenesulfonate} dihydrate. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, m132-m132.	0.2	0
96	The crystal structure of 2-carboxybenzaldehyde-2-phenylacetohydrazone, C <sub>16</sub> H <sub>14</sub> N <sub>2</sub> O <sub>3</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2018, 233, 601-602.	0.1	0
97	The crystal structure of phthalazin-1(2<i>H</i>)-one, C <sub>8</sub> H <sub>6</sub> N <sub>2</sub> O <sub>1</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2018, 233, 605-606.	0.1	0
98	The crystal structure of N $\hat{\alpha}$ <sup>2</sup> -(2-nitrobenzylidene)-2-phenylacetohydrazone, C <sub>15</sub> H <sub>13</sub> N <sub>3</sub> O <sub>3</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2018, 233, 213-214.	0.1	0
99	The crystal structure of (2-hydroxy-5-methyl-phenyl)-(1H-pyrazol-4-yl)-methanone hemihydrate, C <sub>11</sub> H <sub>10.5</sub> N <sub>2</sub> O <sub>2.5</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2021, .	0.1	0
100	1-Hydroxymethyl-3,12-dioxa-14-azatetracyclo[9.2.1.04,14.05,10]tetradecane. Acta Crystallographica Section E: Structure Reports Online, 2008, 64, o757-o757.	0.2	0
101	2-Acetyl-3-methylpyrazine phenylsulfonylhydrazone. Acta Crystallographica Section E: Structure Reports Online, 2008, 64, o827-o827.	0.2	0
102	Hexaaquacobalt(II) bis[4-(2-hydroxybenzylideneamino)benzenesulfonate]. Acta Crystallographica Section E: Structure Reports Online, 2008, 64, m645-m645.	0.2	0
103	$\hat{\gamma}$ <sup>4</sup> -2, $\hat{\alpha}$ <sup>2</sup> -(Azinodimethylene)dibenzenesulfonato-bis[heptaaquaeuropium(III)] bis[2, $\hat{\alpha}$ <sup>2</sup> -(azinodimethylene)dibenzenesulfonate] decahydrate. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, m337-m338.	0.2	0
104	Pentaaquabis[4-(2-hydroxybenzylideneamino)benzenesulfonato]lead(II). Acta Crystallographica Section E: Structure Reports Online, 2009, 65, m275-m276.	0.2	0
105	The crystal structure of (<i>E</i>)-2-(((2-(1<i>H</i>-indol-3-yl)ethyl)imino)methyl)-6-bromophenolate, C <sub>17</sub> H <sub>15</sub> N <sub>2</sub> BrO. Zeitschrift Fur Kristallographie - New Crystal Structures, 2020, 235, 571-572.	0.1	0
106	The crystal structure of 4-amino-N $\hat{\alpha}$ <sup>2</sup> -(4-aminobenzoyl)benzohydrazide monohydrate, C <sub>14</sub> H <sub>16</sub> N <sub>4</sub> O <sub>3</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2021, 236, 259-260.	0.1	0
107	The crystal structure of 5H-dibenzo[b,e]azepine-6,11-dione, C <sub>14</sub> H <sub>9</sub> NO <sub>2</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2021, 236, 243-244.	0.1	0
108	Crystal structure of 2-(1<i>H</i>-indol-3-yl)ethan-1-aminium 2-(4-acetylphenoxy)acetate, C <sub>20</sub> H <sub>22</sub> N <sub>2</sub> O <sub>4</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2022, 237, 165-167.	0.1	0