

# Harald Kittler

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2419263/harald-kittler-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

214  
papers

10,163  
citations

49  
h-index

96  
g-index

246  
ext. papers

12,402  
ext. citations

4.1  
avg, IF

6.1  
L-index

#	Paper	IF	Citations
214	Validation of artificial intelligence prediction models for skin cancer diagnosis using dermoscopy images: the 2019 International Skin Imaging Collaboration Grand Challenge.. <i>The Lancet Digital Health</i> , <b>2022</b> , 4, e330-e339	14.4	3
213	Melanoma diagnosed on digital dermoscopy monitoring: A side-by-side image comparison is needed to improve early detection. <i>Journal of the American Academy of Dermatology</i> , <b>2021</b> , 85, 619-625	4.5	4
212	Checklist for Evaluation of Image-Based Artificial Intelligence Reports in Dermatology: CLEAR Derm Consensus Guidelines From the International Skin Imaging Collaboration Artificial Intelligence Working Group. <i>JAMA Dermatology</i> , <b>2021</b> ,	5.1	8
211	Total body photography for secondary prevention of melanoma. <i>British Journal of Dermatology</i> , <b>2021</b> , 185, 241	4	1
210	The spectrum of morphologic patterns of nodular melanoma: a study of the International Dermoscopy Society. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, e762-e765	4.6	0
209	Real-world experience of off-label use of imiquimod 5% as an adjuvant therapy after surgery or as a monotherapy for lentigo maligna. <i>British Journal of Dermatology</i> , <b>2021</b> , 185, 675-677	4	4
208	Evolution of the Clinical, Dermoscopic and Pathologic Diagnosis of Melanoma. <i>Dermatology Practical and Conceptual</i> , <b>2021</b> , 11, e20211635	1.5	3
207	The dermoscopic inverse approach significantly improves the accuracy of human readers for lentigo maligna diagnosis. <i>Journal of the American Academy of Dermatology</i> , <b>2021</b> , 84, 381-389	4.5	6
206	Dermoscopy of combined blue nevi: a multicentre study of the International Dermoscopy Society. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 900-905	4.6	1
205	Mus musculus papillomavirus 1 is a key driver of skin cancer development upon immunosuppression. <i>American Journal of Transplantation</i> , <b>2021</b> , 21, 525-539	8.7	5
204	Impact of the COVID-19 Pandemic on Dermatology Practice Worldwide: Results of a Survey Promoted by the International Dermoscopy Society (IDS). <i>Dermatology Practical and Conceptual</i> , <b>2021</b> , 11, e2021153	1.5	8
203	Reproduction of patterns in melanocytic proliferations by agent-based simulation and geometric modeling. <i>PLoS Computational Biology</i> , <b>2021</b> , 17, e1008660	5	0
202	Skin lesions of face and scalp - Classification by a market-approved convolutional neural network in comparison with 64 dermatologists. <i>European Journal of Cancer</i> , <b>2021</b> , 144, 192-199	7.5	4
201	Perilesional sun damage as a diagnostic clue for pigmented actinic keratosis and Bowen® disease. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 2022-2026	4.6	0
200	Characteristics of 637 melanomas documented by 27 general practitioners on the Skin Cancer Audit Research Database. <i>Australasian Journal of Dermatology</i> , <b>2021</b> , 62, 496-503	1.3	0
199	Skin cancer classification via convolutional neural networks: systematic review of studies involving human experts. <i>European Journal of Cancer</i> , <b>2021</b> , 156, 202-216	7.5	16
198	A patient-centric dataset of images and metadata for identifying melanomas using clinical context. <i>Scientific Data</i> , <b>2021</b> , 8, 34	8.2	41

197	Position paper on a simplified histopathological classification of basal cell carcinoma: results of the European Consensus Project.. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> ,	4.6	2
196	Human-computer collaboration for skin cancer recognition. <i>Nature Medicine</i> , <b>2020</b> , 26, 1229-1234	50.5	140
195	Number needed to biopsy ratio and diagnostic accuracy for melanoma detection. <i>Journal of the American Academy of Dermatology</i> , <b>2020</b> , 83, 780-787	4.5	1
194	Attitudes towards artificial intelligence within dermatology: an international online survey. <i>British Journal of Dermatology</i> , <b>2020</b> , 183, 159-161	4	21
193	Clinical and dermoscopic characteristics of congenital and noncongenital nevus-associated melanomas. <i>Journal of the American Academy of Dermatology</i> , <b>2020</b> , 83, 1080-1087	4.5	3
192	Analysis of Collective Human Intelligence for Diagnosis of Pigmented Skin Lesions Harnessed by Gamification Via a Web-Based Training Platform: Simulation Reader Study. <i>Journal of Medical Internet Research</i> , <b>2020</b> , 22, e15597	7.6	5
191	Dermoscopic features of thin (≤1mm Breslow thickness) vs. thick (>2mm Breslow thickness) nodular melanoma and predictors of nodular melanoma versus nodular non-melanoma tumours: a multicentric collaborative study by the International Dermoscopy Society. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 2541-2547	4.6	3
190	Human surface anatomy terminology for dermatology: a Delphi consensus from the International Skin Imaging Collaboration. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 2659-2663	4.6	4
189	Dermoscopic features of infantile hemangioma during treatment with topical propranolol. <i>JAAD International</i> , <b>2020</b> , 1, 121-123	0.9	1
188	Cutaneous signs in SARS-CoV-2 infection: a plea for more rigorous peer review in the time of COVID-19. <i>British Journal of Dermatology</i> , <b>2020</b> , 183, 1140-1142	4	7
187	Dermoscopic features of pigmented intraepidermal carcinoma on the head and neck. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2020</b> , 18, 969-976	1.2	3
186	Standardization of dermoscopic terminology and basic dermoscopic parameters to evaluate in general dermatology (non-neoplastic dermatoses): an expert consensus on behalf of the International Dermoscopy Society. <i>British Journal of Dermatology</i> , <b>2020</b> , 182, 454-467	4	47
185	Accuracy of Computer-Aided Diagnosis of Melanoma: A Meta-analysis. <i>JAMA Dermatology</i> , <b>2019</b> , 155, 1291-1299	5.1	34
184	Comparison of the accuracy of human readers versus machine-learning algorithms for pigmented skin lesion classification: an open, web-based, international, diagnostic study. <i>Lancet Oncology</i> , <b>2019</b> , 20, 938-947	21.7	160
183	Automatic skin lesion area determination of basal cell carcinoma using optical coherence tomography angiography and a skeletonization approach: Preliminary results. <i>Journal of Biophotonics</i> , <b>2019</b> , 12, e201900131	3.1	13
182	An Application of Process Mining in the Context of Melanoma Surveillance Using Time Boxing. <i>Lecture Notes in Business Information Processing</i> , <b>2019</b> , 175-186	0.6	4
181	Sind Computeralgorithmen besser als Dermatologen?. <i>Hautnah Dermatologie</i> , <b>2019</b> , 35, 20-23	0	0
180	A prospective diagnostic study on povidone-iodine retention in lesions suspected to be squamous cell carcinoma or keratoacanthoma. <i>Australasian Journal of Dermatology</i> , <b>2019</b> , 60, e33-e39	1.3	1

179	Dermoscopic features of mammary Paget disease: a retrospective case-control study by the International Dermoscopy Society. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2019</b> , 33, 1892-1898	4.6	5
178	Euphorbia myrsinites Sap-Induced Phytodermatitis: A Prototype of Irritant Contact Dermatitis?. <i>Dermatitis</i> , <b>2019</b> , 30, 155-161	2.6	6
177	Clinical and dermoscopic features of cutaneous BAP1-inactivated melanocytic tumors: Results of a multicenter case-control study by the International Dermoscopy Society. <i>Journal of the American Academy of Dermatology</i> , <b>2019</b> , 80, 1585-1593	4.5	10
176	Expert-Level Diagnosis of Nonpigmented Skin Cancer by Combined Convolutional Neural Networks. <i>JAMA Dermatology</i> , <b>2019</b> , 155, 58-65	5.1	104
175	Domain-specific classification-pretrained fully convolutional network encoders for skin lesion segmentation. <i>Computers in Biology and Medicine</i> , <b>2019</b> , 104, 111-116	7	37
174	Dermoscopy vs. reflectance confocal microscopy for the diagnosis of lentigo maligna. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2018</b> , 32, 1284-1291	4.6	44
173	Driver mutations in the mitogen-activated protein kinase pathway: the seeds of good and evil. <i>British Journal of Dermatology</i> , <b>2018</b> , 178, 26-27	4	13
172	Molecular classification of tumour cells in a patient with intravascular large B-cell lymphoma. <i>British Journal of Dermatology</i> , <b>2018</b> , 178, 215-221	4	7
171	Morphologic characteristics of nevi associated with melanoma: a clinical, dermoscopic and histopathologic analysis. <i>Dermatology Practical and Conceptual</i> , <b>2018</b> , 8, 104-108	1.5	10
170	Process Mining and Conformance Checking of Long Running Processes in the Context of Melanoma Surveillance. <i>International Journal of Environmental Research and Public Health</i> , <b>2018</b> , 15,	4.6	11
169	The HAM10000 dataset, a large collection of multi-source dermoscopic images of common pigmented skin lesions. <i>Scientific Data</i> , <b>2018</b> , 5, 180161	8.2	557
168	Dermoscopy of Neoplastic Skin Lesions: Recent Advances, Updates, and Revisions. <i>Current Treatment Options in Oncology</i> , <b>2018</b> , 19, 56	5.4	30
167	Skin lesion analysis toward melanoma detection: A challenge at the 2017 International symposium on biomedical imaging (ISBI), hosted by the international skin imaging collaboration (ISIC) <b>2018</b> ,		419
166	Interoperable Localisation of Lesions on the Human Skin. <i>Studies in Health Technology and Informatics</i> , <b>2018</b> , 247, 850-854	0.5	
165	Update on dermoscopy of Spitz/Reed naevi and management guidelines by the International Dermoscopy Society. <i>British Journal of Dermatology</i> , <b>2017</b> , 177, 645-655	4	63
164	The value of reflectance confocal microscopy in diagnosis of flat pigmented facial lesions: a prospective study. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, 1349-1354	4.6	18
163	Proposed Technical Guidelines for the Acquisition of Clinical Images of Skin-Related Conditions. <i>JAMA Dermatology</i> , <b>2017</b> , 153, 453-457	5.1	37
162	The significance of blue color in dermoscopy. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2017</b> , 15, 302-307	1.2	5

161	Langzeitauswertung des Nutzens der digitalen Dermatoskopie an einem Referenzzentrum. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2017</b> , 15, 517-523	1.2	
160	Long-term evaluation of the efficacy of digital dermatoscopy monitoring at a tertiary referral center. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2017</b> , 15, 517-522	1.2	8
159	Melanomas vs. nevi in high-risk patients under long-term monitoring with digital dermatoscopy: do melanomas and nevi already differ at baseline?. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, 972-977	4.6	13
158	Die Bedeutung der blauen Farbe in der Dermatoskopie. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2017</b> , 15, 302-308	1.2	1
157	Technique Standards for Skin Lesion Imaging: A Delphi Consensus Statement. <i>JAMA Dermatology</i> , <b>2017</b> , 153, 207-213	5.1	28
156	Accuracy of dermatoscopy for the diagnosis of nonpigmented cancers of the skin. <i>Journal of the American Academy of Dermatology</i> , <b>2017</b> , 77, 1100-1109	4.5	47
155	Dermatoscopy of a melanoma less than one millimeter in diameter. <i>International Journal of Dermatology</i> , <b>2017</b> , 56, 1498-1499	1.7	4
154	Besondere Lokalisationen. <i>Hautnah Dermatologie</i> , <b>2017</b> , 33, 16-20	0	
153	Dermoscopic diagnosis of amelanotic/hypomelanotic melanoma. <i>British Journal of Dermatology</i> , <b>2017</b> , 177, 538-540	4	19
152	Clinical and dermoscopic clues to differentiate pigmented nail bands: an International Dermoscopy Society study. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, 732-736	4.6	50
151	A pretrained neural network shows similar diagnostic accuracy to medical students in categorizing dermatoscopic images after comparable training conditions. <i>British Journal of Dermatology</i> , <b>2017</b> , 177, 867-869	4	17
150	Non-invasive multimodal optical coherence and photoacoustic tomography for human skin imaging. <i>Scientific Reports</i> , <b>2017</b> , 7, 17975	4.9	34
149	Seven Non-melanoma Features to Rule Out Facial Melanoma. <i>Acta Dermato-Venereologica</i> , <b>2017</b> , 97, 1219-1224	2.2	13
148	The Brown and Black rule: a simple clue to differentiate common naevi from spitzoid neoplasms with a dermoscopic uniform globular (clod) pattern. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2016</b> , 30, 875-6	4.6	1
147	Standardization of terminology in dermoscopy/dermatoscopy: Results of the third consensus conference of the International Society of Dermoscopy. <i>Journal of the American Academy of Dermatology</i> , <b>2016</b> , 74, 1093-106	4.5	140
146	Dermatoskopie und Histopathologie <b>2016</b> , 77-84		
145	Combined multi-modal photoacoustic tomography, optical coherence tomography (OCT) and OCT angiography system with an articulated probe for human skin structure and vasculature imaging. <i>Biomedical Optics Express</i> , <b>2016</b> , 7, 3390-3402	3.5	35
144	Dermoscopic clues to differentiate facial lentigo maligna from pigmented actinic keratosis. <i>British Journal of Dermatology</i> , <b>2016</b> , 174, 1079-85	4	42

143	Impact of oncogenic BRAF mutations and p16 expression on the growth rate of early melanomas and naevi in vivo. <i>British Journal of Dermatology</i> , <b>2016</b> , 174, 364-70	4	8
142	Validity and Reliability of Dermoscopic Criteria Used to Differentiate Nevi From Melanoma: A Web-Based International Dermoscopy Society Study. <i>JAMA Dermatology</i> , <b>2016</b> , 152, 798-806	5.1	75
141	Comprehensive vascular imaging using optical coherence tomography-based angiography and photoacoustic tomography. <i>Journal of Biomedical Optics</i> , <b>2016</b> , 21, 96011	3.5	11
140	Clinical improvement in psoriasis with specific targeting of interleukin-23. <i>Nature</i> , <b>2015</b> , 521, 222-6	50.4	157
139	Pigmented nodular melanoma: the predictive value of dermoscopic features using multivariate analysis. <i>British Journal of Dermatology</i> , <b>2015</b> , 173, 106-14	4	26
138	The 2-Step Method and the Recognition Process in Dermoscopy. <i>JAMA Dermatology</i> , <b>2015</b> , 151, 1037-8	5.1	3
137	Dermoscopy of flat pigmented facial lesions. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2015</b> , 29, 120-7	4.6	59
136	The BRAAFF checklist: a new dermoscopic algorithm for diagnosing acral melanoma. <i>British Journal of Dermatology</i> , <b>2015</b> , 173, 1041-9	4	52
135	Prior knowledge of the clinical picture does not introduce bias in the histopathologic diagnosis of melanocytic skin lesions. <i>Journal of Cutaneous Pathology</i> , <b>2015</b> , 42, 953-958	1.7	8
134	Teaching dermoscopy of pigmented skin tumours to novices: comparison of analytic vs. heuristic approach. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2015</b> , 29, 1198-204	4.6	15
133	Österreichische Gesellschaft für Dermatologie und Venerologie (ÖGDV). <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2015</b> , 13, 91-91	1.2	
132	Dermatoskopie und Histopathologie <b>2015</b> , 1-10		
131	Atypical Spitz tumours and sentinel lymph node biopsy: a systematic review. <i>Lancet Oncology</i> , <b>2014</b> , 15, e178-83	21.7	117
130	Therapeutic effect of compression stockings versus no compression on isolated superficial vein thrombosis of the legs: a randomized clinical trial. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2014</b> , 48, 465-71	2.3	20
129	Dermoscopy of amelanotic and hypomelanotic melanoma. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2014</b> , 12, 467-72	1.2	7
128	Dermatoskopie amelanotischer und hypomelanotischer Melanome. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2014</b> , 12, 467-472	1.2	7
127	B-RAF, naevi and melanoma: a complex relationship. <i>British Journal of Dermatology</i> , <b>2014</b> , 171, 931-2	4	
126	Surgical treatment of large vascular leg ulcers: a retrospective review evaluating risk factors for healing and recurrence. <i>Dermatologic Surgery</i> , <b>2014</b> , 40, 1240-8	1.7	5

125	Palmar and plantar melanomas differ for sex prevalence and tumor thickness but not for dermoscopic patterns. <i>Melanoma Research</i> , <b>2014</b> , 24, 83-7	3.3	10
124	Twenty nevi on the arms: a simple rule to identify patients younger than 50 years of age at higher risk for melanoma. <i>European Journal of Cancer Prevention</i> , <b>2014</b> , 23, 458-63	2	15
123	Recurrent melanocytic nevi and melanomas in dermoscopy: results of a multicenter study of the International Dermoscopy Society. <i>JAMA Dermatology</i> , <b>2014</b> , 150, 138-45	5.1	34
122	Cutaneous human papillomavirus infection: manifestations and diagnosis. <i>Current Problems in Dermatology</i> , <b>2014</b> , 45, 92-7		18
121	Prediction without Pigment: a decision algorithm for non-pigmented skin malignancy. <i>Dermatology Practical and Conceptual</i> , <b>2014</b> , 4, 59-66	1.5	19
120	Nodular melanoma: five consecutive cases in a general practice with polarized and non-polarized dermatoscopy and dermatopathology. <i>Dermatology Practical and Conceptual</i> , <b>2014</b> , 4, 69-75	1.5	5
119	IL28B polymorphism cannot predict response to interferon alpha treatment in patients with melanoma. <i>PLoS ONE</i> , <b>2014</b> , 9, e112613	3.7	
118	Influence of time on dermoscopic diagnosis and management. <i>Australasian Journal of Dermatology</i> , <b>2013</b> , 54, 96-104	1.3	7
117	Dysplastic nevus: why this term should be abandoned in dermatoscopy. <i>Dermatologic Clinics</i> , <b>2013</b> , 31, 579-88, viii	4.2	12
116	Dermoscopy of acral melanoma: a multicenter study on behalf of the international dermoscopy society. <i>Dermatology</i> , <b>2013</b> , 227, 373-80	4.4	17
115	Meta-analysis of digital dermoscopy follow-up of melanocytic skin lesions: a study on behalf of the International Dermoscopy Society. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2013</b> , 27, 805-14	4.6	107
114	A clinico-dermoscopic approach for skin cancer screening: recommendations involving a survey of the International Dermoscopy Society. <i>Dermatologic Clinics</i> , <b>2013</b> , 31, 525-34, vii	4.2	30
113	"White" network in Spitz nevi and early melanomas lacking significant pigmentation. <i>Journal of the American Academy of Dermatology</i> , <b>2013</b> , 69, 56-60	4.5	25
112	Trends in the diagnosis of melanoma at a university center over time. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2013</b> , 11, 251-6	1.2	
111	Zeitliche Trends in der Melanom-Diagnostik an einer Universitätsklinik. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2013</b> , 11, 251-256	1.2	4
110	Melanoma epidemiology of Austria reveals gender-related differences. <i>European Journal of Dermatology</i> , <b>2013</b> , 23, 872-8	0.8	11
109	NRAS and BRAF mutations in melanoma-associated nevi and uninvolved nevi. <i>PLoS ONE</i> , <b>2013</b> , 8, e69639	3.7	46
108	Lichenoid keratosis: non-invasive imaging in the setting of diagnostic uncertainty. <i>Dermatology Practical and Conceptual</i> , <b>2013</b> , 3, 63-5	1.5	4

107	Changes observed in slow-growing melanomas during long-term dermoscopic monitoring. <i>British Journal of Dermatology</i> , <b>2012</b> , 166, 1213-20	4	33
106	Dermoscopy of squamous cell carcinoma and keratoacanthoma. <i>Archives of Dermatology</i> , <b>2012</b> , 148, 1386-92		117
105	Total body skin examination for skin cancer screening in patients with focused symptoms. <i>Journal of the American Academy of Dermatology</i> , <b>2012</b> , 66, 212-9	4.5	47
104	Dermoscopy of facial actinic keratosis, intraepidermal carcinoma, and invasive squamous cell carcinoma: a progression model. <i>Journal of the American Academy of Dermatology</i> , <b>2012</b> , 66, 589-97	4.5	172
103	Accuracy in melanoma detection: a 10-year multicenter survey. <i>Journal of the American Academy of Dermatology</i> , <b>2012</b> , 67, 54-9	4.5	131
102	Differentiation of pigmented Spitz nevi and Reed nevi by integration of dermatopathologic and dermoscopic findings. <i>Dermatology Practical and Conceptual</i> , <b>2012</b> , 2,	1.5	7
101	Accuracy of the first step of the dermoscopic 2-step algorithm for pigmented skin lesions. <i>Dermatology Practical and Conceptual</i> , <b>2012</b> , 2, 203a08	1.5	8
100	In reply to Vergier et al: fluorescence in situ hybridization, a diagnostic aid in ambiguous melanocytic tumors: European study of 113 cases. <i>Modern Pathology</i> , <b>2012</b> , 25, 1176; author reply 1176-7	9.8	1
99	Dermatopathology comes to life!. <i>Dermatology Practical and Conceptual</i> , <b>2012</b> , 2, 1-2	1.5	
98	Differentiation of pigmented Spitz nevi and Reed nevi by integration of dermatopathologic and dermoscopic findings. <i>Dermatology Practical and Conceptual</i> , <b>2012</b> , 2, 13-24	1.5	3
97	Evolution of Nevi <b>2012</b> , 43-47		1
96	Diagnostic accuracy of dermoscopy <b>2012</b> , 351-353		
95	Revised version of pattern analysis <b>2012</b> , 138-146		1
94	Followup of melanocytic skin lesions with digital dermoscopy <b>2012</b> , 354-361		1
93	Diagnostic accuracy of dermoscopy for melanocytic and nonmelanocytic pigmented lesions. <i>Journal of the American Academy of Dermatology</i> , <b>2011</b> , 64, 1068-73	4.5	123
92	Dermoscopy of a minute melanoma. <i>Australasian Journal of Dermatology</i> , <b>2011</b> , 52, 76-8	1.3	10
91	Does endovenous laser ablation induce endothelial damage at the saphenofemoral junction?. <i>Dermatologic Surgery</i> , <b>2011</b> , 37, 1456-63	1.7	4
90	In vivo fluorescence confocal microscopy: indocyanine green enhances the contrast of epidermal and dermal structures. <i>Journal of Biomedical Optics</i> , <b>2011</b> , 16, 096010	3.5	10

89	Dermoscopy of pigmented lesions of the mucosa and the mucocutaneous junction: results of a multicenter study by the International Dermoscopy Society (IDS). <i>Archives of Dermatology</i> , <b>2011</b> , 147, 1181-7		91
88	The dermoscopic and histopathological patterns of nevi correlate with the frequency of BRAF mutations. <i>Journal of Investigative Dermatology</i> , <b>2011</b> , 131, 542-5	4.3	38
87	Growth rate of melanoma in vivo and correlation with dermoscopic and dermatopathologic findings. <i>Dermatology Practical and Conceptual</i> , <b>2011</b> , 1, 59-67	1.5	18
86	Who benefits from prophylactic surgical removal of "dysplastic" nevi?. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2010</b> , 8, 279-80	1.2	2
85	Slow-growing melanoma: a dermoscopy follow-up study. <i>British Journal of Dermatology</i> , <b>2010</b> , 162, 267-73		81
84	5-Methoxypsoralen plus ultraviolet (UV) A is superior to medium-dose UVA1 in the treatment of severe atopic dermatitis: a randomized crossover trial. <i>British Journal of Dermatology</i> , <b>2010</b> , 162, 655-60 <sup>4</sup>		50
83	Why the first step should be abandoned!. <i>Archives of Dermatology</i> , <b>2010</b> , 146, 1182-3; author reply 1183		2
82	Dermoscopy of pigmented Bowen's disease. <i>Journal of the American Academy of Dermatology</i> , <b>2010</b> , 62, 597-604	4.5	98
81	Influence of evaluation of clinical pictures on the histopathologic diagnosis of inflammatory skin disorders. <i>Journal of the American Academy of Dermatology</i> , <b>2010</b> , 63, 647-52	4.5	22
80	FC3 Assessment of growth rate of melanomas based on sequential dermoscopic images. <i>Melanoma Research</i> , <b>2010</b> , 20, e29-e30	3.3	
79	The influence of clinical information in the histopathologic diagnosis of melanocytic skin neoplasms. <i>PLoS ONE</i> , <b>2009</b> , 4, e5375	3.7	49
78	Dermoscopic findings of cutaneous mastocytosis. <i>Dermatology</i> , <b>2009</b> , 218, 226-30	4.4	33
77	Prognostic relevance of hypoxia inducible factor-1alpha expression in patients with melanoma. <i>Clinical and Experimental Dermatology</i> , <b>2009</b> , 34, e962-4	1.8	27
76	Oral vs. bath PUVA using 8-methoxypsoralen for chronic palmoplantar eczema. <i>Photodermatology Photoimmunology and Photomedicine</i> , <b>2009</b> , 25, 101-5	2.4	23
75	Dermoscopy and entomology (entomodermoscopy). <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2009</b> , 7, 589-96	1.2	7
74	Dermatioskopie und Entomologie (Entomodermatioskopie). <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2009</b> , 7, 589-596	1.2	18
73	A novel glycine mutation in the COL7A1 gene leading to dominant dystrophic epidermolysis bullosa with intra-familial phenotypical heterogeneity. <i>Pediatric Dermatology</i> , <b>2009</b> , 26, 115-7	1.9	3
72	Response of vitiligo to once- vs. twice-daily topical tacrolimus: a controlled prospective, randomized, observer-blinded trial. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2009</b> , 23, 951-3	4.6	27

71	Dermoscopic-pathologic correlation: apropos of six equivocal cases. <i>Seminars in Cutaneous Medicine and Surgery</i> , <b>2009</b> , 28, 157-64	1.4	16
70	Computer versus human diagnosis of melanoma: evaluation of the feasibility of an automated diagnostic system in a prospective clinical trial. <i>Melanoma Research</i> , <b>2009</b> , 19, 180-4	3.3	44
69	Antinuclear antibodies in patients with polymorphic light eruption: a long-term follow-up study. <i>British Journal of Dermatology</i> , <b>2008</b> , 158, 1050-4	4	24
68	Mobile teledermatology: a feasibility study of 58 subjects using mobile phones. <i>Journal of Telemedicine and Telecare</i> , <b>2008</b> , 14, 2-7	6.8	85
67	Seventy Seconds Inadequate for a Complete Skin Examination Reply. <i>Archives of Dermatology</i> , <b>2008</b> , 144, 1659		2
66	Early recognition at last. <i>Archives of Dermatology</i> , <b>2008</b> , 144, 533-4		13
65	Time required for a complete skin examination with and without dermoscopy: a prospective, randomized multicenter study. <i>Archives of Dermatology</i> , <b>2008</b> , 144, 509-13		59
64	Changes in the dermoscopic appearance of melanocytic naevi after photochemotherapy or narrow-band ultraviolet B phototherapy. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2007</b> , 21, 526-31	4.6	15
63	A dual concept of neovogenesis: theoretical considerations based on dermoscopic features of melanocytic nevi. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2007</b> , 5, 985-92	1.2	57
62	Applying a decision support system in clinical practice: results from melanoma diagnosis <b>2007</b> , 191-5	0.7	5
61	Dermatoskopie. <i>Fortschritte Der Praktischen Dermatologie Und Venerologie</i> , <b>2007</b> , 527-540		
60	Identification of clinically featureless incipient melanoma using sequential dermoscopy imaging. <i>Archives of Dermatology</i> , <b>2006</b> , 142, 1113-9		138
59	Sentinel lymph node biopsy for melanoma. <i>Journal of the American Academy of Dermatology</i> , <b>2006</b> , 55, 173-4; author reply 174-5	4.5	
58	Extended monitoring of hemostatic activation after varicose vein surgery under general anesthesia. <i>Dermatologic Surgery</i> , <b>2006</b> , 32, 632-9	1.7	12
57	Efficacy of 3 different light doses in the treatment of actinic keratosis with 5-aminolevulinic acid photodynamic therapy: a randomized, observer-blinded, inpatient, comparison study. <i>Journal of the American Academy of Dermatology</i> , <b>2005</b> , 53, 823-7	4.5	29
56	Nomographic representation of logistic regression models: a case study using patient self-assessment data. <i>Journal of Biomedical Informatics</i> , <b>2005</b> , 38, 389-94	10.2	10
55	Biological false-positive tests comprise a high proportion of Venereal Disease Research Laboratory reactions in an analysis of 300,000 sera. <i>International Journal of STD and AIDS</i> , <b>2005</b> , 16, 722-6	1.4	52
54	Sentinel node status in melanoma patients is not predictive for overall survival upon multivariate analysis. <i>British Journal of Cancer</i> , <b>2005</b> , 92, 662-7	8.7	42

53	Limitations of dermoscopy in the recognition of melanoma. <i>Archives of Dermatology</i> , <b>2005</b> , 141, 155-60		124
52	BRAF kinase gene V599E mutation in growing melanocytic lesions. <i>Journal of Investigative Dermatology</i> , <b>2004</b> , 123, 733-6	4.3	43
51	Selective immunohistochemical staining shows significant prognostic influence of lymphatic and blood vessels in patients with malignant melanoma. <i>European Journal of Cancer</i> , <b>2004</b> , 40, 358-64	7.5	49
50	Validity of an unsupervised self-administered questionnaire for self-assessment of melanoma risk. <i>Melanoma Research</i> , <b>2003</b> , 13, 537-42	3.3	25
49	Additional ST-segment elevation during thrombolytic therapy in patients with acute ST-elevation myocardial infarction: impact on myocardial salvage and final infarct size. <i>Wiener Klinische Wochenschrift</i> , <b>2003</b> , 115, 104-10	2.3	
48	Dermoscopy of pigmented skin lesions: results of a consensus meeting via the Internet. <i>Journal of the American Academy of Dermatology</i> , <b>2003</b> , 48, 679-93	4.5	882
47	Accuracy of computer diagnosis of melanoma: a quantitative meta-analysis. <i>Archives of Dermatology</i> , <b>2003</b> , 139, 361-7; discussion 366		88
46	Prediction of 24 h, nonfatal complications in patients with acute myocardial infarction receiving thrombolytic therapy by calculation of the ST segment deviation score. <i>Canadian Journal of Cardiology</i> , <b>2003</b> , 19, 151-7	3.8	5
45	Use of digital dermoscopy to monitor melanocytic lesions: risks and benefits. <i>Journal of Drugs in Dermatology</i> , <b>2003</b> , 2, 309-11	2.2	5
44	Endothelin-1 elevates regional cerebral perfusion during prolonged ventricular fibrillation cardiac arrest in pigs. <i>Resuscitation</i> , <b>2002</b> , 55, 317-27	4	25
43	Microalbumin measurement alone or calculation of the albumin/creatinine ratio for the screening of hypertension patients?. <i>Nephrology Dialysis Transplantation</i> , <b>2002</b> , 17, 81-5	4.3	41
42	Angiotensin converting enzyme DD genotype is associated with hypertensive crisis. <i>Critical Care Medicine</i> , <b>2002</b> , 30, 2236-41	1.4	26
41	Effects of extracorporeal photoimmunotherapy on soluble IL-2Ralpha, TNF-RI, and CD8 in patients with steroid-resistant acute graft-versus-host disease. <i>Clinical Immunology</i> , <b>2002</b> , 104, 248-55	9	5
40	Diagnostic accuracy of dermoscopy. <i>Lancet Oncology, The</i> , <b>2002</b> , 3, 159-65	21.7	825
39	Follow-up of melanocytic skin lesions with digital dermoscopy: risks and benefits. <i>Archives of Dermatology</i> , <b>2002</b> , 138, 1379		35
38	Evaluation of the ability of patients to identify enlarging melanocytic nevi. <i>Archives of Dermatology</i> , <b>2002</b> , 138, 984-5		4
37	Cisplatin and carboplatin combination as second-line chemotherapy in dacarbazine-resistant melanoma patients. <i>Melanoma Research</i> , <b>2001</b> , 11, 411-5	3.3	25
36	MART-1/Melan-A and tyrosinase transcripts in peripheral blood of melanoma patients: PCR analyses and follow-up testing in relation to clinical stage and disease progression. <i>Melanoma Research</i> , <b>2001</b> , 11, 543-8	3.3	15

35	Effects of bystander first aid, defibrillation and advanced life support on neurologic outcome and hospital costs in patients after ventricular fibrillation cardiac arrest. <i>Intensive Care Medicine</i> , <b>2001</b> , 27, 1474-80	14.5	47
34	Treatment of focal hyperhidrosis with botulinum toxin type A: long-term follow-up in 61 patients. <i>British Journal of Dermatology</i> , <b>2001</b> , 145, 289-93	4	102
33	A comparison of machine learning methods for the diagnosis of pigmented skin lesions. <i>Journal of Biomedical Informatics</i> , <b>2001</b> , 34, 28-36	10.2	177
32	Automated melanoma recognition. <i>IEEE Transactions on Medical Imaging</i> , <b>2001</b> , 20, 233-9	11.7	404
31	Compliance with follow-up and prognosis among patients with thin melanomas. <i>European Journal of Cancer</i> , <b>2001</b> , 37, 1504-9	7.5	26
30	The dermatoscope: a potential source of nosocomial infection?. <i>Melanoma Research</i> , <b>2001</b> , 11, 153-6	3.3	23
29	Risks and benefits of sequential imaging of melanocytic skin lesions in patients with multiple atypical nevi. <i>Archives of Dermatology</i> , <b>2001</b> , 137, 1590-5		73
28	Growth rate of melanoma in vivo and correlation with dermatoscopic and dermatopathologic findings. <i>Dermatology Practical and Conceptual</i> , <b>2001</b> , 1, 13	1.5	4
27	Computer-aided epiluminescence microscopy of pigmented skin lesions: the value of clinical data for the classification process. <i>Melanoma Research</i> , <b>2000</b> , 10, 556-61	3.3	45
26	Simultaneous comparison of thoracic bioimpedance and arterial pulse waveform-derived cardiac output with thermodilution measurement. <i>Critical Care Medicine</i> , <b>2000</b> , 28, 1798-802	1.4	38
25	Out-of-hospital diagnosis of cerebral infarction versus intracranial hemorrhage. <i>Intensive Care Medicine</i> , <b>2000</b> , 26, 1561-5	14.5	12
24	Predictive role of interphase cytogenetics for survival of patients with multiple myeloma. <i>Journal of Clinical Oncology</i> , <b>2000</b> , 18, 804-12	2.2	139
23	Frequency and characteristics of enlarging common melanocytic nevi. <i>Archives of Dermatology</i> , <b>2000</b> , 136, 316-20		101
22	Follow-up of melanocytic skin lesions with digital epiluminescence microscopy: patterns of modifications observed in early melanoma, atypical nevi, and common nevi. <i>Journal of the American Academy of Dermatology</i> , <b>2000</b> , 43, 467-76	4.5	209
21	A patient with naevoid basal cell carcinoma syndrome and Turner's syndrome. <i>British Journal of Dermatology</i> , <b>2000</b> , 143, 1105-7	4	1
20	High-dose botulinum toxin type A for axillary hyperhidrosis. <i>Archives of Dermatology</i> , <b>2000</b> , 136, 1567		6
19	A randomized, double-blind, placebo-controlled trial of botulinum A toxin for severe axillary hyperhidrosis. <i>British Journal of Dermatology</i> , <b>1999</b> , 140, 677-80	4	107
18	Immunotherapy of metastatic malignant melanoma by a vaccine consisting of autologous interleukin 2-transfected cancer cells: outcome of a phase I study. <i>Human Gene Therapy</i> , <b>1999</b> , 10, 983-93	4.8	102

17	Treatment of rosacea-like demodicidosis with oral ivermectin and topical permethrin cream. <i>Journal of the American Academy of Dermatology</i> , <b>1999</b> , 41, 775-7	4.5	80
16	Reevaluation of the ABCD rule for epiluminescence microscopy. <i>Journal of the American Academy of Dermatology</i> , <b>1999</b> , 40, 171-6	4.5	47
15	Morphologic changes of pigmented skin lesions: a useful extension of the ABCD rule for dermatoscopy. <i>Journal of the American Academy of Dermatology</i> , <b>1999</b> , 40, 558-62	4.5	79
14	Possible hazard to patients from immersion oil used for epiluminescence microscopy. <i>Journal of the American Academy of Dermatology</i> , <b>1999</b> , 40, 499	4.5	2
13	Time course of serum neuron-specific enolase. A predictor of neurological outcome in patients resuscitated from cardiac arrest. <i>Stroke</i> , <b>1999</b> , 30, 1598-603	6.7	112
12	Diagnostic informativeness of compressed digital epiluminescence microscopy images of pigmented skin lesions compared with photographs. <i>Melanoma Research</i> , <b>1998</b> , 8, 255-60	3.3	29
11	Epiluminescence microscopy-based classification of pigmented skin lesions using computerized image analysis and an artificial neural network. <i>Melanoma Research</i> , <b>1998</b> , 8, 261-6	3.3	97
10	Cumulative epinephrine dose during cardiopulmonary resuscitation and neurologic outcome. <i>Annals of Internal Medicine</i> , <b>1998</b> , 129, 450-6	8	115
9	Computer aided recognition of pigmented skin lesion. <i>Melanoma Research</i> , <b>1997</b> , 7, S19	3.3	59
8	Uses of botulinum toxin. <i>Lancet, The</i> , <b>1997</b> , 349, 953	4.0	9
7	Lymph node sonography versus palpation for detecting recurrent disease in patients with malignant melanoma. <i>European Journal of Cancer</i> , <b>1997</b> , 33, 1805-8	7.5	37
6	Epiluminescence microscopy of small pigmented skin lesions: short-term formal training improves the diagnostic performance of dermatologists. <i>Journal of the American Academy of Dermatology</i> , <b>1997</b> , 36, 197-202	4.5	149
5	Prediction of early complications in patients with acute myocardial infarction by calculation of the ST score. <i>Annals of Emergency Medicine</i> , <b>1997</b> , 30, 563-70	2.1	9
4	Double-blind trial of botulinum A toxin for the treatment of focal hyperhidrosis of the palms. <i>British Journal of Dermatology</i> , <b>1997</b> , 136, 548-552	4	38
3	Double-blind trial of botulinum A toxin for the treatment of focal hyperhidrosis of the palms. <i>British Journal of Dermatology</i> , <b>1997</b> , 136, 548-552	4	122
2	Noninvasive assessment of cardiac output in critically ill patients by analysis of the finger blood pressure waveform. <i>Critical Care Medicine</i> , <b>1997</b> , 25, 1909-14	1.4	44
1	Double-blind trial of botulinum A toxin for the treatment of focal hyperhidrosis of the palms. <i>British Journal of Dermatology</i> , <b>1997</b> , 136, 548-52	4	22