

Xu Guo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2420359/publications.pdf>

Version: 2024-02-01

146
papers

6,706
citations

57752

44
h-index

71682

76
g-index

148
all docs

148
docs citations

148
times ranked

2705
citing authors

#	ARTICLE	IF	CITATIONS
1	Doing Topology Optimization Explicitly and Geometrically—A New Moving Morphable Components Based Framework. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2014, 81, .	2.2	731
2	A new topology optimization approach based on Moving Morphable Components (MMC) and the ersatz material model. <i>Structural and Multidisciplinary Optimization</i> , 2016, 53, 1243-1260.	3.5	387
3	Explicit structural topology optimization based on moving morphable components (MMC) with curved skeletons. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2016, 310, 711-748.	6.6	245
4	Self-supporting structure design in additive manufacturing through explicit topology optimization. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2017, 323, 27-63.	6.6	224
5	Explicit three dimensional topology optimization via Moving Morphable Void (MMV) approach. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2017, 322, 590-614.	6.6	172
6	Recent development in structural design and optimization. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2010, 26, 807-823.	3.4	158
7	Explicit feature control in structural topology optimization via level set method. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2014, 272, 354-378.	6.6	156
8	Structural Topology Optimization Through Explicit Boundary Evolution. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2017, 84, .	2.2	149
9	Stress-related topology optimization via level set approach. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2011, 200, 3439-3452.	6.6	137
10	An explicit length scale control approach in SIMP-based topology optimization. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2014, 282, 71-86.	6.6	133
11	Stress-related topology optimization of continuum structures involving multi-phase materials. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2014, 268, 632-655.	6.6	130
12	A Moving Morphable Void (MMV)-based explicit approach for topology optimization considering stress constraints. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2018, 334, 381-413.	6.6	118
13	Additive Manufacturing-Oriented Design of Graded Lattice Structures Through Explicit Topology Optimization. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2017, 84, .	2.2	112
14	Topology optimization with multiple materials via moving morphable component (MMC) method. <i>International Journal for Numerical Methods in Engineering</i> , 2018, 113, 1653-1675.	2.8	112
15	Machine Learning-Driven Real-Time Topology Optimization Under Moving Morphable Component-Based Framework. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2019, 86, .	2.2	112
16	Multi-scale robust design and optimization considering load uncertainties. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2015, 283, 994-1009.	6.6	99
17	Minimum length scale control in structural topology optimization based on the Moving Morphable Components (MMC) approach. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2016, 311, 327-355.	6.6	99
18	Wireless sensors for continuous, multimodal measurements at the skin interface with lower limb prostheses. <i>Science Translational Medicine</i> , 2020, 12, .	12.4	93

#	ARTICLE	IF	CITATIONS
19	Confidence structural robust design and optimization under stiffness and load uncertainties. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2009, 198, 3378-3399.	6.6	89
20	Multi-scale concurrent material and structural design under mechanical and thermal loads. <i>Computational Mechanics</i> , 2016, 57, 437-446.	4.0	88
21	A new three-dimensional topology optimization method based on moving morphable components (MMCs). <i>Computational Mechanics</i> , 2017, 59, 647-665.	4.0	88
22	Electronic skin as wireless human-machine interfaces for robotic VR. <i>Science Advances</i> , 2022, 8, eabl6700.	10.3	88
23	Robust structural topology optimization considering boundary uncertainties. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2013, 253, 356-368.	6.6	85
24	Battery-free, wireless soft sensors for continuous multi-site measurements of pressure and temperature from patients at risk for pressure injuries. <i>Nature Communications</i> , 2021, 12, 5008.	12.8	83
25	Predicting the elastic properties of single-walled carbon nanotubes. <i>Journal of the Mechanics and Physics of Solids</i> , 2005, 53, 1929-1950.	4.8	76
26	Clustering discretization methods for generation of material performance databases in machine learning and design optimization. <i>Computational Mechanics</i> , 2019, 64, 281-305.	4.0	74
27	Optimal topology design of continuum structures with stress concentration alleviation via level set method. <i>International Journal for Numerical Methods in Engineering</i> , 2013, 93, 942-959.	2.8	67
28	Explicit layout control in optimal design of structural systems with multiple embedding components. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2015, 290, 290-313.	6.6	67
29	An efficient moving morphable component (MMC)-based approach for multi-resolution topology optimization. <i>Structural and Multidisciplinary Optimization</i> , 2018, 58, 2455-2479.	3.5	67
30	Structural complexity control in topology optimization via moving morphable component (MMC) approach. <i>Structural and Multidisciplinary Optimization</i> , 2017, 56, 535-552.	3.5	66
31	Explicit topology optimization using IGA-based moving morphable void (MMV) approach. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2020, 360, 112685.	6.6	65
32	Miniaturized electromechanical devices for the characterization of the biomechanics of deep tissue. <i>Nature Biomedical Engineering</i> , 2021, 5, 759-771.	22.5	65
33	Frequency-Preserved Acoustic Diode Model with High Forward-Power-Transmission Rate. <i>Physical Review Applied</i> , 2015, 3, .	3.8	63
34	A new computational framework for materials with different mechanical responses in tension and compression and its applications. <i>International Journal of Solids and Structures</i> , 2016, 100-101, 54-73.	2.7	63
35	Soft, bioresorbable coolers for reversible conduction block of peripheral nerves. <i>Science</i> , 2022, 377, 109-115.	12.6	62
36	Lagrangian Description Based Topology Optimization – A Revival of Shape Optimization. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2016, 83, .	2.2	59

#	ARTICLE	IF	CITATIONS
37	Topological optimization of biomimetic sandwich structures with hybrid core and CFRP face sheets. <i>Composites Science and Technology</i> , 2017, 142, 79-90.	7.8	59
38	Variational principles and the related bounding theorems for bi-modulus materials. <i>Journal of the Mechanics and Physics of Solids</i> , 2014, 73, 183-211.	4.8	56
39	Derivation of heterogeneous material laws via data-driven principal component expansions. <i>Computational Mechanics</i> , 2019, 64, 365-379.	4.0	53
40	Confidence extremal structural response analysis of truss structures under static load uncertainty via SDP relaxation. <i>Computers and Structures</i> , 2009, 87, 246-253.	4.4	51
41	Extreme structural response analysis of truss structures under material uncertainty via linear mixed 0-1 programming. <i>International Journal for Numerical Methods in Engineering</i> , 2008, 76, 253-277.	2.8	50
42	A Moving Morphable Component Based Topology Optimization Approach for Rib-Stiffened Structures Considering Buckling Constraints. <i>Journal of Mechanical Design, Transactions of the ASME</i> , 2018, 140, .	2.9	50
43	Two-Fold Anisotropy Governs Morphological Evolution and Stress Generation in Sodiated Black Phosphorus for Sodium Ion Batteries. <i>Nano Letters</i> , 2017, 17, 2299-2306.	9.1	48
44	Adhesive contact on power-law graded elastic solids: The JKR-DMT transition using a double-Hertz model. <i>Journal of the Mechanics and Physics of Solids</i> , 2013, 61, 2473-2492.	4.8	47
45	A novel asymptotic-analysis-based homogenisation approach towards fast design of infill graded microstructures. <i>Journal of the Mechanics and Physics of Solids</i> , 2019, 124, 612-633.	4.8	46
46	MAP123: A data-driven approach to use 1D data for 3D nonlinear elastic materials modeling. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2019, 357, 112587.	6.6	42
47	Stress-related topology optimization of shell structures using IGA/TSA-based Moving Morphable Void (MMV) approach. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2020, 366, 113036.	6.6	41
48	Phase field modeling of fracture in nonlinearly elastic solids via energy decomposition. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2019, 347, 477-494.	6.6	40
49	A mixed integer programming for robust truss topology optimization with stress constraints. <i>International Journal for Numerical Methods in Engineering</i> , 2010, 83, 1675-1699.	2.8	39
50	Kirigami pattern design of mechanically driven formation of complex 3D structures through topology optimization. <i>Extreme Mechanics Letters</i> , 2017, 15, 139-144.	4.1	39
51	Mechanics of non-slipping adhesive contact on a power-law graded elastic half-space. <i>International Journal of Solids and Structures</i> , 2011, 48, 2565-2575.	2.7	37
52	Explicit structural topology optimization under finite deformation via Moving Morphable Void (MMV) approach. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2019, 344, 798-818.	6.6	37
53	Non-slipping adhesive contact of a rigid cylinder on an elastic power-law graded half-space. <i>International Journal of Solids and Structures</i> , 2010, 47, 1508-1521.	2.7	36
54	Optimal design of shell-graded-infill structures by a hybrid MMC-MMV approach. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2020, 369, 113187.	6.6	32

#	ARTICLE	IF	CITATIONS
55	A Unified Treatment of Axisymmetric Adhesive Contact on a Power-Law Graded Elastic Half-Space. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2013, 80, .	2.2	31
56	Exploring Elastoplastic Constitutive Law of Microstructured Materials Through Artificial Neural Network—A Mechanistic-Based Data-Driven Approach. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2020, 87, .	2.2	31
57	Mechanics of axisymmetric adhesive contact of rough surfaces involving power-law graded materials. <i>International Journal of Solids and Structures</i> , 2013, 50, 3375-3386.	2.7	30
58	An efficient and easy-to-extend Matlab code of the Moving Morphable Component (MMC) method for three-dimensional topology optimization. <i>Structural and Multidisciplinary Optimization</i> , 2022, 65, 1.	3.5	30
59	Stretchable Sweat-Activated Battery in Skin-Integrated Electronics for Continuous Wireless Sweat Monitoring. <i>Advanced Science</i> , 2022, 9, e2104635.	11.2	29
60	MAP123-EP: A mechanistic-based data-driven approach for numerical elastoplastic analysis. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2020, 364, 112955.	6.6	28
61	Numerical simulation for finite deformation of single-walled carbon nanotubes at finite temperature using temperature-related higher order Cauchy-Born rule based quasi-continuum model. <i>Computational Materials Science</i> , 2012, 55, 273-283.	3.0	27
62	A quasi-continuum model for human erythrocyte membrane based on the higher order Cauchy-Born rule. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2014, 268, 284-298.	6.6	26
63	Explicit control of structural complexity in topology optimization. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2017, 324, 149-169.	6.6	26
64	The mechanical principles behind the golden ratio distribution of veins in plant leaves. <i>Scientific Reports</i> , 2018, 8, 13859.	3.3	26
65	Generation of smoothly-varying infill configurations from a continuous menu of cell patterns and the asymptotic analysis of its mechanical behaviour. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2020, 366, 113037.	6.6	26
66	Investigation of the thermo-mechanical properties of single-walled carbon nanotubes based on the temperature-related higher order Cauchy-Born rule. <i>Computational Materials Science</i> , 2012, 51, 445-454.	3.0	24
67	Adhesive Contact on Randomly Rough Surfaces Based on the Double-Hertz Model. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2014, 81, .	2.2	24
68	Adhesive contact of a power-law graded elastic half-space with a randomly rough rigid surface. <i>International Journal of Solids and Structures</i> , 2016, 81, 244-249.	2.7	24
69	Curtin-Murdoch surface elasticity theory revisit: An orbital-free density functional theory perspective. <i>Journal of the Mechanics and Physics of Solids</i> , 2017, 109, 178-197.	4.8	24
70	A study on the bending stiffness of single-walled carbon nanotubes and related issues. <i>Journal of the Mechanics and Physics of Solids</i> , 2010, 58, 428-443.	4.8	22
71	Integrated size and topology optimization of skeletal structures with exact frequency constraints. <i>Structural and Multidisciplinary Optimization</i> , 2014, 50, 113-128.	3.5	22
72	Confidence structural robust optimization by non-linear semidefinite programming-based single-level formulation. <i>International Journal for Numerical Methods in Engineering</i> , 2011, 86, 953-974.	2.8	21

#	ARTICLE	IF	CITATIONS
73	Adhesion between elastic cylinders based on the double-Hertz model. <i>International Journal of Solids and Structures</i> , 2014, 51, 2706-2712.	2.7	21
74	Structural topology optimization involving bi-modulus materials with asymmetric properties in tension and compression. <i>Computational Mechanics</i> , 2019, 63, 335-363.	4.0	21
75	A generalized Maugis-Dugdale solution for adhesion of power-law graded elastic materials. <i>Journal of the Mechanics and Physics of Solids</i> , 2021, 154, 104509.	4.8	21
76	Multi-class, multi-functional design of photonic topological insulators by rational symmetry-indicators engineering. <i>Nanophotonics</i> , 2021, 10, 4523-4531.	6.0	21
77	Some symmetry results for optimal solutions in structural optimization. <i>Structural and Multidisciplinary Optimization</i> , 2012, 46, 631-645.	3.5	20
78	Quasi-Continuum Model for the Finite Deformation of Single-Layer Graphene Sheets Based on the Temperature-Related Higher Order Cauchy-Born Rule. <i>Journal of Computational and Theoretical Nanoscience</i> , 2013, 10, 154-164.	0.4	20
79	Fracture in tension-compression-asymmetry solids via phase field modeling. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2019, 357, 112573.	6.6	20
80	Infrared Skin-Like Active Stretchable Electronics Based on Organic-Inorganic Composite Structures for Promotion of Cutaneous Wound Healing. <i>Advanced Materials Technologies</i> , 2019, 4, 1900150.	5.8	19
81	Tension-compression asymmetry at finite strains: A theoretical model and exact solutions. <i>Journal of the Mechanics and Physics of Solids</i> , 2020, 143, 104084.	4.8	19
82	Establishment of a new OSCC cell line derived from OLK and identification of malignant transformation-related proteins by differential proteomics approach. <i>Scientific Reports</i> , 2015, 5, 12668.	3.3	18
83	On the contact and adhesion of a piezoelectric half-space under a rigid punch with an axisymmetric power-law profile. <i>Mechanics of Materials</i> , 2019, 129, 189-197.	3.2	18
84	MAP123-EPF: A mechanistic-based data-driven approach for numerical elastoplastic modeling at finite strain. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2021, 373, 113484.	6.6	18
85	Moving Morphable Components-based inverse design formulation for quantum valley/spin hall insulators. <i>Extreme Mechanics Letters</i> , 2021, 45, 101276.	4.1	18
86	Epsilon-continuation approach for truss topology optimization. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2004, 20, 526-533.	3.4	17
87	Finite deformation of single-walled carbon nanocones under axial compression using a temperature-related multiscale quasi-continuum model. <i>Computational Materials Science</i> , 2016, 114, 244-253.	3.0	17
88	An Optimization Approach for Stiffener Layout of Composite Stiffened Panels Based on Moving Morphable Components (MMCs). <i>Acta Mechanica Solida Sinica</i> , 2020, 33, 650-662.	1.9	17
89	Combined model-based topology optimization of stiffened plate structures via MMC approach. <i>International Journal of Mechanical Sciences</i> , 2021, 208, 106682.	6.7	17
90	A unified framework for explicit layout/topology optimization of thin-walled structures based on Moving Morphable Components (MMC) method and adaptive ground structure approach. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2022, 396, 115047.	6.6	17

#	ARTICLE	IF	CITATIONS
91	A level set approach for damage identification of continuum structures based on dynamic responses. <i>Journal of Sound and Vibration</i> , 2017, 386, 100-115.	3.9	15
92	Learning material law from displacement fields by artificial neural network. <i>Theoretical and Applied Mechanics Letters</i> , 2020, 10, 202-206.	2.8	15
93	Mechanistically informed data-driven modeling of cyclic plasticity via artificial neural networks. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2022, 393, 114766.	6.6	15
94	Mode-mixity-dependent adhesion of power-law graded elastic solids under normal load and substrate stretch-induced mismatch strain. <i>International Journal of Solids and Structures</i> , 2012, 49, 2349-2357.	2.7	14
95	A double-Westergaard model for adhesive contact of a wavy surface. <i>International Journal of Solids and Structures</i> , 2016, 102-103, 66-76.	2.7	14
96	A magnification-based multi-asperity (MBMA) model of rough contact without adhesion. <i>Journal of the Mechanics and Physics of Solids</i> , 2019, 133, 103724.	4.8	14
97	Plane Contact and Partial Slip Behaviors of Elastic Layers With Randomly Rough Surfaces. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2015, 82, .	2.2	13
98	General Finite-Element Framework of the Virtual Fields Method in Nonlinear Elasticity. <i>Journal of Elasticity</i> , 2021, 145, 265-294.	1.9	13
99	On speeding up an asymptotic-analysis-based homogenisation scheme for designing gradient porous structured materials using a zoning strategy. <i>Structural and Multidisciplinary Optimization</i> , 2020, 62, 457-473.	3.5	12
100	A scaled boundary finite element based explicit topology optimization approach for three-dimensional structures. <i>International Journal for Numerical Methods in Engineering</i> , 2020, 121, 4878-4900.	2.8	12
101	Characterisation of dislocation patterning behaviour with a continuum dislocation dynamics model on two parallel slip planes equipped with a deep neural network resolving local microstructures. <i>International Journal of Solids and Structures</i> , 2020, 198, 57-71.	2.7	12
102	Compliance minimisation of smoothly varying multiscale structures using asymptotic analysis and machine learning. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2022, 395, 114861.	6.6	12
103	Symmetry properties in structural optimization: some extensions. <i>Structural and Multidisciplinary Optimization</i> , 2013, 47, 783-794.	3.5	11
104	Edge Delamination and Residual Properties of Drilled Carbon Fiber Composites with and without Short-Aramid-Fiber Interleaf. <i>Applied Composite Materials</i> , 2016, 23, 973-985.	2.5	11
105	Role of Grain Boundaries under Long-Time Radiation. <i>Physical Review Letters</i> , 2018, 120, 222501.	7.8	11
106	Introducing regularization into the virtual fields method (VFM) to identify nonhomogeneous elastic property distributions. <i>Computational Mechanics</i> , 2021, 67, 1581-1599.	4.0	11
107	Flexoelectric nanostructure design using explicit topology optimization. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2022, 394, 114943.	6.6	11
108	A NOTE ON A JELLYFISH-LIKE FEASIBLE DOMAIN IN STRUCTURAL TOPOLOGY OPTIMIZATION. <i>Engineering Optimization</i> , 1998, 31, 1-24.	2.6	10

#	ARTICLE	IF	CITATIONS
109	Revisiting the Maugis's Dugdale Adhesion Model of Elastic Periodic Wavy Surfaces. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2016, 83, .	2.2	10
110	A three-scale homogenisation approach to the prediction of long-time absorption of radiation induced interstitials by nanovoids at interfaces. <i>Journal of the Mechanics and Physics of Solids</i> , 2017, 105, 1-20.	4.8	10
111	Deformation and pattern transformation of porous soft solids under biaxial loading: Experiments and simulations. <i>Extreme Mechanics Letters</i> , 2018, 20, 81-90.	4.1	10
112	Void nucleation in alloys with lamella particles under biaxial loadings. <i>Extreme Mechanics Letters</i> , 2018, 22, 42-50.	4.1	8
113	twin nucleation at prismatic/basal boundary in hexagonal close-packed metals. <i>Philosophical Magazine</i> , 2019, 99, 2584-2603.	1.6	8
114	Topology optimization of plate structures using plate element-based moving morphable component (MMC) approach. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2020, 36, 412-421.	3.4	8
115	Quasi-Continuum Contact Model for the Simulation of Severe Deformation of Single-Walled Carbon Nanotubes at Finite Temperature. <i>Journal of Computational and Theoretical Nanoscience</i> , 2013, 10, 810-820.	0.4	7
116	Systematic study on the mechanical and electric behaviors of the nonbuckling interconnect design of stretchable electronics. <i>Science China: Physics, Mechanics and Astronomy</i> , 2018, 61, 1.	5.1	7
117	Explicit structural topology optimization using boundary element method-based moving morphable void approach. <i>International Journal for Numerical Methods in Engineering</i> , 2021, 122, 6155-6179.	2.8	7
118	Design of optimized architected structures with exact size and connectivity via an enhanced multidomain topology optimization strategy. <i>Computational Mechanics</i> , 2021, 67, 743-762.	4.0	7
119	Topology Optimization on Complex Surfaces Based on the Moving Morphable Component Method and Computational Conformal Mapping. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2022, 89, .	2.2	7
120	Symmetry analysis for structural optimization problems involving reliability measure and bi-modulus materials. <i>Structural and Multidisciplinary Optimization</i> , 2016, 53, 973-984.	3.5	6
121	Moving Morphable Inclusion Approach: An Explicit Framework to Solve Inverse Problem in Elasticity. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2021, 88, .	2.2	6
122	A data-driven approach for modeling tension-compression asymmetric material behavior: numerical simulation and experiment. <i>Computational Mechanics</i> , 2022, 69, 299-313.	4.0	6
123	Flexible electronics with dynamic interfaces for biomedical monitoring, stimulation, and characterization. <i>International Journal of Mechanical System Dynamics</i> , 2021, 1, 52-70.	2.8	6
124	DOING TOPOLOGY OPTIMIZATION EXPLICITLY AND GEOMETRICALLY: A NEW MOVING MORPHABLE COMPONENTS BASED FRAMEWORK. , 2015, , 31-32.		5
125	A lightweight optimal design model for bolted flange joints without gaskets considering its sealing performance. <i>Proceedings of the Institution of Mechanical Engineers, Part E: Journal of Process Mechanical Engineering</i> , 2018, 232, 234-255.	2.5	5
126	Leakage analysis of bolted flange joints considering surface roughness: A theoretical model. <i>Proceedings of the Institution of Mechanical Engineers, Part E: Journal of Process Mechanical Engineering</i> , 2018, 232, 203-233.	2.5	5

#	ARTICLE	IF	CITATIONS
127	Surface Instability of Bilayer Hydrogel Subjected to Both Compression and Solvent Absorption. <i>Polymers</i> , 2018, 10, 624.	4.5	5
128	Explicit Topology Optimization with Moving Morphable Component (MMC) Introduction Mechanism. <i>Acta Mechanica Solida Sinica</i> , 2022, 35, 384-408.	1.9	5
129	Optimisation of spatially varying orthotropic porous structures based on conformal mapping. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2022, 391, 114589.	6.6	5
130	A confirmation of a conjecture on the existence of symmetric optimal solution under multiple loads. <i>Structural and Multidisciplinary Optimization</i> , 2014, 50, 659-661.	3.5	4
131	Exact response bound analysis of truss structures via linear mixed 0-1 programming and sensitivity bounding technique. <i>International Journal for Numerical Methods in Engineering</i> , 2018, 116, 21-42.	2.8	4
132	Mixed Graph-FEM phase field modeling of fracture in plates and shells with nonlinearly elastic solids. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2021, 389, 114282.	6.6	4
133	Structural Optimization of Fiber-Reinforced Material Based on Moving Morphable Components (MMCs). <i>Acta Mechanica Solida Sinica</i> , 2022, 35, 632-646.	1.9	4
134	A meshless moving morphable component-based method for structural topology optimization without weak material. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2022, 38, .	3.4	4
135	Plane Contact and Adhesion of Two Elastic Solids With an Interface Groove. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2018, 85, .	2.2	3
136	G-MAP123: A mechanistic-based data-driven approach for 3D nonlinear elastic modeling " Via both uniaxial and equibiaxial tension experimental data. <i>Extreme Mechanics Letters</i> , 2022, 50, 101545.	4.1	3
137	A multiscale, data-driven approach to identifying thermo-mechanically coupled laws"bottom-up with artificial neural networks. <i>Computational Mechanics</i> , 2022, 70, 163-179.	4.0	3
138	Quasi-continuum study of the buckling behavior of single-walled carbon nanocones subjected to bending under thermal loading. <i>Journal of Materials Research</i> , 2017, 32, 2266-2275.	2.6	2
139	Attempts on representing sink strengths with machine learning formulations and the long-term role of crystalline interfaces in the development of irradiation-induced bubbles. <i>Journal of Nuclear Materials</i> , 2021, 544, 152676.	2.7	2
140	The Effect of Void Arrangement on the Pattern Transformation of Porous Soft Solids under Biaxial Loading. <i>Materials</i> , 2021, 14, 1205.	2.9	2
141	A moving morphable component-based topology optimization approach considering transient structural dynamic responses. <i>International Journal for Numerical Methods in Engineering</i> , 2022, 123, 705-728.	2.8	2
142	A note on stress-constrained truss topology optimization. <i>Structural and Multidisciplinary Optimization</i> , 2004, 27, 136-137.	3.5	1
143	Topology Optimization Based on Explicit Geometry Description. , 2019, , 1-8.		0
144	Topology Optimization Based on Explicit Geometry Description. , 2020, , 2556-2563.		0

#	ARTICLE	IF	CITATIONS
145	Roof Deformation and Collapse of Stamps With Isolated Grooves: A Contact Mechanics Approach. Journal of Applied Mechanics, Transactions ASME, 2022, 89, .	2.2	0
146	Derivation of the Orthotropic Nonlinear Elastic Material Law Driven by Low-Cost Data (DDONE). Acta Mechanica Solida Sinica, 0, , .	1.9	0