

# Mette Vestergaard

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2420566/publications.pdf>

Version: 2024-02-01

49  
papers

2,210  
citations

361045  
20  
h-index

233125  
45  
g-index

52  
all docs

52  
docs citations

52  
times ranked

3564  
citing authors

#	ARTICLE	IF	CITATIONS
1	A field study reveals links between hyperaccumulating Sedum plants-associated bacterial communities and Cd/Zn uptake and translocation. Science of the Total Environment, 2022, 805, 150400.	3.9	22
2	Deciphering bacteria associated with a pre-parasitic stage of the root-knot nematode Meloidogyne hapla in nemato-suppressive and nemato-conducive soils. Applied Soil Ecology, 2022, 172, 104344.	2.1	9
3	Rice diterpenoid phytoalexins are involved in defence against parasitic nematodes and shape rhizosphere nematode communities. New Phytologist, 2022, 235, 1231-1245.	3.5	12
4	Genetic disruption of <i>Arabidopsis</i> secondary metabolite synthesis leads to microbiome-mediated modulation of nematode invasion. ISME Journal, 2022, 16, 2230-2241.	4.4	9
5	Increased Likelihood of High Nitrous Oxide (N <sub>2</sub> O) Exchange in Soils at Reduced Microbial Diversity. Sustainability, 2021, 13, 1685.	1.6	1
6	Benzoxazinoids selectively affect maize root-associated nematode taxa. Journal of Experimental Botany, 2021, 72, 3835-3845.	2.4	15
7	The complexity of wood ash fertilization disentangled: Effects on soil pH, nutrient status, plant growth and cadmium accumulation. Environmental and Experimental Botany, 2021, 185, 104424.	2.0	15
8	Soil microorganisms decrease barley biomass uniformly across contrasting nitrogen availability. European Journal of Soil Biology, 2021, 104, 103311.	1.4	4
9	Specialized microbiomes facilitate natural rhizosphere microbiome interactions counteracting high salinity stress in plants. Environmental and Experimental Botany, 2021, 186, 104430.	2.0	28
10	Can microorganisms assist the survival and parasitism of plant-parasitic nematodes?. Trends in Parasitology, 2021, 37, 947-958.	1.5	23
11	Phytohormones selectively affect plant parasitic nematodes associated with Arabidopsis roots. New Phytologist, 2021, 232, 1272-1285.	3.5	11
12	Bacteria Respond Stronger Than Fungi Across a Steep Wood Ash-Driven pH Gradient. Frontiers in Forests and Global Change, 2021, 4, .	1.0	7
13	Evaluation of Metabarcoding Primers for Analysis of Soil Nematode Communities. Diversity, 2020, 12, 388.	0.7	20
14	AgNO <sub>3</sub> Sterilizes Grains of Barley ( <i>Hordeum vulgare</i> ) without Inhibiting Germination—A Necessary Tool for Plant—Microbiome Research. Plants, 2020, 9, 372.	1.6	4
15	A global database of soil nematode abundance and functional group composition. Scientific Data, 2020, 7, 103.	2.4	46
16	Effect of ash application on the decomposer food web and N mineralization in a Norway spruce plantation. Science of the Total Environment, 2020, 715, 136793.	3.9	9
17	The plant-growth promoting bacteria promote cadmium uptake by inducing a hormonal crosstalk and lateral root formation in a hyperaccumulator plant <i>Sedum alfredii</i> . Journal of Hazardous Materials, 2020, 395, 122661.	6.5	67
18	<i>Pseudomonas fluorescens</i> promote photosynthesis, carbon fixation and cadmium phytoremediation of hyperaccumulator <i>Sedum alfredii</i> . Science of the Total Environment, 2020, 726, 138554.	3.9	43

#	ARTICLE	IF	CITATIONS
19	Soil nematode abundance and functional group composition at a global scale. <i>Nature</i> , 2019, 572, 194-198.	13.7	635
20	Wood ash decreases cadmium toxicity to the soil nematode <i>Caenorhabditis elegans</i> . <i>Ecotoxicology and Environmental Safety</i> , 2019, 172, 290-295.	2.9	12
21	Ash application enhances decomposition of recalcitrant organic matter. <i>Soil Biology and Biochemistry</i> , 2019, 135, 316-322.	4.2	5
22	Wood ash effects on growth and cadmium uptake in <i>Deschampsia flexuosa</i> (Wavy hair-grass). <i>Environmental Pollution</i> , 2019, 249, 886-893.	3.7	13
23	Natural <sup>13</sup> C abundance reveals age of dietary carbon sources in nematode trophic groups. <i>Soil Biology and Biochemistry</i> , 2019, 130, 1-7.	4.2	11
24	Trap crops for <i>Meloidogyne hapla</i> management and its integration with supplementary strategies. <i>Applied Soil Ecology</i> , 2019, 134, 105-110.	2.1	18
25	Impacts of Root Metabolites on Soil Nematodes. <i>Frontiers in Plant Science</i> , 2019, 10, 1792.	1.7	80
26	Bioaccumulation of cadmium in soil organisms – With focus on wood ash application. <i>Ecotoxicology and Environmental Safety</i> , 2018, 156, 452-462.	2.9	41
27	The relative importance of the bacterial pathway and soil inorganic nitrogen increase across an extreme woodâ€ash application gradient. <i>GCB Bioenergy</i> , 2018, 10, 320-334.	2.5	35
28	Are nitrous oxide emissions and nitrogen fixation linked in temperate bogs?. <i>Soil Biology and Biochemistry</i> , 2018, 123, 74-79.	4.2	9
29	Elevated CO <sub>2</sub> increases fungal-based micro-foodwebs in soils of contrasting plant species. <i>Plant and Soil</i> , 2017, 415, 549-561.	1.8	13
30	Long-term and realistic global change manipulations had low impact on diversity of soil biota in temperate heathland. <i>Scientific Reports</i> , 2017, 7, 41388.	1.6	25
31	Transient negative biochar effects on plant growth are strongest after microbial species loss. <i>Soil Biology and Biochemistry</i> , 2017, 115, 442-451.	4.2	29
32	Enhanced priming of old, not new soil carbon at elevated atmospheric CO <sub>2</sub> . <i>Soil Biology and Biochemistry</i> , 2016, 100, 140-148.	4.2	39
33	Aboveâ€belowground interactions govern the course and impact of biological invasions. <i>AoB PLANTS</i> , 2015, 7, .	1.2	19
34	Long-term multifactorial climate change impacts on mesofaunal biomass and nitrogen content. <i>Applied Soil Ecology</i> , 2015, 92, 54-63.	2.1	43
35	Plants increase laccase activity in soil with long-term elevated CO <sub>2</sub> legacy. <i>European Journal of Soil Biology</i> , 2015, 70, 97-103.	1.4	4
36	Fifty thousand years of Arctic vegetation and megafaunal diet. <i>Nature</i> , 2014, 506, 47-51.	13.7	505

#	ARTICLE	IF	CITATIONS
37	Freezing eliminates efficient colonizers from nematode communities in frost-free temperate soils. <i>Soil Biology and Biochemistry</i> , 2012, 48, 167-174.	4.2	19
38	Specific antibiotics and nematode trophic groups agree in assessing fungal:bacterial activity in agricultural soil. <i>Soil Biology and Biochemistry</i> , 2012, 55, 17-19.	4.2	5
39	Starved bacteria retain their size but lose culturability – Lessons from a 5000 years old undisturbed A-horizon. <i>Soil Biology and Biochemistry</i> , 2011, 43, 1379-1382.	4.2	7
40	The “soil microbial loop” is not always needed to explain protozoan stimulation of plants. <i>Soil Biology and Biochemistry</i> , 2009, 41, 2336-2342.	4.2	43
41	Rhizosphere bacterial community composition responds to arbuscular mycorrhiza, but not to reductions in microbial activity induced by foliar cutting. <i>FEMS Microbiology Ecology</i> , 2008, 64, 78-89.	1.3	41
42	Evidence for a transient increase of rhizodeposition within one and a half day after a severe defoliation of <i>Plantago arenaria</i> grown in soil. <i>Soil Biology and Biochemistry</i> , 2008, 40, 1264-1267.	4.2	17
43	Decomposer biomass in the rhizosphere to assess rhizodeposition. <i>Oikos</i> , 2007, 116, 65-74.	1.2	31
44	Nematode migration and nutrient diffusion between vetch and barley material in soil. <i>Soil Biology and Biochemistry</i> , 2007, 39, 1410-1417.	4.2	14
45	Decreasing prevalence of rhizosphere IAA producing and seedling root growth promoting bacteria with barley development irrespective of protozoan grazing regime. <i>Plant and Soil</i> , 2007, 295, 115-125.	1.8	18
46	Trophic interactions between rhizosphere bacteria and bacterial feeders influenced by phosphate and aphids in barley. <i>Biology and Fertility of Soils</i> , 2006, 43, 1-11.	2.3	35
47	Aphid effects on rhizosphere microorganisms and microfauna depend more on barley growth phase than on soil fertilization. <i>Oecologia</i> , 2004, 141, 84-93.	0.9	30
48	Nematode assemblages in the rhizosphere of spring barley ( <i>Hordeum vulgare</i> L.) depended on fertilisation and plant growth phase. <i>Pedobiologia</i> , 2004, 48, 257-265.	0.5	38
49	Nematode communities of natural and managed beech forests – a pilot survey. <i>Pedobiologia</i> , 2002, 46, 53-62.	0.5	8