

# Darren A Yuen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2420641/publications.pdf>

Version: 2024-02-01

56  
papers

2,021  
citations

279798

23  
h-index

243625

44  
g-index

58  
all docs

58  
docs citations

58  
times ranked

2985  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Myofibroblast YAP/TAZ activation is a key step in organ fibrogenesis. JCI Insight, 2022, 7, .  | 5.0  | 28        |
| 2  | NUAK1 promotes organ fibrosis via YAP and TGF- $\beta$ 2/SMAD signaling. Science Translational Medicine, 2022, 14, eaaz4028.   | 12.4 | 33        |
| 3  | Magnetic Resonance Elastography-derived Stiffness Predicts Renal Function Loss and Is Associated With Microvascular Inflammation in Kidney Transplant Recipients. Transplantation Direct, 2022, 8, e1334.  | 1.6  | 3         |
| 4  | Reduced Flow in Delayed Graft Function as Assessed by $\langle$ scp $\rangle$ IVIM $\langle$ /scp $\rangle$ Is Associated With Time to Recovery Following Kidney Transplantation. Journal of Magnetic Resonance Imaging, 2021, 53, 108-117.                        | 3.4  | 13        |
| 5  | Overexpression of the Severe Acute Respiratory Syndrome Coronavirus-2 Receptor, Angiotensin-Converting Enzyme 2, in Diabetic Kidney Disease: Implications for Kidney Injury in Novel Coronavirus Disease 2019. Canadian Journal of Diabetes, 2021, 45, 162-166.e1. | 0.8  | 19        |
| 6  | Inhibition of polar actin assembly by astral microtubules is required for cytokinesis. Nature Communications, 2021, 12, 2409.  | 12.8 | 18        |
| 7  | Microfluidic Generation of Monodisperse Nanobubbles by Selective Gas Dissolution. Small, 2021, 17, e2100345.   | 10.0 | 20        |
| 8  | Renal histology in diabetic nephropathy predicts progression to end-stage kidney disease but not the rate of renal function decline. BMC Nephrology, 2020, 21, 285.  | 1.8  | 13        |
| 9  | Imaging of renal fibrosis. Current Opinion in Nephrology and Hypertension, 2020, 29, 599-607.  | 2.0  | 13        |
| 10 | A common glomerular transcriptomic signature distinguishes diabetic kidney disease from other kidney diseases in humans and mice. Current Research in Translational Medicine, 2020, 68, 225-236.   | 1.8  | 2         |
| 11 | Validation of the Kidney Failure Risk Equation in Kidney Transplant Recipients. Canadian Journal of Kidney Health and Disease, 2020, 7, 205435812092262.   | 1.1  | 13        |
| 12 | Photoacoustic imaging of kidney fibrosis for assessing pretransplant organ quality. JCI Insight, 2020, 5, .  | 5.0  | 24        |
| 13 | A new, easily generated mouse model of diabetic kidney fibrosis. Scientific Reports, 2019, 9, 12549.   | 3.3  | 9         |
| 14 | Right ventricular fibrosis is associated with cardiac remodelling after pulmonary valve replacement. Heart, 2019, 105, 855-863.  | 2.9  | 21        |
| 15 | Does Chronic Kidney Disease Induced Cognitive Impairment Affect Driving Safety?. Canadian Journal of Kidney Health and Disease, 2018, 5, 205435811877713.  | 1.1  | 3         |
| 16 | Relationships Between Left Ventricular Structure and Function According to Cardiac MRI and Cardiac Biomarkers in End-Stage Renal Disease. Canadian Journal of Cardiology, 2017, 33, 501-507.   | 1.7  | 10        |
| 17 | Could MRI Be Used To Image Kidney Fibrosis? A Review of Recent Advances and Remaining Barriers. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 1019-1028.  | 4.5  | 66        |
| 18 | Magnetic Resonance Elastography to Assess Fibrosis in Kidney Allografts. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 1671-1679.   | 4.5  | 56        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | The role of thrombectomy and diffusion-weighted imaging with MRI in post-transplant renal vein thrombosis: a case report. <i>BMC Nephrology</i> , 2017, 18, 224.  | 1.8 | 4         |
| 20 | Conventional Hemodialysis is Associated with Greater Bone Loss than Nocturnal Hemodialysis: A Retrospective Observational Study of a Convenience Cohort. <i>Canadian Journal of Kidney Health and Disease</i> , 2016, 3, 118.                             | 1.1 | 3         |
| 21 | YAP/TAZ Are Mechanoregulators of TGF- $\beta$ 2-Smad Signaling and Renal Fibrogenesis. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 3117-3128.  | 6.1 | 316       |
| 22 | Recombinant N-terminus of Slit2 Inhibits TGF- $\beta$ 2-Induced Fibroblast Activation and Renal Fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 2609-2615.   | 6.1 | 27        |
| 23 | Myocardin-related Transcription Factor Regulates Nox4 Protein Expression. <i>Journal of Biological Chemistry</i> , 2016, 291, 227-243.  | 3.4 | 27        |
| 24 | The Association Between Conversion to In-centre Nocturnal Hemodialysis and Left Ventricular Mass Regression in Patients With End-Stage Renal Disease. <i>Canadian Journal of Cardiology</i> , 2016, 32, 369-377.  | 1.7 | 27        |
| 25 | Early Outgrowth Pro-Angiogenic Cell Number and Function Do Not Correlate with Left Ventricular Structure and Function in Conventional Hemodialysis Patients: A Cross-Sectional Study. <i>Canadian Journal of Kidney Health and Disease</i> , 2015, 2, 60. | 1.1 | 4         |
| 26 | Repeated Treatment with Bone Marrow Cell Secretory Products Maintains Long-Term Renoprotection in Experimental Chronic Kidney Disease: A Placebo-Controlled Trial. <i>Canadian Journal of Kidney Health and Disease</i> , 2015, 2, 82.                    | 1.1 | 4         |
| 27 | Application of Modular Therapy for Renoprotection in Experimental Chronic Kidney Disease. <i>Tissue Engineering - Part A</i> , 2015, 21, 1963-1972.   | 3.1 | 1         |
| 28 | Relationship between different blood pressure measurements and left ventricular mass by cardiac magnetic resonance imaging in end-stage renal disease. <i>Journal of the American Society of Hypertension</i> , 2015, 9, 275-284.                         | 2.3 | 14        |
| 29 | SDF-1/CXCR4 Signaling Preserves Microvascular Integrity and Renal Function in Chronic Kidney Disease. <i>PLoS ONE</i> , 2014, 9, e92227.  | 2.5 | 39        |
| 30 | A Clinical and Pathological Variant of Acute Transplant Glomerulopathy. <i>Case Reports in Pathology</i> , 2014, 2014, 1-5.   | 0.3 | 1         |
| 31 | Correlates of left ventricular mass in chronic hemodialysis recipients. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 349-356.   | 1.5 | 18        |
| 32 | Bridging the Gap: A Canadian Perspective on Translational Kidney Research. <i>Canadian Journal of Kidney Health and Disease</i> , 2014, 1, 18.  | 1.1 | 0         |
| 33 | Early outgrowth cells release soluble endocrine antifibrotic factors that reduce progressive organ fibrosis. <i>Stem Cells</i> , 2013, 31, 2408-2419.   | 3.2 | 23        |
| 34 | Comparative Assessment of 2-Dimensional Echocardiography vs Cardiac Magnetic Resonance Imaging in Measuring Left Ventricular Mass in Patients With and Without End-Stage Renal Disease. <i>Canadian Journal of Cardiology</i> , 2013, 29, 384-390.        | 1.7 | 25        |
| 35 | DPP-4 Inhibition Attenuates Cardiac Dysfunction and Adverse Remodeling Following Myocardial Infarction in Rats with Experimental Diabetes. <i>Cardiovascular Therapeutics</i> , 2013, 31, 259-267.  | 2.5 | 56        |
| 36 | Slit2 Prevents Neutrophil Recruitment and Renal Ischemia-Reperfusion Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 1274-1287.  | 6.1 | 52        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Slit2â€“Robo signaling. <i>Current Opinion in Nephrology and Hypertension</i> , 2013, 22, 445-451.   | 2.0 | 26        |
| 38 | eNOS Deficiency Predisposes Podocytes to Injury in Diabetes. <i>Journal of the American Society of Nephrology: JASN</i> , 2012, 23, 1810-1823.   | 6.1 | 124       |
| 39 | Early-Outgrowth Bone Marrow Cells Attenuate Renal Injury and Dysfunction via an Antioxidant Effect in a Mouse Model of Type 2 Diabetes. <i>Diabetes</i> , 2012, 61, 2114-2125.   | 0.6 | 32        |
| 40 | Hyperglycemia and Renal Mass Ablation Synergistically Augment Albuminuria in the Diabetic Subtotally Nephrectomized Rat: Implications for Modeling Diabetic Nephropathy. <i>Nephron Extra</i> , 2012, 2, 115-124.  | 1.1 | 4         |
| 41 | Angiogenic Dysfunction in Bone Marrow-Derived Early Outgrowth Cells from Diabetic Animals Is Attenuated by SIRT1 Activation. <i>Stem Cells Translational Medicine</i> , 2012, 1, 921-926.  | 3.3 | 20        |
| 42 | The Angiogenic Defect in Diabetes is Reversed by the Activation of Sirtuin 1. <i>Canadian Journal of Diabetes</i> , 2012, 36, S13.   | 0.8 | 0         |
| 43 | Bone Marrow Cell Therapies for Endothelial Repair and Their Relevance to Kidney Disease. <i>Seminars in Nephrology</i> , 2012, 32, 215-223.  | 1.6 | 11        |
| 44 | Cell Therapy for Diabetic Nephropathy: Is the Future, Now?. <i>Seminars in Nephrology</i> , 2012, 32, 486-493.   | 1.6 | 4         |
| 45 | The CXCR4/CXCR7/SDF-1 pathway contributes to the pathogenesis of Shiga toxinâ€“associated hemolytic uremic syndrome in humans and mice. <i>Journal of Clinical Investigation</i> , 2012, 122, 759-776.   | 8.2 | 86        |
| 46 | Long-Term Administration of the Histone Deacetylase Inhibitor Vorinostat Attenuates Renal Injury in Experimental Diabetes through an Endothelial Nitric Oxide Synthase-Dependent Mechanism. <i>American Journal of Pathology</i> , 2011, 178, 2205-2214. | 3.8 | 134       |
| 47 | Nocturnal Hemodialysis Is Associated with Restoration of Early-Outgrowth Endothelial Progenitor-Like Cell Function. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1345-1353.   | 4.5 | 21        |
| 48 | Histone deacetylase inhibition attenuates diabetes-associated kidney growth: potential role for epigenetic modification of the epidermal growth factor receptor. <i>Kidney International</i> , 2011, 79, 1312-1321.                                      | 5.2 | 102       |
| 49 | Fluorescent Microangiography Is a Novel and Widely Applicable Technique for Delineating the Renal Microvasculature. <i>PLoS ONE</i> , 2011, 6, e24695.   | 2.5 | 29        |
| 50 | Culture-Modified Bone Marrow Cells Attenuate Cardiac and Renal Injury in a Chronic Kidney Disease Rat Model via a Novel Antifibrotic Mechanism. <i>PLoS ONE</i> , 2010, 5, e9543.  | 2.5 | 55        |
| 51 | The (Pro)Renin Receptor. <i>Hypertension</i> , 2009, 54, 261-269.  | 2.7 | 234       |
| 52 | Optimal Blood Pressure Control in High-Risk Groups: Are the Guidelines Letting Us Down?. <i>Southern Medical Journal</i> , 2008, 101, 884-885.   | 0.7 | 0         |
| 53 | The natural history of coronary calcification progression in a cohort of nocturnal haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 1407-1412.   | 0.7 | 66        |
| 54 | Inflammation, cardiovascular disease and nocturnal hemodialysis. <i>Current Opinion in Nephrology and Hypertension</i> , 2005, 14, 538-542.  | 2.0 | 9         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Quotidian Nocturnal Hemodialysis Improves Cytokine Profile and Enhances Erythropoietin Responsiveness. <i>ASAIO Journal</i> , 2005, 51, 236-241.  | 1.6 | 48        |
| 56 | Decreased expression and impaired function of muscarinic acetylcholine receptors in the rat hippocampus following transient forebrain ischemia. <i>Neurobiology of Disease</i> , 2005, 20, 805-813. | 4.4 | 9         |